


→ Buck Regulator Design Notes —DVBAT_MON VEN_thid = 3.3V LMR54410FDBVR (R) 1 D2 PMEG3020EP,115 0.1uF-25V-10%-0603 VF=250mV @ 200mA R5 63.4k-1%-0603 Vin: 5-18V Vout: 3.3V @ 500mA 330uF supplies 24ms of operation at 250mA R13 20.0k-1%-0603 Vbat drops to 5V from 12V GND → Boost Regulator Design Notes U3 TP<u>S613222ADB</u>VR L1 2.2uH-20%-46mR






FRC971 - Spartan Robotics

Sheet: /Power Supply/
File: power-supply.kicad_sch

Title: IMU-2X

Size: B Date: 2023-11-19
KiCad E.D.A. 8.0.5 **Rev: 3** Page: 2/4






FRC971 - Spartan Robotics

Sheet: /LEDs/ File: LED.kicad_sch Title: IMU-2X

Size: B Date: 2023-11-19
KiCad E.D.A. 8.0.5 **Rev: 3** Page: 3/4





FRC971 - Spartan Robotics

Sheet: /PWM-Heading/ File: pwm-heading.kicad_sch Title: IMU-2X Size: B Date: KiCad E.D.A. 8.0.5

Rev: 3Page: 4/4