









- Seeed Studio J401 Carrier Board
- Seeed Studio J401 Carrier Board Schematic
- Seeed Studio J401 Carrier Board Datasheet
- J401 Measurements
- P1 Samtec 40 pin Elevated Socket

971 Spartan Robotics

Sheet: /
File: NX-IndicatorBoard.kicad_sch

Title: NX Indicator Board V2

Size: B	Date: 2024-08-05	**Rev: 2**
KiCad E.D.A. 8.0.4		Page: 1/4

NOTE: PULL DOWN RESITORS
MUST BE GREATER THAN 50k
TO COMPLY WITH LEVEL TRANSLATOR



971 Spartan Robotics

Sheet: /LEDs/		
File: LEDs.kicad_sch		
Title: NX Indicator Board V2		
Size: B	Date: 2024-08-05	**Rev: 2**
KiCad E.D.A. 8.0.4		Page: 3/4



971 Spartan Robotics

Sheet: /SPI-CAN-FD1/	
File: spi-canfd.kicad_sch	
Title: NX Indicator Board V2	
Size: B	Date: 2024-08-05
KiCad E.D.A. 8.0.4	**Rev: 2**
	Page: 4/4



971 Spartan Robotics

Sheet: /SPI-CAN-FD2/
File: spi-canfd.kicad_sch

Title: NX Indicator Board V2

Size: B	Date: 2024-08-05	**Rev: 2**
KiCad E.D.A. 8.0.4		Page: 5/4