
Lake Model: Employment and Unemployment


Quantitative Economics with Python


New York University

Thursday 10th March, 2016
















Overview

- The lake model is a basic tool for modeling unemployment
- It is a tool for analyzing
 - o flows between unemployment and employment
 - o how they influence steady state employment and unemployment rates
- It is a good model for interpreting monthly labor department reports on gross and net jobs created and jobs destroyed

Overview

- The "lakes" in the model are the pools of employed and unemployed
- The "flows" between the lakes are caused by
 - firing and hiring
 - o entry and exit from the labor force
- First, the parameters governing transitions into and out of unemployment and employment are exogenous
- Later, some of the transition rates are endogenously: McCall search model

Overview

- The only knowledge required for this lecture is
 - o basic linear algebra
 - o elementary concepts of Markov Chains
 - o dynamic program
- We'll use some nifty concepts like ergodicity, which provides a fundamental link between cross sectional and long run time series distributions
- These concepts will help us build an equilibrium model of ex ante homogeneous workers whose different luck generates variations in their ex post experiences

Model

- The economy is inhabited by a large number of **ex-ante** identical workers.
 - live forever
 - o spend their lives moving between unemployment and employment
- Transition rate between being unemployed and employed are
 - \circ λ : job finding rate for currently unemployed workers
 - \circ α : dismissal rate for currently employed workers
 - \circ b: entry rate into the labor force
 - \circ d: exit rate from the labor force
- ullet The growth rate of the labor force evidently equals g=b-d

Aggregates

- We want the dynamics of the following aggregates
 - \circ E_t : total number of employed workers
 - \circ U_t : total number of unemployed workers
 - \circ N_t : number of workers in the labor force
- We also want to know the values of the following objects
 - $_{\circ}$ e_{t} : employment rate E_{t}/N_{t}
 - \circ u_t : unemployment rate U_t/N_t

Laws of Motion

- ullet Of the mass of workers E_t who are employed
 - \circ $(1-d)E_t$ will remain in the labor force
 - $\circ (1-lpha)(1-d)E_t$ will remain employed
- ullet Of the mass of workers U_t workers who are currently unemployed
 - \circ $(1-d)U_t$ will remain in the labor force
 - $\delta \lambda (1-d)U_t$ will become employed
- ullet The number of workers who will be employed at t+1

$$E_{t+1} = (1 - d)(1 - \alpha)E_t + (1 - d)\lambda U_t$$

• The number of workers who will be unemployed at t+1

$$U_{t+1} = (1-d)\alpha E_t + (1-d)(1-\lambda)U_t + b(E_t + U_t)$$



Laws of Motion

• The total stock of workers $N_t = E_t + U_t$ evolves as

$$N_{t+1} = (1+b-d)N_t = (1+g)N_t$$

Linear state space

$$X_t = \begin{pmatrix} E_t \\ U_t \end{pmatrix}$$

Law of motion for X is

$$X_{t+1} = \begin{pmatrix} E_{t+1} \\ U_{t+1} \end{pmatrix} = A \begin{pmatrix} E_t \\ U_t \end{pmatrix} = AX_t$$

where

$$A = \begin{bmatrix} (1-d)(1-\alpha) & (1-d)\lambda \\ (1-d)\alpha + b & (1-d)(1-\lambda) + b \end{bmatrix}$$



Laws of Motion

• Laws of Motion for Rates of Employment and Unemployment

$$\begin{pmatrix} E_{t+1}/N_{t+1} \\ U_{t+1}/N_{t+1} \end{pmatrix} = \frac{1}{1+g} \begin{pmatrix} (1-d)(1-\alpha) & (1-d)\lambda \\ (1-d)\alpha+b & (1-d)(1-\lambda)+b \end{pmatrix} \begin{pmatrix} E_t/N_t \\ U_t/N_t \end{pmatrix}$$

• Define x_t as

$$x_t = \begin{pmatrix} e_t \\ u_t \end{pmatrix} = \begin{pmatrix} E_t/N_t \\ U_t/N_t \end{pmatrix}$$

or

$$x_{t+1} = \hat{A}x_t$$
 where $\hat{A} := \frac{1}{1+q}A$

• Evidently, $e_t + u_t = 1$ implies that $e_{t+1} + u_{t+1} = 1$

Steady States

- \bullet The aggregates E_t and U_t won't converge to steady states because their sum E_t+U_t grows at gross rate 1+g
- ullet The vector of employment and unemployment rates x_t can be in a steady state $ar{x}$ provided that we can find a solution to the matrix equation

$$\bar{x}=\hat{A}\bar{x}$$

where the components satisfy

$$\bar{e} + \bar{u} = 1$$

- ullet A steady state \bar{x} is an eigenvector of \hat{A} associated with a unit eigenvalue
- We also have $x_t \to \bar{x}$ as $t \to \infty$ provided that the remaining eigenvalues of \hat{A} are in modulus less that 1



Steady States

Let us go to Python notebook...

