Tickets

- setNum: int

roundTicketPrice(double): double availableSeatsCheck(int): boolean setSeatNum(int): void

PassengerReader

passengers: ArrayList<Passenger>

loadPassengers(): void vipCheck(): boolean addTripsNumber(String): void deleteTripsNumber(String): void getTripsNumber(String): int getPassengers(): ArrayList<Passenger>

Passenger

-passengerName: String -numberOfTrips: int

Passenger(String,int) getPassengerName(): String getNumberOfTrips(): int setNumberOfTrips(int): void

Validate

- username: String
- password: String
- loginPassenger: String[][] loginDriver: String[][]
- loginManager: String[][]
- type: String
- counter: int - accountType: int
- · isCorrect: boolean employee: boolean

setType(String): void setLoginData(): void loginValidation(): boolean getAccountType(): int

- passenger: boolean

FileReaderUtils

- passengerLogin: String[][]

- managerLogin: String[][] - driverLogin: String[][]

readLoginFile(): void readTripFile(): ArrayList<Trip> readVipFile(): ArrayList<Passenger> readDriverFile(): ArrayList<Driver> readHistorytTipsFile(): ArrayList<History> readCurrentTripsFile(): ArrayList<Current> getPassengerLogin(): String[][]

getManagerLogin(): String[[[getDriverLogin(): String[][]

FileWriterUtils

writeTripFile(ArrayList<Trip>): void writeVipFile(ArrayList<Passenger>): void writeDriverFile(ArrayList<Driver>): void writeHistoryTripFile(ArrayList<History>): void writeCurrentTripFile(ArrayList<Current>): void

DriverReader

- driverFirstName: String
- driverInfo: ArrayList<Driver>

loadInfo(): void setDriverFirstName(String): void getDriverFirstName(): ArrayList<String>

driverIndex(): int getAssignedTrips(): ArrayList<Trip> addAssignedTrip(String,String,String,String):

getDriverLastName(): String getDriverGender(): String

getDriverNumber(): String

getDriverInfo(): ArrayList<Driver>

- driverFirstName: String - driverLastName: String
- driverGender: String
- driverNumber: String
- assignedTrips: ArrayList<Trip>

Driver(String,String,String,ArrayList<Trip>) getDriverFirstName(): String

getDriverLastName(): String getDriverGender(): String

getDriverNumber(): String

getAssignedTrips(): ArrayList<Trip>

HistoryTripReader

- name: String history: ArrayList<History>

setName(String): void load(): void

showTrips(): ArrayList<Trip> addHistory(ArrayList<Current>):

limoHistory(): void

getHistory(): ArrayList<History>

History

History(String, ArrayList<Trip>)

name: String

getName():String

-trips: ArrayList<Trip>

getTrip():ArrayList<Trip>

ArravList<Trip> getNumberOfSeats(String,String,String): int setNumberOfSeats(int): void getTrips(): ArrayList<Trip>

index: int

load(): void

trips: ArrayList<Trip>

showTrips(): ArrayList<Trip>

getSource(): ArrayList<String>

getDestination():ArrayList<String>

findRoundTrip(String,String,String):

findTrip(String,String): ArrayList<Trip>

TripReader

addTrip(String,String,String,int,double,int):

assignTrip(String,String,String,String): void

deleteTrip(String,String,String,String): void

CurrentTripsReader

name: String

currents: ArrayList<Current>

load(): void

showTrips(): ArrayList<Trip>

confirmTrip(String,String,String,String,int,double):void cancelTrip(String,String,String,String): void

getCurrents(): ArrayList<Current>

setName(String):void

~ - - - - - - - - - J <<interface>> Reader

> load(): void showTrips(): ArrayList<Trip>

name: String - trips: ArrayList<Trip>

Current(String, ArrayList<Trip>) getName():String getTrip():ArrayList<Trip>

Current

-source -destination -vehicle -numOfStops -time -ticketPrice -numberOfSeats -driverName

Trip(String,String,String) Trip(String,String,String,int,String,double) Trip(String, String, String, int, String, double, int) Trip(String,String,String,int,String,double,int,String) getSource(): String getDestination(): String getVehicle(): String getNumOfStops(): int getTime(): String getTicketPrice(): double getNumberOfSeats(): int setNumberOfSeats(int): void getDriverName(): String setDriverName(String): void