



Lab 10

Harris Corners & SIFT

Part 1: Harris Corner Detection

- Read the image 'circuit.tif'
- Compute x and y Derivatives of image
$$I_x = G_\sigma^x * I, \quad I_y = G_\sigma^y * I$$
- Compute the products of derivatives at every pixel
$$I_{x^2} = I_x \cdot I_x, \quad I_{xy} = I_x \cdot I_y, \quad I_{y^2} = I_y \cdot I_y$$
- Compute the sum of the products of derivatives at each pixel using Gaussian filter
$$S_{x^2} = G_\sigma * I_{x^2}, \quad S_{xy} = G_\sigma * I_{xy}, \quad S_{y^2} = G_\sigma * I_{y^2}$$
- Compute the response of the detector at each pixel
$$R = (S_{x^2} \cdot S_{y^2} - S_{xy}^2) / (S_{x^2} + S_{y^2})$$
- Apply Threshold on R to get corners ($R > T$ is a corner).
- Get local maximum of R (after applying the threshold) to remove redundant points (only leave points that is larger than all surrounding points).
- According the TODOs.

Hints:

$$\text{Sobel Operator: } G_x = \begin{bmatrix} -1 & 0 & 1 \\ -2 & 0 & 2 \\ -1 & 0 & 1 \end{bmatrix} \quad G_y = \begin{bmatrix} -1 & -2 & -1 \\ 0 & 0 & 0 \\ 1 & 2 & 1 \end{bmatrix}$$

Part 2: SIFT

- Using SIFT and showing keys:
 - Apply sift function on example.
 - What does the result of the function mean?
 - Apply show keys function on the result from sift
 - What does the result image mean?
- Object Recognition using SIFT:
 - Try match function between (box_in_scene.png', 'box.png')
- Explain matching process main steps and how can I use other feature extractors.

References:

https://docs.opencv.org/3.0-beta/doc/py_tutorials/py_feature2d/py_matcher/py_matcher.html