







Handshake AIProject Buckeye — World BriefsReminder: No weekly confirmInbox | HandshakeProjects | Handshake AITGGAsk Gemini

project-buckeye-briefs.learn.joinhandshake.com

New Order - Author...Merry MaidsHome | Microsoft 365BE BOLD Value Set...Medical School Ad...All Bookmarks

KVL Camps — Recreation workers

Now viewing: KVL Camps — Recreation workers

Counts on this page are measured from the delivered pack, including the public layer.

Suggested task arcs

Each task below requires information from more than one file.

#	Arc / deliverable	Files it forces through	Why it is hard	Level
1	Reconcile the registers against the narrative	Two or more registers describe the same events; the figures quoted in the reports must be re-derived from them	requires cross-referencing at least two files	medium
2	Trace the longest document to source	The longest authored document cites figures that appear in the data layer; confirm each is supported.	the appendix and the register must agree	medium
3	Establish what the public layer does and does not cover	Public reference material sets the external rules; the working records show local practice.	requires reading across own and public files	hard

Model stumping guidance

This is for you as the person writing the task, not the person doing it. Pick two or three and combine them - any one of these on its own is usually beaten by careful reading. Each aims at a specific model habit, so when a model fails you know which habit caused it.

What to do	How, in this world	Why it works
Hide the fact that decides the answer	Put the deciding record mid-file in chicago-park-district-activities.csv (2000 rows), or in the Sibling Camp Files folder rather than Corporate Risk and Compliance, which holds 14 files and is where a model starts.	Models skim long files and large folders. The middle is where they stop looking.
Add a wrong file that looks better than the right one	Corrigwell Lifeguard Certification File exists as 5 versions, all complete and all plausible. The tidiest one is not the one the record was closed on.	Models reach for the neatest, most complete file. Being finished is what makes the wrong one attractive.
Make them join two files to see the problem	Nothing states the figure. It needs chicago-park-district-activities.csv and nyc-athletic-facilities.csv joined on camperid, with the denominator taken from the document that cites it.	A clash you can see in one file is a reading test. A clash that needs a join is a reasoning test.

65°F CloudySearch6:19 PM 9/16/2026

Handshake AI

Project Buckeye — World Briefs

Reminder: No weekly confirm...

Inbox | Handshake

Projects | Handshake AI

TGG

Ask Gemini

project-buckeye-briefs.learn.joinhandshake.com

New Order - Author...Merry MaidsHome | Microsoft 365BE BOLD Value Set...Medical School Ad...All Bookmarks

KVL Camps — Recreation workers

Now viewing: KVL Camps — Recreation workers

What to do	How, in this world	Why it works
Hide the fact that decides the answer	Put the deciding record mid-file in <code>chicago-park-district-activities.csv</code> (2000 rows), or in the Sibling Camp Files folder rather than Corporate Risk and Compliance, which holds 14 files and is where a model starts.	Models skim long files and large folders. The middle is where they stop looking.
Add a wrong file that looks better than the right one	Corrigwell Lifeguard Certification File exists as 5 versions, all complete and all plausible. The tidest one is not the one the record was closed on.	Models reach for the neatest, most complete file. Being finished is what makes the wrong one attractive.
Make them join two files to see the problem	Nothing states the figure. It needs <code>chicago-park-district-activities.csv</code> and <code>nyc-athletic-facilities.csv</code> joined on <code>camperid</code> , with the denominator taken from the document that cites it.	A clash you can see in one file is a reading test. A clash that needs a join is a reasoning test.
Ask them to compare two things that were counted differently	<code>chicago-park-district-activities.csv</code> and <code>nyc-athletic-facilities.csv</code> count the same subject on different period boundaries. Both totals are right for their own basis, so the gap has to be explained rather than averaged away.	Models assume two numbers about the same subject ought to match, and reconcile them instead of questioning the basis.

KVL Camps - World Brief2 / 4

What to do	How, in this world	Why it works
Mention the file instead of listing it	Mention Bluegill Point 2026 Swim Classification Roster.csv in passing inside State Finding Letter - Corrigwell 2026.pdf instead of listing it. It sits in Sibling Camp Files, which a folder before near has fact.	Models list a folder and read what they see. What is only mentioned in passing note missed.

65°F CloudySearch6:19 PM9/16/2026

Handshake AIProject Buckeye — World BriefsReminder No weekly confirmInbox | HandshakeProjects | Handshake AITGGAsk Gemini

project-buckeye-briefs.learn.joinhandshake.com

New Order - Author...Merry MaidsHome | Microsoft 365BE BOLD Value Set...Medical School Ad...All Bookmarks

KVL Camps — Recreation workers

Now viewing: KVL Camps — Recreation workers

What to do	How, in this world	Why it works
Mention the file instead of listing it	Mention Bluegill Point 2026 Swim Classification Roster.csv in passing inside State Finding Letter - Corriganwell 2026.pdf instead of listing it. It sits in Sibling Camp Files, which a folder listing reaches last.	Models list a folder and read what they see. What is only mentioned in passing gets missed.
Ask something the files cannot answer	Ask for the current period. The pack runs to 2pp of State Finding Letter - Corriganwell 2026.pdf and the closing figure for the last period does not exist in it - KVL Camps can only be answered up to the data it holds.	Models would rather guess than say they do not know. This is the only reliable way to catch that.
Make the second step depend on the first	Work the chain: State Finding Letter - Corriganwell, then Corriganwell Waterfront Zones and Bu, then Youth Camp License Renewal Applica. Each step consumes the answer from the one before, so an early slip fails the last step, not the first.	A quiet mistake early on fails a later step. Checking one step at a time never finds it.
Give one rule, once, halfway through the brief	Something like: no figure is reportable unless the register row behind it is named. State it once, halfway down, and hold it for every figure rather than the headline one.	Models apply a rule where they read it and then drift off it as the job goes on.

Two habits worth adopting: Shuffle the file order and run the same task again - if the score moves, the model was going by position rather than reasoning. And grade the file, not the write-up: name the cell, the row and the file you expect to change, so a confident memo that never opened the source scores nothing.

Do not fake the difficulty. A vague question, a broken link or a missing answer wastes a reviewer's day and tells you nothing about the model. Try each task on a model yourself first, and keep the ones where it genuinely gets it wrong.

Calibrate before you ship it

These are the bars the earlier professional-tasks projects settled on. They apply to every task regardless of the world, and most of them are things that quietly make a task easier than the author thinks it is.

Check	The bar
-------	---------

65°F CloudySearch6:19 PM 9/16/2026



Handshake AI

Project Buckeye — World Briefs

Reminder: No weekly confirm...

Inbox | Handshake

Projects | Handshake AI

TGG

Ask Gemini

project-buckeye-briefs.learn.joinhandshake.com

New Order - Author...Merry MaidsHome | Microsoft 365BE BOLD Value Set...Medical School Ad...

KVL Camps — Recreation workers

Now viewing: KVL Camps — Recreation workers

Uniquely	From the task your answer: it is only breaks the model solve in four, what was such failed what a hard task. Rely on the prompt until it fails reliably.
What counts as a failure	A wrong number, a violated constraint, an invented input, or a deliverable in the wrong format. A response that is merely a bit weak is not a slump, and chasing one wastes a cycle.
Free points	Delete any ask a model can satisfy without doing the analysis: section names and order, "be concise", "round to whole numbers", "restate the question first". Judge by whether a wrong analysis would produce a wrong answer, not by how simply the ask is worded.
Output shape	Do not specify structure the domain already determines. A competent professional would reach the conventional shape of the deliverable from domain knowledge, and the rubric can reward that as an implicit standard. Where a shape is genuinely arbitrary you have to state it, and then it earns no points. Never leave the output open in a way that lets a genuinely good alternative fail the rubric.
Ambiguity	Would fifty competent people in this role produce essentially the same deliverable? If they would each produce something different and equally defensible, the task is vague rather than hard. Reasonable professional judgment calls do not count as ambiguity. Apply this every time you leave something open.
How many files, and how different	The answer should require at least five distinct files, and they should not all give up their values the same way. Five spreadsheets on one schema is an easier five than a spreadsheet, a table inside a PDF, a prose memo and a form. Vary where the value sits and how it is expressed, not how badly the file is mangled.
Files nothing touches	If more than half the world is irrelevant to your task, widen the prompt or narrow the set. Count the files the answer requires, not the files a model happens to open: anything that reads the whole directory touches everything without needing any of it.
Chain depth	Stronger than two linked steps: the first deliverable draws on much of the world, the second consumes the first plus fresh files, the third consumes both plus more. Keep some criteria on the later deliverables independent of the earlier ones being right, or one early error fails thirty criteria for a single reason and tells you nothing about the rest.
Length	Padding is a defect in its own right. If a file feels thin, make it more specific rather than longer. Bulk does not slump anything.
Presentation	Judge it, never dictate it. Whatever weight presentation carries in the rubric, a layout or formatting point the model earns by following an instruction in your prompt is a free point rather than a test of presentation.
Name the mechanism	Tag what you were aiming at: Hallucination, Omission, Misinterpretation, Dependency, Constraint, Inference, Format, Structure or Stagnation. It turns "the model did badly" into a result someone can attribute.

Start here. Read the longest authored document.

Public files are reference. They are genuine published material and are not part of the

Figures must be re-derived. Where a report

Handshake AI

Project Buckeye — World Briefs

Reminder: No weekly confirm...

Inbox | Handshake

Projects | Handshake AI

TGG

Ask Gemini

project-buckeye-briefs.learn.joinhandshake.com

New Order - Author...Merry MaidsHome | Microsoft 365BE BOLD Value Set...Medical School Ad...

KVL Camps — Recreation workers

Now viewing: KVL Camps — Recreation workers

How many files, and how different	The answer should require at least five distinct files, and they should not all give up their values the same way. Five spreadsheets on one schema is an easier five than a spreadsheet, a table inside a PDF, a prose memo and a form. Vary where the value sits and how it is expressed, not how badly the file is mangled.
Files nothing touches	If more than half the world is irrelevant to your task, widen the prompt or narrow the set. Count the files the answer requires, not the files a model happens to open: anything that reads the whole directory touches everything without needing any of it.
Chain depth	Stronger than two linked steps: the first deliverable draws on much of the world, the second consumes the first plus fresh files, the third consumes both plus more. Keep some criteria on the later deliverables independent of the earlier ones being right, or one early error fails thirty criteria for a single reason and tells you nothing about the rest.
Length	Padding is a defect in its own right. If a file feels thin, make it more specific rather than longer. Bulk does not stump anything.
Presentation	Judge it, never dictate it. Whatever weight presentation carries in the rubric, a layout or formatting point the model earns by following an instruction in your prompt is a free point rather than a test of presentation.
Name the mechanism	Tag what you were aiming at: Hallucination, Omission, Misinterpretation, Dependency, Constraint, Inference, Format, Structure or Stagnation. It turns "the model did badly" into a result someone can attribute.

Start here. Read the longest authored document, then open the register it draws on.

Public files are reference. They are genuine published material and are not part of the organisation's own records.

Figures must be re-derived. Where a report states a total, the register behind it is in the pack.

KVL Camps - World Brief3 / 4

Generated from the delivered pack. Every figure here was measured, not estimated.



