


TLS1 RWY 9
PALAU INTL (ROR)(PTRO)

APP CRS	Rwy Idg	7200
090°	TDZE	177
	Apt Elev	177

TLS Approach	
Circling NA north of Rwy 9-27. Rwy 9 helicopter visibility reduction below 3/4 SM NA. Obtain local altimeter setting on CTAF; when not received, procedure NA. No controlled airspace below 5500.	MISSED APPROACH: Climb to 1900 direct STUNR and hold.

KOROR RADIO
123.6 (CTAF) 1



4 NM Holding Pattern		STEVE		1900		STUNR	
CATEGORY		A		B		C	
TLS MDA		377-3/4		(200-3/4)		377-3/4	
CIRCLING		700-1 523 (600-1)		760-1 583 (600-1)		780-1 3/4 603 (700-1 3/4)	
						780-2 603 (700-2)	
						MIRL Rwy 9-27 1 REIL Rwy 9 and 27	

April 27, 2025 FOR DEMONSTRATION ONLY


April 27, 2025 FOR DEMONSTRATION ONLY

TLS3 RWY 9
PALAU INTL (ROR)(PTRO)

APP CRS	Rwy Idg	7200
090°	TDZE	177
	Apt Elev	177

TLS Approach	
Circling NA north of Rwy 9-27. Rwy 9 helicopter visibility reduction below 3/4 SM NA. Obtain local altimeter setting on CTAF; when not received, procedure NA. No controlled airspace below 5500.	MISSED APPROACH: Climb to 1900 direct STUNR and hold.

KOROR RADIO
123.6 (CTAF) 1



4 NM Holding Pattern		STEVE		AUSTN		1900 ↑		STUNR 		090° 		7200 X 150 		27 	
14000 1900		←270° →090°		090°		3.00° TCH 52		RW09							
		6.1 NM		4.9 NM											
CATEGORY		A		B		C		D							
TLS MDA		377-3/4		(200-3/4)		377-3/4		(200-3/4)							
 CIRCLING		700-1 523 (600-1)		760-1 583 (600-1)		780-13/4 603 (700-13/4)		780-2 603 (700-2)							
														MIRL Rwy 9-27  REIL Rwy 9 and 27	

April 27, 2025 FOR DEMONSTRATION ONLY

April 27, 2025 FOR DEMONSTRATION ONLY




TLS4 RWY 9

PALAU INTL (ROR)(PTRO)

APP CRS	Rwy Idg	7200
090°	TDZE	177
	Apt Elev	177

TLS Approach	
Circling NA north of Rwy 9-27. Rwy 9 helicopter visibility reduction below 3/4 SM NA. Obtain local altimeter setting on CTAF; when not received, procedure NA. No controlled airspace below 5500.	MISSED APPROACH: Climb to 1900 direct STUNR and hold.

KOROR RADIO
123.6 (CTAF) 1



CATEGORY	A	B	C	D
TLS MDA	377-3/4	(200-3/4)	377-3/4	(200-3/4)
CIRCLING	700-1 523 (600-1)	760-1 583 (600-1)	780-1 3/4 603 (700-1 3/4)	780-2 603 (700-2)

April 27, 2025 FOR DEMONSTRATION ONLY

April 27, 2025 FOR DEMONSTRATION ONLY