

BeMindPower – API Reference Documentation

1. API Reference: User Verification (BeMindPower)

1.1 Overview

This endpoint allows the MindPower compensation system to verify a BMP user's existence, wallet activation status, and withdrawal eligibility in real time.

It returns detailed information used internally by BeMindPower and should **not be used for bulk payment eligibility**. For that, refer to **Section 2 – User Eligibility API**.

1.2 Authentication

This API uses **Custom Header Authentication**.

Include the following headers in every request:

Header Name	Type	Description
Client-Id	String	Your unique application identifier.
Client-Secret	String	Your secret API key. Do not expose publicly.

1.3 Endpoint

Method:GET

<https://dev-backend.be-mindpower.net/api/v1/be-mindpower/user-verification>

Note: In the params you enter the email

1.4 Request Parameters

Parameter	Type	Required	Description
email	string	Conditional	The registered email address of the user.

At least **one** identifier is required, but this endpoint currently supports **email only**.

1.5 Response Format (200 OK)

```
{
  "exists": true,
  "user": {
    "userId": "d112c91a-7b4a-*****",
    "email": "rafael.giron@cun.edu.co",
    "username": "rtxxx"
  },
  "virtualAccountActivated": false,
  "virtualAccountWalletAddress": "DzbCmED*****",
  "cardActivated": false,
  "cardWalletAddress": "DzbCmEDE1*****",
  "isFullyActivated": false,
  "withdrawalStatus": "blocked",
  "restrictionReason": "virtual_account_incomplete",
  "bridgeCustomerId": "5bda31db-*****",
  "bridgeCustomerStatus": "active"
}
```

1.6 Field Definitions

Field	Type	Description
exists	boolean	Whether the user exists in the system.
user	object	Basic identity (userId, email, username).
virtualAccountActivated	boolean	Virtual Account activation state.
virtualAccountWalletAddress	string	Wallet address for the VA.
cardActivated	boolean	Card activation status.
cardWalletAddress	string	Wallet address linked to the card.
isFullyActivated	boolean	True only if both VA and Card are active.
withdrawalStatus	string	allowed / blocked.
restrictionReason	string	Reason for block (kyc_pending, VA incomplete, etc.).
bridgeCustomerId	string	Customer ID in Bridge system.
bridgeCustomerStatus	string	KYC/compliance state from Bridge.

1.7 Status Codes

Code	Status	Meaning
200	OK	Request successful.
400	Bad Request	Missing or invalid parameters.
401	Unauthorized	Missing/invalid Client-Id or Client-Secret.
403	Forbidden	Credentials valid, but no permission.
429	Too Many Requests	Rate limit exceeded.
500	Internal Server Error	Backend or third-party error.

2. User Eligibility (Bulk Payment Activation Check)

2.1 Overview

This endpoint determines whether a user is **eligible for bulk or massive payments**.

Eligibility is based strictly on:

1. **User existence**
2. **Virtual Account activation (Bridge)**
3. **Card activation (PayCrypto)**

2.2 Authentication

Same as the User Verification API:

Header	Type	Description
Client-Id	string	Unique application identifier.
Client-Secret	string	Secret API key.

2.3 Endpoint

Method:post

<https://dev-backend.be-mindpower.net/api/v1/mindpower/user-eligibility>

Note: in param you have to provide the email

2.6 Response Format

Success (Fully Eligible)

```
{  
  "eligible": true,  
  "statusReason": "PROCEED",  
  "verificationTimestamp": "2025-12-04T10:00:00Z"  
}
```

Failure – Virtual Account Not Activated

```
{  
  "eligible": false,  
  "statusReason": "Virtual Account Not Activated",  
  "verificationTimestamp": "2025-12-04T10:00:00Z"  
}
```

Failure – Card Not Activated

```
{  
  "eligible": false,  
  "statusReason": "Card Not Activated",  
  "verificationTimestamp": "2025-12-04T10:00:00Z"  
}
```

User Not Found (404)

```
{  
  "eligible": false,  
  "statusReason": "User Not Found"  
}
```

2.7 Field Definitions

Field	Type	Description
eligible	boolean	Final eligibility decision for bulk payments.
statusReason	string	Reason for approval/rejection.

verificationTimestamp	string	ISO timestamp of evaluation.
-----------------------	--------	------------------------------

2.8 Status Codes

Code	Meaning
200 OK	Request processed; check <code>eligible</code> value.
400 Bad Request	Missing <code>userId</code> .
401 Unauthorized	Authentication failed.
404 Not Found	User does not exist.
500 Internal Server Error	Bridge/PayCrypto failures or backend issue.