

Git Command

Made by Alamin Hosen Tokee

- 1.git init (for repository)
- 2.git config --global user.name “name” (for global user)
- 3.git config --global user.email “demo@gmail.com” (for email)
- 4.git config user.name (for different project different name)
- 5.git config --list (check user)
- 6.git status (check status changes)
- 7.git add “demo.txt” (for specific file staging)
- 8.git add --all (for all file staging)
- 9.git add . (for all file staging)
- 10.git commit (Press I, Commit text, Escape, :x)
- 11.git commit -m “write changes your commit” (for commit)
- 12.git log (for show all commit)
- 13.git log --online (for show all commit shortly)
- 14.git checkout “1234” (go back previous commit)
- 15.git diff (show changes between last stage latest stage)
- 16.git show “1234” (show latest commit changes)
- 17.git diff 1234 4567 (show different between two commit)
- 18.git diff --stage (show previous staged)
- 19.git rm “demo.txt” (delete git file)

- 20.git reset HEAD demo.txt (clear staged area)
- 21.git remote add origin "link" (remote to local git with the link)
- 22.git push -u origin master (push the git file)
- 23.git clone "link" (clone the project)
- 24.git fetch (remote to local changes track)
- 25.git pull (changes down to github)
- 26.git branch name (for create the branch)
- 27.git branch (for check branch)
- 28.git checkout -b name (direct branch/switch branch)
- 29.git stash (temporary code stash)
- 30.git stash pop (show stash code)
- 31.git stash apply (alternate for pop)
- 32.git stash list (stash list)
- 33.git stash pop serial_no (stashing number wise)
- 34.git clean -f (untrack file delete)
- 35.git clean -f -n (change show in file)
- 36.touch .gitignore (create git ignore)