

Introduction:

Phoenix sport club .Basically we work with a membership management domain .In this project we have four different process Admin, Management, Member, Service Provider. Every domain have different work. Admin have many facilities he can add delete of player and and modify the player information. Management can also do add and delete player from the system and modify the player information .Member have multiple feature he can add and delete the player and he can see the contribution of the club ,see the donation history etc. Service provider can arrange any sort of friendly match and as well as arrange any meeting etc.


Project Folder Structure:




*DATA:




*Control:




*CSS:




*Uploads



*View



*Model



Core Modules of the Project:

Here, add THREE of your CORE modules' source code with appropriate filename as heading. (Use either consolas or courier new font for source code)



PLAYER:

PlayerRegistration.php

```
include("../control/Player_Registration_Process.php");
setcookie("mycokie", "hello")
<!DOCTYPE html>
<html lang="en">
   <title>Player Registration</title>
   <meta charset="UTF-8">
   <meta http-equiv="X-UA-Compatible" content="IE=edge">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <link rel="stylesheet" href="../CSS/style1.css">
</head>
<body>
<div class="header">
       <h1>Phoenix Roar Sporting Club </h1>
       <h3> We create Future Player </h3>
   </div>
   <div class="menu-bar">
 <u1>
   <a href="../view/Home.php"><i class="fa fa-home"></i>Home</a>
   <a href="#"><i class="fa fa-address-book-o"></i>About US</a>
   <a href="#"><i class="fa fa-sign-in"></i>Sign In</a>
<div class="sub-menu-1">
 <l>
   <a href="../view/UserLogin.php">User Login</a> 
   <a href="../view/PlayerLogin.php">Player Login</a> 
</div>
 <a href="#">Sign Up</a>
<div class="sub-menu-1">
   <u1>
   <a href="../view/UserRegistration.php">User Sign up</a> 
   <!-- <li> <a href="../view/PlayerRegistration.php">Player Sign up</a> 
   <a href="../view/b.php">Player Sign up</a> 
</div>
<a href="../view/sports.php">Sports</a>
```



```
<u1>
<a href="../view/FACILITIES.php">Facilites</a>
<l
<a href="../view/contact.php">Contact</a>
<l
<a href="../view/index.php">Company</a>
</div>
<div class="regform2">
<h1>Player Registration Form </h1>
<hr>>
</div>
<div class="container32">
   <div class="title">Registration</div>
   <div class="content32">
   <form action="" method="post" enctype="multipart/form-data" onsubmit="return</pre>
formcheck()">
       <div class="user-details32">
         <div class="input-box">
           <span class="details">First Name</span>
           <input type="text" name="fname" placeholder="Enter your name" id="fname"</pre>
onkeyup="fastnameval()">
           </div>
         <div class="input-box">
           <span class="details">Last Name</span>
           <input type="text" name="lname" placeholder="Enter your Last Name" id="lname"</pre>
onkeyup="lastnameval()">
           </div>
         <div class="input-box">
           <span class="details">User Name</span>
           <input type="text" name="uname" placeholder="Enter your User Name" id="uname"</pre>
onkeyup="usernameval()">
           </div>
         <div class="input-box">
           <span class="details">Nationality</span>
           <input type="text" name="nationality" placeholder="Enter your nationality"</pre>
id="nationality" onkeyup="nnameval()">
           </div>
         <div class="input-box">
```



```
<span class="details"> Division</span>
           <select name ="Division" id="Division">
           <option value="Dhaka">Dhaka</option>
           <option value="Cittagong" selected>Cittagong</option>
           <option value="Sylhet">Sylhet</option>
           </select>
          </div>
          <div class="input-box">
           <span class="details">Zila</span>
           <select name ="Zila" id="Zila">
           <option value="Dhaka">Dhaka</option>
           <option value="Cittagong">Cittagong</option>
           <option value="Sylhet">Sylhet</option>
          </select>
         </div>
          <div class="input-box">
           <span class="details">University</span>
           <input type="text" name="university" placeholder="Enter your University name"</pre>
id="university" onkeyup="universitynnameval()">
           </div>
         <div class="input-box">
           <span class="details">College</span>
           <input type="text" name="college" placeholder="Enter your College Name"</pre>
id="college" onkeyup="collegennameval()">
           </div>
         <div class="input-box">
           <span class="details">School</span>
           <input type="text" name="school" placeholder="Enter your School Name"</pre>
id="School" onkeyup="Schoolnnameval()">
           </div>
         <div class="input-box">
           <span class="details">Birthday</span>
           <input type="date" id="birthday" name="birthday">
         </div>
         <div class="input-box">
         <input type="radio" name="radio1" value="MEN" id="dot-1"</pre>
onclick="getradioval()">
          <input type="radio" name="radio1" value="WOMEN" id="dot-2"</pre>
onclick="getradioval()">
         <span class="gender-title">Gender</span>
         <div class="category">
           <label for="dot-1">
           <span class="dot one"></span>
```



```
<span class="radio1">MEN</span>
         </label>
         <label for="dot-2">
          <span class="dot two"></span>
          <span class="radio1">WOMEN</span>
         </label>
         </div>
         </div>
       <div class="input-box">
          <span class="details">E-mail</span>
          <input type="email" name="email" placeholder="Enter your email" id="email"</pre>
onkeyup="emailcheck()" >
          <div class="e">
          </div>
         </div>
         <div class="input-box">
          <span class="details">password</span>
          <input type="password" name="password" placeholder="Enter your password"</pre>
id="password" onkeyup="passval()">
          </div>
         <div class="input-box">
          <span class="details">Phone Number</span>
          <input type="text" name="number" placeholder="Enter your Phone Number"</pre>
id="number" onkeyup="numberval()" >
          </div>
        <div class="input-box">
           <span class="details">Please Choose Your Image :</span>
          <input type="file" id="myfile" name="myfile">
         </div>
       </div>
       <div class="button">
       <input type="Submit"name="Submit" value="Submit">
       </div>
       <script src="../JS/player_reg.js"></script>
     </form>
   </div>
 </div>
</body>
</html>
```



Player_Registration_Process.php

```
<?php
include("../model/db.php");
session_start();
$name2="";
$GENDER ="";
$Relationship="";
if(isset($_REQUEST["Submit"]))
$fname = $_POST["fname"];
$name=$_REQUEST["fname"];
$name3=$_REQUEST["lname"];
$name4=$_REQUEST["uname"];
$name5=$_REQUEST["nationality"];
$name6=$_REQUEST["Division"];
$name7=$_REQUEST["Zila"];
$name8=$_REQUEST["school"];
$name9=$_REQUEST["university"];
$name10=$_REQUEST["college"];
$name11=$_REQUEST["number"];
if(empty($fname))
    $name2="You haven't entered your first name!";
    echo "<br>";
else
    if (!preg_match("/^[a-zA-Z-' ]*$/",$fname))
        echo "Please remove numeric numbers from your first name!";
        echo "<br>";
    else
    {
        $_SESSION["name"]=$name;
        echo "Your first name is: ".$fname;
        echo "<br>";
    }
$lname = $_POST["lname"];
if(empty($lname))
    echo "You haven't entered your last name!";
    echo "<br>";
```



```
else
    if (!preg_match("/^[a-zA-Z-' ]*$/",$lname))
        echo "Please remove numeric numbers from your last name!";
        echo "<br>";
    else
    {
        $_SESSION["lname"]=$lname;
        echo "Your last name is: ".$lname;
        echo "<br>";
    }
$uname = $_POST["uname"];
if(empty($uname))
    echo "You haven't entered your last name!";
    echo "<br>";
    if (!preg_match("/^[a-zA-Z-' ]*$/",$uname))
        echo "Please remove numeric numbers from your last name!";
        echo "<br>";
    else
        $_SESSION["uname"]=$uname;
        echo "Your last name is: ".$uname;
        echo "<br>";
    }
$nationality = $_POST["nationality"];
if(empty($nationality))
    echo "You haven't entered your last name!";
    echo "<br>";
    if (!preg_match("/^[a-zA-Z-' ]*$/",$nationality))
        echo "Please remove numeric numbers from your last name!";
```



```
echo "<br>";
    else
    {
        $_SESSION["nationality"]=$nationality;
        echo "Your last name is: ".$nationality;
        echo "<br>";
    }
$Division = $_POST["Division"];
if(empty($Division))
{
    echo "You haven't entered your last name!";
    echo "<br>";
else
{
    if (!preg_match("/^[a-zA-Z-']*$/",$Division))
        echo "Please remove numeric numbers from your last name!";
        echo "<br>";
    }
    else
        $_SESSION["Division"]=$Division;
        echo "Your last name is: ".$Division;
        echo "<br>";
    }
$Zila = $_POST["Zila"];
if(empty($Zila))
    echo "You haven't entered your last name!";
    echo "<br>";
else
    if (!preg_match("/^[a-zA-Z-' ]*$/",$Zila))
        echo "Please remove numeric numbers from your last name!";
        echo "<br>";
    else
    {
        $_SESSION["Zila"]=$Zila;
```



```
echo "Your last name is: ".$Zila;
        echo "<br>";
    }
$university = $_POST["university"];
if(empty($university))
    echo "You haven't entered your last name!";
    echo "<br>";
else
    if (!preg_match("/^[a-zA-Z-' ]*$/",$university))
        echo "Please remove numeric numbers from your last name!";
        echo "<br>";
    else
        $_SESSION["university"]=$university;
        echo "Your last name is: ".$university;
        echo "<br>";
    }
$school = $_POST["school"];
if(empty($school))
    echo "You haven't entered your last name!";
    echo "<br>";
else
    if (!preg_match("/^[a-zA-Z-' ]*$/",$school))
    {
        echo "Please remove numeric numbers from your last name!";
        echo "<br>";
    else
        $_SESSION["school"]=$school;
        echo "Your last name is: ".$school;
        echo "<br>";
    }
$number = $_POST["number"];
```



```
if(empty($number))
    echo "You haven't entered your last name!";
    echo "<br>";
else
    if (!preg_match("/^[a-zA-Z0-9' ]*$/",$number))
        echo "Please remove numeric numbers from your last name!";
        echo "<br>";
    }
    else
        $_SESSION["number"]=$number;
        echo "Your last name is: ".$number;
        echo "<br>";
    }
$birthday = $_POST["birthday"];
$_SESSION["birthday"]=$birthday;
echo "Your Age is: ".$birthday;
echo "<br>";
$GENDER="";
if (isset( $_POST["radio1"]) )
    $GENDER = $_POST["radio1"];
    $_SESSION["GENDER"]=$GENDER;
    echo "You have selected as: " .$GENDER;
    echo "<br>";
else
    echo "You must have to select one!";
    echo "<br>";
$Relationship="";
if (isset( $_POST["radio3"]) )
    $Relationship = $_POST["radio3"];
    $_SESSION["Relationship"]=$Relationship;
    echo "You have selected as: " .$Relationship;
    echo "<br>";
```



```
else
    echo "You must have to select one!";
    echo "<br>";
$email = $_POST["email"];
if (empty($email) || !preg_match('/^([a-z0-9\+_\-]+)(\.[a-z0-9\+_\-]+)*@([a-z0-9\-
]+\.)+[a-z]{2,6}$/ix',$email))
    echo "Invalid email";
    echo "<br>";
else
    echo "Your email is ".$email;
    echo "<br>";
$password = $_POST['password'];
if (strlen($password) < 8)</pre>
    echo "Please Enter a valid password!";
    echo "<br>";
else
    echo "Your given password is: ".$password;
    echo "<br>";
  echo $_FILES["myfile"]["name"];//return file name
  if(move_uploaded_file($_FILES["myfile"]["tmp_name"],"../uploads/".$_FILES["myfile"]["nam
e"]))
      echo "FILES UPLOADED";
  else{
      echo"<br>File not uploaded";
  $mydata =array(
    'firstname'=>$name,
    'LastName'=>$name3,
    'UserName'=>$name4,
    'Nationality'=>$name5,
    'Division'=>$name6,
```



```
'Zila'=>$name7,
    'University'=>$name9,
    'School'=>$name10,
    'Number'=>$name11,
    'birthday'=>$_REQUEST["birthday"],
    'email'=>$_REQUEST["email"],
    'password'=>$_REQUEST["password"],
    'file'=>$_FILES["myfile"]["name"],
    'radio1'=>$GENDER,
);
$existingdata = file_get_contents('../data/data2.json');
$tempJSONdata = json_decode($existingdata, true);
$tempJSONdata[] =$mydata;
$jsondata = json_encode($tempJSONdata, JSON_PRETTY_PRINT);
if(file_put_contents ("../data/data2.json",$jsondata)){
    echo"Save data";
    echo"<br>";
else{
    $hrerror=1;
    echo"<br>data not uploaded";
  $mydb = new mydb();
    $conobj=$mydb->opencon();
    $mydb-
>insertplayer($conobj,"player",$_POST["fname"],$_POST["lname"],$_POST["uname"],$_POST["nat
ionality"],
    $_POST["Division"],$_POST["Zila"],$_POST["university"],$_POST["college"],$_POST["schoo
1"],
    $_POST["number"],$_POST["birthday"],$GENDER,
    $_POST["email"],$_POST["password"],$_FILES["myfile"]["name"]);
```

player_reg.js

```
//firstname validation
function fastnameval()
{
  var fname = document.getElementById("fname").value;
  var fname_pattern = /^[A-Za-z]+$/;
  var fn_check = fname_pattern.test(fname);
  if (fn_check)
  {
```



```
document.getElementById("nameError").innerHTML="First name is correct";
    document.getElementById("fname").style.backgroundColor="green";
    return true;
 else
      document.getElementById("nameError").innerHTML="First Name must be Alphabets!should
not contain numbers and symbols.";
      document.getElementById("fname").style.backgroundColor="red";
      return false;
  }
//lastname validation
function lastnameval()
    var lname = document.getElementById("lname").value;
   var lname_pattern = /^[A-Za-z]+$/;
   var ln_check = lname_pattern.test(lname);
   if (ln_check)
      document.getElementById("nameError1").innerHTML="Last name is correct";
     document.getElementById("lname").style.backgroundColor="green";
     return true;
   else
        document.getElementById("nameError1").innerHTML="Last Name must be
Alphabets!should not contain numbers and symbols.";
        document.getElementById("lname").style.backgroundColor="red";
        return false;
    }
//username validation
function usernameval(){
    var fnameval=document.getElementById("uname").value;
   if(!isNaN(fnameval)){
      document.getElementById("nameError9").innerHTML="User name must alphabets";
      document.getElementById("uname").style.backgroundColor="red";
      return false;
   else{
       document.getElementById("nameError9").innerHTML="user name is correct";
       document.getElementById("uname").style.backgroundColor="green";
       return true;
```



```
function nnameval()
    var nationality = document.getElementById("nationality").value;
    var nationality_pattern = /^[A-Za-z]+$/;
    var n_check = nationality_pattern.test(nationality);
    if (n_check)
     document.getElementById("nameError3").innerHTML="nationality name is correct";
     document.getElementById("nationality").style.backgroundColor="green";
     return true;
   else
        document.getElementById("nameError3").innerHTML="nationality Name must be
Alphabets!should not contain numbers and symbols.";
        document.getElementById("nationality").style.backgroundColor="red";
        return false;
    }
function universitynnameval()
    var university = document.getElementById("university").value;
   var university_pattern = /^[A-Za-z]+$/;
    var uni_check = university_pattern.test(university);
    if (uni_check)
     document.getElementById("nameError4").innerHTML="university name is correct";
     document.getElementById("university").style.backgroundColor="green";
     return true;
   else
    {
        document.getElementById("nameError4").innerHTML="university Name must be
Alphabets!should not contain numbers and symbols.";
        document.getElementById("university").style.backgroundColor="red";
        return false;
function collegennameval()
    var college = document.getElementById("college").value;
   var college_pattern = /^[A-Za-z]+$/;
    var clg_check = college_pattern.test(college);
    if (clg_check)
```



```
document.getElementById("nameError5").innerHTML="college name is correct";
      document.getElementById("college").style.backgroundColor="green";
      return true;
   else
        document.getElementById("nameError5").innerHTML="college Name must be
Alphabets!should not contain numbers and symbols.";
        document.getElementById("college").style.backgroundColor="red";
        return false;
    }
function Schoolnnameval()
   var School = document.getElementById("School").value;
   var School_pattern = /^[A-Za-z]+$/;
    var sch_check = School_pattern.test(School);
   if (sch_check)
     document.getElementById("nameError6").innerHTML="School name is correct";
     document.getElementById("School").style.backgroundColor="green";
     return true;
   else
        document.getElementById("nameError6").innerHTML="School Name must be
Alphabets!should not contain numbers and symbols.";
        document.getElementById("School").style.backgroundColor="red";
        return false;
    }
//radio
function getradioval(){
    if(document.getElementById("dot-1").checked==true)
        document.getElementById("nameError7").innerHTML="MEN has been checked";
        return true;
   else if(document.getElementById("dot-2").checked==true)
        document.getElementById("nameError7").innerHTML="WOMEN has been checked";
        return true;
    else{
        document.getElementById("nameError7").innerHTML="Please select a radio button";
```



```
return false;
    }
// email validation
function emailcheck(){
    var emailval=document.getElementById("email").value;
    var pattern=/^\w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/;
    if(emailval.match(pattern)){
        document.getElementById("nameError2").innerHTML="Email is correct";
        document.getElementById("email").style.backgroundColor="green";
        if(nameExists2())
        return true;
    else{
        document.getElementById("nameError2").innerHTML="Email is not correct";
        document.getElementById("email").style.backgroundColor="red";
        return false;
document.getElementById("nameExists2").innerHTML="";
function nameExists2()
    var email=document.getElementById("email").value;
    var myxttp = new XMLHttpRequest();
    myxttp.onreadystatechange=function(){
        if(this.readyState=4 && this.status==200)
            if(this.responseText=="yes")
        document.getElementById("nameExists2").innerHTML=this.responseText;
                return true;
            }
            else
        document.getElementById("nameExists2").innerHTML=this.responseText;
                return false;
            }
    myxttp.open("POST","http://localhost/secf/p/control/ajaxwork1.php",true);
    myxttp.setRequestHeader("Content-type", "application/x-www-form-urlencoded");
    myxttp.send("email="+email);
function passval(){
```



```
var passval=document.getElementById("password").value;
    var pattern=/^(?=.*[a-z])(?=.*[A-Z])(?=.*\d)[a-zA-Z\d]{8,}$/;
    if(passval.length>=8 && passval.match(pattern)){
        document.getElementById("nameError10").innerHTML="Password is correct";
        document.getElementById("password").style.backgroundColor="green";
        return true;
   else{
        document.getElementById("nameError10").innerHTML="Password must be more than 6
letters long and must have a alphabets and a number";
        document.getElementById("password").style.backgroundColor="red";
        return false;
    }
//number validation
function numberval(){
    var pnameval=document.getElementById("number").value;
    if((isNaN(pnameval) || pnameval.length<2))</pre>
        document.getElementById("nameError11").innerHTML="must be a number";
        document.getElementById("number").style.backgroundColor="red";
        return false;
   else{
        document.getElementById("nameError11").innerHTML="number is correct";
        document.getElementById("number").style.backgroundColor="green";
        return true;
function formcheck()
    if(fastnameval() == true && lastnameval() == true && usernameval() == true &&
nnameval() == true && universitynnameval() == true && collegennameval() == true &&
Schoolnnameval() == true && getradioval() == true && getradioval1() == true &&
emailcheck() == true && passval() == true && numberval() == true)
    {
        document.getElementById("submit").innerHTML="All fields are ok";
        return true;
   else
    {
        document.getElementById("submit").innerHTML="All filed are required";
        return false;
```



PlayerLogin.php

```
<?php
include("../control/PlayerLogin_control.php");
// setcookie("mycokie", "hello");
session_destroy();
setcookie("user_detect","visited", time()+86400*30,"/");
if(isset($_COOKIE["user_detect"]))
    echo " You have visited me before  ";
 else{
    echo " You are visiting me for the first time ";
?>
<!DOCTYPE html>
<html lang="en">
   <head>
   <title>Player Login</title>
   <meta charset="UTF-8">
   <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <link rel="stylesheet" href="../CSS/style1.css">
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/font-</pre>
awesome/4.7.0/css/font-awesome.min.css">
        </head>
 <body>
   <div class="header1">
       <h14>Phoenix Roar</h14>
   </div>
   <div class="header12">
       <h1>Phoenix Roar Sporting Club </h1>
       <h3> We create Future Player </h3>
   </div>
 <div class="main">
 <div class="menu-bar">
   <a href="../view/Home.php"><i class="fa fa-home"></i>Home</a>
    <a href="#"><i class="fa fa-address-book-o"></i>About US</a>
    <a href="#"><i class="fa fa-sign-in"></i>Sign In</a>
 <div class="sub-menu-1">
```



```
<l
   <a href="../view/UserLogin.php">User Login</a> 
        <a href="../view/PlayerLogin.php">Player Login</a> 
</div>
<a href="#">Sign Up</a>
<div class="sub-menu-1">
   <l
   <a href="../view/UserRegistration.php">User Sign up</a> 
    <a href="../view/PlayerRegistration.php">Player Sign up</a> 
</div>
<l
<a href="../view/sports.php">Sports</a>
<l
<a href="../view/FACILITIES.php">Facilites</a>
<l
<a href="../view/contact.php">Contact</a>
<l
<a href="../view/index.php">Company</a>
</div>
 </div>
       <form action ="" method="post" enctype="multipart/form-data" onsubmit="return</pre>
validateForm()" name="SForm">
       <form>
              <div class="form">
                  <h2> Player Login Here</h2>
                   <input type="email" name="email" placeholder="Enter Email Here">
                   <input type="password" name="password"placeholder="Enter Password</pre>
Here">
                   <input type="Submit"name="login" value="login" class="btnn">
                   <div class="v">
                  <?php
                   if(!empty($_SESSION['email_error']))
                            echo $_SESSION['email error'];
```



```
else if(!empty($_SESSION['password_error']))
                              echo $ SESSION['password error'];
                           }
                   </div>
                   Don't have an account<br>
                   <a href="../view/PlayerRegistration.php">Sign up </a> here</a>
                   <a href= "playerforgot.php"> Forgot password? </a>
                   Log in
                   <div class="line"></div>
                   <div class="iconss">
                      <a href="#"><ion-icon name="logo-facebook"></ion-icon></a>
                       <a href="#"><ion-icon name="logo-instagram"></ion-icon></a>
                       <a href="#"><ion-icon name="logo-twitter"></ion-icon></a>
                       <a href="#"><ion-icon name="logo-google"></ion-icon></a>
                   </div>
               </div>
                   </div>
               </div>
               <script src="../JS/user.js"></script>
       </div>
   </div>
   </form>
   <script src="https://unpkg.com/ionicons@5.4.0/dist/ionicons.js"></script>
</body>
</html>
```

PlayerLogin_control.php

```
<?php
include("../model/db.php");
session_start();
if(!empty( $_SESSION['email']))
{
    header("Location: ../view/PlayerDashbord1.php");
}
$email_error = "";
$password_error = "";
$pars="";
if (isset($_POST['login']))
{
    if(empty($_POST["email"]) && empty($_POST["password"]))
    {
}</pre>
```



```
$err="enter valid userName && password";
                          header("Location: ../view/PlayerLogin.php");
            }
           else
            {
                       $email=$_POST['email'];
                       $pass=$ POST['password'];
                       $mydb= new mydb();
                       $conobj =$mydb->openCon();
                       $results =\frac{mydb->checkLogin("player",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\square",\
                       if($results->num_rows >0)
                                   $ SESSION["email"]=$email;
                                   $_SESSION["password"]=$pass;
                                   header("Location: ../view/PlayerDashbord1.php");
else
                                                        if($_SESSION["email"]==null )
                                                           $email_error = " your login system email is invalid";
                                                          $_SESSION['email_error']=$email_error;
                                                           header("Location: ../view/PlayerLogin.php");
                                                           else if($_SESSION["password"]==null)
                                                                       $password_error = " your login system password is invalid";
                                                                      $_SESSION['password_error']=$password_error;
                                                                      header("Location: ../view/PlayerLogin.php");
                                                           else if($_SESSION["password"]==null && $_SESSION["email"]==null )
                                                                       $password_error = " your login system email or password is
invalid";
                                                                      $_SESSION['password_error']=$password_error;
                                                                       header("Location: ../view/PlayerLogin.php");
                       $connection->conClose($conobj);
```

?>

db.php

```
<?php
class mydb{
  function opencon(){
        $dbservername="localhost";
        $dbusername="root";
        $dbpassword="";
        $dbname="secf";
        $conn=new mysqli($dbservername,$dbusername,$dbpassword,$dbname);
        if($conn->connect_error)
            echo "con obj failed";
        return $conn;
    function
insertplayer($conn,$tablename,$fname,$lname,$uname,$nationality,$Division,$Zila,$universit
y,$college,$school,$number,$birthday,$GENDER,$email,$password,$FILES)
        $sqlstr="INSERT INTO
$tablename(fname,lname,uname,nationality,Division,zila,university,college,school,number,bi
rthday, GENDER, email, password, FILES)
values('$fname','$lname','$uname','$nationality','$Division','$Zila','$university','$colle
ge','$school',
        '$number','$birthday','$GENDER','$email','$password','$FILES')";
        if($conn->query($sqlstr))
            echo "data inserted";
        }
        else
            echo "error" .$conn->error;
        }
    function
insertsports($conn,$tablename,$fname,$lname,$phonenumber,$birthday,$email,$SPORTS,$TYPE,$G
AME)
```



```
$sqlstr="INSERT INTO
$tablename(fname,lname,phonenumber,birthday,email,sname,stype,gtype)
values('$fname','$lname','$phonenumber','$birthday','$email','$SPORTS','$TYPE','$GAME')";
        if($conn->query($sqlstr))
            echo "data inserted";
        else
            echo "error" .$conn->error;
   function insertapplytournamentd($conn,$tablename,$tname,$email)
        $sqlstr="INSERT INTO $tablename(tname,email) values('$tname','$email')";
        if($conn->query($sqlstr))
            echo "data inserted";
        }
        else
            echo "error" .$conn->error;
   function check($conn,$table,$mail,$password)
        $re = $conn->query("SELECT * FROM ".$table." WHERE email='".$email."' AND
password='".$password."'");
        return $re;
   function checkLogin($tablename, $email,$password,$conn)
        $re = $conn->query("SELECT * FROM ".$tablename." WHERE email='".$email."' AND
password='".$password."'");
        return $re;
    function show($conn,$tablename)
    $sh=$conn->query("SELECT
player.fname,player.lname,sports.email,sname,stype,gtype,player.uname,player.Division,play
er.zila,player.university,player.college,player.number
     FROM sports,player WHERE sports.email = player.email");
   return $sh;
    function showplayer($tablename,$email,$conn)
```



```
$sqlstr="SELECT * FROM $tablename WHERE email='$email'";
        return $conn->query($sqlstr);
    }
    function fetchuser($conn, $tablename, $email)
        $sqlstr="SELECT * FROM $tablename WHERE email='$email'";
        return $conn->query($sqlstr);
    function fetchplayer($conn, $tablename, $email)
    {
        $sqlstr="SELECT * FROM $tablename WHERE email='$email'";
        return $conn->query($sqlstr);
    function fetchuser1($conn, $tablename, $tname)
        $sqlstr="SELECT * FROM $tablename WHERE tname='$tname'";
        return $conn->query($sqlstr);
   function GetUserByUname($conn,$table, $uname)
   $result = $conn->query("SELECT * FROM $table WHERE uname='$uname'");
   return $result;
    }
    function
updateplayer($conn,$tablename,$fname,$lname,$uname,$nationality,$Division,$Zila,$universit
y,$college,$school,$birthday,$GENDER,$email,$password,$number)
        $sqlstr="UPDATE $tablename SET
fname='$fname',lname='$lname',uname='$uname',nationality='$nationality',
        Division='$Division',zila='$Zila',university='$university',college='$college',scho
ol='$school',
        birthday='$birthday',GENDER='$GENDER',password='$password',number='$number' where
email='$email' ";
        return $conn->query($sqlstr);
    function deleteplayer($tablename,$conn,$email)
        $sqlstr="DELETE FROM $tablename WHERE email='$email'";
        return $conn->query($sqlstr);
   function searchemail($conn, $tablename, $email)
       $sqlstr="Select email From $tablename WHERE email='$email'";
      $result_email=$conn->query($sqlstr);
       return $result_email;
```




```
function updatepassword($tablename, $conn, $email, $password)

{
    $sqlstr="UPDATE $tablename SET password='$password' WHERE email = '$email'";
    if($conn->query($sqlstr)==TRUE)
    {
        echo "update success";
    }
    else
    {
        echo "cant update";
    }
}

function closeconn()
    {
        $conn->close();
    }
}
```

ADMIN:



Playerdel.php



```
<?php
<!DOCTYPE html>
 <head>
  <link rel="stylesheet" type="text/css" href="../CSS/homestyle.css">
<br/><h1>Welcome to admin delete page.</h1><br><br>
Table
{ border-style:solid;
border-width:2px;
border-color:pink;
margin-left:auto ;
margin-right: auto;
table, td, th {
 border: 2px solid #ddd;
  text-align: center;
table {
 border-collapse: collapse;
 border-color:pink;
 margin-left:auto ;
 margin-right: auto;
 width: 70%;
th, td {
 padding: 10px;
</style>
<h3>find the Uname which one you want delete<h3><br>
Uname : <input type="text" id="uname" onkeyup="showmyuser()"></div>
<form action='../Control/palyerdelprocess.php' method='post'><br><br>
Number : <input type='text' name='nid'</pre>
<br><br><br>>
```



Playerdelprocess.php

```
<?php
include('../model/db.php');
 $error="";
if (isset($_POST['delete'])) {
$connection = new mydb();
$conobj=$connection->opencon();
$nid=$_POST['nid'];
$userQuery=$connection->del($conobj,"player",$nid);
$error="bh";
if ($conobj->query($userQuery) === TRUE) {
   echo "Record deleted successfully";
 } else {
   echo "Error deleting record: " . $conn->error;
else
$connection = new mydb();
$conobj=$connection->opencon();
$MyQuery=$connection->GetUserByUname($conobj,"player",$_POST['uname'] );
echo "
Fname
Lname
Uname
Nationality
Division
Zila
University
Collage
School
Number
Birthday
Gender
Email
```



```
";
if ($MyQuery->num_rows > 0) {
  while($row = $MyQuery->fetch_assoc()) {
    echo "";
    echo "" . $row['fname'] . "";
    echo "" . $row['lname'] . "";
    echo "" . $row['uname'] . "";
    echo "" . $row['nationality'] . "";</rap>
    echo "" . $row['Division'] . "";
    echo "" . $row['zila'] . "";
    echo "" . $row['college'] . "";
    echo "" . $row['school'] . "";
    echo "" . $row['number'] . "";
    echo "" . $row['GENDER'] . "";
    echo "" . $row['email'] . "";
    echo "";
    echo "";
 } else {
  echo "0 results";
```


Myajax.js

```
function showmyuser() {
    var uname= document.getElementById("uname").value;
    var xhttp = new XMLHttpRequest();
    xhttp.onreadystatechange = function() {


        if (this.readyState == 4 && this.status == 200) {
            document.getElementById("mytext").innerHTML = this.responseText;
        }
        else
        {
            document.getElementById("mytext").innerHTML = this.status;
        }
    };
    xhttp.open("POST", "../Control/palyerdelprocess.php", true);
    xhttp.setRequestHeader("Content-type", "application/x-www-form-urlencoded");
    xhttp.send("uname="+uname);
}
```

Background:

System Images against the Specification







Impact of this Project:

We work in membership management domain. The most important benefit is that anyone can easily look up the organization and find you online. Sports fans, like other Internet users, are always searching for interesting sports news and information. When we have a website that's regularly updated, people can instantly become more credible as a source of reliable sports news and also sees the club matches and if any teems wants to organized any friendly match they can easily apply and the club authority organized it . It's very easy to use for urban city people to manage fields to play any sort of games but using the phoenix sporting club it's very easy to use and get this sport related facilities. Finally, a website allows you to be in full control over your online presence. A website for your sports organization will bring you many benefits, from making your organization more discoverable to helping