

# ISLAND MOORING SUPPLIES, LLC (IMS)

*Established 2003*

## 2019 CATALOG

**~ Quality ~**



MAST BUOYS

**~ Innovation ~**



'TITAN' MOORING BUOY

**~ Value ~**



MOORING PENDANT



# ISLAND MOORING SUPPLIES, LLC

## 2019 CATALOG

---

Page 1

EFFECTIVE AS OF 01/01/2019  
MANUFACTURING QUALITY PRODUCTS SINCE 2003

### INDEX

'NO SPLINTERS' MAST BUOYS.....	2
TUBULAR CHAFE SLEEVE.....	3
DOUBLE BRAID MOORING PENDANT.....	4
DOUBLE BRAID MOORING PENDANTS.....	5
DOUBLE BRAID MOORING/DOUBLE PENDANTS.....	6
MOORING PENDANT BRIDLE.....	7-8
STORM PENDANTS.....	9
SHACKLES.....	10
SWIVELS.....	11
SURGE SUPPRESSORS.....	12
DYNEEMA SK-78 MOORING PENDANTS.....	13
ULTIMATE MOORING PENDANT.....	14
SMALL BOAT MOORING PENDANT /W CLIP.....	15
DINGHY PAINTER.....	15
MAST BUOY LANYARD.....	15
HOMAN 'HULL FRIENDLY' TITAN MOORING BUOYS.....	16
'JUST BLACK' DOCK LINES.....	17
PENDANT FLOAT.....	18
WINTER STICK.....	19
US MADE PYRAMID ANCHORS.....	19
TENSILE STRENGTHS.....	20

# ISLAND MOORING SUPPLIES, LLC

## 2019 CATALOG

Page 2



### 'NO SPLINTERS' MAST BUOYS\*

SUPERIOR QUALITY AT A MODEST PRICE.

CONSIDERED BY THOUSANDS OF USERS TO BE THE VERY BEST AVAILABLE. THIS IS DUE TO THE UTILIZATION OF QUALITY MATERIALS AND SUPERIOR WORKMANSHIP.

#### ALL MAST BUOYS

- UTILIZE ONLY STAINLESS STEEL FASTENERS
- USE OVERSIZED PLASTIC INSERTS TO SUPPORT AND SECURE BUOY TO MAST
- USE LONG LASTING FOAM BUOYS
- ENCAPSULATE COUNTERWEIGHT IN HEAVY PLASTIC.

***IMS MAST BUOYS WILL NOT PRODUCE  
FIBERGLASS SPLINTERS***

#### MAST BUOY STYLES

STYLE	DESCRIPTION
DELUXE:	3/8" DIAMETER (1/4" FIBERGLASS ROD COATED TO 3/8") SECURED TO A 5 x 11 BUOY
ULTIMATE:	1/2" DIAMETER (3/8" FIBERGLASS ROD COATED TO 1/2") SECURED TO A 5 x 11 BUOY
ULTIMATE-ACORN:	SAME AS ULTIMATE WITH A 7" x 7" ACORN BUOY ON 4' & 6' AND 8" x 8" ACORN BUOY ON 8' & 10'

#### MAST BUOY PRICING

STYLE	4'	6'	8'	10'
DELUXE:				N/A
ULTIMATE:				N/A
ULTIMATE-ACORN:				

\* MINIMUM QUANTITIES REQUIRED

# ISLAND MOORING SUPPLIES, LLC

## 2019 CATALOG

Page 3

### TUBULAR CHAFE SLEEVE



#### HI-BULK NYLON CHAFE SLEEVE

THIS MATERIAL IS CALLED CORDURA® WHEN MADE BY INVISTA. IT IS USED IN MANY APPLICATIONS WHERE ABRASION IS AN ISSUE. IN THE MARINE INDUSTRY IT IS FREQUENTLY UTILIZED TO PROTECT MOORING PENDANTS AND DOCK LINES.

HI-BULK NYLON		
PART #	LINE SIZE	COST/FT
IMS - 106	3/8 - 1/2"	
IMS - 116	1/2"	
IMS - 128	5/8 - 3/4"	
IMS - 226	7/8 - 1"	
IMS - 310	1 1/4"	
IMS - 408	2 1/2"	

MINIMUM ORDER 300 FEET

# **ISLAND MOORING SUPPLIES, LLC**

## **2019 CATALOG**

---

Page 4

### **IMS DOUBLE BRAID MOORING PENDANTS**

**STANDARD OF QUALITY:** MEETS OR EXCEEDS THE CORDAGE INSTITUTE STANDARDS.

**STANDARD OF WORKMANSHIP:** MADE IN NEW ENGLAND BY PROFESSIONAL SPLICERS.

**MATERIAL:** DOUBLE BRAID - POLYESTER COVER OVER NYLON CORE

**THIMBLE:** HD GALVANIZED

**URETHANE COATING:** YES

**CHAFE GUARD:** 36" WHIPPED IN PLACE

**SPLICES WHIPPED:** YES

### **CUSTOM OPTIONS**

**5% UPCHARGE**

**ISLAND MOORING SUPPLIES CAN:**

1. MANUFACTURE TO ANY LENGTH.
2. SPLIC SOFT EYES TO ANY SIZE.
3. INSTALL CHAFE GUARD TO ANY LENGTH.
4. PROVIDE STAINLESS THIMBLES (NO UPCHARGE).
5. MANUFACTURE DOUBLE PENDANTS USING GALVANIZED SLING (PEAR) LINK.
6. MANUFACTURE "Y" DOUBLE BRAID PENDANT.
7. MANUFACTURE SMALL BOAT MOORING PENDANT WITH STAINLESS STEEL CLIP (SUNCOR, KONG) TO YOUR SPECIFICATIONS.
8. MANUFACTURE MOORING PENDANTS WITH PVC FLOATS.

\* IF NOT IN STOCK LEAD TIME IS 2-3 WEEKS FROM RECEIPT OF ORDER.

# ISLAND MOORING SUPPLIES, LLC

## 2019 CATALOG

### IMS DOUBLE BRAID MOORING PENDANTS SINGLE PENDANT

Page 5



DESCRIPTION	EYE SIZE	GALVANIZED	STAINLESS
1/2" x 10'	12"	*	*
1/2" x 12'	12"	*	*
1/2" x 15'	12"	*	*
5/8" x 10'	12"	*	*
5/8" x 12'	12"	*	*
5/8" x 15'	12"	*	*
5/8" x 20'	12"		
3/4" x 10'	15"	*	*
3/4" x 12'	15"	*	*
3/4" x 15'	15"	*	*
3/4" x 20'	15"		
3/4" x 25'	15"		
7/8" x 15'	18"	*	*
7/8" x 20'	18"		
1" x 15'	18"	*	*
1" x 20'	18"	*	*
1" x 25'	18"		
1 1/4" x 15'	24"		*
1 1/4" x 20'	24"		*
1 1/4" x 25'	24"		
1 1/4" x 30'	24"		
1 1/4" x 35'	24"		

\* STOCK AVAILABLE IN BRISTOL, RI

P.O. BOX 804  
BRISTOL, RI 02809

PRICES SUBJECT TO CHANGE  
[WWW.HOMANBUOY.COM](http://WWW.HOMANBUOY.COM)

PH (401) 855-4432 / (401) 447-5387  
EMAIL: [HOMANBUOY@GMAIL.COM](mailto:HOMANBUOY@GMAIL.COM)

# ISLAND MOORING SUPPLIES, LLC

## 2019 CATALOG

Page 6

### IMS DOUBLE BRAID MOORING PENDANTS DOUBLE PENDANT ON A GALVANIZED SLING (PEAR) LINK



DESCRIPTION	EYE SIZE	GALVANIZED	STAINLESS
1/2" x 10'	12"		
1/2" x 12'	12"		
1/2" x 15'	12"		
5/8" x 10'	12"		
5/8" x 12'	12"		
5/8" x 15'	12"		
5/8" x 20'	12"		
3/4" x 10'	15"		
3/4" x 12'	15"		
3/4" x 15'	15"		
3/4" x 20'	15"		
3/4" x 25'	15"		
7/8" x 15'	18"		
7/8" x 20'	18"		
1" x 15'	18"		
1" x 20'	18"		
1" x 25'	18"		
1 1/4" x 15'	24"		
1 1/4" x 20'	24"		
1 1/4" x 25'	24"		
1 1/4" x 30'	24"		
1 1/4" x 35'	24"		

# ISLAND MOORING SUPPLIES, LLC

## 2019 CATALOG

---

Page 7

### MOORING PENDANT BRIDLE



WHILE THERE ARE MANY CONFIGURATIONS OF MOORING PENDANTS, A POPULAR STYLE IS A SINGLE LEAD WITH A DOUBLE BRIDLE. THE LEAD THIMBLE (GALVANIZED OR STAINLESS) ATTACHES TO THE TOP OF THE MOORING BUOY AND THE SOFT EYES OF THE BRIDLE ATTACH TO THE VESSEL. THE SINGLE LEAD AND BRIDLE ARE JOINED WITH A COW HITCH. IMS TYPICALLY MAKES THE LEAD SOFT EYE 8" WHILE THE BRIDLE HAS TWO SOFT EYES, TYPICALLY 8" AND 12".

THE LEAD LINE HAS NO CHAFE SLEEVE THOUGH EACH LEG OF THE BRIDLE COMES STANDARD WITH 3' OF HIGH BULK NYLON CHAFE SLEEVE.

#### **PRICING EXAMPLE:**

ITEM: 15' LONG (FINISHED LENGTH) PENDANT BRIDLE, WITH 3/4" x 6'  
GALVANIZED THIMBLE LEAD AND 5/8" x 9' BRIDLE.

$$\begin{aligned} \text{3/4"} \times 6' \text{ LEAD} &= \$ 51.66 \\ \text{5/8"} \times 9' \text{ BRIDLE} &= \underline{\$ 76.06} \\ &\quad \$ 127.72 \end{aligned}$$

#### ***OPTIONS: STAINLESS THIMBLE; LINE FLOATS***

# ISLAND MOORING SUPPLIES, LLC

## 2019 CATALOG

Page 8

### MOORING PENDANT BRIDLE

DESCRIPTION	LEAD		BRIDLE
	GALVANIZED	STAINLESS	
1/2" x 6'			-
1/2" x 7'			-
1/2" x 8'			-
1/2" x 9'			-
5/8" x 6'			=
5/8" x 7'			-
5/8" x 8'			-
5/8" x 9'			-
3/4" x 6'			=
3/4" x 7'			-
3/4" x 8'			-
3/4" x 9'			-
7/8" x 6'			-
7/8" x 7'			-
7/8" x 8'			-
7/8" x 9'			-
1" x 6'			=
1" x 7'			-
1" x 8'			-
1" x 9'			-
1 1/4" x 6'			-
1 1/4" x 7'			-
1 1/4" x 8'			-
1 1/4" x 9'	.	.	-

# ISLAND MOORING SUPPLIES, LLC

## 2019 CATALOG

Page 9

### STORM PENDANT



WHEN A BLOW IS COMING AND YOUR OWN A BOAT ONE THE FIRST THOUGHTS THAT COME TO MIND IS DO I HAVE ENOUGH LINES ON THE BOAT. IF YOU HAVE A SPARE PENDANT DO YOU REMEMBER WHERE YOU STORED IT. AS A BOAT OWNER MOST OF US HAVE HAD THIS EXPERIENCE AND THAT IS THE REASON WE DEVELOPED THE IMS STORM PENDANT.

OUR PENDANT IS MANUFACTURED WITH A 10,000# BREAKING STRENGTH DOUBLE ACTING SAFETY CLIP SPLICED ONTO A 5/8" X 20' (BITTER END WHIPPED) DOUBLE BRAID LINE WITH A TENSILE STRENGTH OF 12,200#. A 6' LENGTH OF NYLON CHAFE SLEEVE COMES STANDARD WITH IMS STORM PENDANT. THE LINE IS BRIGHT ORANGE TO FACILITATE RECOGNITION WHEN TIME IS OF THE ESSENCE.

TO OBTAIN THE 10,000# BREAKING STRENGTH WE WANTED IN A DOUBLE ACTING SAFETY CLIP WE CHOSE ZINC COATED STEEL CLIP THAT WE FEEL COMPLEMENTS THE 12,200# TENSILE STRENGTH OF OUR LINE. SINCE THE CLIP IS NOT STAINLESS STEEL WE RECOMMEND THE STORM PENDANT BE RESERVED FOR ITS INTENDED PURPOSE AND NOT DAILY USE.

# ISLAND MOORING SUPPLIES, LLC

## 2019 CATALOG

Page 10

### SHACKLES

WLL = Working Load Limit      BS = Breaking Strength

#### (SS) BOW SHACKLE



SIZE	IMPORTED	WLL	BS
1/2"		2,500	4:1
5/8"		3,000	4:1
3/4"		4,000	4:1
7/8"		5,000	4:1
1"		6,000	4:1
1 1/4"		9,000	4:1

#### (G) WEB SLING



SIZE	COLUMBUS, MCK	WLL	BS
3"		13,500	6:1
4"		14,600	6:1
5"		19,000	6:1
6"		22,500	6:1

# ISLAND MOORING SUPPLIES, LLC

## 2019 CATALOG

Page 11

### SWIVELS

WLL = Working Load Limit

BS = Breaking Strength

#### (SS) SWIVEL SHACKLE



SIZE	EU	WLL	BS
1/2"		3,200	5:1
5/8"		6,400	5:1
3/4"		9,400	5:1
7/8"		12,600	5:1

#### (SS) CENTER PIN/EYE AND EYE

SIZE	EU	WLL	BS
1/2"		3,200	5:1
5/8"		5,200	5:1
3/4"		8,000	5:1

#### (SS) JAW AND JAW



SIZE	IMPORTED	WLL	BS
1/2"		2,640	4:1
5/8"		4,750	4:1
3/4"		7,100	4:1

# ISLAND MOORING SUPPLIES, LLC

## 2019 CATALOG

Page 12

### SURGE SUPPRESSOR



*Dampening ..... Dampening ..... Dampening*



IF YOUR MOORING IS SUBJECTED TO A LENGTHY FETCH OR HIGH SEAS YOU MAY WANT TO CONSIDER ADDING OUR IMS SURGE SUPPRESSOR TO YOUR SYSTEM. WHILE THOUSANDS OF ELASTIC DOWN LINES ARE IN USE TODAY, IMS HAS TAKEN THAT PROVEN PRODUCT AND MODIFIED IT FOR USE ABOVE THE WATER LINE.

IT IS GENERALLY AGREED THAT THERE ARE TWO MAIN REASONS BOATS COME ASHORE DURING STORMS. THE FIRST IS CHAFE OF THE MOORING PENDANT(S) AND SECONDLY, FAILURE OF THE MOORING SYSTEM DUE TO STORM SURGE LIFTING THE ANCHOR OFF THE BOTTOM.

IMS IS OFFERING THREE UNIQUE SURGE SUPPRESSORS. THESE PENDANTS WILL GREATLY MITIGATE THE ADVERSE EFFECTS OF STORM/WAVE SURGE. OUR SURGE SUPPRESSOR IS A SHOCK ABSORBING PENDANT THAT UTILIZES MULTI STRAND INDUSTRIAL RUBBER WOVEN ONTO A 16/8 BRAIDED POLYESTER ROPE.

DIA/LT	TS	COST	SWIVEL COST
3/4" X 6'	10,000#		\$ VARIES
1" X 6'	13,200#		\$ VARIES
1 1/4" X 8'/10'	24,000#		\$ VARIES

IF YOUR MOORING SYSTEM COULD UTILIZE ADDITIONAL DAMPENING, THIS IS ONE OF THE MOST COST EFFECTIVE METHODS WE KNOW OF.

DUE TO THE POTENTIAL OF ROTATIONAL TORQUING OF THE RUBBER FILMENTS, A SWIVEL IS REQUIRED BETWEEN THE MOORING BUOY AND THE SURGE SUPPRESSOR.

# ISLAND MOORING SUPPLIES, LLC

## 2019 CATALOG

Page 13

### DYNEEMA SK-78 MOORING PENDANTS\*



THESE PENDANTS OFFER UNMATCHED STRENGTH AND ANTI-CHAFE CHARACTERISTICS WHILE BEING EXTREMELY LIGHT WEIGHT AND MANAGEABLE. POUND FOR POUND DYNEEMA IS STRONGER THAN STEEL CABLE YET WEIGHS 15% AS MUCH.

WHILE OUR STANDARD DYNEEMA BRIDLES ARE MADE WITH TWO SOFT EYES MEASURING 8" & 12", CUSTOM SIZES ARE AVAILABLE. A 3' LENGTH OF NYLON CHAFE GEAR COMES STANDARD AND IS WHIPPED IN PLACE AT THE 12" EYE.

IMS OFFERS DYNEEMA PENDANTS IN 1/2", 5/8" AND 3/4" DIAMETERS WITH CORRESPONDING AVERAGE TENSILE STRENGTHS OF 34,872, 46,418 AND 55,330 LBS, RESPECTIVELY.

DIAMETER				
LENGTH	1/2" (0.512)	5/8" (0.630)	3/4" (0.709)	
5'				
6'		*	*	*
7'				
8'		*	*	*
9'				
10'				
ADDITIONAL COST/FOOT				

CUSTOM LENGTHS AVAILABLE  
\*STOCKED IN BRISTOL, RI

# ISLAND MOORING SUPPLIES, LLC

## 2019 CATALOG

Page 14

### IMS ULTIMATE MOORING PENDANT



OUR ULTIMATE MOORING PENDANT CONSISTS OF TWO DISTINCT ATTRIBUTES:

1. ELONGATION OF PENDANT LINE UNDERLOAD
2. ABRASION RESISTANCE OF LINE

IMS ULTIMATE MOORING PENDANT EXCEEDS IN BOTH AREAS. THE SURGE SUPPRESSOR WILL ALMOST STRETCH 100% OF ITS' LENGTH UNDER EXTREME LOADING WHILE THE BRIDLE'S MADE OF DYNEMA, A FIBRE THAT IS SAID TO BE 10 TIMES MORE ABRASION RESISTANT THAN POLYESTER.

IF YOU NEED A MOORING PENDANT THAT WILL GREATLY MEDIATE THE ADVERSE EFFECTS OF A STORM SURGE OR A LONG FETCH, OR JUST WANT THE SECURITY OF HAVING A MOORING PENDANT THAT CAN WITHSTAND THE ELEMENTS, THEN YOU SHOULD CONSIDER AN IMS ULTIMATE MOORING PENDANT.

# ISLAND MOORING SUPPLIES, LLC

## 2019 CATALOG

Page 15

### SMALL BOAT MOORING PENDANT WITH CLIP

1/2" DOUBLE BRAID LINE WITH STAINLESS STEEL SAFETY CLIP, AND FLOTATION BOUY.



1.



2.

ID#: 538.10

ID#: 538.12 Z3

WWL: 1,136#

WWL: 1,573#

BS: 4:1

BS: 4:1

DIA/LT	#1	#2
1/2" x 6'		
1/2" x 9'		

CUSTOM SIZES AVAILABLE

### DINGHY PAINTER



3/8" DOUBLE BRAID LINE WITH A STAINLESS SNAP ON ONE END AND A LIGHT DUTY STAINLESS THIMBLE ON THE OTHER END.

**3/8" x 6'**

### MAST BUOY LANYARD



3/8" DOUBLE BRAID LINE WITH A STAINLESS SNAP ON ONE END AND SPLICED SOFTEYE ON OTHER END.

**3/8" x 6'**

# ISLAND MOORING SUPPLIES, LLC

## 2019 CATALOG

Page 16

### HOMAN ‘HULL FRIENDLY’ TITAN MOORING BUOY



#### ROPE NEST

SIZE	FLOTATION	COST
18”D x 16”H	100#	
24”D x 16”H	180#	
30”D x 16”H	300#	
36”D x 14”H	320#	

AS OF JANUARY 1, 2019 ISLAND MOORING SUPPLIES IS LIMITING PRODUCT OF ITS HOMAN “HULL FRIENDLY” ROPE NEST MOORING BUOYS TO THE **TITAN** SERIES.

AFTER MANY YEARS OF MANUFACTURING VARIOUS STYLES WITH A CORRESPONDING MARIAD OF MATERIALS WE FEEL THE **TITAN** OFFERS THE VERY BEST COMBINATION OF QUALITY, INNOVATION AND VALUE TO OUR CUSTOMERS.

THE **TITAN** EXTERIOR SHELL IS COMPOSED OF POLYETHYLENE WHILE THE FLOTATION IS PROVIDED BY A CLOSED CELL FOAM THAT WILL NOT ABSORB WATER. WITH A NONMARRING PVC FENDER YOUR BUOY WILL NOT DAMAGE YOUR VESSELS HULL. THE BUOY DESIGN PROVIDES A LARGER AREA FOR PENDANT STORAGE AND FITTINGS WHILE ALLOWING FOR MAST BUOY STORAGE.

THE HOMAN “HULL FRIENDLY” **TITAN** MOORING BUOY IS THE EVOLUTION OF MANY YEARS OF MANUFACTURING MOORING BUOYS.

SHIPPING: SHIPPING AT CUSTOMER’S EXPENSE (PREPAID & ADD)

CUSTOMER PICKUP AVAILABLE IN BRISTOL, RI

DIMENSIONS ARE NOMINAL AND FLOATATION APPROXIMATE

# ISLAND MOORING SUPPLIES, LLC

## 2019 CATALOG

Page 17

### IMS 'JUST BLACK' DOCK LINES



IMS OFFERS A HIGH PERFORMANCE DOUBLE BRAID DOCKLINE IN SIZES 3/8" THRU 1 1/4" IN BLACK ONLY. ALL IMS DOCK LINES COME STANDARD WITH A SPLICED IN HIGH BULK NYLON CHAFE SLEEVE OVER THE SOFT EYE AS WELL AS AN ADDITIONAL 12" CHAFE SECTION TO FACILITATE LINE PROTECTION. TO OUR KNOWLEDGE, NO OTHER DOCK LINES OFFER THIS LEVEL OF CHAFE PROTECTION AS A STANDARD OFFERING AND CERTAINLY NOT AT IMS PRICES.

LENGTH	'JUST BLACK' DOCK LINES SIZE / COST					
	3/8"	1/2"	5/8"	3/4"	1"	1 1/4"
10'						
15'						
20'						
25'						
30'						
35'						
40'						
45'						
50'						
55'						
60'						
65'						
70'						

# ISLAND MOORING SUPPLIES, LLC

## 2019 CATALOG

Page 18

### PENDANT FLOAT



DO YOU HAVE MOORINGS WHERE THE PENDANT(S) WRAP AROUND THE MOORING BUOY? WHILE WIND, TIDE, CURRENT, HULL DESIGN, ETC. ARE MOSTLY OUT OF OUR CONTROL, IMS HAS A NEW PRODUCT THAT CAN BE RETROFITTED TO EXISTING MOORING PENDANTS THAT WILL SUBSTANTIALLY REDUCE, IF NOT ELIMINATE THIS FROM HAPPENING.

THAT MATERIAL IS A CLOSED CELL FOAM WITH A HEAVY VINYL COATING THAT IS DESIGNED FOR MULTI SEASON USE. THE VINYL HELPS THE FOAM TO MAINTAIN ITS RIGIDITY THUS NOT ALLOWING IT TO BEND UNDER PRESSURE FROM THE ELEMENTS.

WHILE THE TUBES COME IN 8' LENGTHS, WE HAVE FOUND 4' TO BE ADEQUATE IN MOST SITUATIONS. THE TUBE IS SECURED TO THE TOP CHAIN SHACKLE WITH A HEAVY DUTY ELECTRICAL TIE THAT COMES STANDARD WITH A 4' TUBE.

LENGTH	COST / FOOT	MINIMUM ORDER
4'		4 pieces
160'		

\*Full Case 20pcs @ 8' long. Bristol, RI pickup or freight.

# ISLAND MOORING SUPPLIES, LLC

## 2019 CATALOG

Page 19

### WINTER STICK



WINTERIZING MOORINGS NEED NOT BE AS DIFFICULT AS SOME METHODS MAKE IT. THE 5' x 2" PVC PIPE IS USED IN BAYS AND INLETS FROM MAINE TO NEW YORK. THE DESIGN HAS BEEN PROVEN BY MORE THAN 15+ YEARS OF USE.

THE COUNTER-WEIGHTED, FOAMED IN PLACE, WINTER STICK, FLOATS UPRIGHT WITH ABOUT 18" BEING EXPOSED ABOVE THE WATER. THE BASE OF THE WINTER STICK IS WELL BELOW THE ICE ALLOWING FOR ATTACHMENT TO THE MOORING CHAIN WITH ROPE, WITHOUT FEAR THAT THE ICE WILL CUT THE LINE.

ISLAND MOORING SUPPLIES, LLC WINTER STICKS ARE EASY TO HANDLE AND TAKE UP LITTLE SPACE, THUS FACILITATING GREATER PRODUCTIVITY AND LESS STORAGE REQUIREMENT. THE PVC PIPE NEED NOT BE PAINTED WITH AN ANTIFOULING. A POWER WASH IN THE SPRING IS MORE THAN ADEQUATE.

IN SUMMARY, THE ISLAND MOORING SUPPLIES, LLC WINTER STICK IS A WELL PROVEN DESIGN THAT FACILITATES VISABILITY, EASE OF HANDLING AND REDUCED OPERATIONAL COST.

DESCRIPTION	PRICE
5'x2" PVC WINTER STICK	

### U.S. MADE STEEL PYRAMID ANCHORS

FINALLY A "MADE IN USA" PYRAMID ANCHOR THAT IS REASONABLY PRICED AND DESIGNED WITH AN ATTACHMENT POINT THAT GREATLY REDUCES CHAIN WRAPS.

PICK-UP AT BRISTOL, RI OR SHIP VIA TRUCK TO COMMERCIAL ADDRESS WITH DOCK AND/OR FORK LIFT.



SIZE	COST
200#	
300	
500	
800	
1100	
1500	
2000	

# **ISLAND MOORING SUPPLIES, LLC**

## **2019 CATALOG**

Page20

<b>TENSILE STRENGTH</b>								
	3/8	7/16	1/2	5/8	3/4	7/8	1	1 1/4
Pendant Lines - Min	-	-	8,500	12,200	17,350	23,400	30,250	46,450
Dock Lines DB- Nylon	3,970	5,410	7,040	11,010	15,650	21,120	27,300	41,920
Dyneema SK-78	-	-	34,872	46,418	55,330	-	-	-

### **TERMS & CONDITIONS OF SALE**

**TERMS:** PAYMENT WITHIN 21 DAYS

**PRICES:** SUBJECT TO CHANGE WITHOUT NOTICE

**FREIGHT:** FOB FACTORY

**MINIMUM ORDER:** \$100 UNLESS QUOTED OTHERWISE.



Island Mooring Supplies, LLC  
P.O. Box 804  
Bristol, RI 02809

