Jiménez Hernández Diana	
Tareard	
Tipos de datos en Postgres	
Numéricos	
• Enteros: smallint, integer, bigint • Precisión arbitralia: numeric (precision, scale)	Números con dígitos moy largos
• Flotontes: real, double presicion  • Serial : smallserial, serial, big serial > Vincos	7K.5
Caracteres	
-charocter varying (n), varchar (n)	
· character (n): chor (n)	
• text	
Fechos	
· Limestomp [(q)] [without timezone]	
· timestamp [[p]] with time zone fedia g hava	
· date	número de
· Eime [[p]] [without time cone]	(p) = 0 (gHD (raccionorio)
· Lime [Co]] with time cone	
· interval [(q)] Leolai ?	
Greansticos * representan de 2 dimensiones	+
· point (mg)	

· line linea sin limite	{ A, B, C}
· Iseg linea con limite	f(x1, y1), (x2 y2)4
• look	{(x1, y1), (x2, y2){}
· path	( (xi, yi), (xz, yz)) cerodo [ (xi, yi), (xz, yz) dorecto
• 60/23@U	( (x1, y1), (x2, y2))
• circle	< (n, g, <) >
Directiones de red	
· cidr - 1844 g 1846	Yedis
· inet → 1Pv4 y 1Pv6	host y redes
· maccody -> MAC	
· macaddy B - MAC (formo	40 Ent-ed )
	? Pesigresol Decementation. https://www.pesigresql.org/ N. (accedida el 9 de maizo de 2013).