

## **Workshop No. 2**

### **Student Mental Health Support Platform**



**UNIVERSIDAD DISTRITAL  
FRANCISCO JOSÉ DE CALDAS**

#### **Team Members**

Alan Santiago Agudelo Sarmiento – 20222020170

Juan David Cardozo Trujillo - 20231020155

Julian Ernesto Romero Gutierrez - 20231020164

Nicolas Alexander Sierra Contreras - 20222020197

#### **Professor**

Eng. Carlos Andrés Sierra, M.Sc.

Universidad distrital Francisco José de Caldas

Engineering faculty

Systems Analysis & Design

2026-I

## **1. Executive Summary**

This System Design Document presents the architectural and technical design of the Student Mental Health Support Platform, building directly upon the findings of Workshop No. 1. The analysis conducted in Workshop 1 revealed critical challenges in the current university mental health landscape: 88% of surveyed students reported experiencing anxiety or emotional difficulties, 68% had never sought professional help, and zero students rated existing services as easy to access. These findings established a clear and urgent need for an accessible, anonymous, and comprehensive digital support system.

The proposed design addresses these challenges through a three-layer modular architecture: User, Application, and Infrastructure; organized around five core functional modules: User Registration, Peer Matching, Anonymous Communication, Appointment Scheduling, and a Resource Library. The design prioritizes anonymity as its foundational principle, scalability to handle demand spikes during academic peak periods, and simplicity to ensure long-term maintainability.

Key design decisions derived from the Workshop 1 analysis include: a tiered support model to route students to the appropriate level of care, a predictive peer recruitment strategy aligned with the academic calendar, and privacy-first data architecture to address the trust sensitivity identified in the survey data. The system is designed to be cloud-hosted, platform-independent, and compliant with data privacy standards.

The expected outcomes of this design are a measurable reduction in barriers to mental health access, increased student engagement with support resources, and a scalable foundation for future development in subsequent workshops.

## **2. Requirements Analysis**

### **2.1 Key Findings from Workshop 1**

The following critical findings from Workshop 1 directly drive the design requirements of this system:

- 88% of students reported experiencing anxiety or emotional problems during university life, confirming widespread need.
- 68% of students have never sought help, indicating significant access barriers including stigma, lack of awareness, and complex institutional processes.
- Zero students rated university mental health services as easy or very easy to access; 56% did not even know such services existed.
- 64% of students preferred anonymous support, establishing anonymity as a non-negotiable design requirement.
- 76% of students expressed interest in using a digital mental health platform (40% yes, 36% maybe).
- 68% of students requested comprehensive support, professional counseling, peer support, and educational resources; not just one type.
- Demand spikes are predictable around midterm and final exam periods, requiring scalable infrastructure.
- Peer counselor availability and quality were identified as the most critical system bottlenecks.

## 2.2 Functional Requirements

Based on the Workshop 1 findings, the following functional requirements are defined for the system:

| Category       | Requirement                                                                                                                             | Source                                       |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|
| Authentication | The system must allow students to register and authenticate using university credentials while maintaining an anonymous public profile. | Privacy sensitivity:<br>64% prefer anonymity |
| Matching       | The system must match students with peer counselors based on needs assessment responses using a dynamic matching algorithm.             | 68% requested comprehensive support          |
| Communication  | The system must provide an encrypted, anonymous chat channel between students and counselors.                                           | Anonymity as critical factor: 64%            |
| Scheduling     | The system must allow students to schedule appointments with professional counselors through an integrated calendar module.             | Appointment scheduling is a core module      |
| Resources      | The system must provide a searchable library of mental health educational resources accessible to all users.                            | 68% requested educational resources          |
| Scalability    | The system must handle concurrent user load increases of up to 300% during exam periods without performance degradation.                | Demand spikes during midterms/finals         |
| Privacy        | The system must not store clinical records or personally identifiable data beyond authentication credentials.                           | Out of scope: clinical records storage       |
| Availability   | The system must maintain at least 99% uptime during active academic periods.                                                            | Continuous availability requirement          |

## 2.3 Non-Functional Requirements

| Category        | Requirement                                                                                                         | Justification                               |
|-----------------|---------------------------------------------------------------------------------------------------------------------|---------------------------------------------|
| Performance     | Page load time must not exceed 2 seconds under normal load conditions.                                              | User experience design focus                |
| Usability       | The platform must be accessible via web browser and mobile devices without requiring software installation.         | Accessibility barrier reduction             |
| Security        | All communications must be encrypted end-to-end. User data must be stored in encrypted databases.                   | Trust sensitivity — privacy is foundational |
| Maintainability | The system must follow modular architecture principles to allow independent module updates without system downtime. | Long-term sustainability requirement        |
| Compliance      | The system must comply with applicable data protection regulations and university privacy policies.                 | University Admin oversight requirement      |
| Reliability     | The system must implement graceful degradation: if one module fails, remaining modules must continue operating.     | Resilience against bottlenecks              |

## 2.4 Stakeholder Requirements

Each stakeholder group identified in Workshop 1 has specific requirements that the design must address:

| Stakeholder             | Key Requirements                                                                                   |
|-------------------------|----------------------------------------------------------------------------------------------------|
| Students                | Anonymous access, intuitive interface, multiple support pathways, fast response times              |
| Peer Counselors         | Clear matching criteria, workload management tools, access to resource library                     |
| Professional Counselors | Appointment management, session scheduling visibility, secure communication channel                |
| University Admin        | Policy compliance dashboard, counselor availability management, content upload to resource library |
| Platform Admins         | System monitoring tools, error logging, module-level maintenance access                            |

### 3. System Architecture

#### 3.1 High-Level Architecture Diagram

The system follows a layered architecture composed of three main layers: Presentation, Application, and Infrastructure. This architectural design ensures modularity, scalability, and maintainability, directly addressing the requirements identified in Workshop 1.

##### 1. Presentation Layer

This layer includes all user-facing interfaces through which stakeholders interact with the system:

- Web Application (Students, Peer Counselors, Professional Counselors, and Administrators)
- Mobile Access (optional extension for future scalability)

This layer is responsible for capturing user input and displaying system responses in an intuitive and accessible manner.

##### 2. Application Layer

This layer contains the core business logic of the system, organized into independent and modular components:

- User Registration Module
- Matching Engine
- Anonymous Communication Module
- Appointment Scheduling Module
- Resource Library Module
- Privacy & Consent Management Module

Each module operates independently but communicates with others through well-defined interfaces, ensuring flexibility, maintainability, and scalability.

##### 3. Infrastructure Layer

This layer provides the technical foundation required for system operation:


- Cloud Server (hosting services and scalability support)
- Database (secure storage of user data, chat messages, and appointments)
- Authentication Service (integration with university login systems)

This layer ensures data persistence, system availability, and secure access control.

#### Data Flow Overview

The system operates through a structured data flow:

1. The user sends a request (e.g., login, chat message, or appointment scheduling) through the presentation layer.
2. The request is processed by the appropriate module in the application layer.
3. Data is stored or retrieved from the database within the infrastructure layer.
4. The system generates a response and sends it back to the user through the presentation layer.



### 3.2 Module Responsibilities and Interfaces

Each module in the system has clearly defined responsibilities and interfaces. This modular design ensures separation of concerns, scalability, and maintainability, allowing each component to evolve independently without affecting the overall system.

Module Responsibilities and Interfaces Table

| Module                          | Responsibilities                                          | Input                           | Output                     | Interfaces                       |
|---------------------------------|-----------------------------------------------------------|---------------------------------|----------------------------|----------------------------------|
| <b>User Registration Module</b> | Manage user creation, login, and authentication processes | User credentials, university ID | Authenticated user session | Authentication Service, Database |

|                                                |                                                                 |                                            |                               |                                    |
|------------------------------------------------|-----------------------------------------------------------------|--------------------------------------------|-------------------------------|------------------------------------|
| <b>Matching Engine</b>                         | Match students with peer counselors based on needs assessment   | Assessment responses                       | Peer counselor assignment     | Database, Communication Module     |
| <b>Anonymous Communication Module</b>          | Enable secure and anonymous communication between users         | Messages                                   | Delivered and stored messages | Matching Engine, Database          |
| <b>Appointment Scheduling Module</b>           | Manage scheduling of sessions with professional counselors      | Appointment requests                       | Appointment confirmations     | Professional Counselors, Database  |
| <b>Resource Library Module</b>                 | Provide access to educational mental health resources           | Content uploaded by administrators         | Displayed resources           | Database                           |
| <b>Privacy &amp; Consent Management Module</b> | Ensure anonymity, data protection, and user consent enforcement | User privacy settings, system interactions | Enforced privacy policies     | All system modules (cross-cutting) |

### 3.3 Interface and Integration Diagrams

The system follows a service-oriented architecture in which components communicate through well-defined interfaces and APIs.

#### Internal Interfaces

- The Frontend communicates with backend modules through REST APIs
- Backend modules communicate with each other using internal service calls
- Data exchange between modules is structured and standardized


#### External Integrations

The system integrates with several external services to support its functionality:

- University Authentication System: Validates user credentials during login
- Notification Service: Sends email or system alerts to users
- Cloud Infrastructure Services: Provide hosting and scalability

#### Integration Flow

1. The user sends a request through the user interface
2. The request is processed by a backend service via API
3. The system stores or retrieves data from the database
4. External services are invoked if necessary (e.g., authentication, notifications)
5. The response is returned to the user



### 3.4 System Boundaries and Integration Points

The system boundaries define what is included within the platform and what external systems it interacts with.

#### Internal System Scope

The following components are part of the system:

- User registration and profile management
- Peer matching and communication
- Appointment scheduling
- Resource access and management

#### External Systems

The system interacts with the following external entities:

- University Authentication System
- Counseling Department (manual or semi-integrated processes)
- Notification Services (email or messaging systems)

#### Out-of-Scope Systems

The following systems are explicitly outside the scope of this platform:

- Clinical diagnosis systems
- Hospital databases
- External healthcare platforms


#### Integration Points

Key integration points include:

- Authentication API for secure login
- Appointment coordination with professional counselors



- Content management interfaces for administrators
- Notification triggers for system alerts



## 4. Technical Implementation Strategy

### 4.1 Technology Stack Recommendations:

The system will be built with accessible and reliable tools that allow for long-term maintenance and scalability as needed.

- **Backend:** Python, because it is a simple language, widely used in academic and professional environments, and offers security and speed in development.
- **Frontend:** React, as it facilitates modern and user-friendly interfaces, both on web and mobile.
- **Database:** PostgreSQL, due to its stability and ability to securely handle large volumes of information.
- **Authentication:** Integration with the institutional system via Single Sign-On (SSO), ensuring that students can log in with their university credentials without compromising their anonymity on the platform.
- **Infrastructure:** Cloud services, guaranteeing availability, scalability, and reliable technical support.

### 4.2 Implementation Phases and Roadmap:

Development will be organized into clear and progressive phases:

- **Initial preparation:** Configure the cloud server and database.
- **Backend development:** Create the main functions (registration, matchmaking, chat, appointments, library).
- **Frontend design:** Develop the web/mobile interface connected to the backend.
- **Privacy and consent:** Integrate encryption and security reminders into each module.
- **Testing:** Validate that the system functions correctly in terms of performance and security.
- **Pilot deployment:** Test with a small group of students and advisors.
- **Progressive scaling:** Expand use to the entire university, adjusting based on feedback.

### 4.3 Deployment Strategy:


The deployment strategy aims to minimize risks and ensure confidence:

- **Initial pilot:** Launch with a small number of users to verify that everything works correctly.
- **Gradual expansion:** Expand by faculties or student groups, incorporating improvements based on experience.
- **Continuous monitoring:** Metrics such as response times, availability, and user load are reviewed.
- **Modular updates:** Each part of the system can be improved without affecting the rest, facilitating continuous evolution.

### 4.4 Updated Process Flow Diagrams

The following process flow diagram represents an updated and refined version of the student journey through the platform, building upon the initial flow designed in Workshop 1. Compared to the original model, this updated diagram incorporates the privacy and consent layer as an explicit step in the process, reflects the tiered support model derived from the requirements analysis, and integrates the continuous improvement cycle driven by user feedback.

The flow begins when a student accesses the platform and completes the registration and authentication process using university credentials via Single Sign-On, which generates an anonymous profile. The student then completes an initial needs assessment, which feeds the matching engine to assign an appropriate peer counselor. From this point, the student may engage through anonymous chat and access the resource library simultaneously, or request a scheduled appointment with a professional counselor depending on the severity of their needs. All interactions pass through the Privacy and Consent module, which enforces encryption, access control, and anonymity policies at every stage. After each session, the student provides feedback through a post-session survey, which feeds into the analysis and continuous improvement module, enabling iterative system optimization. University administration participates through monitoring and reporting functions, ensuring policy compliance and service quality throughout the process.



## 5. Risk and Complexity Management

### 5.1 Sensitivity Factor Mitigation

Based on the sensitivity analysis, the Student Mental Health Support Platform is particularly sensitive to three key variables: quality of human interactions, peer counselor availability, and user trust in privacy. The following design mechanisms are proposed to mitigate these sensitivities.

**Sensitivity Addressed:** Risk of inappropriate or harmful comments from peer counselors, which can have a disproportionately negative impact on student well-being.

#### Design Mechanism

**In-App Reporting System:** A discreet "Report Concern" button will be integrated into the anonymous chat interface. This allows students to flag any interaction they find inappropriate, harmful, or uncomfortable. The report will be sent anonymously to both Platform Administrators and University Supervisors for review.

**Automated Account Safeguards:** To proactively protect the community, an automated trigger will be implemented. If a peer counselor receives a predefined number of reports (e.g., 3 distinct reports) within a specific timeframe (e.g., one week), their account will be temporarily suspended pending a manual investigation by a University Supervisor. This prevents potentially harmful individuals from continuing to interact while the case is being reviewed.

**Mandatory Peer Counselor Training Module:** Before gaining access to student chats, all peer counselors must complete an interactive training module. This module will include:

A "Guide to Effective and Safe Support," outlining communication best practices and highlighting phrases or topics that could be counterproductive (e.g., giving direct clinical advice, being judgmental).

Scenario-based training to practice identifying and de-escalating situations.

A final assessment to ensure comprehension before activation.

**Sensitivity Addressed:** Demand and supply imbalance, especially during high-stress periods like midterms and finals, leading to students being left unsupported.

#### Design Mechanism:

**Predictive Notification System:** The platform will be integrated with the university's academic calendar. Two weeks before anticipated peak periods (e.g., midterm exams, final projects), an automated notification system will be triggered. It will send emails and in-app alerts to peer counselors who have been inactive for an extended period, with a message such as: "Hi [Name], the platform is expecting higher demand from students during the upcoming exam period. If you have some time, we would greatly appreciate your support. Log in to see who needs help." This proactive outreach aims to temporarily increase the pool of available peers during critical windows.

**Sensitivity Addressed:** Loss of user trust due to privacy concerns, which can lead to mass abandonment of the platform.

#### Design Mechanism

**In-Chat Privacy Reminders:** To combat the risk of students inadvertently sharing personally identifiable information or sensitive data, the anonymous chat interface will feature subtle, contextual reminders. For example, a periodic, non-intrusive banner could appear: "Remember: For your safety, avoid sharing personal contact info (phone, email, social media) or specific addresses. Keep the conversation focused on your well-being."

**"Privacy & Safety" Resource Hub:** A dedicated, easily accessible section of the platform (linked from the chat and main menu) will be created. This hub will clearly explain:

How their data is used. The measures taken to protect their anonymity (e.g., end-to-end encryption).

A guide on "Healthy Anonymity," explaining the potential risks of sharing private information online, even in what feels like a trusted environment. This educates users and empowers them to protect themselves, building a foundation of trust through transparency.

## 5.2 Complexity and Emergent Behavior Management

The Student Mental Health Support Platform operates as a socio-technical system in which human interactions, system rules, and external contextual factors combine to produce complex and often unpredictable behaviors. Based on the complexity and emergent patterns identified, the following design strategies are proposed to manage nonlinear dynamics, feedback loops, and emergent risks while leveraging positive system behaviors.

### Management of Nonlinear Effects

Given that small events can produce disproportionately large consequences, the system incorporates mechanisms to both dampen negative amplification and reinforce positive outcomes.

To mitigate negative cascades, the platform integrates real-time moderation signals such as user reporting, automated flagging, and rapid administrative intervention. These mechanisms act as “shock absorbers,” preventing isolated incidents from escalating into widespread reputational damage.

To amplify positive effects, the system includes post-session feedback prompts and optional testimonials (anonymized), encouraging satisfied users to recommend the platform. Additionally, a voluntary “Become a Peer Counselor” pathway is presented to users after positive experiences.

### Feedback Loop Stabilization

The platform intentionally manages both reinforcing and balancing feedback loops to ensure controlled system evolution.

For reinforcing loops, the system introduces continuous monitoring of matching accuracy through feedback ratings. If satisfaction metrics fall below defined thresholds, the matching algorithm parameters are adjusted or flagged for review, preventing degradation over time.

For balancing loops, the system enforces session limits per peer counselor and dynamically adjusts visibility of available peers. This prevents overuse of highly active peers and distributes workload more evenly across the network.

### Adaptive Response to Chaotic Variability

To address unpredictable fluctuations in demand caused by external factors, the system incorporates adaptive and predictive mechanisms.

A demand monitoring module tracks real-time usage patterns and compares them with historical trends. When abnormal spikes are detected, the system activates contingency measures such as:

- Prioritization queues for high-urgency cases
- Temporary redirection to self-help resources
- Notifications to increase peer counselor availability

This adaptive behavior allows the system to remain functional even under unpredictable stress conditions.

### Control of Emergent Risk Patterns

Several emergent risks identified in Workshop 1 are addressed through proactive design controls:

#### Risk of Exploitation

The system implements interaction monitoring, anomaly detection, and strict reporting protocols. Accounts flagged for suspicious behavior are temporarily restricted pending review.

## Positive Emergence

The platform supports controlled sharing of educational resources through public, non-user-specific links. This allows beneficial external impact while preserving user anonymity and system boundaries.

## System Observability and Continuous Learning

To effectively manage complexity, the platform integrates observability tools that collect data on user behavior, interaction outcomes, and system performance. This data feeds into a continuous improvement cycle where emergent patterns are periodically analyzed and translated into design updates.

By combining monitoring, adaptive control, and user-centered safeguards, the system does not attempt to eliminate complexity—rather, it is designed to operate resiliently within it, minimizing risks while enhancing positive emergent behaviors.

## 5.3 Failure Modes and Resilience

The Student Mental Health Support Platform depends on a cloud-based infrastructure and multiple interconnected modules. Therefore, system resilience must address both technical failures and operational disruptions to ensure continuous availability and reliability.

The following key failure modes and resilience strategies are defined:

### Failure Mode 1: Cloud Infrastructure or Server Downtime

A failure in the cloud provider or server outage can make the platform completely inaccessible to users.

Resilience Strategy:

The system is designed using cloud redundancy principles:

- Deployment across multiple availability zones
- Load balancing to distribute traffic across instances
- Automatic failover to backup servers in case of node failure
- Regular system health checks and uptime monitoring

This ensures high availability and minimizes service interruption.

### Failure Mode 2: Database Failure or Data Loss

A failure in the database system could result in loss of user sessions, chat history, or appointment data.

Resilience Strategy:

To protect data integrity, the system implements:

- Automated daily backups and periodic snapshots
- Database replication across multiple nodes
- Transaction logging for recovery
- Read/write separation to reduce load and risk

These mechanisms ensure that data can be restored quickly with minimal loss.

### Failure Mode 3: Network or Connectivity Issues

Users may experience unstable internet connections or network interruptions, especially on mobile devices.

Resilience Strategy:

The system includes:

- Retry mechanisms for failed requests
- Graceful error handling with user notifications
- Temporary local caching of critical session data (where applicable)
- Lightweight frontend design to reduce dependency on high bandwidth

This allows the platform to remain usable under unstable network conditions.

### Failure Mode 4: Communication Module Failure (Chat Service)

If the anonymous communication module fails, users cannot interact with peer counselors, which is a core functionality of the system.

Resilience Strategy:

- Isolation of the chat module as an independent service
- Fallback options such as delayed messaging or asynchronous communication
- Monitoring and automatic restart of failed services
- Queue-based message handling to prevent message loss

This ensures continuity of communication even if real-time interaction is temporarily affected.

### Failure Mode 5: System Overload and Performance Degradation

High traffic during peak periods can slow down the system or cause partial failures.

Resilience Strategy:

- Auto-scaling infrastructure to dynamically allocate resources
- Rate limiting to prevent system abuse
- Prioritization of critical operations (matching, chat, emergency cases)
- Performance monitoring with real-time metrics

This ensures stable performance even under heavy load.

### Overall Resilience Strategy

The platform follows a fault-tolerant and scalable design, where failures are anticipated and managed through redundancy, monitoring, and modular isolation.

Key resilience principles include:

- Redundancy: Multiple instances and backups prevent single points of failure
- Isolation: Failures in one module do not affect the entire system
- Scalability: Resources adapt dynamically to demand
- Recovery: Fast restoration mechanisms minimize downtime

By combining these strategies, the system ensures continuous operation, protects user data, and maintains service quality even in the presence of technical and operational failures.

## 6. Performance and Quality Assurance

### 6.1 Performance Metrics and Success Criteria

| Metric                      | Description                                                                                        | Success Criterion                                       | Measurement Method                               |
|-----------------------------|----------------------------------------------------------------------------------------------------|---------------------------------------------------------|--------------------------------------------------|
| Time to Initial Match       | Average time between a student completing the assessment and being connected with a peer counselor | $\leq 10$ minutes for 90% of requests during peak hours | Timestamp logs in the Peer Assignment module     |
| Peer Availability Rate      | Percentage of time during operating hours that at least one peer counselor is available            | $\geq 95\%$ availability                                | System heartbeat monitoring of peer login status |
| Appointment Scheduling Time | Average time between requesting a professional appointment and receiving confirmation              | $\leq 48$ hours for routine appointments                | Appointment scheduling system logs               |
| Peak Wait Time              | Maximum wait time during high-demand periods (exams, midterms)                                     | $\leq 30$ minutes for 95% of students                   | Queue management system with timestamps          |



|                               |                                                                              |                                        |                                                                                               |
|-------------------------------|------------------------------------------------------------------------------|----------------------------------------|-----------------------------------------------------------------------------------------------|
| Emergency Response Time       | Time to respond to students flagged as high urgency in their assessment      | $\leq 5$ minutes for immediate contact | Priority queue monitoring with escalation alerts                                              |
| Student Registration Rate     | Percentage of total university student population registered on the platform | $\geq 15\%$ within first semester      | Platform analytics dashboard tracking unique registrations against university enrollment data |
|                               |                                                                              | $\geq 30\%$ within first year          |                                                                                               |
| Monthly Active Users (MAU)    | Number of unique students who log in at least once per month                 | $\geq 40\%$ of registered users        | Platform usage logs aggregated monthly                                                        |
| Peer-to-Student Ratio         | Number of active peer counselors per 100 active students                     | $\geq 5$ peers per 100 students        | Active user counts compared to active peer counts                                             |
| Peer Retention Rate           | Percentage of peer counselors still active after 6 months                    | $\geq 70\%$ retention                  | Peer account activity tracking                                                                |
| Peer Session Limit Compliance | Percentage of peers staying within the daily session limit                   | $\geq 95\%$ compliance                 | Session count monitoring with automated alerts                                                |

## 6.2 Monitoring and Validation Approaches

To ensure that the Student Mental Health Support Platform meets the defined performance metrics and operates reliably under varying conditions, a comprehensive monitoring and validation framework is implemented. This framework combines real-time system monitoring, data-driven validation, and continuous feedback mechanisms.

### Real-Time System Monitoring

The platform incorporates continuous monitoring of key system components and performance indicators. This includes:

- **Infrastructure Monitoring:**  
Tracks server uptime, CPU usage, memory consumption, and network performance to ensure system stability and availability.
- **Application Monitoring:**  
Measures response times, API latency, error rates, and module performance (e.g., matching engine, chat system, scheduling module).
- **User Activity Monitoring:**  
Collects data on active users, session duration, peak usage times, and feature utilization (chat, appointments, resources).

### Performance Metrics Tracking

The metrics defined in Section 6.1 are continuously measured and validated using system-generated data:

- Timestamp logs are used to calculate response times
- System counters track peer availability and system load
- Usage analytics measure registration rates, monthly active users, and engagement levels
- Scheduling logs validate appointment confirmation times

### Validation Through Testing

Before and during deployment, the system undergoes multiple validation processes:

- **Functional Testing:** Ensures each module (registration, matching, chat, scheduling, resources) operates according to specifications
- **Performance Testing:** Simulates high-load scenarios to verify system scalability and response times
- **Security Testing:** Validates encryption, authentication, and data protection mechanisms
- **Usability Testing:** Evaluates user experience, ensuring that the platform is intuitive and accessible

These tests are conducted iteratively during development and prior to each major deployment phase.

### User Feedback Validation

User feedback is a critical component for validating system effectiveness:

Post-session ratings evaluate the quality of peer matches and interactions, providing direct insight into whether the matching algorithm is producing satisfactory results. Periodic satisfaction surveys assess the overall platform experience, covering usability, perceived anonymity, and support quality. Usage behavior analytics complement self-reported data by identifying patterns such as session abandonment rates, resource access frequency, and feature utilization trends.

Feedback data is aggregated on a monthly basis and reviewed against the success criteria defined in Section 6.1. When metrics fall below established thresholds, the findings are escalated to the continuous improvement cycle described in Section 6.3, triggering targeted adjustments to the affected modules.

### Continuous Improvement Through Monitoring

The monitoring and validation framework operates as an ongoing process rather than a one-time evaluation. System logs, performance dashboards, and user feedback channels are reviewed on a regular basis to detect emerging issues before they escalate. This approach ensures that the platform evolves in response to real operational data rather than

theoretical assumptions, maintaining alignment between system behavior and stakeholder expectations throughout its lifecycle.

### **6.3 Continuous Improvement Strategy**

The Student Mental Health Support Platform is designed as an evolving system that continuously adapts to user needs, system performance data, and changing operational conditions. To ensure long-term effectiveness, a structured continuous improvement strategy is implemented, integrating data analysis, user feedback, and iterative system updates.

#### **Data-Driven Improvement**

All system interactions generate valuable data that is used to identify performance gaps and optimization opportunities. Key metrics defined in Section 6.1 (e.g., response times, peer availability, user engagement) are periodically analyzed to detect trends and deviations.

When performance falls below expected thresholds, targeted improvements are applied, such as:

- Adjusting matching algorithm parameters
- Increasing peer recruitment efforts during high-demand periods
- Optimizing system resource allocation

This ensures that decisions are based on measurable evidence rather than assumptions.

#### **User-Centered Feedback Integration**

User experience plays a central role in system evolution. Feedback collected through ratings, surveys, and usage behavior is continuously evaluated to identify usability issues and improvement opportunities.

Specific actions include:

- Refining the user interface to improve accessibility and ease of use
- Enhancing communication tools based on user preferences
- Expanding or updating the resource library according to user needs

By prioritizing user feedback, the platform remains aligned with stakeholder expectations.

#### **Adaptive Capacity Planning**

To address variability in demand, the system continuously refines its capacity planning strategies. Historical usage data and academic calendar patterns are used to anticipate demand spikes and prepare resources accordingly.

This includes:

- Adjusting cloud resource allocation (auto-scaling parameters)
- Increasing peer counselor availability during critical periods
- Optimizing queue and prioritization mechanisms

This ensures that the system remains responsive under changing conditions.

#### **Long-Term Evolution and Scalability**

The platform is designed to support future growth and functional expansion. Based on continuous evaluation, new features and integrations may be incorporated, such as:

- Advanced analytics for mental health trends
- Integration with additional institutional services
- Enhanced personalization of support pathways

This ensures that the system remains relevant and scalable as user needs evolve.

#### **6.4 Scalability and Future Growth Planning**

The platform is designed from the outset to accommodate growth beyond its initial deployment scope, ensuring that increased demand does not require fundamental architectural redesign.

In the short term, the auto-scaling configuration of the cloud infrastructure allows the system to dynamically allocate additional compute resources during demand spikes, such as those predicted during midterm and final exam periods. Load balancing distributes incoming requests across multiple server instances, preventing bottlenecks at the infrastructure level and maintaining response times within the defined performance thresholds.

In the medium term, the modular architecture of the application layer supports horizontal scaling at the module level. Modules that experience higher demand, such as the matching engine and the anonymous communication service during peak periods, can be scaled independently without affecting the rest of the system. This approach optimizes resource allocation and reduces operational costs during periods of lower activity.

In the long term, the platform is designed to expand beyond a single faculty or institution. The authentication module supports multi-tenant configurations, allowing the system to be deployed across multiple university units or partner institutions with isolated data environments. The resource library and matching engine are designed to accommodate growing content volumes and user bases without performance degradation, supported by database partitioning and indexing strategies that maintain query efficiency as data scales.

Future feature expansions identified for subsequent development phases include intelligent matching algorithms incorporating natural language processing for needs assessment, predictive analytics dashboards for university administrators, and integration with external institutional services such as academic advising and student welfare systems. The modular design ensures that these additions can be incorporated incrementally without disrupting existing functionality.

### **7. Conclusion and Next Steps**

This System Design Document has presented a comprehensive architectural and technical proposal for the Student Mental Health Support Platform, directly addressing the challenges, bottlenecks, and opportunities identified. The design translates analytical insights into a structured and feasible solution that prioritizes accessibility, anonymity, scalability, and system resilience.

The proposed system responds effectively to the critical findings of the initial analysis, particularly the high prevalence of mental health challenges among students, the low utilization of existing services, and the strong preference for anonymous and accessible support. Through a modular, cloud-based architecture and clearly defined functional components, the platform is designed to provide a reliable and user-centered support environment.

Key design contributions include the implementation of a tiered support model, predictive mechanisms to manage demand variability, and a privacy-first approach that strengthens user trust. Additionally, the integration of monitoring, validation, and continuous improvement strategies ensures that the system can adapt over time and maintain high levels of performance and usability.

The inclusion of risk mitigation mechanisms, complexity management strategies, and resilience planning further reinforces the robustness of the design. By addressing both technical and human factors, the system is prepared to operate effectively within a complex and dynamic environment.

## Next Steps

To advance from design to implementation, the following steps are proposed:

- **Prototype Development:**  
Develop a functional prototype of the core modules (registration, matching, and communication) to validate design assumptions.
- **Pilot Testing:**  
Deploy the system with a limited group of students and peer counselors to evaluate usability, performance, and real-world behavior.
- **Feedback-Driven Refinement:**  
Collect user feedback and system performance data during the pilot phase to identify improvements and optimize system components.
- **Infrastructure Deployment:**  
Configure the cloud environment, database systems, and authentication integration for full-scale operation.
- **Full-Scale Implementation:**  
Gradually expand the platform across the university, ensuring stability and scalability at each stage.
- **Future Enhancements:**  
Explore advanced features such as intelligent matching algorithms, predictive analytics, and deeper integration with institutional services.

In conclusion, the proposed system design establishes a solid foundation for developing an effective and scalable mental health support platform. By combining rigorous systems engineering principles with a strong focus on user needs, the platform has the potential to significantly improve access to mental health resources and contribute positively to student well-being.

## 8. Repository Management and Documentation

### 8.1 Repository Structure

The Workshop 2 design materials are organized within the existing GitHub Course repository established in Workshop 1. A dedicated Workshop\_2\_Design folder has been created following the required structure for this deliverable.

Folder — Contents

/Workshop\_2\_Design/docs — Complete System Design Document in PDF format

/Workshop\_2\_Design/diagrams — All architecture diagrams and process flow diagram source files

The root repository README.md has been updated to include a Workshop 2 section covering the design approach, the main architectural decisions derived from the Workshop 1 analysis, and direct links to all Workshop 2 deliverables.

### 8.2 Repository Link

The complete project repository, including all Workshop 1 and Workshop 2 materials, is available at:

**[https://github.com/Alan05ss/Mental\\_Health\\_Project.git](https://github.com/Alan05ss/Mental_Health_Project.git)**

## References

- Sierra, C. A. (2026). Workshop No. 1 — Systems Analysis [Course assignment]. Universidad Distrital Francisco José de Caldas.
- Sierra, C. A. (2026). Workshop No. 2 — Systems Design [Course assignment]. Universidad Distrital Francisco José de Caldas.