

Student Mental Health Support Platform

Alan Santiago Agudelo Sarmiento – 20222020170

Juan David Cardozo Trujillo – 20231020155

Julian Ernesto Romero Gutierrez – 20231020164

Nicolas Alexander Sierra Contreras – 20222020197

Context and Problem Statement

The Problem: Mental health issues among university students have increased significantly. Many avoid seeking help due to stigma, lack of awareness of available resources, or difficulty navigating institutional processes.

The Objective: To create a digital system that acts as a first point of contact, a bridge between students in distress and the institutional resources available to them—prioritizing accessibility, anonymity, and trust.

The Proposed Solution: A mental health support platform that connects students with trained peer counselors, professional advisors, and curated mental health resources.



Key Findings from Data

Analysis

- High Prevalence: 88% of students reported experiencing anxiety or emotional problems during their university life.
- Low Utilization: 68% of students have never sought professional help.
- Access Barrier: 0% of students found mental health services "easy" or "very easy" to access; 56% were unaware of their existence.
- Anonymity is Key: 64% of students prefer anonymous support.
- Platform Interest: 76% of students are open to using a digital platform (40% yes, 36% maybe).
- Comprehensive Demand: 68% requested comprehensive support (professional counseling, peer support, and educational resources).



Stakeholders

01

Students: Access to mental health resources and anonymous peer support.

02

Peer Counselors : Provide support through anonymous connections.

03

Professional Counselors: Receive appointment requests and manage scheduled sessions.

04

University Admin: Admin: Ensure compliance, data privacy, and service quality.

05

Platform Admins : Maintain system availability, algorithms, and data integrity.

Sensitivity and Variability Analysis




Quality of Human Interactions

Peer counselors are human volunteers; a single inappropriate comment can have a severe negative impact. This makes training and supervision essential.



Demand vs. Supply Balance

During peak periods (midterms, finals), demand spikes can overwhelm available peer counselors, leaving students without support.



Privacy and Anonymity

According to survey data, 64% of students consider anonymity essential. Any perceived privacy breach could cause mass abandonment



COMPLEXITY AND EMERGENT BEHAVIOR PATTERNS


Nonlinear Behaviors

- Domino Effect: A single negative interaction can discourage dozens of potential users through word-of-mouth.
- Amplifier Effect: One positive interaction can trigger a virtuous cycle, encouraging friends to join and even become peer counselors.
- Trust Fragility: A rumor about privacy vulnerabilities even if false can cause disproportionately large system failure.



Feedback Loops

- Reinforcing Loop: More users → More data → Better matching algorithm → Higher satisfaction → More users.
- Peer Recruitment Loop: Positive experiences → Students become peer counselors → More availability → Better experiences.



Emergent Patterns

- Risk of Exploitation: Anonymity can be misused by individuals with malicious intent.
- Transition to Real-World Relationships: Anonymous chats may evolve into genuine friendships outside the platform.
- Resource Spillover: Users share educational resources with non-registered students, extending impact beyond platform boundaries.



Functional and Non-Functional Requirements

Key Functional Requirements:


- Authentication: Register with university credentials while maintaining an anonymous public profile.
- Matching: Dynamic algorithm to connect students with peer counselors based on needs assessment.
- Communication: Encrypted, anonymous chat channel between students and counselors.
- Scheduling: Integrated calendar module for appointments with professional counselors.
- Resources: Searchable library of mental health educational resources.

Key Non-Functional Requirements:

- Performance: Page load time < 2 seconds.
- Security: End-to-end encrypted communications.
- Availability: 99% uptime during active academic periods.
- Scalability: Handle concurrent load increases of up to 300%



System Architecture




Presentation Layer (User Interface)

- Web Application and Mobile Access.
- Interfaces for Students, Counselors, and Administrators.



Application Layer (Business Logic)

- Modules: User Registration, Matching Engine, Anonymous Communication, Appointment Scheduling, Resource Library, Privacy & Consent Management.
- Each module operates independently for maintainability and scalability.



Infrastructure Layer (Technology)

- Cloud Server (hosting and scalability).
- Secure Database (no clinical records stored).
- Authentication Service (integration with university SSO).

Technology Stack

Component	Technology	Status
Backend	Python	Simple, widely used in academic environments, offers security and speed in development.
Frontend	React	Enables modern and user-friendly interfaces, works across web and mobile.
Database	PostgreSQL	Stable, capable of securely handling large volumes of information.
Authentication	Single Sign-On (SSO)	Integration with university credentials while preserving anonymity on the platform.
Infrastructure	Cloud Services	Guarantees availability, scalability, and reliable technical support.

Mitigation of Sensitivity Factors

01

Quality of Human Interactions: In-app reporting system; temporary account suspension after multiple reports; mandatory interactive training module for all peer counselors.

02

Peer Counselor Availability : Predictive notification system based on the academic calendar to recruit inactive peers during peak demand periods (exams, midterms).

03

User Trust and Privacy : In-chat privacy reminders; dedicated "Privacy & Safety" resource hub explaining encryption and data policies.


04

Emergent Risks (Exploitation) : Interaction monitoring, anomaly detection, strict reporting protocols, and temporary account restriction for suspicious behavior.

Performance Metrics and Success Criteria

Metric	Success Criterion
Time to Initial Match	≤ 10 minutes for 90% of requests during peak hours.
Peer Availability Rate	$\geq 95\%$ during operating hours.
Appointment Scheduling Time	≤ 48 hours for routine appointments.
Peer Retention Rate	$\geq 70\%$ after 6 months.
Student Registration Rate	$\geq 30\%$ of total university student population within the first year.
Monthly Active Users (MAU)	$\geq 40\%$ of registered users.
Peer-to-Student Ratio	≥ 5 peers per 100 active students.

ROADMAP



1. Initial Preparation: Configure cloud server and database.

2. Backend Development: Create core functions (registration, matching, chat, appointments, library).

3. Frontend Design: Develop web/mobile interface connected to the backend.

4. Privacy & Consent: Integrate encryption and security reminders into each module.


5. Testing: Validate system functionality, performance, and security.

6. Pilot Deployment: Test with a small group of students and advisors.

7. Progressive Scaling: Expand use to the entire university, adjusting based on feedback.



Next Steps



- **Prototype Development:** Build a functional prototype of core modules (registration, matching, communication).
- **Pilot Testing:** Deploy with a limited group of students and peer counselors to evaluate usability and real-world behavior.



- **Feedback-Driven Refinement:** Optimize system components based on pilot feedback and performance data.
- **Infrastructure Deployment:** Configure cloud environment, database, and authentication for full-scale operation.



- **Full-Scale Implementation:** Gradually expand across the university.
- **Future Enhancements:** Explore intelligent matching algorithms and predictive analytics dashboards.


Robust Architecture Design Enhancement

The architecture was strengthened to improve:

- Scalability under increasing student demand.
- Maintainability through modular design.
- Security and privacy for sensitive interactions.
- Accessibility according to WCAG 2.1 principles.
- Reproducibility for future university deployments.

Key Design Standards

- ISO 9001
- CMMI
- IEEE Guidelines
- WCAG 2.1



Application Layer Enhancement

The Application Layer contains the platform's core services.

Main Modules:

- SSO Authentication
- Matching Engine
- Anonymous Communication
- Appointment Scheduling
- Resource Library
- Privacy & Consent Management

Design Principles

- Independent modules
- Scalability
- Maintainability
- Fault isolation



Infrastructure Layer Enhancement

The Infrastructure Layer guarantees availability, security, and operational continuity.

Components:

- Cloud Infrastructure
- PostgreSQL Database
- Authentication Services
- Backup and Recovery Services

Reliability Targets

- Availability $\geq 99\%$
- RTO ≤ 2 hours
- RPO ≤ 1 hour



Risk Management Framework

Risk management follows:

- ISO 31000:2018
- PMBOK 7 Performance Domain

Risk Categories:

- Technical Risks
- Operational Risks
- Security Risks
- Human & Social Risks
- Project Risks



Critical Operational Risks

RO-01: Peer Counselor Shortage

The most critical operational threat.

Potential Impact:

- Increased wait times
- Unmatched students
- Reduced service quality

Mitigation:

- Predictive recruitment
- 20% reserve capacity
- Alumni counselor reserve

Acceptance Criterion:

- Wait time $\leq$ 30 minutes for 95% of students



Security and Privacy Risks

Major Risks

- User De-anonymization
- Account Takeover
- Encryption Breach
- Platform Exploitation

Protection Measures

- End-to-End Encryption
- MFA Authentication
- Privacy Impact Assessments
- Anomaly Detection Systems

Acceptance Goal:

Zero confirmed privacy breaches per semester.



Human and Social Risks

Main Concerns

- Harmful Peer Interactions
- User Exploitation
- Loss of Trust

Why They Matter

Mental health systems depend on trust.

A single negative incident can generate:

- Reduced participation
- Reputation damage
- Platform abandonment

Mitigation

- Peer training
- Monitoring protocols
- Transparent com



Quality Assurance Framework



Quality management is based on four standards:

- ISO 9001
Continuous improvement.
- ISO 27001
Information security.
- CMMI
Process maturity.
- Six Sigma
Defect reduction and statistical control.



- Objective
Guarantee quality throughout the system lifecycle.



Quality Metrics

Quality Attribute	Success Criterion
Page Load Time	≤ 2 sec
Match Time	≤ 10 min
Availability	$\geq 99\%$
Registration Success	$\geq 90\%$
User Satisfaction	$\geq 4/5$
Critical Vulnerabilities	0

Module Acceptance Criteria

Registration

- SSO integration operational
- Anonymous profiles generated

Matching

- 90% matched within 10 minutes

Communication

- End-to-end encrypted chat

Scheduling

- Confirmation within 48 hours

Resource Library

- Content accessible in less than 2 seconds



Simulation-Based Validation

Objectives:

- Validate architecture decisions.
- Evaluate operational performance.
- Measure system resilience.
- Analyze emergent behaviors.

Methodology

- Discrete Event Simulation
- Monte Carlo Analysis
- Multi-Scenario Testing





Parameter Calibration

Parameter	Value
Students	500
Counselors	30
Trust Level	85
Peak Multiplier	25
Response Time	5 min
Burnout Threshold	20

Simulation Scenarios

01

Baseline

Normal demand.

02

Midterm/Finals Stress

2.5× demand increase.

03

Counselor Shortage

Reduced counselor availability.

04

Trust Collapse


Reduced student participation.

Process-Oriented Simulation Results

Scenario	Wait	Utilization	Dropouts
Baseline	0	3.53%	0
Midterm Stress	0	8.62%	18
Counselor Shortage	0	10.58%	0
Trust Collapse	0	4.72%	0

Peer Counsellor Utilisation Rate per Scenario

Student Mental Health Support Platform — Universidad Distrital



Midterm Stress Analysis

Most important simulation finding.

Results:

- 18 student dropouts.
- 3.6% abandonment rate.
- No sustained overload.

Explanation:

Short-term demand spikes create temporary congestion.

Recommendation

Implement real-time queue notifications.



Counselor Shortage Analysis

Scenario:

30 counselors reduced to 10.

Results:

- Highest utilization.
- No SLA violations.
- No student abandonment.

Key Finding

The platform remains operational even with a 66% reduction in counselor availability.



Trust Collapse Analysis

Observation

System performance remains stable.

Problem

Demand decreases dramatically.

Interpretation

Trust is a strategic asset.

Without trust:

- Fewer registrations
- Fewer matches
- Lower impact

Recommendation

Prioritize transparency and privacy communication.





Behavior-Oriented Simulation

Scenario	Avg Trust	Avg Burnout	Active Students	Stabilized Runs
Baseline	979	0	387	1.000%
Midterm Stress	979	141	387	900%
Counselor Shortage	977	300	333	823%
Trust Collapse	772	0	352	323%

Key Finding

The behavioral model shows that operational failures are not driven only by system capacity. Trust loss and prolonged disruptions can alter participation patterns and generate degraded system states even when technical resources remain available.

Emergent System Behaviors

Behaviors Observed

- Stable operation states
- Partial recovery states
- Temporary congestion periods
- Trust degradation effects
- Counselor workload accumulation

Example

Small reductions in trust generated disproportionately large decreases in student participation.

Key Finding

The platform behaves as a complex adaptive system where local decisions can produce global consequences.






Figure 4. Emergent Behavior — Cascade Outcomes and Recovery Time
Student Mental Health Support Platform — Universidad Distrital

System Outcome Distribution (n=300 runs each)



Average Recovery Time (Stabilised Runs)



Feedback Loops and System Dynamics

Reinforcing Feedback Loop

Trust

- Increased Participation
- More Successful Matches
- Positive Experiences
- Greater Trust

Balancing Feedback Loop

Higher Demand


- Increased Counselor Workload
- Burnout Risk
- Reduced Service Capacity

System Implications

Both feedback structures operate simultaneously and determine long-term platform sustainability.

Key Insight

Maintaining trust is essential because reinforcing loops can accelerate both growth and decline.



Statistical Validation of the Simulation Model

Validation Methodology

- Monte Carlo executions
- Multiple random seeds
- Wilson 95% confidence intervals
- Sensitivity testing

Metrics Evaluated

- Match success rate
- Response times
- Counselor utilization
- Burnout risk
- Privacy coverage

Result

The model produced consistent outcomes across repeated executions, supporting the reliability of the conclusions.



Conclusion

- The project identified significant barriers to mental health support, particularly accessibility, awareness, and trust.
- A secure and scalable platform was designed to connect students with peer counselors, professional services, and educational resources.
- Risk management, quality assurance, and robust architectural principles strengthen system reliability and sustainability.
- Simulation results validated the platform under multiple scenarios and highlighted trust and counselor availability as critical success factors.
- The proposed solution represents a viable approach to improving student well-being and access to mental health support within the university.



THANK
YOU!