

Technical Report

Student Mental Health Support Platform



Team Members

Alan Santiago Agudelo Sarmiento – 20222020170

Juan David Cardozo Trujillo – 20231020155

Julian Ernesto Romero Gutierrez – 20231020164

Nicolas Alexander Sierra Contreras – 20222020197

Professor

Eng. Carlos Andrés Sierra, M.Sc.

Universidad Distrital Francisco José de Caldas

Engineering Faculty

Systems Analysis & Design

2026-I

TABLE OF CONTENTS

1. ABSTRACT	4
2. INTRODUCTION	5
3. LITERATURE REVIEW	6
4. OBJECTIVES	7
4.1 General Objective	7
4.2 Specific Objectives	7
5. SCOPE	8
5.1 Included Scope	8
5.2 Excluded Scope	9
6. ASSUMPTIONS	9
7. LIMITATIONS	9
8. METHODOLOGY	10
8.1 Overall Approach	10
8.2 Data Collection Methodology	10
8.3 System Architecture	11
8.4 System Components and Module Responsibilities	12
8.5 Process Workflow	13
8.6 Technology Stack	13
8.7 Design Methodology and Replicability	14
9. STAKEHOLDER ANALYSIS AND USER NEEDS	14
9.1 Stakeholder Identification	14
9.2 Survey Findings and Key Insights	15
9.3 Behavioral Patterns and Complexity Analysis	16
10. REQUIREMENTS ANALYSIS	16

10.1 Functional Requirements	17
10.2 Non-Functional Requirements	17
11. RISK MANAGEMENT FRAMEWORK.....	18
11.1 Risk Assessment Methodology.....	18
11.2 Risk Register	19
11.3 Risk-to-Module Mapping.....	21
12. QUALITY ASSURANCE FRAMEWORK.....	22
12.1 Quality Standards Adopted	22
12.2 Quality Metrics and Performance Indicators	22
12.3 Module-Level Acceptance Criteria.....	23
13. SIMULATION AND VALIDATION	24
13.1 Simulation Methodology	24
13.2 Survey-Based Parameter Calibration.....	25
13.3 Scenario Design	26
13.4 Process-Oriented Simulation Results.....	27
13.5 Statistical Validation Results	27
13.6 Complexity and Emergent Behavior Analysis.....	28
13.7 Sensitivity Analysis Findings	29
14. IMPLEMENTATION AND RESULTS.....	29
14.1 Implementation Overview	29
14.2 System Capabilities.....	30
14.3 Validation Results Summary	30
15. DISCUSSION	31
15.1 Effectiveness of the Solution	31
15.2 Critical Design Decisions and Their Rationale.....	32
15.3 Key Lessons from Design Evolution	32
15.4 Technical Challenges	33
15.5 Future Improvements	34
16. CONCLUSION.....	34
17. REFERENCES	36

1. ABSTRACT

This report presents the comprehensive analysis, design, validation, and simulation of a Student Mental Health Support Platform intended to address the growing mental health challenges faced by university students. The project follows a structured systems engineering methodology progressing through four distinct phases: systems analysis, systems design, robust architecture and risk management, and simulation-based validation.

Empirical data collected through a student survey confirmed that 88% of respondents reported experiencing anxiety or emotional difficulties, 68% had never sought professional help, and no students rated existing institutional services as easy to access. These findings established anonymity, accessibility, and comprehensive support as non-negotiable design requirements. The resulting platform integrates anonymous user interaction, a peer counseling matching engine, real-time encrypted communication, appointment scheduling, and a curated resource library within a modular, cloud-based, three-layer architecture.

Risk management followed the ISO 31000:2018 framework, identifying 13 risks across technical, operational, security, and project management categories. A quality assurance framework aligned with ISO 9001, ISO/IEC 27001, CMMI, and Six Sigma principles was established, with measurable acceptance criteria and a structured validation lifecycle. Computational simulations using discrete-event and system-dynamics models across four standardized scenarios — Baseline, Midterm/Finals Stress, Counselor Shortage, and Trust Collapse — validated architectural assumptions, revealed critical operational thresholds, and identified nonlinear behaviors including trust inflection points and cascade amplification effects.

The results demonstrate that the proposed system is architecturally coherent and operationally feasible under normal conditions. Key vulnerabilities are concentrated in demand surge management, peer counselor burnout risk during peak periods, and trust-driven adoption collapse. Prioritized engineering recommendations address these vulnerabilities through surge protocols, privacy-first design, workload caps, and real-time monitoring.

2. INTRODUCTION

Mental health has become a critical concern within higher education environments, where students are increasingly exposed to academic pressure, social expectations, and personal challenges. These factors contribute to a growing prevalence of conditions such as anxiety, depression, and emotional distress, which directly affect academic performance, retention rates, and overall well-being.

Despite the availability of institutional support services, a significant proportion of students do not seek help. Research and observational data indicate that the primary barriers include social stigma, lack of awareness of available resources, limited accessibility, and scheduling constraints. These barriers discourage students from engaging with traditional face-to-face services, even when support is critically needed.

In response to these challenges, digital platforms have emerged as a promising alternative for delivering mental health support. Such platforms offer increased accessibility, flexibility, and scalability, allowing users to engage with services in a more convenient and less intimidating environment. Anonymity has been identified as a key factor in reducing psychological resistance and encouraging open communication.

This project addresses the problem by proposing the design of a Student Mental Health Support Platform that integrates anonymous interaction, peer-to-peer support, professional assistance, and educational resources into a unified digital system. The platform is designed to complement existing institutional services while overcoming their limitations through technological innovation. The development was structured across four progressive workshops: Workshop 1 established the empirical problem foundation through survey-based systems analysis; Workshop 2 translated findings into a modular three-layer architecture; Workshop 3 reinforced the design with risk management, quality assurance, and project governance frameworks; and Workshop 4 validated the design through computational simulation and complexity analysis.

The importance of this project lies not only in its potential to improve access to mental health support but also in its contribution to the development of user-centered, scalable, and privacy-aware digital systems. By aligning system design with real user needs and subjecting design

assumptions to quantitative validation, this work provides a technically grounded and academically rigorous solution to a socially significant problem.

3. LITERATURE REVIEW

The development of digital solutions for mental health support has been widely studied in recent years, particularly in the context of increasing demand for accessible and scalable interventions. Existing literature highlights several key areas relevant to this project, including digital mental health interventions, anonymity in user interaction, peer support systems, and system design principles.

One of the most significant trends identified in the literature is the effectiveness of internet-based psychological interventions. Studies have shown that digital platforms can deliver outcomes comparable to traditional therapy in certain contexts, particularly for mild to moderate conditions (World Health Organization, 2022). These solutions improve accessibility by eliminating geographical and scheduling barriers, making them especially suitable for student populations (American College Health Association, 2021).

Another critical concept is anonymity, which plays a central role in user engagement within sensitive domains. Research indicates that users are more likely to disclose personal information and seek help when their identity is protected. Anonymity reduces fear of judgment and social stigma, which are among the main obstacles to accessing mental health services.

The role of peer support systems is also well documented. Peer-to-peer interaction allows individuals to receive emotional support from others with similar experiences, fostering empathy and relatability. These systems are particularly effective when combined with professional support, creating a hybrid model that balances accessibility and expertise (Abelson et al., 2024; Springer, 2024). Dynamic peer counseling, a differentiating component of the proposed platform, increases student trust and willingness to participate in psychological support programs.

From a technological perspective, the literature emphasizes the importance of scalable and modular system architectures. Layered architectures and service-oriented designs are

commonly recommended to ensure maintainability, flexibility, and performance (Pressman & Maxim, 2020; Sommerville, 2016). Additionally, usability and human-computer interaction principles are critical for ensuring that digital platforms are intuitive and accessible to a wide range of users.

Despite these advancements, several gaps remain in existing solutions. Many platforms lack strong integration between anonymity, peer support, and professional services. Others face limitations in scalability, user engagement, or data privacy. Furthermore, some systems are not specifically tailored to the unique needs of university students. This project addresses these gaps by combining anonymity, peer matching, real-time communication, formal risk management, and simulation-based design validation within a unified architecture.

4. OBJECTIVES

4.1 General Objective

To design, analyze, and validate a scalable, secure, and user-centered digital platform that improves access to mental health support services for university students by addressing key barriers such as stigma, inaccessibility, and lack of awareness, through the application of systems engineering principles, risk management frameworks, and simulation-based evaluation.

4.2 Specific Objectives

- To identify and analyze the main factors affecting student mental health and help-seeking behavior through empirical data collection and statistical analysis.
- To define functional and non-functional requirements based on user needs, stakeholder analysis, and system constraints.
- To design a modular, scalable, and fault-tolerant system architecture aligned with international quality standards.
- To incorporate anonymity and privacy as core design principles, implementing a zero-knowledge architecture that separates institutional authentication from anonymous platform profiles.

- To develop a peer matching mechanism that connects students with trained peer counselors based on needs assessment responses.
- To establish a comprehensive risk management framework identifying, quantifying, and mitigating critical system risks.
- To define a quality assurance framework with measurable acceptance criteria aligned with ISO 9001, ISO/IEC 27001, and CMMI.
- To validate the proposed design through computational simulation across multiple operational scenarios, including stress, shortage, and trust-collapse conditions.

5. SCOPE

5.1 Included Scope

The system focuses on providing a digital environment that facilitates access to mental health support services for university students. The following functionalities are included:

IN SCOPE	OUT OF SCOPE
Anonymous user registration and profile creation	Clinical diagnosis or therapy sessions
Peer matching based on needs assessment	Storage of clinical or medical records
Real-time encrypted anonymous communication	Integration with hospital or external health systems
Appointment scheduling with professional counselors	Emergency psychiatric intervention services
Educational mental health resource library	Payroll or administrative HR systems
Administrative monitoring and content management	Academic performance tracking
Privacy and consent management module	Advanced AI features in the initial version

Table 1. System Scope Boundaries

5.2 Excluded Scope

The system explicitly excludes clinical diagnosis, treatment, storage of sensitive medical records, emergency response services, and integration with external healthcare platforms. Advanced artificial intelligence features are deferred to future development phases. These exclusions ensure a focused, feasible, and ethically bounded project scope.

6. ASSUMPTIONS

- Users have access to internet-enabled devices such as computers or smartphones.
- Students are open to using digital tools for mental health support, as evidenced by 76% survey interest.
- Users prefer anonymous interaction when discussing sensitive topics, as confirmed by 64% of survey respondents.
- Trained peer counselors are available to participate in the platform and are willing to comply with session limits and governance protocols.
- Stable internet connectivity is available for real-time communication features.
- Usage is expected to increase significantly during high-stress academic periods such as midterms and final exams.
- Users have sufficient basic digital literacy to navigate the platform.
- The platform will be hosted on a university-approved cloud provider using Python, React, and PostgreSQL as the primary technology stack.

7. LIMITATIONS

- Survey data used in the analysis phase represents a sample of 25 university students and may not fully represent the entire student population, introducing potential sampling and selection bias.
- The system remains at the design and simulation stage; performance metrics are based on computational models calibrated with survey data rather than empirical production measurements.

- Simulation models simplify certain real-world dynamics such as session duration variability, counselor emotional load, and complex social trust formation.
- Self-reported survey data may not accurately reflect actual behavior due to social desirability bias in the context of mental health disclosure.
- Advanced features including AI-based recommendations, natural language processing for needs assessment, and integration with external institutional services are deferred to future phases.
- The handling of mental health data requires strict compliance with data protection regulations such as Ley 1581 de 2012, which may constrain certain platform functionalities.

8. METHODOLOGY

8.1 Overall Approach

The project follows a structured systems engineering approach organized into four progressive phases. Phase one, conducted in Workshop 1, established the empirical and analytical foundation through stakeholder identification, survey-based data collection, systems analysis, and complexity modeling. Phase two, conducted in Workshop 2, translated analytical findings into a complete architectural and technical design proposal. Phase three, conducted in Workshop 3, strengthened the design through robust engineering principles, a formal risk management plan aligned with ISO 31000:2018, a quality assurance framework, and a comprehensive project management plan. Phase four, conducted in Workshop 4, validated design assumptions through computational discrete-event and system-dynamics simulations across four standardized operational scenarios.

An iterative and modular design philosophy was adopted throughout, enabling continuous refinement of system components based on findings from each preceding phase. This approach ensures that design decisions are traceable to empirical evidence and are supported by quantitative validation.

8.2 Data Collection Methodology

Primary data collection was conducted through a structured online survey distributed to university students. The survey comprised ten multiple-choice questions covering academic stress levels, prior help-seeking behavior, preference for anonymity, awareness of existing services, and interest in a digital mental health platform. A target sample of approximately 25 to 50 participants was established, with the final collection yielding 25 valid responses.

Three complementary data collection methods were considered: structured surveys as the primary instrument, conceptual usage monitoring for future operational phases, and process documentation to define system workflows. The survey was distributed through digital channels including messaging platforms and student groups over approximately one week.

Data quality limitations include selection bias toward students already interested in mental health topics, response bias due to the sensitive nature of the subject, and limited sample size and demographic diversity. Future studies should expand the sample across multiple institutions and incorporate mixed-methods approaches including structured interviews.

8.3 System Architecture

The system is designed using a layered architecture that separates responsibilities into four distinct levels to improve scalability, maintainability, and security. This approach ensures clear separation of concerns and facilitates system expansion and integration.

Layer	Description	Key Components
User Layer	Represents the different types of users interacting with the system.	Students, Peer Counselors, Professional Counselors, University Admin, Platform Admin
Presentation Layer	Responsible for user interface and user experience.	Web Application, Mobile Access
Application Layer	Contains the core business logic of the system.	Matching Engine, Anonymous Communication, Appointment Scheduling, Resource Library, Privacy & Consent Module, User Registration

Layer	Description	Key Components
Infrastructure Layer	Provides the technical foundation.	Cloud Servers (AWS/Azure/GCP), Encrypted Database (PostgreSQL), University Authentication Service

Table 2. Layered System Architecture Summary

The Presentation Layer handles input collection and displays system responses through web and mobile interfaces. The Application Layer contains the core business logic organized into six independent and modular components, each communicating through well-defined REST API interfaces. The Infrastructure Layer ensures data persistence, system availability, and secure access control through cloud redundancy, encrypted storage, and institutional single sign-on integration.

8.4 System Components and Module Responsibilities

Module	Responsibilities	Interfaces
User Registration	Manage user creation, login, and anonymous profile generation via SSO.	Authentication Service, Database
Matching Engine	Match students with peer counselors based on needs assessment using greedy lowest-load policy.	Database, Communication Module
Anonymous Communication	Enable encrypted, anonymous real-time chat between students and counselors.	Matching Engine, Database
Appointment Scheduling	Manage scheduling of sessions with professional counselors.	Professional Counselors, Database
Resource Library	Provide access to educational mental health resources.	Database, Admin Interface
Privacy & Consent Mgmt.	Enforce anonymity, data protection, encryption, and user consent across all modules.	All system modules (cross-cutting)

Table 3. Module Responsibilities and Interfaces

8.5 Process Workflow

The system workflow defines how users interact with the platform from entry to support delivery and feedback. The process begins when a user accesses the platform and completes registration and authentication through Single Sign-On, generating an anonymous profile. The user then completes an initial needs assessment, which feeds the matching engine to assign an appropriate peer counselor. The student may engage through anonymous chat and access the resource library simultaneously, or request a scheduled appointment with a professional counselor depending on the severity of their needs.

All interactions pass through the Privacy and Consent module, which enforces encryption, access control, and anonymity policies at every stage. After each session, the student provides feedback through a post-session survey, which feeds into the continuous improvement module for iterative system optimization. University administration participates through monitoring and reporting functions, ensuring policy compliance and service quality throughout the process.

The workflow includes seven key stages: User Access and Entry; Service Selection; Privacy and Consent Validation; Support Interaction; Feedback Collection; System Improvement and Optimization; and Process Termination. A tiered support model routes students appropriately: self-help resources for mild stress, peer chat for moderate concerns, and professional counseling for severe cases.

8.6 Technology Stack

- Frontend: React — facilitates modern and user-friendly interfaces for web and mobile access.
- Backend: Python — widely used in academic and professional environments with strong security and development speed.
- Database: PostgreSQL — provides stability and ability to securely handle large volumes of encrypted data.
- Authentication: Single Sign-On (SSO) — institutional integration preserving anonymity through token-profile separation.

- Infrastructure: Cloud services (AWS, Azure, or GCP) — multi-availability-zone deployment ensuring elasticity and uptime greater than 99%.
- Communication: REST APIs for frontend-backend integration; queue-based messaging for chat module resilience.

8.7 Design Methodology and Replicability

The project follows an iterative and modular design approach inspired by agile methodologies, allowing continuous refinement of system components and progressive improvement based on findings and testing. Each architectural decision is traceable to empirical findings from the survey data collected in Workshop 1. The methodology is structured for replicability through clearly defined architecture documentation, modular components with defined interfaces, documented workflows, standard technology stacks, and an openly accessible GitHub repository at https://github.com/Alan05ss/Mental_Health_Project.git.

9. STAKEHOLDER ANALYSIS AND USER NEEDS

9.1 Stakeholder Identification

The following stakeholder groups are directly or indirectly involved in the system. Each group interacts with the platform differently and has distinct requirements that the design must address.

Stakeholder	Role	Key Requirements
Students	Primary Users	Anonymous access, intuitive interface, multiple support pathways, fast response times
Peer Counselors	Support Providers	Clear matching criteria, workload management tools, access to resource library, training support
Professional Counselors	Clinical Service Providers	Appointment management, scheduling visibility, secure communication channel

Stakeholder	Role	Key Requirements
University Admin	Governance and Oversight	Policy compliance dashboard, counselor availability management, content upload capability
Platform Admins	Technical Operators	System monitoring tools, error logging, module-level maintenance access, uptime management

Table 4. Stakeholder Identification and Requirements

9.2 Survey Findings and Key Insights

Primary data was collected from 25 university students. The following findings directly drove the design requirements of the platform.

Finding	Data	Design Implication
High prevalence of mental health challenges	88% reported anxiety or emotional problems; 72% report frequent or constant academic stress.	Confirmed widespread need for accessible support.
Low utilization of existing services	68% have never sought help; 0% rated existing services as easy or very easy to access; 56% unaware services exist.	Platform visibility and ease of access are primary design requirements.
Strong interest in digital platform	40% yes, 36% maybe — 76% total interested in using the platform.	Validates core concept and expected adoption potential.
Anonymity as critical factor	64% prefer anonymous support.	Anonymity is a non-negotiable design principle; zero-knowledge architecture required.
Demand for comprehensive support	68% selected all support types: professional, peer, and educational resources.	Platform must integrate multiple support pathways seamlessly.

Finding	Data	Design Implication
Openness to peer interaction	68% open to discussing mental health with other students (combining yes and maybe).	Peer-based matching is viable but should be positioned as one option among several.

Table 5. Key Survey Findings and Design Implications

9.3 Behavioral Patterns and Complexity Analysis

Systems analysis identified several important behavioral patterns. A pattern of silent suffering was observed: 88% of students experience challenges but only 32% have sought help, indicating a 56-point action gap driven primarily by lack of awareness and stigma. Students demonstrated a strong preference for variety, with 68% selecting all support types simultaneously. The most consistent pattern across all data points identified awareness as the primary barrier, with 56% of students unable to rate service accessibility due to complete lack of knowledge about existing resources.

The platform exhibits significant nonlinear behaviors as a complex adaptive system. A single inappropriate peer counselor interaction can cascade through word-of-mouth to cause mass platform abandonment. Conversely, a single highly positive experience can trigger a virtuous recruitment cycle. Trust fragility means that even unverified rumors about privacy failures can cause disproportionate user abandonment. The academic calendar introduces predictable variability, with demand spikes during midterm and final examination periods. These emergent dynamics informed the risk management approach and simulation design in subsequent phases.

Key feedback loops identified include: a reinforcing loop where growing platform usage improves matching data quality, which improves matches, which drives more referrals and greater adoption; and a balancing loop where high demand increases counselor load, which risks burnout, which degrades quality, which reduces trust, which reduces demand. Under normal conditions the reinforcing loop dominates; under stress or shortage conditions the balancing loop activates.

10. REQUIREMENTS ANALYSIS

10.1 Functional Requirements

Category	Requirement	Source
Authentication	The system must allow students to register using university credentials while maintaining an anonymous public profile.	64% prefer anonymity
Matching	The system must match students with peer counselors based on needs assessment using a dynamic algorithm.	68% requested comprehensive support
Communication	The system must provide an encrypted, anonymous chat channel between students and counselors.	Anonymity as critical factor
Scheduling	The system must allow students to schedule appointments with professional counselors through an integrated calendar module.	Core module requirement
Resources	The system must provide a searchable library of mental health educational resources accessible to all users.	68% requested educational resources
Scalability	The system must handle concurrent user load increases of up to 300% during exam periods without performance degradation.	Predictable demand spikes
Privacy	The system must not store clinical records or personally identifiable data beyond authentication credentials.	Zero-knowledge architecture requirement
Availability	The system must maintain at least 99% uptime during active academic periods.	Continuous availability requirement

Table 6. Functional Requirements

10.2 Non-Functional Requirements

Category	Requirement	Success Criterion
Performance	Page load time must not exceed 2 seconds under normal load conditions.	$P95 \leq 2$ seconds; ≤ 3 seconds during simulated surge
Usability	The platform must be accessible via web browser and mobile devices without additional installation.	$\geq 90\%$ task success rate for first-time registration
Security	All communications must be encrypted end-to-end; data stored in encrypted databases.	0 critical or high vulnerabilities prior to go-live
Maintainability	Modular architecture supporting independent module updates without system downtime.	100% independent module updates with zero downtime
Compliance	Compliance with applicable data protection regulations and university privacy policies.	Privacy Impact Assessment before every release; Ley 1581 compliance
Reliability	Graceful degradation: one module failure does not affect remaining modules.	100% partial functionality maintained during single-module failure

Table 7. Non-Functional Requirements

11. RISK MANAGEMENT FRAMEWORK

11.1 Risk Assessment Methodology

Risk management follows the ISO 31000:2018 framework for risk assessment methodology and the Performance Under Uncertainty domain of the PMBOK Guide 7th edition for response planning and monitoring. Risks are organized into four categories: Technical, Operational, Security, and Project Management. Each risk is rated on Probability (Low, Medium, High) and Impact (Low, Medium, High, Critical). Review cadence is determined by composite score: Critical risks are reviewed weekly, High risks bi-weekly, Medium risks monthly, and Low risks quarterly.

Prob. \ Impact	Low	Medium	High	Critical
High	Medium	High	High	Critical
Medium	Low	Medium	High	High
Low	Low	Low	Medium	High

Table 8. Risk Assessment Matrix

11.2 Risk Register

ID	Risk	Score	Mitigation Strategy	Acceptance Criterion
RT-01	Authentication Service Failure	High	JWT token caching (24h grace period); monthly failover drills.	Platform uptime $\geq 99\%$
RT-02	Database Corruption / Data Loss	High	Daily automated backups; multi-node replication; transaction log shipping.	RPO $\leq 1h$; RTO $\leq 2h$
RT-03	Encryption Breach (Chat Module)	High	TLS 1.3 + AES-256 at rest; quarterly penetration testing; OWASP ASVS Level 2.	Zero CVSS ≥ 7.0 vulnerabilities per quarterly audit
RT-04	Cloud Infrastructure Outage	High	Multi-AZ active-passive failover; load balancer health checks every 30 seconds.	Automatic recovery within RTO $\leq 2h$
RO-01	Peer Counselor Shortage (Peak Demand)	Critical	Predictive recruitment campaign 3 weeks before exam periods; 20% peer buffer maintained.	Wait time ≤ 30 min for 95% of students; ratio ≥ 5 peers per 100 students
RO-02	Peer Counselor Misconduct	High	Mandatory training module; Report Concern button; auto-suspension after 3 reports.	$< 0.5\%$ of sessions flagged per semester

ID	Risk	Score	Mitigation Strategy	Acceptance Criterion
RO-03	Peer Counselor Burnout	High	Maximum 3 sessions per day; automated wellness check-ins.	Retention rate $\geq$ 70% at 6 months; cap compliance $\geq$ 95%
RO-04	Low Student Adoption	High	Multi-channel awareness campaign; anonymity-first messaging in all communications.	$\geq$ 15% registered in semester 1; $\geq$ 30% in year 1
RS-01	User De-anonymization	High	Zero-knowledge architecture; strict data segregation; PIA before every release.	Zero identity exposure incidents per semester
RS-02	Account Takeover	High	MFA via SSO; login anomaly detection; 30-minute inactivity timeout.	Zero confirmed account takeovers per semester
RS-03	Platform Exploitation / Predatory Use	High	NLP-based keyword flagging; strict peer verification; in-chat privacy reminders.	Zero confirmed exploitation incidents per semester
RH-01	Harmful Peer Interaction	High	Scenario-based training; peer accounts limited to emotional support; 24h supervisor review of flagged sessions.	Zero clinically harmful incidents; $< 0.5\%$ sessions flagged
RH-02	Exploitation of Vulnerable Users	High	Identity verification before activation; NLP anomaly detection; session frequency limits.	Zero confirmed exploitation; all peers verified before activation
RH-03	Loss of Platform Trust	High	Proactive transparency; plain-language privacy policy; incident communication within 48h.	Monthly active user rate drops no more than 10% after any incident

ID	Risk	Score	Mitigation Strategy	Acceptance Criterion
RP-01	Development Timeline Overrun	Medium	Two-week Agile sprints with 15% time buffer; bi-weekly scope reviews.	Milestones within ± 1 sprint of baseline
RP-02	Stakeholder Disengagement	Low	Monthly steering committee; formal MoU with counseling department.	All formal sign-offs completed on schedule

Table 9. Complete Risk Register

11.3 Risk-to-Module Mapping

System Module	Risk IDs	Max Score	Mitigation Focus
Anonymous Communication Module	RT-03, RO-02, RS-03, RH-01, RH-02	High	E2E encryption; peer behavior governance; NLP content monitoring
Matching Engine / Peer Assignment	RO-01, RO-03	Critical	Predictive recruitment; session caps; 20% demand buffer
User Registration Module	RT-01, RO-04, RS-02	High	SSO resilience; token caching; login anomaly detection
Privacy & Consent Module	RS-01	High	Zero-knowledge architecture; strict token-ID separation; PIA per release
Infrastructure Layer	RT-02, RT-04	High	Multi-AZ failover; daily backups; auto-scaling
Trust / Platform Reputation	RH-03	High	Proactive transparency; incident communication protocol
Project Management	RP-01, RP-02	Medium	Agile sprints; RACI accountability; monthly steering committee

Table 10. Risk-to-Module Mapping

12. QUALITY ASSURANCE FRAMEWORK

12.1 Quality Standards Adopted

Given the sensitive nature of mental health support, the quality assurance framework emphasizes privacy, reliability, usability, and maintainability through four adopted standards:

- ISO 9001 (Quality Management Systems): Provides the process-based approach for continual improvement, customer focus, and evidence-based decision-making. All design and development processes are documented, reviewed, and improved iteratively.
- ISO/IEC 27001 (Information Security Management): Governs risk assessment, security controls, and incident response for encrypted databases, end-to-end encrypted chat, and authentication interfaces.
- CMMI (Capability Maturity Model Integration): Used to assess and improve the maturity of the development process, particularly in requirements management, verification, and validation, targeting a managed process level.
- Six Sigma Principles: Applied to reduce defects in critical processes such as the matching engine accuracy and appointment scheduling reliability, using statistical analysis of feedback and system logs for root-cause corrections.

12.2 Quality Metrics and Performance Indicators

Quality Attribute	Metric	Target / Success Criterion	Measurement Method
Performance	Page load time (P95)	≤ 2 seconds under normal load	Automated browser testing (Lighthouse, JMeter)
Performance	Time to initial peer match (P90)	≤ 10 minutes during peak hours	Timestamp logs in Matching Engine

Quality Attribute	Metric	Target / Success Criterion	Measurement Method
Reliability	System uptime during active semesters	$\geq 99\%$	Infrastructure monitoring (CloudWatch or equivalent)
Reliability	Graceful degradation	100% partial functionality when non-critical module fails	Fault injection testing; module isolation
Scalability	Handle 300% concurrent user increase	$P95 \leq 3s$ and match time ≤ 15 min during surge	Load testing with auto-scaling validation
Usability	Task success rate (first registration)	$\geq 90\%$	Usability testing with 15-20 student volunteers
Usability	User satisfaction rating (post-session)	$\geq 4.0 / 5.0$	In-app survey aggregation
Security & Privacy	Critical/high penetration test findings	0 prior to go-live	Independent security audit; OWASP ZAP scanning
Security & Privacy	Data encryption compliance	100% compliant with ISO 27001 controls	Configuration audits; certificate verification
Maintainability	Module update without downtime	100% independent updates with zero downtime	Rolling update testing in staging environment

Table 11. Quality Metrics and Performance Indicators

12.3 Module-Level Acceptance Criteria

Module	Acceptance Criteria
User Registration & Authentication	University SSO integration works; anonymous profiles created without storing identifiable data; duplicate or invalid registration attempts handled gracefully.
Matching Engine	At least 90% of students completing assessment receive a peer match within 10 minutes under baseline load; matching quality feedback averages $\geq 3.5/5$ after first two pilot weeks.
Anonymous Communication	Messages encrypted end-to-end; not logged in plaintext; real-time delivery with latency < 500 ms under normal network conditions.
Appointment Scheduling	Students can select available slots and receive confirmation within 48 hours; no double-booking; professional counselors can view and manage schedules.
Resource Library	Administrators can upload, categorize, and remove content; all users can search and view resources with page load < 2 seconds.
Privacy & Consent Management	Privacy reminders appear in chat; users prompted for consent on first use; reporting and moderation workflows function correctly.

Table 12. Module-Level Acceptance Criteria

13. SIMULATION AND VALIDATION

13.1 Simulation Methodology

Workshop 4 transforms the architectural design into empirical evidence through computational simulations. Two complementary simulation paradigms were employed. The first is Process-Oriented Discrete-Event Simulation (DES), implemented using the SimPy library in Python, which models the student queue scheduling system tracking concurrent user loads, session assignments, and wait times. The second is a weekly discrete-step System Dynamics model used for the Complexity and Chaos Analysis, which models six interdependent state variables — trust level, active students, counselor load, burnout index, dropout rate, and quality index

— over a 16-week academic semester. A Monte Carlo extension ran 300 independent iterations per scenario to capture probabilistic outcomes.

Shared simulation parameters were: NUM_STUDENTS = 500, NUM_PEER_COUNSELORS = 30, PEAK_MULTIPLIER = 2.5, AVG_RESPONSE_TIME = 5 minutes, BURNOUT_THRESHOLD = 20 sessions, TRUST_LEVEL = 0.85. Reproducibility was ensured through seeded random number generation using seeds [42, 43, 44, 45, 46]. The simulation was validated through multi-seed execution, sanity checks asserting that Matched + Unmatched equals total students, and sensitivity analysis for TRUST_LEVEL and PEAK_MULTIPLIER.

Survey data from Workshop 1 was integrated as behavioral calibration rates for the simulation model, ensuring that model parameters reflect empirically observed student behavior rather than arbitrary assumptions. Wilson 95% confidence intervals were calculated for all survey proportions to account for the limited sample size.

13.2 Survey-Based Parameter Calibration

Calibration Metric	Survey Rate	95% Confidence Interval	Simulation Use
Anxiety/emotional difficulty	88.0%	70.0% – 95.8%	Base probability that a student may request support
Never sought help	68.0%	48.4% – 82.8%	Represents access barrier the platform attempts to reduce
Interested in platform	76.0%	56.6% – 88.5%	Base registration probability before trust adjustment
Prefers anonymity	64.0%	44.5% – 79.8%	Privacy validation target for Anonymous Communication

Calibration Metric	Survey Rate	95% Confidence Interval	Simulation Use
Wants all support options	68.0%	48.4% – 82.8%	Justifies Resource Library + Peer + Professional pathways
Open to peer discussion	68.0%	48.4% – 82.8%	Adjusts expected acceptance of the Matching System
Believes platform helps	92.0%	75.0% – 97.8%	Base confidence in successful digital support matching
Does not know current services	56.0%	37.1% – 73.3%	Validates need for visibility and onboarding metrics
Frequent/constant stress	72.0%	52.4% – 85.7%	Supports peak demand assumptions during academic pressure

Table 13. Survey Data Used for Model Calibration (n = 25)

13.3 Scenario Design

Four standardized scenarios were designed to evaluate system performance across distinct operational conditions:

- **Baseline Scenario:** Standard low-stress operational conditions with 500 students, 30 counselors, and arrival rate of 1 user every 20 minutes. Validates normal performance and establishes the reference baseline.
- **Midterm/Finals Stress Scenario:** Peak academic period modeled by multiplying student arrivals by 2.5 (1 user every 8 minutes). Tests demand surge handling, counselor load distribution, and dropout behavior.
- **Counselor Shortage Scenario:** Active counselor pool reduced from 30 to 10 (66.7% reduction) under normal demand. Validates the Business Continuity Plan and minimum capacity thresholds.

- Trust Collapse Scenario: A trust shock of -0.40 applied at week 4 representing a perceived privacy incident. Models demand-side failure driven by loss of user confidence in platform anonymity.

13.4 Process-Oriented Simulation Results

Scenario	Avg Wait (min)	Utilization (%)	Dropouts (n / %)	Students Served	Wait > 15 min (%)
Baseline	0.00	3.53	0 (0.00%)	500	0.00
Midterm/Finals Stress	0.00	8.62	18 (3.60%)	482	0.00
Counselor Shortage	0.00	10.58	0 (0.00%)	500	0.00
Trust Collapse	0.00	4.72	0 (0.00%)	500	0.00

Table 14. Process-Oriented Simulation Results — Queue and Scheduling

All four scenarios remain below the 15-minute wait SLA. The system is structurally sound under all tested conditions. The only service failures observed were the 18 Midterm Stress dropouts caused by brief Poisson arrival bursts creating transient micro-congestions, not by sustained overload. The Counselor Shortage scenario validates the Business Continuity Plan: even with a 66% staff reduction, baseline demand is absorbed without SLA violations.

13.5 Statistical Validation Results

Scenario	Peer Counselors	Avg. Requests	Match Rate	P95 Response (min)	Burnout Risk	Status
Baseline	30	284.3	82.4%	8.4	0.0%	Pass
Midterm/Finals Stress	30	710.5	81.4%	54.6	40.2%	Availability risk Burnout risk
Counselor Shortage	15	285.8	82.5%	51.4	11.9%	Availability risk Burnout risk

Scenario	Peer Counselors	Avg. Requests	Match Rate	P95 Response (min)	Burnout Risk	Status
Trust Collapse	30	150.2	43.7%	6.8	0.0%	Matching ris Privacy risk

Table 15. Monte Carlo Scenario Validation Metrics (n = 1,000 iterations)

The statistical validation reveals that the Baseline Scenario passes all validation thresholds. The Midterm/Finals Stress Scenario exceeds the P95 response time threshold (54.6 minutes vs. ≤ 30 minutes target) and shows a 40.2% burnout risk, indicating that surge demand requires active operational management beyond structural capacity. The Counselor Shortage Scenario also fails availability and burnout validation even at baseline demand with reduced staffing. The Trust Collapse Scenario, while operationally efficient, fails matching and privacy validation with only a 43.7% match rate — confirming that low demand during trust collapse is not a positive indicator but a symptom of platform failure.

13.6 Complexity and Emergent Behavior Analysis

The System Dynamics model with Monte Carlo cascade simulation (300 runs per scenario, 16-week horizon) revealed three critical emergent behaviors.

Self-organized stabilization was observed in 100% of Baseline runs, where the system stabilizes within an average of 5.0 weeks through the combined action of trust recovery, dropout reduction, and quality improvement — confirming the reinforcing feedback loop identified in Workshop 1 as a measurable system property.

Partial-state persistence emerged as the most frequent adverse outcome in Midterm (9.7% of runs) and Shortage (17.0% of runs) scenarios: the system operates below quality thresholds without triggering formal failure indicators. This invisible degradation mode is the primary technical justification for the real-time monitoring dashboard specified in the quality assurance framework.

Cascade amplification under trust shock was observed in the Trust Collapse scenario, where the combination of low trust and higher burnout pressure produces outcomes worse than the sum of individual risks: 6.3% of runs collapse completely and 62.3% remain permanently degraded. This is the only scenario where any collapses occurred across all 300 runs.

Scenario	Stabilised (%)	Collapsed (%)	Partial/Unresolved (%)	Avg Recovery (weeks)
Baseline	100.0%	0.0%	0.0%	5.0
Midterm/Finals Stress	90.3%	0.0%	9.7%	6.1
Counselor Shortage	83.0%	0.0%	17.0%	5.9
Trust Collapse	31.3%	6.3%	62.3%	5.7

Table 16. Monte Carlo Cascade Outcomes — Emergent Behavior Results (n = 300 runs)

13.7 Sensitivity Analysis Findings

Sensitivity analysis swept three key parameters independently to quantify their influence on system stability:

- Initial Trust Level (swept 0.30 to 1.00): The highest-sensitivity parameter. A nonlinear inflection exists between 0.45 and 0.60. Below 0.45, the system ends in low-trust high-dropout states regardless of other parameters. Above 0.60, the system reliably self-corrects. The Trust Collapse scenario minimum of 0.564 places the system dangerously close to the irreversible degradation boundary.
- Number of Peer Counselors (swept 5 to 50): A clear safe minimum exists at 15 counselors. Below 10, burnout accumulates under baseline demand. The current design of 30 counselors sits just above the saturation point, providing adequate safety margin. Additional counselors above 30 produce diminishing returns under normal conditions.
- Peak Demand Multiplier (swept 1.0 to 4.0): Dropout rate increases detectably above 2.0× — before the 2.5× design threshold. Burnout under 30-counselor staffing remains near zero until approximately 3.5×. This implies that surge protocols should be activated at 2.0× demand rather than at 2.5×, addressing abandonment effects before they compound into trust damage.

14. IMPLEMENTATION AND RESULTS

14.1 Implementation Overview

The proposed Student Mental Health Support Platform was designed as a modular and scalable system based on a four-layer architecture. While the system has not been deployed in a production environment, a detailed implementation design was developed and validated through simulation across four standardized scenarios. The design validation confirms architectural coherence and identifies specific operational prerequisites for safe pilot deployment.

The system architecture was validated through both functional module validation and computational simulation. The modular structure enables independent improvement of individual components without redesigning the entire platform. If matching performance degrades during a trust incident, targeted improvements to privacy communication and consent clarity can address the issue without touching the appointment scheduling or resource library modules.

14.2 System Capabilities

- Anonymous and secure user interaction through zero-knowledge profile architecture.
- Real-time encrypted communication between students and peer or professional counselors.
- Automated needs-based matching using greedy lowest-load peer assignment policy.
- Flexible scheduling of support sessions with professional counselors.
- Structured educational mental health resource access.
- Fault-tolerant modular design with graceful degradation when individual modules fail.
- Auto-scaling infrastructure capable of handling 300% concurrent user increases.

14.3 Validation Results Summary

Validation Area	Metric Used	Threshold	Observed Result	Status
Architecture Validation	Modular coverage of all core modules	All modules represented	All modules validated independently	Pass

Validation Area	Metric Used	Threshold	Observed Result	Status
Scalability Validation	P95 Average Response Time (min)	≤ 30 minutes	54.58 min (Stress Scenario)	Fail — requires surge protocols
Privacy Validation	Privacy Coverage Rate	$\geq 99\%$	85.00% (Trust Collapse)	Fail — requires trust governance
Matching Validation	Mean Match Success Rate	$\geq 80\%$	43.70% (Trust Collapse)	Fail — trust-driven, not capacity-driven
Availability and Burnout	Burnout Risk Rate	$\leq 5\%$	40.19% (Stress Scenario)	Fail — requires surge operational protocols

Table 17. Design Validation Summary

15. DISCUSSION

15.1 Effectiveness of the Solution

The proposed platform effectively addresses the three key barriers identified in the empirical analysis: stigma, inaccessibility, and lack of awareness. Stigma is addressed through anonymous interaction enabled by the zero-knowledge architecture. Accessibility is improved through digital-first design accessible via web and mobile without installation requirements. The visibility barrier is addressed through the awareness campaign component of the adoption strategy, which targets the 56% of students who were completely unaware of existing mental health services.

The validation results confirm that the baseline system architecture is coherent and that the Matching System, Anonymous Communication, and Peer Counselor support modules can operate within expected thresholds under normal conditions. However, the design is conceptually valid but not automatically operationally valid — it requires specific governance mechanisms for peak periods.

15.2 Critical Design Decisions and Their Rationale

The design evolution across the four workshops involved several critical decisions driven by empirical findings. The privacy-first zero-knowledge architecture was selected because anonymity emerged as the single most important adoption driver in the survey data (64% preference). Without identity separation at the database level, the platform would replicate the stigma barrier it was designed to eliminate.

The tiered support model (self-help resources for mild stress, peer chat for moderate concerns, professional counseling for severe cases) was designed in response to the finding that 68% of students requested all support types simultaneously. This model also prevents professional counselor capacity from being overwhelmed by students whose needs can be adequately served by peer or self-help resources.

The predictive peer recruitment strategy — launching campaigns three weeks before anticipated exam periods — directly addresses the most critical operational risk (RO-01: Peer Counselor Shortage at Peak Demand, rated Critical). Sensitivity analysis confirmed that demand begins producing dropout effects above $2.0\times$, which means recruitment must begin well before the $2.5\times$ peak is reached.

Trust is treated as a primary engineering parameter rather than a secondary communication concern. The nonlinear trust inflection point identified between 0.45 and 0.60 means that even a moderate trust-damaging event can push the system into a zone from which recovery within a single semester is unlikely. This finding directly justifies the stringent incident communication protocol (public statement within 48 hours) and independent privacy audit requirements in the risk register.

15.3 Key Lessons from Design Evolution

Source	Lesson	Effect on Design
Survey data	Lack of awareness is a bigger barrier than stigma. 56% did not know services existed.	Platform visibility became a primary KPI. Registration rate $\geq 15\%$ in semester 1 is a formal measurable target.

Source	Lesson	Effect on Design
Complexity analysis	One bad peer interaction can undo months of built trust (nonlinear cascade effect).	Peer governance elevated to a non-negotiable baseline control with acceptance criterion < 0.5% sessions flagged.
Architecture design	Strong anonymity and effective moderation are in tension.	Zero-knowledge architecture separates SSO identity from platform profile at the database level, resolving the tension.
Simulation results	Low demand during Trust Collapse is not a positive indicator — it is a symptom of failure.	Monitoring must distinguish between low demand due to normal conditions and low demand due to trust erosion.
Complexity simulation	Partial-state persistence — below-threshold operation without formal failure — is the most common adverse outcome.	Real-time monitoring dashboard and weekly risk review cadence are required, not optional.
Sensitivity analysis	Surge protocols should activate at 2.0× demand, not 2.5×.	Early activation criteria were added to the operational governance plan to prevent dropout effects before they compound.

Table 18. Key Design Lessons and Their Effects

15.4 Technical Challenges

Key technical challenges identified across the design and simulation phases include: designing a matching algorithm that remains effective under wide demand variability; ensuring real-time communication performance under peak concurrent load; balancing anonymity requirements with effective moderation and misconduct prevention; and maintaining privacy compliance while collecting the usage analytics needed for continuous improvement.

The most architecturally significant tension identified was between the zero-knowledge privacy design and the need for moderation. This tension was resolved through a design in which the SSO identity and the platform anonymous profile are stored in separate database

schemas with no programmatic join possible, while behavioral monitoring operates entirely on anonymized interaction patterns rather than on identified user records.

15.5 Future Improvements

- Integration of NLP-based matching algorithms for needs assessment to improve peer assignment accuracy beyond the current rule-based greedy policy.
- Development of native mobile applications for iOS and Android to reduce friction for mobile-first users.
- Advanced data analytics dashboard for university administrators showing mental health trend analysis, resource utilization patterns, and early-warning indicators.
- Calibration of simulation models with real pilot usage data to improve forecast accuracy and validate current parameter assumptions.
- Expansion of the platform to support multi-institution deployment through multi-tenant authentication configurations.

16. CONCLUSION

This report has presented the comprehensive design, analysis, risk management, quality assurance, and simulation-based validation of a Student Mental Health Support Platform for university students. The work demonstrates the application of systems engineering principles throughout a complete design lifecycle, from empirical problem definition to computational validation.

The empirical foundation established in the analysis phase confirmed that mental health challenges are widespread among students (88% reported anxiety or emotional difficulties) while utilization of existing services is critically low (68% have never sought help, and no students rated services as accessible). These findings validated the core design requirements of anonymity, comprehensive support pathways, and digital accessibility.

The proposed three-layer modular architecture, integrating six independent functional modules through well-defined REST API interfaces, successfully addresses the identified barriers. The privacy-first zero-knowledge design separates institutional authentication from anonymous

platform profiles, resolving the fundamental tension between institutional trust and personal safety in help-seeking behavior. The tiered support model efficiently allocates support resources while ensuring students with severe needs have clear escalation pathways to professional care.

Risk management following ISO 31000:2018 identified 16 risks across four categories, with one critical risk (peer counselor shortage at peak demand) and twelve high-severity risks requiring active mitigation. The quality assurance framework aligned with ISO 9001, ISO/IEC 27001, and CMMI establishes measurable acceptance criteria that transform design intentions into verifiable performance standards.

Simulation results validated the architectural design under normal operating conditions and revealed critical vulnerabilities under stress, shortage, and trust-collapse conditions. The most important simulation findings are: the trust nonlinear inflection point between 0.45 and 0.60 (below which semester recovery becomes improbable); the emergence of partial-state persistence as the most common adverse outcome (invisible to standard uptime monitoring but responsible for gradual trust erosion); and the need to activate surge protocols at $2.0\times$ demand rather than the $2.5\times$ design threshold to prevent dropout effects from compounding into trust damage.

In conclusion, the platform represents a technically robust, privacy-aware, and operationally viable solution to improving mental health access in academic environments. The design is suitable for pilot implementation provided that peer counselor governance, privacy communication protocols, predictive capacity planning, and real-time monitoring infrastructure are established as prerequisites. Future work should focus on pilot deployment, model calibration with real usage data, NLP-enhanced matching, and continuous system improvement through the monitoring and feedback frameworks established in this report.

17. REFERENCES

World Health Organization. (2022). Mental health and well-being.

American College Health Association. (2021). National College Health Assessment Report.

Pressman, R. S., & Maxim, B. R. (2020). Software Engineering: A Practitioner's Approach. McGraw-Hill.

Sommerville, I. (2016). Software Engineering (10th ed.). Pearson.