Logísticadeviajes-379621286 Documentation

Generated at:
17/8/2026, 0:00:27



Logística de viajes

Data Summary	36 Tables 564 Columns 8 Slices
UX Summary	96 Views 11 Format Rules
Behavior Summary	164 Actions 0 Workflow Rules

Short Name	Logística de viajes
Version	1.001089
StableVersion	1.001088
Default app folder	/appsheet/data/Logísticadeviajes-379621286
Function	Sales_and_CRM
Runnable?	Yes
Deployable?	Yes
Personal use only?	No

Data

Tables

Table name APLICANTES AMA

Table name	APLICANTES AMA
Visible?	ALWAYS
Shared?	Yes
Data locale	es-MX
Schema	APLICANTES AMA_Schema
Are updates allowed?	READ_ONLY
Source Path	GESTION AMA
Worksheet Name/Qualifier	APLICANTES AMA
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name _Per User Settings

Table name	_Per User Settings
Visible?	NEVER
Shared?	No
Data locale	es-MX
Schema	_Per User Settings_Schema
Are updates allowed?	UPDATES_ONLY
Source Path	_Per User Settings
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name grupo_asignado

Table name	grupo_asignado
Visible?	ALWAYS
Shared?	Yes
Data locale	es-MX
Schema	grupo_asignado_Schema
Are updates allowed?	ALL_CHANGES
Source Path	GESTION AMA
Worksheet Name/Qualifier	grupo_asignado
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name logistica_viajes

Table name	logistica_viajes
Visible?	ALWAYS
Shared?	Yes
Data locale	es-MX
Schema	logistica_viajes_Schema
Are updates allowed?	ALL_CHANGES
Source Path	GESTION AMA
Worksheet Name/Qualifier	logistica_viajes
Data Source	google

Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name GRUPOS AMA

Table name	GRUPOS AMA
Visible?	ALWAYS
Shared?	Yes
Data locale	es-MX
Schema	GRUPOS AMA_Schema
Are updates allowed?	READ_ONLY
Source Path	GESTION AMA
Worksheet Name/Qualifier	GRUPOS AMA
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name ASESORES

Table name	ASESORES
Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	ASESORES_Schema
Are updates allowed?	ALL_CHANGES
Source Path	VISA Y PASAPORTES INDIVIDUALES

Worksheet Name/Qualifier	ASESORES
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name CONTACTO

Table name	CONTACTO
Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	CONTACTO_Schema
Are updates allowed?	ALL_CHANGES
Source Path	INFORMES Y PAGOS
Worksheet Name/Qualifier	CONTACTO
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name HISTORIAL DE TRAMITES

Table name	HISTORIAL DE TRAMITES
Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	HISTORIAL DE TRAMITES_Schema

Are updates allowed?	ALL_CHANGES
Source Path	INFORMES Y PAGOS
Worksheet Name/Qualifier	HISTORIAL DE TRAMITES
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name INFORMES

Table name	INFORMES
Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	INFORMES_Schema
Are updates allowed?	ALL_CHANGES
Source Path	INFORMES Y PAGOS
Worksheet Name/Qualifier	INFORMES
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name PAISES

Table name	PAISES
Visible?	ALWAYS
Shared?	Yes

Data locale	es-ES
Schema	PAISES_Schema
Are updates allowed?	ALL_CHANGES
Source Path	INFORMES Y PAGOS
Worksheet Name/Qualifier	PAISES
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name TRAMITES

Table name	TRAMITES
Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	TRAMITES_Schema
Are updates allowed?	ALL_CHANGES
Source Path	INFORMES Y PAGOS
Worksheet Name/Qualifier	TRAMITES
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name cotizaciones_vuelo

Table name	cotizaciones_vuelo

Visible?	ALWAYS
Shared?	Yes
Data locale	es-MX
Schema	cotizaciones_vuelo_Schema
Are updates allowed?	ALL_CHANGES
Source Path	cotizaciones
Worksheet Name/Qualifier	cotizaciones_vuelo
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name itinerario

Table name	itinerario
Visible?	ALWAYS
Shared?	Yes
Data locale	es-MX
Schema	itinerario_Schema
Are updates allowed?	ALL_CHANGES
Source Path	cotizaciones
Worksheet Name/Qualifier	itinerario
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name vuelos

Table name	vuelos
Visible?	ALWAYS
Shared?	Yes
Data locale	es-MX
Schema	vuelos_Schema
Are updates allowed?	ALL_CHANGES
Source Path	cotizaciones
Worksheet Name/Qualifier	vuelos
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name aeropuertos

Table name	aeropuertos
Visible?	ALWAYS
Shared?	Yes
Data locale	es-MX
Schema	aeropuertos_Schema
Are updates allowed?	ALL_CHANGES
Source Path	cotizaciones y vuelos
Worksheet Name/Qualifier	aeropuertos
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name hoteles_detalles

Table name	hoteles_detalles
Visible?	ALWAYS
Shared?	Yes
Data locale	es-MX
Schema	hoteles_detalles_Schema
Are updates allowed?	ALL_CHANGES
Source Path	cotizaciones y vuelos
Worksheet Name/Qualifier	hoteles_detalles
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name hoteles_principal

Table name	hoteles_principal
Visible?	ALWAYS
Shared?	Yes
Data locale	es-MX
Schema	hoteles_principal_Schema
Are updates allowed?	ALL_CHANGES
Source Path	cotizaciones y vuelos
Worksheet Name/Qualifier	hoteles_principal
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across many worksheets?	No

Table name aerolineas

Table name	aerolineas
Visible?	ALWAYS
Shared?	Yes
Data locale	es-MX
Schema	aerolineas_Schema
Are updates allowed?	ALL_CHANGES
Source Path	cotizaciones y vuelos
Worksheet Name/Qualifier	aerolineas
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name APLICANTES VISA IND

Table name	APLICANTES VISA IND
Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	APLICANTES VISA IND_Schema
Are updates allowed?	ALL_CHANGES
Source Path	VISA Y PASAPORTES INDIVIDUALES
Worksheet Name/Qualifier	APLICANTES VISA IND
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name encuesta_satisfaccion

Table name	encuesta_satisfaccion
Visible?	ALWAYS
Shared?	Yes
Data locale	es-MX
Schema	encuesta_satisfaccion_Schema
Are updates allowed?	ALL_CHANGES
Source Path	cotizaciones y vuelos
Worksheet Name/Qualifier	encuesta_satisfaccion
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name tours_cliente

Table name	tours_cliente
Visible?	ALWAYS
Shared?	Yes
Data locale	es-MX
Schema	tours_cliente_Schema
Are updates allowed?	ALL_CHANGES
Source Path	cotizaciones y vuelos
Worksheet Name/Qualifier	tours_cliente
Data Source	google

Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name clientes_tours

Table name	clientes_tours
Visible?	ALWAYS
Shared?	Yes
Data locale	es-MX
Schema	clientes_tours_Schema
Are updates allowed?	ALL_CHANGES
Source Path	cotizaciones y vuelos
Worksheet Name/Qualifier	clientes_tours
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name tours

Table name	tours
Visible?	ALWAYS
Shared?	Yes
Data locale	es-MX
Schema	tours_Schema
Are updates allowed?	ALL_CHANGES
Source Path	cotizaciones y vuelos

Worksheet Name/Qualifier	tours
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name menu

Table name	menu
Visible?	ALWAYS
Shared?	Yes
Data locale	es-MX
Schema	menu_Schema
Are updates allowed?	ALL_CHANGES
Source Path	cotizaciones y vuelos
Worksheet Name/Qualifier	menu
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name cotizaciones_vehiculos

Table name	cotizaciones_vehiculos
Visible?	ALWAYS
Shared?	Yes
Data locale	es-MX
Schema	cotizaciones_vehiculos_Schema

Are updates allowed?	ALL_CHANGES
Source Path	cotizaciones y vuelos
Worksheet Name/Qualifier	cotizaciones_vehiculos
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name vehiculos

Table name	vehiculos
Visible?	ALWAYS
Shared?	Yes
Data locale	es-MX
Schema	vehiculos_Schema
Are updates allowed?	ALL_CHANGES
Source Path	cotizaciones y vuelos
Worksheet Name/Qualifier	vehiculos
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name catalogo_tours

Table name	catalogo_tours
Visible?	ALWAYS
Shared?	Yes

Data locale	es-MX
Schema	catalogo_tours_Schema
Are updates allowed?	ALL_CHANGES
Source Path	cotizaciones y vuelos
Worksheet Name/Qualifier	catalogo_tours
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Hotel

Table name	Hotel
Visible?	ALWAYS
Shared?	Yes
Data locale	es-MX
Schema	Hotel_Schema
Are updates allowed?	ALL_CHANGES
Source Path	cotizaciones y vuelos
Worksheet Name/Qualifier	Hotel
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name pagos_cotizacion_vehiculos

Table name	pagos_cotizacion_vehiculos

Visible?	ALWAYS
Shared?	Yes
Data locale	es-MX
Schema	pagos_cotizacion_vehiculos_Schema
Are updates allowed?	ALL_CHANGES
Source Path	cotizaciones y vuelos
Worksheet Name/Qualifier	pagos_cotizacion_vehiculos
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Creación de cotización Process Table

Table name	Process for Creación de cotización Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Creación de cotización Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/dc1776cd-0755-452a-98e0-55ee2b5896c1/1ea7b609-0833-443f-a37b-80e1836f5971/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Pdf_cotizacion Output

Table name	Pdf_cotizacion Output
Visible?	NEVER
Shared?	Yes
Schema	Pdf_cotizacion Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/dc1776cd-0755-452a-98e0-55ee2b5896c1/1ea7b609-0833-443f-a37b-80e1836f5971/StepOutput_Pdf_cotizacion
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Guardar_pdf Output

Table name	Guardar_pdf Output
Visible?	NEVER
Shared?	Yes
Schema	Guardar_pdf Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/dc1776cd-0755-452a-98e0-55ee2b5896c1/1ea7b609-0833-443f-a37b-80e1836f5971/StepOutput_Guardar_pdf
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Creación de itinerario Process Table

Table name	Process for Creación de itinerario Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Creación de itinerario Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/dc1776cd-0755-452a-98e0-55ee2b5896c1/2cc45023-cf46-4491-b197-929f209166c9/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Pdf_itinerario Output

Table name	Pdf_itinerario Output
Visible?	NEVER
Shared?	Yes
Schema	Pdf_itinerario Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/dc1776cd-0755-452a-98e0-55ee2b5896c1/2cc45023-cf46-4491-b197-929f209166c9/StepOutput_Pdf_itinerario
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across many worksheets?	No

Table name New step Output

Table name	New step Output
Visible?	NEVER
Shared?	Yes
Schema	New step Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/dc1776cd-0755-452a-98e0-55ee2b5896c1/2cc45023-cf46-4491-b197-929f209166c9/StepOutput_New step
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Aceptar cotización - 1 Process Table

Table name	Process for Aceptar cotización - 1 Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Aceptar cotización - 1 Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/dc1776cd-0755-452a-98e0-55ee2b5896c1/dcf2da2d-d444-4def-9740-ab9ef02a333d/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Columns

Schema Name _Per User Settings_Schema

Schema Name	_Per User Settings_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No

Sensitive data	No

Column 2: _EMAIL

Column name	_EMAIL
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	USEREMAIL()
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 3: _NAME

Column name	_NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	USERNAME()
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 4: _LOCATION

Column name	_LOCATION
Visible?	ALWAYS
Type	LatLong
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 5: Options Heading

Column name	Options Heading
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"\"These options control the content and behavior of the app\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 6: Option 1

Column name	Option 1
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Option 2

Column name	Option 2
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Country Option

Column name	Country Option
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Australia","Brazil","Canada"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Language Option

Column name	Language Option
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["English","French","Tamil"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No

Sensitive data	No

Column 10: Option 5

Column name	Option 5
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Option 6

Column name	Option 6
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Option 7

Column name	Option 7
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Option 8

Column name	Option 8
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 14: Option 9

Column name	Option 9
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 15: _THISUSER

Column name	_THISUSER
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	onlyvalue

System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Schema Name APLICANTES AMA_Schema

Schema Name	APLICANTES AMA_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 2: id_pros_grupo

Column name	id_pros_grupo
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID APLICANTE

Column name	ID APLICANTE
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"INFORMES","ReferencedRootTableName":"INFORMES","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID DEL APLICANTE","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 4: NOMBRE DEL APLICANTE

Column name	NOMBRE DEL APLICANTE

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: APELLIDOS DEL APLICANTE

Column name	APELLIDOS DEL APLICANTE
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: AA00

Column name	AA00
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: FECHA DE NACIMIENTO

Column name	FECHA DE NACIMIENTO
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: CLAVE

Column name	CLAVE
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: PASAPORTE

Column name	PASAPORTE
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX

Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: AMA

Column name	AMA
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: GRUPO

Column name	GRUPO
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"GRUPOS AMA","ReferencedRootTableName":"GRUPOS

	AMA","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"NOMBRE DE GRUPO","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: NOMBRE DE CONTACTO

Column name	NOMBRE DE CONTACTO
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: TELEFONO DEL CONTACTO

Column name	TELEFONO DEL CONTACTO
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 14: TELEFONO DE EMERGENCIA

Column name	TELEFONO DE EMERGENCIA
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: CELULAR DE CONVERSACION

Column name	CELULAR DE CONVERSACION
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: ASESOR

Column name	ASESOR
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["DIANA","SUAMI","ANYELI"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: ESTATUS

Column name	ESTATUS
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: ESTATUS DE PAGO

Column name	ESTATUS DE PAGO
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: NOTAS DEL APLICANTE

Column name	NOTAS DEL APLICANTE
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: ASISTENCIA

Column name	ASISTENCIA
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["SI","NO"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: APROBADOS

Column name	APROBADOS
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["SI","NO"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: visa_recibida

Column name	visa_recibida
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: DESTINO FINAL

Column name	DESTINO FINAL
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: vigencia_pasaporte

Column name	vigencia_pasaporte
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: estatus_foia

Column name	estatus_foia
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX

Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: notas_area_legal

Column name	notas_area_legal
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: Nombre completo

Column name	Nombre completo
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

	valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[NOMBRE DEL APLICANTE]&" "&[APELLIDOS DEL APLICANTE]&" ("&[ID APLICANTE].[ID DEL APLICANTE]&")"
Read-Only	Yes
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: Related logistica_viajes

Column name	Related logistica_viajes
Visible?	ALWAYS
Description	logistica_viajes entries that reference this entry in the id_ama column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"logistica_viajes\",\"ReferencedRootTableName\":\"logistica_viajes\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_logistica\",\"IsAPa

	rtOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("logistica_viajes", "id_ama")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name grupo_asignado_Schema

Schema Name	grupo_asignado_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row

Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 2: id_grupo_asignado

Column name	id_grupo_asignado
Visible?	ALWAYS
Display name	="Id"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No

Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 3: nombre

Column name	nombre
Visible?	ALWAYS
Display name	="Nombre del grupo"
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes

Scannable	No
Sensitive data	No

Column 4: fecha_ida

Column name	fecha_ida
Visible?	ALWAYS
Display name	="Fecha estimada de vuelo"
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: fecha_regreso

Column name	fecha_regreso
Visible?	ALWAYS
Display name	="Fecha de regreso"
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":

	null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: notas_grupoasignado

Column name	notas_grupoasignado
Visible?	ALWAYS
Display name	="Notas"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: grupo_de_regreso

Column name	grupo_de_regreso
Visible?	ALWAYS
Display name	="¿El grupo ya regreso a su país de origen?"
Type	Yes/No
Type Qualifier	{"YesLabel":"=\"Sí\"","NoLabel":"=\"No\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: aplicantes

Column name	aplicantes
Visible?	ALWAYS
Display name	="Aplicantes"
Type	EnumList
Type Qualifier	{"ItemSeparator":", ","EnumValues":[],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Ref","BaseTypeQualifier":"{\"ReferencedTableName\":\"logistica_viajes\",\"ReferencedRootTableName\":\"logistica_viajes\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_logistica\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Dropdown","Valid_If":"=SELECT(\n logistica_viajes[id_logistica],\n OR(\n ISBLANK([Grupo de vuelo]),\n IN([_THISROW].[nombre], [Grupo de vuelo])\n)\n)","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes

Scannable	No
Sensitive data	No

Column 9: Lista de aplicantes

Column name	Lista de aplicantes
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"logistica_viajes\",\"ReferencedRootTableName\":\"logistica_viajes\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_logistica\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":",","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[aplicantes]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Related vuelos

Column name	Related vuelos
Visible?	ALWAYS
Description	vuelos entries that reference this entry in the codigo_vuelo column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"vuelos\",\"ReferencedRootTableName\":\"vuelos\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_vuelo\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("vuelos", "codigo_vuelo")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 11: fecha_tentativa_viaje

Column name	fecha_tentativa_viaje
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE([fecha_ida]," - ",[fecha_regreso])
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: fecha_proxima

Column name	fecha_proxima
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([fecha_ida]>=TODAY(),[fecha_ida],[fecha_regreso])
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Related vuelos By nombre_vuelo

Column name	Related vuelos By nombre_vuelo
Visible?	ALWAYS
Description	vuelos entries that reference this entry in the nombre_vuelo column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"vuelos\",\"ReferencedRootTableName\":\"vuelos\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"

	{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_vuelo\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("vuelos", "nombre_vuelo")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name logistica_viajes_Schema

Schema Name	logistica_viajes_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 2: id_logistica

Column name	id_logistica
Visible?	ALWAYS
Display name	="Id"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 3: id_aplicante

Column name	id_aplicante
Visible?	ALWAYS
Display name	="Aplicante"
Type	Ref
Type Qualifier	{"ReferencedTableName":"INFORMES","ReferencedRootTableName":"INFORMES","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID DEL APLICANTE","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: precio_cliente

Column name	precio_cliente
Visible?	ALWAYS
Display name	="Precio contacto"
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 5: costo

Column name	costo
Visible?	ALWAYS
Display name	="Costo"
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 6: costo_real

Column name	costo_real
Visible?	ALWAYS
Display name	="Costo real"
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 7: ganancia

Column name	ganancia
Visible?	ALWAYS
Display name	="Ganancias"
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	=[precio_cliente]-[costo_real]
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 8: notas_aplicantes_vuelos

Column name	notas_aplicantes_vuelos
Visible?	ALWAYS
Display name	="Notas"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: destino

Column name	destino
Visible?	ALWAYS
Display name	="Destino"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: estatus

Column name	estatus
Visible?	ALWAYS
Display name	="Estatus"
Type	Enum
Type Qualifier	{"EnumValues":["Cancelado","Terminado","En espera","Recordatorio enviado","Vuelo reservado","Pago confirmado","Cotización","Mensaje de reactivar enviado","Por enviar mensaje de reactivación "],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: id_ama

Column name	id_ama
Visible?	ALWAYS
Display name	="Id ama"
Type	Ref
Type Qualifier	{"ReferencedTableName":"APLICANTES AMA","ReferencedRootTableName":"APLICANTES AMA","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id_pros_grupo","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: fecha_tentativa_ida

Column name	fecha_tentativa_ida
Visible?	ALWAYS

Display name	="Fecha tentativa de viaje (Ida)"
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: fecha_tentativa_vuelta

Column name	fecha_tentativa_vuelta
Visible?	ALWAYS
Display name	="Fecha tentativa de viaje (Regreso)"
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: domicilio_aplic

Column name	domicilio_aplic
Visible?	ALWAYS
Display name	="Domicilio del aplicante"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No

Sensitive data	No

Column 15: num_tel_aplic

Column name	num_tel_aplic
Visible?	ALWAYS
Display name	="Numero de telefono del aplicante"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Vuelos de ida

Column name	Vuelos de ida
Visible?	ALWAYS
Display name	="Vuelo de ida"
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"vuelos\",\"ReferencedRootTableNa

	me\":\"vuelos\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_vuelo\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Vuelos_ida])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SELECT(vuelos[id_vuelo], AND(IN([_THISROW].[id_logistica], [aplicantes]),[Salida o regreso]="salida"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Vuelos de regreso

Column name	Vuelos de regreso
Visible?	ALWAYS

Display name	="Vuelo de regreso"
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"vuelos\",\"ReferencedRootTableName\":\"vuelos\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_vuelo\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Vuelos_regreso])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SELECT(vuelos[id_vuelo], AND(IN([_THISROW].[id_logistica], [aplicantes]),[Salida o regreso]="regreso"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: Related cotizaciones_vuelos

Column name	Related cotizaciones_vuelos
Visible?	ALWAYS
Description	cotizaciones_vuelo entries that reference this entry in the id_aplicante column
Display name	="Cotizaciones de vuelo"
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"cotizaciones_vuelo\",\"ReferencedRootTableName\":\"cotizaciones_vuelo\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_cotizacion\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Related cotizaciones_vuelos])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("cotizaciones_vuelo", "id_aplicante")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 19: Vuelos_ida

Column name	Vuelos_ida
Visible?	ALWAYS
Display name	="Vuelos de ida"
Type	List
Type Qualifier	{"ElementType":"Text","ElementTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SELECT(vuelos[Encabezado de vuelo], AND(IN([_THISROW].[id_logistica], [aplicantes]),[Salida o regreso]="salida"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX

Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: Vuelos_regreso

Column name	Vuelos_regreso
Visible?	ALWAYS
Display name	="Vuelos de regreso"
Type	List
Type Qualifier	{"ElementType":"Text","ElementTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SELECT(vuelos[Encabezado de vuelo], AND(IN([_THISROW].[id_logistica], [aplicantes]),[Salida o regreso]="regreso"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: Grupo de vuelo

Column name	Grupo de vuelo
Visible?	ALWAYS
Display name	="Grupo de vuelo"
Type	List
Type Qualifier	{"ElementType":"Text","ElementTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SELECT(grupo_asignado[nombre], IN([_THISROW].[id_logistica], [aplicantes]))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: Contacto

Column name	Contacto

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[id_aplicante].[NOMBRE DE CONTACTO].[nombre_contacto]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: Numero de contacto

Column name	Numero de contacto
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[id_aplicante].[NOMBRE DE CONTACTO].[numero_contacto]
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 24: Numero de emergencia

Column name	Numero de emergencia
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[id_aplicante].[NOMBRE DE CONTACTO].[numero_emergencia]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX

Searchable	No
Scannable	No
Sensitive data	No

Column 25: Grupo_ref

Column name	Grupo_ref
Visible?	ALWAYS
Display name	="Grupo"
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"grupo_asignado\",\"ReferencedRootTableName\":\"grupo_asignado\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_grupo_asignado\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":"","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Grupo de vuelo])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SELECT(grupo_asignado[id_grupo_asignado], IN([_THISROW].[id_logistica], [aplicantes]))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: Estatus de visa

Column name	Estatus de visa
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([id_ama].[visa_recibida]=TRUE,"Recibido","")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: Cotización aceptada

Column name	Cotización aceptada
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(ISNOTBLANK(SELECT([Related cotizaciones_vuelos][id_cotizacion], [estatus_cotizacion] = "Aceptado")), "Cotización aceptada", "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: grupo_ama

Column name	grupo_ama
Visible?	ALWAYS
Display name	="Ama"
Type	Ref
Type Qualifier	{"ReferencedTableName":"GRUPOS AMA","ReferencedRootTableName":"GRUPOS

	AMA","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"NOMBRE DE GRUPO","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[id_ama].[GRUPO].[NOMBRE DE GRUPO]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 29: Related itinerarios

Column name	Related itinerarios
Visible?	ALWAYS
Description	itinerario entries that reference this entry in the id_aplicante column
Display name	="Itinerario"
Type	List

Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"itinerario\",\"ReferencedRootTableName\":\"itinerario\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_itinerario\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Related itinerarios])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("itinerario", "id_aplicante")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name GRUPOS AMA_Schema

Schema Name	GRUPOS AMA_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 2: NOMBRE DE GRUPO

Column name	NOMBRE DE GRUPO
Visible?	ALWAYS

Display name	="Nombre del grupo"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 3: PAIS DE ORIGEN

Column name	PAIS DE ORIGEN
Visible?	ALWAYS
Display name	="País de origen"
Type	Enum
Type Qualifier	{"EnumValues": ["GTM","HON","MX"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode"

	:"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: CORREO ELECTRONICO DEL GRUPO

Column name	CORREO ELECTRONICO DEL GRUPO
Visible?	ALWAYS
Display name	="Correo electronico del grupo"
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 5: CONTRASEÑA

Column name	CONTRASEÑA
Visible?	ALWAYS
Display name	="Contraseña"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: WHATSAPP DEL GRUPO

Column name	WHATSAPP DEL GRUPO
Visible?	ALWAYS
Display name	="Whastapp del grupo"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: DESTINO

Column name	DESTINO
Visible?	ALWAYS
Display name	="Destino"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: TOTAL APLICANTES

Column name	TOTAL APLICANTES
Visible?	ALWAYS
Display name	="Total de aplicantes"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	COUNTIF('APLICANTES AMA'!C[3]:C[3], RC[-6])
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 9: ASESOR DE PROTOCOLO

Column name	ASESOR DE PROTOCOLO
Visible?	ALWAYS
Display name	="Asesor de protocolo"
Type	Ref
Type Qualifier	{"ReferencedTableName":"ASESORES","ReferencedRootTableName":"ASESORES","ReferencedType":"Text","ReferencedTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Id_asesor","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: NOTAS DE GRUPO

Column name	NOTAS DE GRUPO
Visible?	ALWAYS
Display name	="Notas de grupo"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: UBICACION (LOCKER)

Column name	UBICACION (LOCKER)

Visible?	ALWAYS
Display name	="Locker guardado"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: ASISTENCIA

Column name	ASISTENCIA
Visible?	ALWAYS
Display name	="Aplciantes asistidos"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 13: APROBADOS

Column name	APROBADOS
Visible?	ALWAYS
Display name	="Aplicantes aprobados"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	COUNTIFS('APLICANTES AMA'!C[-2]:C[-2], RC[-11], 'APLICANTES AMA'!C[8]:C[8], "SI")
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 14: PORCENTAJE DE APROBACION

Column name	PORCENTAJE DE APROBACION
Visible?	ALWAYS
Display name	="Porcentaje de aprobacion"
Type	Percent
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	0
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 15: COMPLETO

Column name	COMPLETO
Visible?	ALWAYS
Display name	="Completos"
Type	Enum
Type Qualifier	{"EnumValues":["SI","NO"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: ESTATUS DE GRUPO

Column name	ESTATUS DE GRUPO
Visible?	ALWAYS
Display name	="Estatus del grupo"

Type	Enum
Type Qualifier	{"EnumValues":["EN PROCESO DE DS","GRUPO CON CITA","YA ASISTIO","GRUPO TERMINADO"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: LISTO PARA PAGO

Column name	LISTO PARA PAGO
Visible?	ALWAYS
Display name	="Asesor"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","}

	Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 18: ENCARGADO

Column name	ENCARGADO
Visible?	ALWAYS
Display name	="Link de carpeta"
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: fecha_creacion_grupo

Column name	fecha_creacion_grupo
Visible?	ALWAYS
Display name	="Fecha de creacion de grupo"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: fecha_grupo_completo

Column name	fecha_grupo_completo
Visible?	ALWAYS
Display name	="Fecha de grupo completo"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: link_protocolo

Column name	link_protocolo
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: Related APLICANTES AMAs

Column name	Related APLICANTES AMAs
Visible?	ALWAYS
Description	APLICANTES AMA entries that reference this entry in the GRUPO column
Display name	=Aplicantes
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"APLICANTES AMA\",\"ReferencedRootTableName\":\"APLICANTES AMA\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_pros_grupo\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Requi

	red_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("APLICANTES AMA", "GRUPO")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 23: Related logistica_viajes

Column name	Related logistica_viajes
Visible?	ALWAYS
Description	logistica_viajes entries that reference this entry in the grupo_ama column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"logistica_viajes\",\"ReferencedRootTableName\":\"logistica_viajes\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_V

	alues\\\":null}\",\"ReferencedKeyColumn\":\"id_logistica\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("logistica_viajes", "grupo_ama")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name ASESORES_Schema

Schema Name	ASESORES_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS

Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Id_asesor

Column name	Id_asesor
Visible?	ALWAYS
Display name	="Id asesor"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Nombre

Column name	Nombre
Visible?	ALWAYS
Display name	="Nombre"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES

Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Correo

Column name	Correo
Visible?	ALWAYS
Display name	="Correo"
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 5: Usuario

Column name	Usuario
Visible?	ALWAYS
Display name	="Usuario"
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Contraseña

Column name	Contraseña
Visible?	ALWAYS
Display name	="Contraseña"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Area

Column name	Area
Visible?	ALWAYS
Display name	="Area"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Related INFORMESs

Column name	Related INFORMESs
Visible?	ALWAYS
Description	INFORMES entries that reference this entry in the PERSONA QUIEN ATIENDE column
Display name	="Aplicantes"
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"INFORMES\",\"ReferencedRootTableName\":\"INFORMES\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID DEL APLICANTE\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("INFORMES", "PERSONA QUIEN ATIENDE")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 9: Related GRUPOS AMAs

Column name	Related GRUPOS AMAs
Visible?	ALWAYS
Description	GRUPOS AMA entries that reference this entry in the ASESOR DE PROTOCOLO column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"GRUPOS AMA\",\"ReferencedRootTableName\":\"GRUPOS AMA\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"NOMBRE DE GRUPO\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("GRUPOS AMA", "ASESOR DE PROTOCOLO")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 10: Related APLICANTES VISA INDs By Encargado

Column name	Related APLICANTES VISA INDs By Encargado
Visible?	ALWAYS
Description	APLICANTES VISA IND entries that reference this entry in the Encargado column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"APLICANTES VISA IND\",\"ReferencedRootTableName\":\"APLICANTES VISA IND\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_pros_visa_ind\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("APLICANTES VISA IND", "Encargado")

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 11: Related APLICANTES VISA INDs By Ultima_revision

Column name	Related APLICANTES VISA INDs By Ultima_revision
Visible?	ALWAYS
Description	APLICANTES VISA IND entries that reference this entry in the Ultima_revision column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"APLICANTES VISA IND\",\"ReferencedRootTableName\":\"APLICANTES VISA IND\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_pros_visa_ind\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\"

	,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("APLICANTES VISA IND", "Ultima_revision")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 12: Related encuesta_satisfaccions

Column name	Related encuesta_satisfaccions
Visible?	ALWAYS
Description	encuesta_satisfaccion entries that reference this entry in the id_asesor column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"encuesta_satisfaccion\",\"ReferencedRootTableName\":\"encuesta_satisfaccion\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextForma

	tting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_respuesta\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("encuesta_satisfaccion", "id_asesor")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name CONTACTO_Schema

Schema Name	CONTACTO_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 2: id_contacto

Column name	id_contacto
Visible?	ALWAYS
Display name	="Id contacto"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	Yes

Column 3: nombre_contacto

Column name	nombre_contacto
Visible?	ALWAYS
Display name	="Nombre del contacto"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: numero_contacto

Column name	numero_contacto
Visible?	ALWAYS
Display name	="Numero de contacto"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	Yes

Column 5: numero_emergencia

Column name	numero_emergencia
Visible?	ALWAYS
Display name	="Numero de emergencia"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	Yes

Column 6: email

Column name	email
Visible?	ALWAYS
Display name	="Correo"
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 7: cobro

Column name	cobro
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES

Searchable	No
Scannable	No
Sensitive data	No

Column 8: Related INFORMESs

Column name	Related INFORMESs
Visible?	ALWAYS
Description	INFORMES entries that reference this entry in the NOMBRE DE CONTACTO column
Display name	="Aplicantes"
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"INFORMES\",\"ReferencedRootTableName\":\"INFORMES\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID DEL APLICANTE\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("INFORMES", "NOMBRE DE CONTACTO")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 9: Related APLICANTES VISA INDs

Column name	Related APLICANTES VISA INDs
Visible?	ALWAYS
Description	APLICANTES VISA IND entries that reference this entry in the Nombre_contacto column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"APLICANTES VISA IND\",\"ReferencedRootTableName\":\"APLICANTES VISA IND\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_pros_visa_ind\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("APLICANTES VISA IND", "Nombre_contacto")
Read-Only	Yes
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name HISTORIAL DE TRAMITES_Schema

Schema Name	HISTORIAL DE TRAMITES_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0

Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 2: id

Column name	id
Visible?	ALWAYS
Display name	="Id"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES

Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: id_tramite

Column name	id_tramite
Visible?	ALWAYS
Display name	="Id tramites"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: fecha

Column name	fecha
Visible?	ALWAYS
Display name	="Fecha"

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: tipo_registro

Column name	tipo_registro
Visible?	ALWAYS
Display name	="Tipo de registro"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: id_aplicante

Column name	id_aplicante
Visible?	ALWAYS
Display name	="Aplicante"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No

Sensitive data	No

Column 7: id_asesor

Column name	id_asesor
Visible?	ALWAYS
Display name	="Asesores"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name INFORMES_Schema

Schema Name	INFORMES_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID DEL APLICANTE

Column name	ID DEL APLICANTE
Visible?	ALWAYS
Display name	="Id aplicantes"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: NOMBRE DEL APLICANTE

Column name	NOMBRE DEL APLICANTE
Visible?	ALWAYS
Display name	="Nombre del aplicante"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: APELLIDOS DEL APLICANTE

Column name	APELLIDOS DEL APLICANTE
Visible?	ALWAYS
Display name	="Apellidos del aplicantes"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: PAIS DONDE SE REALIZARA EL TRAMITE

Column name	PAIS DONDE SE REALIZARA EL TRAMITE
Visible?	ALWAYS
Display name	="País donde se realizara el tramite"
Type	Ref
Type Qualifier	{"ReferencedTableName":"PAISES","ReferencedRootTableName":"PAISES","ReferencedType":"Number","ReferencedTypeQualifier":"{\"MaxValue\":null,\"MinValue\":null,\"StepValue\":null,\"NumericDigits\":null,\"ShowThousandsSeparator\":true,\"NumberDisplayMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id_pais","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: NOMBRE DE CONTACTO

Column name	NOMBRE DE CONTACTO
Visible?	ALWAYS
Display name	="Contacto"
Type	Ref

Type Qualifier	{"ReferencedTableName":"CONTACTO","ReferencedRootTableName":"CONTACTO","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id_contacto","IsAPartOf":true,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: TRAMITE

Column name	TRAMITE
Visible?	ALWAYS
Display name	="Tramite"
Type	Ref
Type Qualifier	{"ReferencedTableName":"TRAMITES","ReferencedRootTableName":"TRAMITES","ReferencedType":"Text","ReferencedTypeQualifier":"

	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID TRAMITE","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: TRAMITE ADICIONAL

Column name	TRAMITE ADICIONAL
Visible?	ALWAYS
Display name	="Tramite adicional"
Type	Ref
Type Qualifier	{"ReferencedTableName":"TRAMITES","ReferencedRootTableName":"TRAMITES","ReferencedType":"Text","ReferencedTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain

	Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID TRAMITE","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: TELEFONO DE RECEPCION

Column name	TELEFONO DE RECEPCION
Visible?	ALWAYS
Display name	="Telefono de recepcion"
Type	Enum
Type Qualifier	{"EnumValues":["Eva","Walle","Banny"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":

	null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: PERSONA QUIEN ATIENDE

Column name	PERSONA QUIEN ATIENDE
Visible?	ALWAYS
Display name	="Persona que atiende"
Type	Ref
Type Qualifier	{"ReferencedTableName":"ASESORES","ReferencedRootTableName":"ASESORES","ReferencedType":"Text","ReferencedTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Id_asesor","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_

	If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: PAGO REALIZADO

Column name	PAGO REALIZADO
Visible?	ALWAYS
Display name	="Pago realizado"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: FECHA INICIO DE TRAMITE

Column name	FECHA INICIO DE TRAMITE
Visible?	ALWAYS
Display name	="Fecha inicio del tramite"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: recepcion_de_pago

Column name	recepcion_de_pago
Visible?	ALWAYS
Display name	="Recepcion de pago"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: FECHA DE PAGO INICIAL

Column name	FECHA DE PAGO INICIAL
Visible?	ALWAYS
Display name	="Fecha de pago inicial"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: fecha_informacion_enviada

Column name	fecha_informacion_enviada
Visible?	ALWAYS
Display name	="Fecha de informacion enviada"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: NOTAS DE TRAMITE

Column name	NOTAS DE TRAMITE
Visible?	ALWAYS
Display name	="Notas del tramite"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: FOTO DE PASAPORTE

Column name	FOTO DE PASAPORTE
Visible?	ALWAYS
Display name	="Pasaporte"
Type	File
Type Qualifier	{"FolderLocation":"=\"FOTOS DE TRAMITES/\" & \nIF(\n [TRAMITE].[PROCEDIMIENTO] = \"AMA\",\n \"AMA\",\n [TRAMITE].[TRAMITE]\n) & \n\"/\" & \n[NOMBRE DEL APLICANTE] & \" \" & [APELLIDOS DEL APLICANTE] & \".\" & [ID DEL APLICANTE]","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: FOTO DE CREDENCIAL PARTE DELANTERA

Column name	FOTO DE CREDENCIAL PARTE DELANTERA
Visible?	ALWAYS
Display name	="Credencial parte delantera"
Type	File

Type Qualifier	{"FolderLocation":"=\"FOTOS DE TRAMITES/\" & \nIF(\n[TRAMITE].[PROCEDIMIENTO] = \"AMA\",\n \"AMA\",\n[TRAMITE].[TRAMITE]\n) & \n\"/\" & \n[NOMBRE DEL APLICANTE] & \" \" & [APELLIDOS DEL APLICANTE] & \".\" & [ID DEL APLICANTE]","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: FOTO DE CREDENCIAL PARTE TRASERA

Column name	FOTO DE CREDENCIAL PARTE TRASERA
Visible?	ALWAYS
Display name	="Credencial parte trasera"
Type	File
Type Qualifier	{"FolderLocation":"=\"FOTOS DE TRAMITES/\" & \nIF(\n[TRAMITE].[PROCEDIMIENTO] = \"AMA\",\n \"AMA\",\n[TRAMITE].[TRAMITE]\n) & \n\"/\" & \n[NOMBRE DEL APLICANTE] & \" \" & [APELLIDOS DEL APLICANTE] & \".\" & [ID DEL APLICANTE]","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: FOTO ACTA DE NACIMIENTO

Column name	FOTO ACTA DE NACIMIENTO
Visible?	ALWAYS
Display name	="Acta de nacimiento"
Type	File
Type Qualifier	{"FolderLocation":"=\"FOTOS DE TRAMITES/\" & \nIF(\n [TRAMITE].[PROCEDIMIENTO] = \"AMA\",\n \"AMA\",\n [TRAMITE].[TRAMITE]\n) & \n\"/\" & \n[NOMBRE DEL APLICANTE] & \" \" & [APELLIDOS DEL APLICANTE] & \".\" & [ID DEL APLICANTE]","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: foto_acta_nacimiento_parte_trasera

Column name	foto_acta_nacimiento_parte_trasera
Visible?	ALWAYS
Display name	="Acta de nacimiento parte trasera"
Type	File
Type Qualifier	{"FolderLocation":"=\"FOTOS DE TRAMITES/\" & \nIF(\n [TRAMITE].[PROCEDIMIENTO] = \"AMA\",\n \"AMA\",\n [TRAMITE].[TRAMITE]\n) & \n\"/\" & \n[NOMBRE DEL APLICANTE] & \" \" & [APELLIDOS DEL APLICANTE] & \".\" & [ID DEL APLICANTE]","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No

Sensitive data	No

Column 22: FOTO DE COMPROBANTE DE DOMICILIO

Column name	FOTO DE COMPROBANTE DE DOMICILIO
Visible?	ALWAYS
Display name	="Comprobante de domicilio"
Type	File
Type Qualifier	{"FolderLocation":"=\"FOTOS DE TRAMITES/\" & \nIF(\n [TRAMITE].[PROCEDIMIENTO] = \"AMA\",\n \"AMA\",\n [TRAMITE].[TRAMITE]\n) & \n\"/\" & \n[NOMBRE DEL APLICANTE] & \" \" & [APELLIDOS DEL APLICANTE] & \".\" & [ID DEL APLICANTE]","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 23: foto_pasaporte_vencido

Column name	foto_pasaporte_vencido
Visible?	ALWAYS

Display name	="Pasaporte vencido"
Type	File
Type Qualifier	{"FolderLocation":"=\"FOTOS DE TRAMITES/\" & \nIF(\n[TRAMITE].[PROCEDIMIENTO] = \"AMA\",\n \"AMA\",\n[TRAMITE].[TRAMITE]\n) & \n\"/\" & \n[NOMBRE DEL APLICANTE] & \" \" & [APELLIDOS DEL APLICANTE] & \".\" & [ID DEL APLICANTE]","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: foto_visa_vencida

Column name	foto_visa_vencida
Visible?	ALWAYS
Display name	="Visa vencida"
Type	File
Type Qualifier	{"FolderLocation":"=\"FOTOS DE TRAMITES/\" & \nIF(\n[TRAMITE].[PROCEDIMIENTO] = \"AMA\",\n \"AMA\",\n[TRAMITE].[TRAMITE]\n) & \n\"/\" & \n[NOMBRE DEL APLICANTE] & \" \" & [APELLIDOS DEL APLICANTE] & \".\" & [ID DEL APLICANTE]","Valid_If":null,"Error_Message_If_Invalid":null,"Show_I

	f":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: foto_adicional1

Column name	foto_adicional1
Visible?	ALWAYS
Display name	="Foto adicional"
Type	File
Type Qualifier	{"FolderLocation":"=\"FOTOS DE TRAMITES/\" & \nIF(\n[TRAMITE].[PROCEDIMIENTO] = \"AMA\",\n \"AMA\",\n[TRAMITE].[TRAMITE]\n) & \n\"/\" & \n[NOMBRE DEL APLICANTE] & \" \" & [APELLIDOS DEL APLICANTE] & \".\" & [ID DEL APLICANTE]","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: curp

Column name	curp
Visible?	ALWAYS
Display name	="Crup"
Type	File
Type Qualifier	{"FolderLocation":"=\"FOTOS DE TRAMITES/\" & \nIF(\n [TRAMITE].[PROCEDIMIENTO] = \"AMA\",\n \"AMA\",\n [TRAMITE].[TRAMITE]\n) & \n\"/\" & \n[NOMBRE DEL APLICANTE] & \" \" & [APELLIDOS DEL APLICANTE] & \".\" & [ID DEL APLICANTE]","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES

Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: adicional_credencial_delantera

Column name	adicional_credencial_delantera
Visible?	ALWAYS
Display name	="Foto acional 2"
Type	File
Type Qualifier	{"FolderLocation":"=\"FOTOS DE TRAMITES/\" & \nIF(\n [TRAMITE].[PROCEDIMIENTO] = \"AMA\",\n \"AMA\",\n [TRAMITE].[TRAMITE]\n) & \n\"/\" & \n[NOMBRE DEL APLICANTE] & \" \" & [APELLIDOS DEL APLICANTE] & \".\" & [ID DEL APLICANTE]","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: adicional_credencial_trasera

Column name	adicional_credencial_trasera

Visible?	ALWAYS
Display name	="Foto adicional 3"
Type	File
Type Qualifier	{"FolderLocation":"=\"FOTOS DE TRAMITES/\" & \nIF(\n [TRAMITE].[PROCEDIMIENTO] = \"AMA\",\n \"AMA\",\n [TRAMITE].[TRAMITE]\n) & \n\"/\" & \n[NOMBRE DEL APLICANTE] & \" \" & [APELLIDOS DEL APLICANTE] & \".\" & [ID DEL APLICANTE]","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 29: Related APLICANTES AMAs

Column name	Related APLICANTES AMAs
Visible?	ALWAYS
Description	APLICANTES AMA entries that reference this entry in the ID APLICANTE column
Display name	="Aplicantes AMA"
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"APLICANTES

	AMA\",\"ReferencedRootTableName\":\"APLICANTES AMA\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_pros_grupo\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("APLICANTES AMA", "ID APLICANTE")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 30: Related logistica_viajes

Column name	Related logistica_viajes
Visible?	ALWAYS

Description	logistica_viajes entries that reference this entry in the id_aplicante column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"logistica_viajes\",\"ReferencedRootTableName\":\"logistica_viajes\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_logistica\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("logistica_viajes", "id_aplicante")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 31: Nombre completo

Column name	Nombre completo
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[NOMBRE DEL APLICANTE]&" "&[APELLIDOS DEL APLICANTE]&" ("&[ID DEL APLICANTE]&")"
Read-Only	Yes
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 32: Related hoteles_principals

Column name	Related hoteles_principals
Visible?	ALWAYS
Description	hoteles_principal entries that reference this entry in the id_aplicante column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"hoteles_principal\",\"ReferencedRoo

	tTableName\":\"hoteles_principal\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_reserva\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("hoteles_principal", "id_aplicante")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 33: Nombre para itinerario

Column name	Nombre para itinerario
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE([NOMBRE DEL APLICANTE]," ",[APELLIDOS DEL APLICANTE])
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 34: Related APLICANTES VISA INDs

Column name	Related APLICANTES VISA INDs
Visible?	ALWAYS
Description	APLICANTES VISA IND entries that reference this entry in the Id_aplicante column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"APLICANTES VISA IND\",\"ReferencedRootTableName\":\"APLICANTES VISA IND\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain

	Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_pros_visa_ind\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("APLICANTES VISA IND", "Id_aplicante")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 35: Related encuesta_satisfaccions

Column name	Related encuesta_satisfaccions
Visible?	ALWAYS
Description	encuesta_satisfaccion entries that reference this entry in the id_aplicante column
Type	List

Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"encuesta_satisfaccion\",\"ReferencedRootTableName\":\"encuesta_satisfaccion\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_respuesta\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("encuesta_satisfaccion", "id_aplicante")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name PAISES_Schema

Schema Name	PAISES_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 2: id_pais

Column name	id_pais
Visible?	ALWAYS
Display name	="Id país"
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 3: pais

Column name	pais
Visible?	ALWAYS
Display name	="País"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Related INFORMESs

Column name	Related INFORMESs
Visible?	ALWAYS
Description	INFORMES entries that reference this entry in the PAIS DONDE SE REALIZARA EL TRAMITE column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"INFORMES\",\"ReferencedRootTableName\":\"INFORMES\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID DEL APLICANTE\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("INFORMES", "PAIS DONDE SE REALIZARA EL TRAMITE")
Read-Only	Yes

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name TRAMITES_Schema

Schema Name	TRAMITES_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No

Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID TRAMITE

Column name	ID TRAMITE
Visible?	ALWAYS
Display name	="Id tramites"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: TRAMITE

Column name	TRAMITE
Visible?	ALWAYS
Display name	="Tramite"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: PAIS

Column name	PAIS
Visible?	ALWAYS

Display name	="País"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: PROCEDIMIENTO

Column name	PROCEDIMIENTO
Visible?	ALWAYS
Display name	="Procedimiento"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Related INFORMESs By TRAMITE

Column name	Related INFORMESs By TRAMITE
Visible?	ALWAYS
Description	INFORMES entries that reference this entry in the TRAMITE column
Display name	="Aplicantes"
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"INFORMES\",\"ReferencedRootTableName\":\"INFORMES\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID DEL APLICANTE\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }

App formula	REF_ROWS("INFORMES", "TRAMITE")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 7: Related INFORMESs By TRAMITE ADICIONAL

Column name	Related INFORMESs By TRAMITE ADICIONAL
Visible?	ALWAYS
Description	INFORMES entries that reference this entry in the TRAMITE ADICIONAL column
Display name	="Aplicantes"
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"INFORMES\",\"ReferencedRootTableName\":\"INFORMES\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_V

	alues\\\":null}\",\"ReferencedKeyColumn\":\"ID DEL APLICANTE\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("INFORMES", "TRAMITE ADICIONAL")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name cotizaciones_vuelo_Schema

Schema Name	cotizaciones_vuelo_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS

Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 2: id_cotizacion

Column name	id_cotizacion
Visible?	ALWAYS
Display name	="Id Cotización"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: id_aplicante

Column name	id_aplicante
Visible?	ALWAYS
Display name	="Aplicante"
Type	Ref
Type Qualifier	{"ReferencedTableName":"logistica_viajes","ReferencedRootTableName":"logistica_viajes","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id_logistica","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: fecha_ida

Column name	fecha_ida
Visible?	ALWAYS
Display name	="Fecha de ida"
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	=[id_aplicante].[fecha_tentativa_ida]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No

Sensitive data	No

Column 5: aeropuerto_ida_salida

Column name	aeropuerto_ida_salida
Visible?	ALWAYS
Display name	="Aeropuerto de salida"
Type	Ref
Type Qualifier	{"ReferencedTableName":"aeropuertos","ReferencedRootTableName":"aeropuertos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: aeropuerto_ida_llegada

Column name	aeropuerto_ida_llegada
Visible?	ALWAYS
Display name	="Aeropuerto de llegada"
Type	Ref
Type Qualifier	{"ReferencedTableName":"aeropuertos","ReferencedRootTableName":"aeropuertos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: hora_ida_salida

Column name	hora_ida_salida
Visible?	ALWAYS
Display name	="Hora de salida"
Type	Time
Type Qualifier	{"MinValue":null,"MaxValue":null,"IgnoreSeconds":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: hora_ida_llegada

Column name	hora_ida_llegada
Visible?	ALWAYS
Display name	="Hora de llegada"
Type	Time
Type Qualifier	{"MinValue":null,"MaxValue":null,"IgnoreSeconds":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: fecha_regreso

Column name	fecha_regreso
Visible?	ALWAYS
Display name	="Fecha de regreso"
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[id_aplicante].[fecha_tentativa_vuelta]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX

Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: aeropuerto_regreso_salida

Column name	aeropuerto_regreso_salida
Visible?	ALWAYS
Display name	="Aeropuerto de salida"
Type	Ref
Type Qualifier	{"ReferencedTableName":"aeropuertos","ReferencedRootTableName":"aeropuertos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No

Sensitive data	No

Column 11: aeropuerto_regreso_llegada

Column name	aeropuerto_regreso_llegada
Visible?	ALWAYS
Display name	="Aeropuesto de llegada"
Type	Ref
Type Qualifier	{"ReferencedTableName":"aeropuertos","ReferencedRootTableName":"aeropuertos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: hora_regreso_salida

Column name	hora_regreso_salida
Visible?	ALWAYS
Display name	="Hora de salida"
Type	Time
Type Qualifier	{"MinValue":null,"MaxValue":null,"IgnoreSeconds":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: hora_regreso_llegada

Column name	hora_regreso_llegada
Visible?	ALWAYS
Display name	="Hora de llegada"
Type	Time
Type Qualifier	{"MinValue":null,"MaxValue":null,"IgnoreSeconds":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: precio

Column name	precio
Visible?	ALWAYS
Display name	="Precio"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: divisa

Column name	divisa
Visible?	ALWAYS
Display name	="Moneda"
Type	Enum
Type Qualifier	{"EnumValues":["MXN","USD","GTQ"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes

Scannable	No
Sensitive data	No

Column 16: reencuentro

Column name	reencuentro
Visible?	ALWAYS
Display name	="¿Habra reencuentro?"
Type	Yes/No
Type Qualifier	{"YesLabel":"=\"Sí\"","NoLabel":"=\"No\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: lugar_reencuentro

Column name	lugar_reencuentro
Visible?	ALWAYS
Display name	="Lugar de reencuentro"
Type	Enum
Type Qualifier	{"EnumValues":["AEROPUERTO","SALÓN"],"AllowOtherValues":false,"AutoComplete

	OtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[reencuentro]=\"true\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: acompanamiento

Column name	acompanamiento
Visible?	ALWAYS
Display name	="¿Quien hara el acompañamiento?"
Type	Enum
Type Qualifier	{"EnumValues":["LIC. LINO BASTIDA","LIC. ABRAHAM BASTIDA","LIC. CLEMENTE ULLOA","PERSONAL DE DILIGENCIAS"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain

	Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: escala_ida

Column name	escala_ida
Visible?	ALWAYS
Display name	="Escala de ida"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: escala_regreso

Column name	escala_regreso
Visible?	ALWAYS
Display name	="Escala de Regreso"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes

Scannable	No
Sensitive data	No

Column 21: asistencia

Column name	asistencia
Visible?	ALWAYS
Display name	="¿Necesita asistencia?"
Type	Yes/No
Type Qualifier	{"YesLabel":"=\"Sí\"","NoLabel":"=\"No\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: fecha_cotizacion

Column name	fecha_cotizacion
Visible?	ALWAYS
Display name	="Creacion de la cotización"
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":

	null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: estatus_cotizacion

Column name	estatus_cotizacion
Visible?	ALWAYS
Display name	="Estatus"
Type	Enum
Type Qualifier	{"EnumValues": ["Pendiente","Aceptado","Cancelado"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	="Pendiente"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: pdf

Column name	pdf
Visible?	ALWAYS
Display name	="Imagen de cotización"
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: maleta_documentada

Column name	maleta_documentada
Visible?	ALWAYS
Display name	="¿Lleva maleta documentada?"
Type	Yes/No
Type Qualifier	{"YesLabel":"=\"Sí\"","NoLabel":"=\"No\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: Related itinerarios

Column name	Related itinerarios

Visible?	ALWAYS
Description	itinerario entries that reference this entry in the id_cotizacion column
Display name	="Itinerario"
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"itinerario\",\"ReferencedRootTableName\":\"itinerario\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_itinerario\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("itinerario", "id_cotizacion")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No

NFC Scannable	No
Sensitive data	No

Schema Name itinerario_Schema

Schema Name	itinerario_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 2: id_itinerario

Column name	id_itinerario
Visible?	ALWAYS
Display name	="Id itinerario"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: id_cotizacion

Column name	id_cotizacion
Visible?	ALWAYS
Display name	="Cotización"
Type	Ref
Type Qualifier	{"ReferencedTableName":"cotizaciones_vuelo","ReferencedRootTableName":"cotizaciones_vuelo","ReferencedType":"Text","ReferencedTypeQualifier":"

	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id_cotizacion","IsAPartOf":true,"RelationshipName":"Itinerario","InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: aerolinea

Column name	aerolinea
Visible?	ALWAYS
Display name	="Aerolinea"
Type	Ref
Type Qualifier	{"ReferencedTableName":"aerolineas","ReferencedRootTableName":"aerolineas","ReferencedType":"Number","ReferencedTypeQualifier":"{\"MaxValue\":null,\"MinValue\":null,\"StepValue\":null,\"NumericDigits\":null,\"ShowThousandsSeparator\":true,\"NumberDisplayMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Sh

	ow_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id_aerolinea","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: asiento_ida

Column name	asiento_ida
Visible?	ALWAYS
Display name	="Asiento de Ida"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: asiento_regreso

Column name	asiento_regreso
Visible?	ALWAYS
Display name	="Asiento de regreso"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No

Sensitive data	No

Column 7: vuelo_ida

Column name	vuelo_ida
Visible?	ALWAYS
Display name	="Vuelo de ida"
Type	Ref
Type Qualifier	{"ReferencedTableName":"vuelos","ReferencedRootTableName":"vuelos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id_vuelo","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: vuelo_regreso

Column name	vuelo_regreso
Visible?	ALWAYS
Display name	="Vuelo de regreso"
Type	Ref
Type Qualifier	{"ReferencedTableName":"vuelos","ReferencedRootTableName":"vuelos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id_vuelo","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: hora_en_aeropuerto

Column name	hora_en_aeropuerto
Visible?	ALWAYS
Display name	="Hora en la que debe estar en el aeropuerto"

Type	Time
Type Qualifier	{"MinValue":null,"MaxValue":null,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: codigo_confirmacion

Column name	codigo_confirmacion
Visible?	ALWAYS
Display name	="Codigo de confirmacion"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: pdf

Column name	pdf
Visible?	ALWAYS
Display name	="Imagen de itinerario"
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":"=\"ITINERARIO/\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: id_aplicante

Column name	id_aplicante
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"logistica_viajes","ReferencedRootTableName":"logistica_viajes","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id_logistica","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name vuelos_Schema

Schema Name	vuelos_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 2: id_vuelo

Column name	id_vuelo
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: codigo_vuelo

Column name	codigo_vuelo
Visible?	ALWAYS
Display name	="Codigo de confirmación"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: nombre_vuelo

Column name	nombre_vuelo
Visible?	ALWAYS
Display name	="Grupo de vuelo"
Type	Ref
Type Qualifier	{"ReferencedTableName":"grupo_asignado","ReferencedRootTableName":"grupo_asignado","ReferencedType":"Text","ReferencedTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id_grupo_asignado","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: numero_vuelo

Column name	numero_vuelo
Visible?	ALWAYS
Display name	="Numero de vuelo"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: destino

Column name	destino
Visible?	ALWAYS
Display name	="Destino"
Type	Ref
Type Qualifier	{"ReferencedTableName":"aeropuertos","ReferencedRootTableName":"aeropuertos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: fecha

Column name	fecha
Visible?	ALWAYS
Display name	="Fecha"
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: hora

Column name	hora
Visible?	ALWAYS
Display name	="Hora"
Type	Time
Type Qualifier	{"MinValue":null,"MaxValue":null,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: aerolinea

Column name	aerolinea
Visible?	ALWAYS
Display name	="Aerolinea"
Type	Ref
Type Qualifier	{"ReferencedTableName":"aerolineas","ReferencedRootTableName":"aerolineas","ReferencedType":"Number","ReferencedTypeQualifier":"{\"MaxValue\":null,\"MinValue\":null,\"StepValue\":null,\"NumericDigits\":null,\"ShowThousandsSeparator\":true,\"NumberDisplayMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id_aerolinea","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: nota_vuelos

Column name	nota_vuelos
Visible?	ALWAYS
Display name	="Nota"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: aplicantes

Column name	aplicantes
Visible?	ALWAYS
Display name	="Aplicantes"
Type	EnumList
Type Qualifier	{"ItemSeparator":null,"EnumValues":[],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Ref","BaseTypeQualifier":"{\"ReferencedTableName\":\"logistica_viajes\",\"ReferencedRootTableName\":\"logistica_viajes\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_logistica\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Dropdown","Valid_If":"=logistica_viajes[id_logistica]","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":"=[_THISROW_AFTER].[codigo_vuelo]<>[_THISROW_BEFORE].[codigo_vuelo]","Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	=[_THISROW_AFTER].[codigo_vuelo]<>[_THISROW_BEFORE].[codigo_vuelo]
Initial value	=[nombre_vuelo].[aplicantes]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: tipo_vuelo

Column name	tipo_vuelo
Visible?	ALWAYS
Display name	="Tipo de vuelo"
Type	Enum
Type Qualifier	{"EnumValues":["Grupo salida","Grupo regreso","Individual salida","Individual regreso","Personal"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: encabezado_calendario

Column name	encabezado_calendario
Visible?	ALWAYS
Display name	="Título"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":"","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[nombre_vuelo].[nombre]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Related itinerarios By vuelo_ida

Column name	Related itinerarios By vuelo_ida

Visible?	ALWAYS
Description	itinerario entries that reference this entry in the vuelo_ida column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"itinerario\",\"ReferencedRootTableName\":\"itinerario\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_itinerario\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("itinerario", "vuelo_ida")
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 15: Related itinerarios By vuelo_regreso

Column name	Related itinerarios By vuelo_regreso
Visible?	ALWAYS
Description	itinerario entries that reference this entry in the vuelo_regreso column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"itinerario\",\"ReferencedRootTableName\":\"itinerario\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_itinerario\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("itinerario", "vuelo_regreso")
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX

Searchable	No
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 16: Encabezado de vuelo

Column name	Encabezado de vuelo
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE([codigo_vuelo],"-",[fecha])
Read-Only	Yes
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Salida o regreso

Column name	Salida o regreso
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IFS(IN([tipo_vuelo],{"grupo salida","individual salida"}),"salida",IN([tipo_vuelo],{grupo regreso,"individual regreso"}),"regreso")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: Aplicantes_list

Column name	Aplicantes_list
Visible?	ALWAYS
Display name	="Lista de aplicantes"
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"logistica_viajes\",\"ReferencedRootTableName\":\"logistica_viajes\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain

	Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_logistica\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[aplicantes]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: nombre_aerolinea

Column name	nombre_aerolinea
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	=[aerolinea].[nombre]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: nombres_aplicantes_list

Column name	nombres_aplicantes_list
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=TEXT(SELECT(informes[Nombre completo], IN([ID DEL APLICANTE], SELECT(LOGISTICA_VIAJES[id_aplicante], IN([ID_Logistica], [_THISROW].[aplicantes])))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name aeropuertos_Schema

Schema Name	aeropuertos_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 2: id

Column name	id
Visible?	ALWAYS
Display name	="Id"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 3: nombre_aeropuerto

Column name	nombre_aeropuerto
Visible?	ALWAYS
Display name	="Nombre del aeropuerto"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: ciudad

Column name	ciudad
Visible?	ALWAYS
Display name	="Ciudad"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: estado

Column name	estado
Visible?	ALWAYS
Display name	="Estado"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: pais

Column name	pais
Visible?	ALWAYS
Display name	="País"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: codigo_iata

Column name	codigo_iata

Visible?	ALWAYS
Display name	="Codigo"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Encabezado

Column name	Encabezado
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE([nombre_aeropuerto]," (",[codigo_iata],") ",[pais])
Read-Only	Yes
Hidden	No
Label	Yes

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Related cotizaciones_vuelos By aeropuerto_ida_salida

Column name	Related cotizaciones_vuelos By aeropuerto_ida_salida
Visible?	ALWAYS
Description	cotizaciones_vuelo entries that reference this entry in the aeropuerto_ida_salida column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"cotizaciones_vuelo\",\"ReferencedRootTableName\":\"cotizaciones_vuelo\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_cotizacion\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Requi

	red_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("cotizaciones_vuelo", "aeropuerto_ida_salida")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 10: Related cotizaciones_vuelos By aeropuerto_ida_llegada

Column name	Related cotizaciones_vuelos By aeropuerto_ida_llegada
Visible?	ALWAYS
Description	cotizaciones_vuelo entries that reference this entry in the aeropuerto_ida_llegada column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"cotizaciones_vuelo\",\"ReferencedRootTableName\":\"cotizaciones_vuelo\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\

	\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_cotizacion\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("cotizaciones_vuelo", "aeropuerto_ida_llegada")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 11: Related cotizaciones_vuelos By aeropuerto_regreso_salida

Column name	Related cotizaciones_vuelos By aeropuerto_regreso_salida
Visible?	ALWAYS
Description	cotizaciones_vuelo entries that reference this entry in the aeropuerto_regreso_salida column
Type	List

Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"cotizaciones_vuelo\",\"ReferencedRootTableName\":\"cotizaciones_vuelo\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_cotizacion\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("cotizaciones_vuelo", "aeropuerto_regreso_salida")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 12: Related cotizaciones_vuelos By aeropuerto_regreso_llegada

Column name	Related cotizaciones_vuelos By aeropuerto_regreso_llegada
Visible?	ALWAYS
Description	cotizaciones_vuelo entries that reference this entry in the aeropuerto_regreso_llegada column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"cotizaciones_vuelo\",\"ReferencedRootTableName\":\"cotizaciones_vuelo\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_cotizacion\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("cotizaciones_vuelo", "aeropuerto_regreso_llegada")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No

NFC Scannable	No
Sensitive data	No

Column 13: Nombre para cotizacion

Column name	Nombre para cotizacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE([nombre_aeropuerto]," (",[codigo_iata],")")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Related vuelos

Column name	Related vuelos
Visible?	ALWAYS
Description	vuelos entries that reference this entry in the destino column
Type	List

Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"vuelos\",\"ReferencedRootTableName\":\"vuelos\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_vuelo\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("vuelos", "destino")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name hoteles_detalles_Schema

Schema Name	hoteles_detalles_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 2: id_detalle_reserva

Column name	id_detalle_reserva
Visible?	ALWAYS
Display name	="Id"
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 3: id_reserva

Column name	id_reserva
Visible?	ALWAYS
Display name	="Reserva"
Type	Ref
Type Qualifier	{"ReferencedTableName":"hoteles_principal","ReferencedRootTableName":"hoteles_principal","ReferencedType":"Text","ReferencedTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id_reserva","IsAPartOf":true,"RelationshipName":null,"InputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,"S

	how_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 4: tipo_habitacion

Column name	tipo_habitacion
Visible?	ALWAYS
Display name	="Tipo de habitación"
Type	Enum
Type Qualifier	{"EnumValues": ["Sencilla","Doble","Triple"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: cantidad

Column name	cantidad
Visible?	ALWAYS
Display name	="Cantidad de habitaciones"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":1,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Standard","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: personas_x_habitacion

Column name	personas_x_habitacion
Visible?	ALWAYS
Display name	="Personas por habitación"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":0,"StepValue":1,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":"=[personas_x_habitacion]<=4","Error_Message_If_Invalid":"=\"Debera ser un numero menor o igual a 4\"","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: precio_unidad

Column name	precio_unidad
Visible?	ALWAYS
Display name	="Precio por unidad"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IFS([tipo_habitacion] = "Sencilla", 200 + IF([personas_x_habitacion] > 1, ([personas_x_habitacion] - 1) * 50, 0), [tipo_habitacion] = "Doble", 210 + IF([personas_x_habitacion] > 2, ([personas_x_habitacion] - 2) * 50, 0), [tipo_habitacion] = "Triple", 220 + IF([personas_x_habitacion] > 3, ([personas_x_habitacion] - 3) * 50, 0))
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 8: subtotal

Column name	subtotal
Visible?	ALWAYS

Display name	="Subtotal"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[precio_unidad] * [cantidad] * [id_reserva].[total_noches]
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 9: FECHA_ENTRADA

Column name	FECHA_ENTRADA
Visible?	ALWAYS
Display name	="Fecha entrada"
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[id_reserva].[fecha_llegada]
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: FECHA_SALIDA

Column name	FECHA_SALIDA
Visible?	ALWAYS
Display name	="Fecha salida"
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[id_reserva].[fecha_salida]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX

Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name hoteles_principal_Schema

Schema Name	hoteles_principal_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 2: id_reserva

Column name	id_reserva
Visible?	ALWAYS
Display name	="Id"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 3: id_aplicante

Column name	id_aplicante
Visible?	ALWAYS
Display name	="Aplicante"
Type	Ref
Type Qualifier	{"ReferencedTableName":"INFORMES","ReferencedRootTableName":"INFORMES","ReferencedType":"Text","ReferencedTypeQualifier":"

	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID DEL APLICANTE","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: fecha_llegada

Column name	fecha_llegada
Visible?	ALWAYS
Display name	="Fecha de llegada"
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: fecha_salida

Column name	fecha_salida
Visible?	ALWAYS
Display name	="Fecha de salida"
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: estatus_reserva

Column name	estatus_reserva
Visible?	ALWAYS
Display name	="Estatus de reserva"
Type	Enum
Type Qualifier	{"EnumValues": ["Pendiente","Aceptado","Cancelado"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	="Pendiente"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX

Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: precio_total

Column name	precio_total
Visible?	ALWAYS
Display name	="Precio total"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":"","Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	Yes
Initial value	=SUM([Related hoteles_detalles][subtotal])
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	Yes
Sensitive data	No

Column 8: total_noches

Column name	total_noches
Visible?	ALWAYS

Display name	="Total de noches"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=(hour([fecha_salida]-[fecha_llegada]))/24
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Related hoteles_detalles

Column name	Related hoteles_detalles
Visible?	ALWAYS
Description	="Detalles de las habitaciones"
Display name	="Detalles de las habitaciones"
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"hoteles_detalles\",\"ReferencedRootTableName\":\"hoteles_detalles\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain

	Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_detalle_reserva\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("hoteles_detalles", "id_reserva")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 10: Contacto

Column name	Contacto
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

	valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[id_aplicante].[NOMBRE DE CONTACTO].[nombre_contacto]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Numero de contacto

Column name	Numero de contacto
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[id_aplicante].[NOMBRE DE CONTACTO].[numero_contacto]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name aerolineas_Schema

Schema Name	aerolineas_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 2: id_aerolinea

Column name	id_aerolinea
Visible?	ALWAYS
Description	=Id
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 3: nombre

Column name	nombre
Visible?	ALWAYS
Description	="Aerolínea"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Related itinerarios

Column name	Related itinerarios
Visible?	ALWAYS
Description	itinerario entries that reference this entry in the aerolinea column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"itinerario\",\"ReferencedRootTableName\":\"itinerario\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain

	Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_itinerario\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("itinerario", "aerolinea")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 5: Related vuelos

Column name	Related vuelos
Visible?	ALWAYS
Description	vuelos entries that reference this entry in the aerolinea column
Type	List

Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"vuelos\",\"ReferencedRootTableName\":\"vuelos\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_vuelo\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("vuelos", "aerolinea")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name APLICANTES VISA IND_Schema

Schema Name	APLICANTES VISA IND_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 2: id_pros_visa_ind

Column name	id_pros_visa_ind
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Id_aplicante

Column name	Id_aplicante
Visible?	ALWAYS
Display name	="Aplicante"
Type	Ref
Type Qualifier	{"ReferencedTableName":"INFORMES","ReferencedRootTableName":"INFORMES","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID DEL APLICANTE","IsAPartOf":false,"RelationshipName":null,"InputMode

	":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null, "Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Nombre_aplicante

Column name	Nombre_aplicante
Visible?	ALWAYS
Display name	="Nombre"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Apellido_Aplicante

Column name	Apellido_Aplicante
Visible?	ALWAYS
Display name	="Apellidos"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Tramite

Column name	Tramite
Visible?	ALWAYS
Display name	="Tramite"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: AA00

Column name	AA00
Visible?	ALWAYS
Display name	="AA00"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: fecha_vigecia_pago

Column name	fecha_vigecia_pago
Visible?	ALWAYS
Display name	="Fecha Vigenia de pago"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Correo

Column name	Correo
Visible?	ALWAYS
Display name	="Correo"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 10: Contraseña

Column name	Contraseña
Visible?	ALWAYS
Display name	="Contraseña"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Estado_residencia

Column name	Estado_residencia
Visible?	ALWAYS
Display name	="Estado de residencia"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: Pais

Column name	Pais
Visible?	ALWAYS
Display name	="País"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Estatus

Column name	Estatus
Visible?	ALWAYS
Display name	="Estatus"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Encargado

Column name	Encargado

Visible?	ALWAYS
Display name	="Encargado"
Type	Ref
Type Qualifier	{"ReferencedTableName":"ASESORES","ReferencedRootTableName":"ASESORES","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Id_asesor","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: Fecha_nacimiento

Column name	Fecha_nacimiento
Visible?	ALWAYS
Display name	="Fecha de nacimiento"

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: No_pasaporte

Column name	No_pasaporte
Visible?	ALWAYS
Display name	="Numero de pasaporte"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 17: plabra_clave

Column name	plabra_clave
Visible?	ALWAYS
Display name	="Palabra clave"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No

Sensitive data	No

Column 18: Vigencia_pasaporte

Column name	Vigencia_pasaporte
Visible?	ALWAYS
Display name	="Vigencia de pasaporte"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: Nombre_contacto

Column name	Nombre_contacto
Visible?	ALWAYS
Display name	="Nombre del contacto"
Type	Ref
Type Qualifier	{"ReferencedTableName":"CONTACTO","ReferencedRootTableName":"CONTACTO","ReferencedType":"Text","ReferencedTypeQualifi

	er":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id_contacto","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 20: Tel_ contacto

Column name	Tel_ contacto
Visible?	ALWAYS
Display name	="Telefono del contacto"
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 21: Tel_emergencia

Column name	Tel_emergencia
Visible?	ALWAYS
Display name	="Telefono de emergencia"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: tel_aplicante

Column name	tel_aplicante
Visible?	ALWAYS
Display name	="Telefono del aplicante"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 23: Cel_seguimiento

Column name	Cel_seguimiento

Visible?	ALWAYS
Display name	="Celular del seguimiento"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: Notas

Column name	Notas
Visible?	ALWAYS
Display name	="Notas"
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 25: Lugar_expediente

Column name	Lugar_expediente
Visible?	ALWAYS
Display name	="Lugar expediente"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES

Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: Estatus_pago

Column name	Estatus_pago
Visible?	ALWAYS
Display name	="Estatus de pago"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: Ultima_revision

Column name	Ultima_revision
Visible?	ALWAYS
Display name	="Ultima Revision"

Type	Ref
Type Qualifier	{"ReferencedTableName":"ASESORES","ReferencedRootTableName":"ASESORES","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Id_asesor","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: Link_respaldo

Column name	Link_respaldo
Visible?	ALWAYS
Display name	="Link de Respaldo"
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":

	null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 29: fecha_pago_anticipo

Column name	fecha_pago_anticipo
Visible?	ALWAYS
Display name	="Fecha de pago de anticipo"
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 30: Fecha_pago_completo

Column name	Fecha_pago_completo
Visible?	ALWAYS
Display name	="Fecha de pago completo"
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 31: fecha_perfil_completo

Column name	fecha_perfil_completo

Visible?	ALWAYS
Display name	="Fecha de perfil completo"
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 32: recepcion_de_pago

Column name	recepcion_de_pago
Visible?	ALWAYS
Display name	="Recepcion de pago"
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	Yes

Schema Name encuesta_satisfaccion_Schema

Schema Name	encuesta_satisfaccion_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 2: id_respuesta

Column name	id_respuesta
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: satisfaccion_general

Column name	satisfaccion_general
Visible?	ALWAYS
Display name	="En general, ¿cómo calificaría su experiencia con nuestro servicio? Escala: 1 a 5"
Type	Number
Type Qualifier	{"MaxValue":5,"MinValue":1,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":"=\"La respuesta debe ser un número del 1 al 5\"","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: claridad_informacion

Column name	claridad_informacion
Visible?	ALWAYS
Display name	="¿Qué tan clara fue la información que recibió durante su proceso? Escala: 1 a 5"
Type	Number

Type Qualifier	{"MaxValue":5,"MinValue":1,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":"=\"La respuesta debe ser un número del 1 al 5\"","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: calidad_atencion

Column name	calidad_atencion
Visible?	ALWAYS
Display name	="¿Cómo calificaría la atención y el trato de nuestro equipo? Escala: 1 a 5"
Type	Number
Type Qualifier	{"MaxValue":5,"MinValue":1,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":"=\"La respuesta debe ser un número del 1 al 5\"","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: tiempo_respuesta

Column name	tiempo_respuesta
Visible?	ALWAYS
Display name	="¿Qué tan oportuno fue nuestro seguimiento y la respuesta a sus dudas? Escala: 1 a 5"
Type	Number
Type Qualifier	{"MaxValue":5,"MinValue":1,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":"=\"La respuesta debe ser un número del 1 al 5\"","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: utilidad_asesoria

Column name	utilidad_asesoria
Visible?	ALWAYS
Display name	="¿Considera que nuestra asesoría le brindó herramientas claras para su entrevista? Escala: 1 a 5"
Type	Number
Type Qualifier	{"MaxValue":5,"MinValue":1,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":"=\"La respuesta debe ser un número del 1 al 5\"","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No

Sensitive data	No

Column 8: fortalezas_servicio

Column name	fortalezas_servicio
Visible?	ALWAYS
Display name	="¿Qué parte de nuestro servicio considera que hicimos mejor?"
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: punto_mejora

Column name	punto_mejora
Visible?	ALWAYS
Display name	="¿Qué podemos mejorar en nuestro servicio?"
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

	valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: probabilidad_recomendacion

Column name	probabilidad_recomendacion
Visible?	ALWAYS
Display name	="¿Qué tan probable es que recomiende a Diligencias Internacionales a un familiar o amigo? Escala: 0 a 10"
Type	Number
Type Qualifier	{"MaxValue":10,"MinValue":0,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":"=\"La respuesta debe ser un número del 1 al 5\"","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: id_aplicante

Column name	id_aplicante
Visible?	ALWAYS
Display name	="Aplicante"
Type	Ref
Type Qualifier	{"ReferencedTableName":"INFORMES","ReferencedRootTableName":"INFORMES","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID DEL APLICANTE","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 12: id_asesor

Column name	id_asesor
Visible?	ALWAYS
Display name	="Asesor"
Type	Ref
Type Qualifier	{"ReferencedTableName":"ASESORES","ReferencedRootTableName":"ASESORES","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Id_asesor","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 13: aprobado_negado

Column name	aprobado_negado
Visible?	ALWAYS
Display name	="Estatus"
Type	Enum
Type Qualifier	{"EnumValues":["Negado","Aprobado"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX

Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name tours_cliente_Schema

Schema Name	tours_cliente_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 2: id_solicitud

Column name	id_solicitud
Visible?	ALWAYS
Display name	="Id Solicitud"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: id_cliente

Column name	id_cliente
Visible?	ALWAYS
Display name	="Cliente"
Type	Ref
Type Qualifier	{"ReferencedTableName":"clientes_tours","ReferencedRootTableName":"clientes_tours","ReferencedType":"Text","ReferencedTypeQualifier":"

	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id_cliente","IsAPartOf":true,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: tour_solicitado

Column name	tour_solicitado
Visible?	ALWAYS
Display name	="Tour"
Type	Ref
Type Qualifier	{"ReferencedTableName":"tours","ReferencedRootTableName":"tours","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":

	null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id_tour","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: estatus_pago

Column name	estatus_pago
Visible?	ALWAYS
Display name	="Estatus"
Type	Enum
Type Qualifier	{"EnumValues":["Pago completo","Falta de pago"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"

	Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: confirmacion_asistencia

Column name	confirmacion_asistencia
Visible?	ALWAYS
Display name	="Confirmacion de asistencia"
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: anticipo

Column name	anticipo
Visible?	ALWAYS
Display name	="Anticipo"
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: asientos

Column name	asientos
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: nombres_viajeros

Column name	nombres_viajeros
Visible?	ALWAYS
Type	EnumList
Type Qualifier	{"ItemSeparator":", ","EnumValues":[],"AllowOtherValues":true,"AutoCompleteOtherValues":false,"BaseType":"List","BaseTypeQualifier":"{\"ElementType\":\"Text\",\"ElementTypeQualifier\":null,\"ItemSeparator\":\" ,\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Mes

	sage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name clientes_tours_Schema

Schema Name	clientes_tours_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes

Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 2: id_cliente

Column name	id_cliente
Visible?	ALWAYS
Display name	="Id Cliente"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: nombre

Column name	nombre
Visible?	ALWAYS
Display name	="Nombre(s)"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: apellido

Column name	apellido
Visible?	ALWAYS
Display name	="Apellido(s)"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: telefono

Column name	telefono
Visible?	ALWAYS
Display name	="Teléfono"
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: direccion

Column name	direccion
Visible?	ALWAYS
Display name	="Direccion"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: contacto_emergencia

Column name	contacto_emergencia
Visible?	ALWAYS
Display name	="Contacto de emergencia"
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Cliente

Column name	Cliente
Visible?	ALWAYS
Display name	="Nombre completo"

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(ISNOTBLANK([Nombre]), CONCATENATE([Nombre]," ", [apellido] , " (", [telefono], ")"), CONCATENATE("Tel: ", [telefono]))
Read-Only	Yes
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Related tours_clientes

Column name	Related tours_clientes
Visible?	ALWAYS
Description	="Tours"
Display name	="Tours"
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"tours_cliente\",\"ReferencedRootTableName\":\"tours_cliente\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain

	Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_solicitud\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("tours_cliente", "id_cliente")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 10: Related cotizaciones_vehiculos

Column name	Related cotizaciones_vehiculos
Visible?	ALWAYS
Description	cotizaciones_vehiculos entries that reference this entry in the id_cliente column
Type	List

Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"cotizaciones_vehiculos\",\"ReferencedRootTableName\":\"cotizaciones_vehiculos\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_cotizacion\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("cotizaciones_vehiculos", "id_cliente")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 11: telefono_con_lada

Column name	telefono_con_lada
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE("521",[telefono])
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name tours_Schema

Schema Name	tours_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row

Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 2: id_tour

Column name	id_tour
Visible?	ALWAYS
Display name	="Id"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: nombre_tour

Column name	nombre_tour
Visible?	ALWAYS
Display name	="Nombre del tour"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes

Scannable	No
Sensitive data	No

Column 4: fecha_hora_salida

Column name	fecha_hora_salida
Visible?	ALWAYS
Display name	="Fecha y hora de salida"
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: fecha_hora_regreso

Column name	fecha_hora_regreso
Visible?	ALWAYS
Display name	="Fecha y hora de regreso"
Type	DateTime

Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: capacidad

Column name	capacidad
Visible?	ALWAYS
Display name	="Capacitada en Tour"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: costo_uno

Column name	costo_uno
Visible?	ALWAYS
Display name	="Costo (1 persona)"
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No

Sensitive data	No

Column 8: costo_dos

Column name	costo_dos
Visible?	ALWAYS
Display name	="Costo (2 persona)"
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: costo_tres

Column name	costo_tres
Visible?	ALWAYS
Display name	="Costo (3 persona)"
Type	Price

Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: costo_cuatro

Column name	costo_cuatro
Visible?	ALWAYS
Display name	="Costo (4 persona)"
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: descripcion

Column name	descripcion
Visible?	ALWAYS
Display name	="Descripcion"
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes

Scannable	No
Sensitive data	No

Column 12: notas

Column name	notas
Visible?	ALWAYS
Display name	="Notas"
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: lugar

Column name	lugar
Visible?	ALWAYS
Type	Address
Type Qualifier	{"GeocodingEnabled":true,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":

	null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: cotizacion_vechiculo

Column name	cotizacion_vechiculo
Visible?	ALWAYS
Display name	="Cotización de renta de vehículo"
Type	Ref
Type Qualifier	{"ReferencedTableName":"cotizaciones_vehiculos","ReferencedRootTableName":"cotizaciones_vehiculos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id_cotizacion","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: gastos_fijos

Column name	gastos_fijos
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Related tours_clientes

Column name	Related tours_clientes
Visible?	ALWAYS
Description	tours_cliente entries that reference this entry in the tour_solicitado column
Display name	="Clietes"
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"tours_cliente\",\"ReferencedRootTableName\":\"tours_cliente\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_solicitud\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("tours_cliente", "tour_solicitado")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 17: Lista de viajeros

Column name	Lista de viajeros
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Text","ElementTypeQualifier":"{\n \"MaxLength\": null,\n \"MinLength\": null,\n \"LongTextFormatting\": \"Plain Text\",\n \"IsMulticolumnKey\": false,\n \"Valid_If\": null,\n \"Error_Message_If_Invalid\": null,\n \"Show_If\": null,\n \"Required_If\": null,\n \"Editable_If\": null,\n \"Reset_If\": null,\n \"Suggested_Values\": null\n}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	=SELECT(TOURS_CLIENTE[nombres_viajeros],[tour_solicitado]=[id_tour])
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: Estatus

Column name	Estatus
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IFS([fecha_hora_salida] > NOW(), "Viaje pendiente", [fecha_hora_regreso] < NOW(), "Viaje realizado", TRUE, "Viaje en curso")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name menu_Schema

Schema Name	menu_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 2: id

Column name	id
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: pagina

Column name	pagina
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: nombre_pagina

Column name	nombre_pagina
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: categoria

Column name	categoria
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: imagen

Column name	imagen
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: url

Column name	url
Visible?	ALWAYS
Type	Url
Type Qualifier	{"LaunchExternal":true,"IsHyperLink":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	="https://www.appsheet.com/template/gettablefileurl?appName=" & ENCODEURL(CONTEXT("AppName")) & "&tableName=MENU&fileName=" & ENCODEURL([imagen])
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name cotizaciones_vehiculos_Schema

Schema Name	cotizaciones_vehiculos_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No

Scannable	No
Sensitive data	No

Column 2: id_cotizacion

Column name	id_cotizacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: id_cliente

Column name	id_cliente
Visible?	ALWAYS
Display name	="Cliente"
Type	Ref

Type Qualifier	{"ReferencedTableName":"clientes_tours","ReferencedRootTableName":"clientes_tours","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id_cliente","IsAPartOf":true,"RelationshipName":"Cotización de vehículos","InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: id_vehiculo

Column name	id_vehiculo
Visible?	ALWAYS
Display name	="Vehiculo"
Type	Ref
Type Qualifier	{"ReferencedTableName":"vehiculos","ReferencedRootTableName":"vehiculos","ReferencedType":"Text","ReferencedTypeQualifier":"

	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id_vehiculo","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: fecha_ida

Column name	fecha_ida
Visible?	ALWAYS
Display name	="Fecha de salida"
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=IN([solo_ida],{\"Ida y vuelta\", \"Solo ida\"})","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: fecha_regreso

Column name	fecha_regreso
Visible?	ALWAYS
Display name	="Fecha de regreso"
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[solo_ida]=\"Ida y vuelta\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=IF([solo_ida]="Solo ida",[fecha_ida],"")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: km_recorridos

Column name	km_recorridos
Visible?	ALWAYS
Display name	="Km recorridos"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: ruta

Column name	ruta
Visible?	ALWAYS
Display name	="Ruta"
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: casetas

Column name	casetas
Visible?	ALWAYS
Display name	="Casetas"
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: sueldo_chofer

Column name	sueldo_chofer
Visible?	ALWAYS
Display name	="Sueldo del chofer"
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":"=OR(\n [_THISROW_BEFORE].[estatal] <> [_THISROW_AFTER].[estatal],\n [_THISROW_BEFORE].[km_recorridos] <> [_THISROW_AFTER].[km_recorridos]\n)","Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	=OR([_THISROW_BEFORE].[estatal] <> [_THISROW_AFTER].[estatal], [_THISROW_BEFORE].[km_recorridos] <>

	[_THISROW_AFTER].[km_recorridos])
Initial value	=([subtotal]+[utilidad total])*0.15
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: viaticos_chofer

Column name	viaticos_chofer
Visible?	ALWAYS
Display name	="Numero de comidas del primer día"
Type	Number
Type Qualifier	{"MaxValue":3,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":"=\"El numero de comidas debe ser menos a tres, solo se contemplan 3 comidas para el primer día\"","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: habra_guia

Column name	habra_guia
Visible?	ALWAYS
Display name	="¿Habra guia en el viaje?"
Type	Yes/No
Type Qualifier	{"YesLabel":"=\"Sí\"","NoLabel":"=\"No\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: sueldo_guia

Column name	sueldo_guia
Visible?	ALWAYS

Display name	="Sueldo del guia"
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[habra_guia]=TRUE","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	Yes
Initial value	=if([habra_guia],IF([estatal],500,1250),0)
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: apoyo_pernocta

Column name	apoyo_pernocta
Visible?	ALWAYS
Display name	="Apoyo pernocta y hotel"
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	="1450"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: ganancia_minima

Column name	ganancia_minima
Visible?	ALWAYS
Display name	="Ganancia minima"
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=IFS([estatal]="true","3000",[estatal]="false","5000")
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: utilidad

Column name	utilidad
Visible?	ALWAYS
Description	="Se utilizara cuando el porcentaje sea mayor que la ganacia minima"
Display name	="Porcentaje de ultilidad"
Type	Percent
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":0,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=.50
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX

Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: estatus

Column name	estatus
Visible?	ALWAYS
Display name	="Estatus"
Type	Enum
Type Qualifier	{"EnumValues": ["Pendiente","Cancelado","Apartado","Pagado"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	="Pendiente"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes

Scannable	No
Sensitive data	No

Column 18: estatal

Column name	estatal
Visible?	ALWAYS
Display name	="¿El viaje sera dentro del Nayarit?"
Type	Yes/No
Type Qualifier	{"YesLabel":"=\"Sí\"","NoLabel":"=\"No\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: solo_ida

Column name	solo_ida
Visible?	ALWAYS
Display name	=" "
Type	Enum
Type Qualifier	{"EnumValues":["Ida y vuelta","Solo ida"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"Ba

	seType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: descuento

Column name	descuento
Visible?	ALWAYS
Display name	="Porcentaje de descuento"
Type	Percent
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":0,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: total_con_iva

Column name	total_con_iva
Visible?	ALWAYS
Display name	="Total (IVA incluido)"
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	Yes
Initial value	=[Total (Sin IVA)]*1.16
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 22: movimientos_extra

Column name	movimientos_extra
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: fecha_realizacion

Column name	fecha_realizacion
Visible?	ALWAYS
Display name	="Fecha de realización"
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":"=CONTEXT(\"RowState\") = \"Clone\"","Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	=CONTEXT("RowState") = "Clone"
Initial value	=TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: cantidad_a_pagar

Column name	cantidad_a_pagar
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":"=LIST([total_con_descuento], [total_con_iva])","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: total_viaticos_chofer

Column name	total_viaticos_chofer
Visible?	ALWAYS
Display name	="Viaticos"
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=(([viaticos_chofer] * 200) + (MAX(LIST(0, [Total de días] - 1)) * [apoyo_pernocta]))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 26: total_combustible_mantenimiento

Column name	total_combustible_mantenimiento
Visible?	ALWAYS
Display name	="Combustible y mantenimiento"
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[id_vehiculo].[gasto_por_km]*[km_recorridos]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No

Sensitive data	No

Column 27: Total de días

Column name	Total de días
Visible?	ALWAYS
Display name	="Total de días"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=ROUND(HOUR([fecha_regreso]-[fecha_ida])/24)+1
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 28: subtotal

Column name	subtotal
Visible?	ALWAYS
Display name	="Total de gastos"
Type	Price

Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(LIST([total_combustible_mantenimiento],[casetas]))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 29: utilidad total

Column name	utilidad total
Visible?	ALWAYS
Display name	="Utilidad"
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=MAX(LIST([ganancia_minima], ([subtotal] * [utilidad])))
Read-Only	Yes
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 30: total_con_descuento

Column name	total_con_descuento
Visible?	ALWAYS
Display name	="Total con descuento"
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[total_con_iva]*(1-[descuento])
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 31: mensaje_de_cotizacion

Column name	mensaje_de_cotizacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE("Hola, buen día. Le compartimos la cotización para su servicio de transporte en *", [id_vehiculo].[nombre_vehiculo], "* (Capacidad: hasta ", [id_vehiculo].[capacidad], "):%0A%0A", " 📍 *Detalles del viaje:*%0A", IFS([id_vehiculo].[tipo_vehiculo] = "Sedan", " 🚗 ", [id_vehiculo].[tipo_vehiculo] = "Camioneta", " 🚙 ", [id_vehiculo].[tipo_vehiculo] = "Van", " 🚐 ", [id_vehiculo].[tipo_vehiculo] = "Camión", " 🚌 ", TRUE, " 🚌 "), " *Ruta:* ", [ruta], " (Salida y llegada en el domicilio de su preferencia).%0A%0A", IF(ISNOTBLANK([movimientos_extra]), CONCATENATE("(Nota: Esta cotización incluye ", [movimientos_extra], " movimientos locales).%0A%0A"), ""), " 🗓️ *Salida:* ", TEXT([fecha_ida], "DD/MM/YYYY"), "%0A", IF([solo_ida] = Ida y vuelta, CONCATENATE(" 🗓️ *Regreso:* ", TEXT([fecha_regreso], "DD/MM/YYYY"), "%0A"), ""), "%0A 💎 *Inversión:*%0A", " 💰 *Precio regular:* ", TEXT([total_con_iva]), " MXN.%0A", IF(AND(ISNOTBLANK([descuento]), [descuento] > 0), CONCATENATE(" 🎁 *¡Promoción Especial!:* Si realiza su pago en efectivo en nuestras oficinas, recibe un ", (100*[descuento]), "% de descuento, quedando en solo *", TEXT([total_con_descuento]), " MXN*.%0A"), ""), " ⏳ Nota importante: Para respetar esta tarifa de promoción y asegurar la disponibilidad de la unidad, esta cotización tiene una vigencia de 30 días (vence el ",TEXT([Fecha

	de vigencia],"DD/MM/YYYY"), ").%0A", "%0A⭐ *Su servicio incluye:*%0A", "✔️ Chofer profesional, puntual y uniformado.%0A", "✔️ Aire acondicionado y asientos confortables.%0A", "✔️ Limpieza y sanitización profunda de la unidad.%0A", "✔️ Agua embotellada y snacks de cortesía.%0A", "✔️ Amplio espacio para equipaje.%0A", "✔️ Combustible, Casetas y Seguro de Viajero.%0A%0A", "📌 *Dinámica de pago:*%0A", "🔹 *Anticipo:* 30% para reservar la fecha.%0A", "🔹 *Liquidación:* Una semana antes del viaje.%0A%0A", "*Además, si ya cuenta con alguna cotización de otra agencia, con gusto podemos revisarla y buscar una opción que le brinde una mejor tarifa o mayores beneficios, siempre procurando ofrecerle la mejor alternativa para su viaje ✅*%0A%0A", IF(AND(ISNOTBLANK([descuento]), [descuento] > 0), "¿Le gustaría que le compartamos la ubicación de nuestras oficinas y aprovechar el descuento? 🤔🙌", "¿Le gustaría que procedamos con la reserva de su unidad? 🤔🙌"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 32: Finanzas

Column name	Finanzas
Visible?	ALWAYS

Type	Show
Type Qualifier	{"Category":"Page_Header","Content":"=\"Finanzas\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	="Gastos"
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 33: Gastos

Column name	Gastos
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Section_Header","Content":"=\"Gastos\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	="Gastos"
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 34: Utilidad_page

Column name	Utilidad_page
Visible?	ALWAYS
Display name	="Utilidad"
Type	Show
Type Qualifier	{"Category":"Section_Header","Content":"=\"Utilidad\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	="Utilidad"
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No

Sensitive data	No

Column 35: Total

Column name	Total
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Section_Header","Content":"=\"Total\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	="Total"
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 36: Total (Sin IVA)

Column name	Total (Sin IVA)
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Messa

	ge_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(LIST([utilidad total],[subtotal],[Cargo por días de viaje],[Comisión total de chofer]))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 37: Related tours

Column name	Related tours
Visible?	ALWAYS
Description	tours entries that reference this entry in the cotizacion_vechiculo column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"tours\",\"ReferencedRootTableName\":\"tours\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_tour\",\"IsAPartOf\

	":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("tours", "cotizacion_vechiculo")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 38: Cargo por días de viaje

Column name	Cargo por días de viaje
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=if([Total de días]>1,[Total de días]*1500,"")

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 39: Fecha de vigencia

Column name	Fecha de vigencia
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([fecha_realizacion])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[fecha_realizacion]+30
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 40: Fecha de realización

Column name	Fecha de realización
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	="Realizado en " & text([fecha_realizacion])
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 41: Comisión total de chofer

Column name	Comisión total de chofer

Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[total_viaticos_chofer]+[sueldo_chofer]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 42: Sueldos

Column name	Sueldos
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content":"=\"Sueldos\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	="Sueldos"
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 43: Chofer

Column name	Chofer
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Section_Header","Content":"=\"Chofer\"","Valid_If":null, "Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	="Chofer"
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No

Scannable	No
Sensitive data	No

Column 44: Guía

Column name	Guía
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Section_Header","Content":"=\"Guía\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[habra_guia]=TRUE","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=" "
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 45: viaticos_guia

Column name	viaticos_guia
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSepar

	ator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[habra_guia]=TRUE","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([habra_guia], (([viaticos_chofer] * 200) + (MAX(LIST(0, [Total de días] - 1)) * [apoyo_pernocta])),0)
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 46: Comision_total_guia

Column name	Comision_total_guia
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[habra_guia]=TRUE","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[sueldo_guia]+[viaticos_guia]
Read-Only	Yes
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 47: Related pagos_cotizacion_vehiculos

Column name	Related pagos_cotizacion_vehiculos
Visible?	ALWAYS
Description	pagos_cotizacion_vehiculos entries that reference this entry in the id_cotizacion column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"pagos_cotizacion_vehiculos\",\"ReferencedRootTableName\":\"pagos_cotizacion_vehiculos\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_pago\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Requi

	red_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("pagos_cotizacion_vehiculos", "id_cotizacion")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name vehiculos_Schema

Schema Name	vehiculos_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 2: id_vehiculo

Column name	id_vehiculo
Visible?	ALWAYS
Display name	="id"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()

System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: nombre_vehiculo

Column name	nombre_vehiculo
Visible?	ALWAYS
Display name	="Nombre"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No

Sensitive data	No

Column 4: marca

Column name	marca
Visible?	ALWAYS
Display name	="Marca"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: modelo

Column name	modelo
Visible?	ALWAYS
Display name	="Modelo"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

	valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: capacidad

Column name	capacidad
Visible?	ALWAYS
Display name	="Capacidad"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: km/l

Column name	km/l
Visible?	ALWAYS
Display name	="Km/l"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: precio_combustible

Column name	precio_combustible
Visible?	ALWAYS
Display name	="Precio/Combustible"
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: costo_seguro_mantenimiento

Column name	costo_seguro_mantenimiento
Visible?	ALWAYS
Display name	="Costo de seguro y mantenimiento"
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Messa

	ge_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: tipo_vehiculo

Column name	tipo_vehiculo
Visible?	ALWAYS
Display name	="Tipo de Vehiculo"
Type	Enum
Type Qualifier	{"EnumValues":["Van","Sedan","Camión","Camioneta","Pick up"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: activo

Column name	activo
Visible?	ALWAYS
Display name	="Activo"
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: imagen1

Column name	imagen1
Visible?	ALWAYS
Display name	="Foto de frente"
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: imagen2

Column name	imagen2
Visible?	ALWAYS
Display name	="Foto de lado"

Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: imagen3

Column name	imagen3
Visible?	ALWAYS
Display name	="Foto interior"
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: imagen4

Column name	imagen4
Visible?	ALWAYS
Display name	="Foto cajuela"
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: imagen5

Column name	imagen5
Visible?	ALWAYS
Display name	="Foto adicional"
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Related cotizaciones_vehiculos

Column name	Related cotizaciones_vehiculos
Visible?	ALWAYS
Description	cotizaciones_vehiculos entries that reference this entry in the id_vehiculo column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"cotizaciones_vehiculos\",\"ReferencedRootTableName\":\"cotizaciones_vehiculos\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"

	{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_cotizacion\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("cotizaciones_vehiculos", "id_vehiculo")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 18: Precio por kilometro

Column name	Precio por kilometro
Visible?	ALWAYS
Type	Price

Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[precio_combustible]/[km/l]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 19: gasto_por_km

Column name	gasto_por_km
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[costo_seguro_mantenimiento]+[Precio por kilometro]
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Schema Name catalogo_tours_Schema

Schema Name	catalogo_tours_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 2: id

Column name	id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: nombre

Column name	nombre
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: descripcion

Column name	descripcion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: notas

Column name	notas
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX

Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: precio

Column name	precio
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: imagen1

Column name	imagen1
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":

	null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: imagen2

Column name	imagen2
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: imagen3

Column name	imagen3
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: activo

Column name	activo
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: categoria

Column name	categoria
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Hotel_Schema

Schema Name	Hotel_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 2: id

Column name	id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: nombre

Column name	nombre

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: descripcion

Column name	descripcion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: calle_numero

Column name	calle_numero
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: colonia

Column name	colonia
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: municipio

Column name	municipio
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: estado

Column name	estado
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX

Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: pais

Column name	pais
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":[],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: activo

Column name	activo
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: categoria

Column name	categoria
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":5.0,"MinValue":1.0,"StepValue":0.5,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Range","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: imagen1

Column name	imagen1
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes

Scannable	No
Sensitive data	No

Column 13: imagen2

Column name	imagen2
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: imagen3

Column name	imagen3
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name pagos_cotizacion_vehiculos_Schema

Schema Name	pagos_cotizacion_vehiculos_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0

Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 2: id_pago

Column name	id_pago
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No

Scannable	No
Sensitive data	No

Column 3: id_cotizacion

Column name	id_cotizacion
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"cotizaciones_vehiculos","ReferencedRootTableName":"cotizaciones_vehiculos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id_cotizacion","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: cantidad

Column name	cantidad
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: fecha

Column name	fecha
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: notas

Column name	notas
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX

Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: forma_pago

Column name	forma_pago
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Process for Creación de cotización Process Table_Schema

Schema Name	Process for Creación de cotización Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: id_cotizacion

Column name	id_cotizacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: id_aplicante

Column name	id_aplicante
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"logistica_viajes","ReferencedRootTableName":"logistica_viajes","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id_logistica","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: fecha_ida

Column name	fecha_ida
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: aeropuerto_ida_salida

Column name	aeropuerto_ida_salida
Visible?	ALWAYS

Type	Ref
Type Qualifier	{"ReferencedTableName":"aeropuertos","ReferencedRootTableName":"aeropuertos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: aeropuerto_ida_llegada

Column name	aeropuerto_ida_llegada
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"aeropuertos","ReferencedRootTableName":"aeropuertos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"P

	lain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: hora_ida_salida

Column name	hora_ida_salida
Visible?	ALWAYS
Type	Time
Type Qualifier	{"MinValue":null,"MaxValue":null,"IgnoreSeconds":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 8: hora_ida_llegada

Column name	hora_ida_llegada
Visible?	ALWAYS
Type	Time
Type Qualifier	{"MinValue":null,"MaxValue":null,"IgnoreSeconds":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 9: fecha_regreso

Column name	fecha_regreso
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: aeropuerto_regreso_salida

Column name	aeropuerto_regreso_salida
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"aeropuertos","ReferencedRootTableName":"aeropuertos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"R

	equired_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: aeropuerto_regreso_llegada

Column name	aeropuerto_regreso_llegada
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"aeropuertos","ReferencedRootTableName":"aeropuertos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: hora_regreso_salida

Column name	hora_regreso_salida
Visible?	ALWAYS
Type	Time
Type Qualifier	{"MinValue":null,"MaxValue":null,"IgnoreSeconds":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 13: hora_regreso_llegada

Column name	hora_regreso_llegada
Visible?	ALWAYS
Type	Time
Type Qualifier	{"MinValue":null,"MaxValue":null,"IgnoreSeconds":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 14: precio

Column name	precio
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 15: divisa

Column name	divisa
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["MXN","USD","GTQ"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: reencuentro

Column name	reencuentro
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"=\"Sí\"","NoLabel":"=\"No\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 17: lugar_reencuentro

Column name	lugar_reencuentro
Visible?	ALWAYS
Type	Enum

	{"EnumValues":["AEROPUERTO","SALÓN"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain
Type Qualifier	Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[reencuentro]=\"true\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: acompanamiento

Column name	acompanamiento
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["LIC. LINO BASTIDA","LIC. ABRAHAM BASTIDA","LIC. CLEMENTE ULLOA","PERSONAL DE DILIGENCIAS"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain

	Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: escala_ida

Column name	escala_ida
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: escala_regreso

Column name	escala_regreso
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: asistencia

Column name	asistencia
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"=\"Sí\"","NoLabel":"=\"No\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 22: fecha_cotizacion

Column name	fecha_cotizacion
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: estatus_cotizacion

Column name	estatus_cotizacion
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": ["Pendiente","Aceptado","Cancelado"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: pdf

Column name	pdf
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 25: maleta_documentada

Column name	maleta_documentada
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"=\"Sí\"","NoLabel":"=\"No\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 26: Related itinerarios

Column name	Related itinerarios
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"itinerario\",\"ReferencedRootTableName\":\"itinerario\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_itinerario\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: Pdf_cotizacion

Column name	Pdf_cotizacion
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Pdf_cotizacion Output","ReferencedRootTableName":null,"ReferencedType":"Text", "ReferencedTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Instance Id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: Guardar_pdf

Column name	Guardar_pdf
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Guardar_pdf Output","ReferencedRootTableName":null,"ReferencedType":"Text", "ReferencedTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Instance Id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Pdf_cotizacion Output_Schema

Schema Name	Pdf_cotizacion Output_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No

Column 2: Output

Column name	Output
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Guardar_pdf Output_Schema

Schema Name	Guardar_pdf Output_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: id_cotizacion

Column name	id_cotizacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: id_aplicante

Column name	id_aplicante
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"logistica_viajes","ReferencedRootTableName":"logistica_viajes","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id_logistica","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No

Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: fecha_ida

Column name	fecha_ida
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: aeropuerto_ida_salida

Column name	aeropuerto_ida_salida
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"aeropuertos","ReferencedRootTableName":"aeropuertos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"P

	lain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: aeropuerto_ida_llegada

Column name	aeropuerto_ida_llegada
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"aeropuertos","ReferencedRootTableName":"aeropuertos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id","IsAPartOf":false,"RelationshipName":null,"InputMode":"

	Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: hora_ida_salida

Column name	hora_ida_salida
Visible?	ALWAYS
Type	Time
Type Qualifier	{"MinValue":null,"MaxValue":null,"IgnoreSeconds":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 8: hora_ida_llegada

Column name	hora_ida_llegada
Visible?	ALWAYS
Type	Time
Type Qualifier	{"MinValue":null,"MaxValue":null,"IgnoreSeconds":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 9: fecha_regreso

Column name	fecha_regreso
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":

	null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: aeropuerto_regreso_salida

Column name	aeropuerto_regreso_salida
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"aeropuertos","ReferencedRootTableName":"aeropuertos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: aeropuerto_regreso_llegada

Column name	aeropuerto_regreso_llegada
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"aeropuertos","ReferencedRootTableName":"aeropuertos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: hora_regreso_salida

Column name	hora_regreso_salida
Visible?	ALWAYS
Type	Time
Type Qualifier	{"MinValue":null,"MaxValue":null,"IgnoreSeconds":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 13: hora_regreso_llegada

Column name	hora_regreso_llegada
Visible?	ALWAYS

Type	Time
Type Qualifier	{"MinValue":null,"MaxValue":null,"IgnoreSeconds":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 14: precio

Column name	precio
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 15: divisa

Column name	divisa
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["MXN","USD","GTQ"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No

Column 16: reencuentro

Column name	reencuentro
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"=\"Sí\"","NoLabel":"=\"No\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 17: lugar_reencuentro

Column name	lugar_reencuentro
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": ["AEROPUERTO","SALÓN"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message

	_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[reencuentro]=\"true\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: acompanamiento

Column name	acompanamiento
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["LIC. LINO BASTIDA","LIC. ABRAHAM BASTIDA","LIC. CLEMENTE ULLOA","PERSONAL DE DILIGENCIAS"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: escala_ida

Column name	escala_ida
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No

Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: escala_regreso

Column name	escala_regreso
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: asistencia

Column name	asistencia
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"=\"Sí\"","NoLabel":"=\"No\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 22: fecha_cotizacion

Column name	fecha_cotizacion
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 23: estatus_cotizacion

Column name	estatus_cotizacion
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": ["Pendiente","Aceptado","Cancelado"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: pdf

Column name	pdf
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 25: maleta_documentada

Column name	maleta_documentada
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"=\"Sí\"","NoLabel":"=\"No\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 26: Related itinerarios

Column name	Related itinerarios
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"itinerario\",\"ReferencedRootTableName\":\"itinerario\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_itinerario\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Process for Creación de itinerario Process Table_Schema

Schema Name	Process for Creación de itinerario Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: id_itinerario

Column name	id_itinerario
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: id_cotizacion

Column name	id_cotizacion
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"cotizaciones_vuelo","ReferencedRootTableName":"cotizaciones_vuelo","ReferencedType":"Text","Referenc

	edTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id_cotizacion","IsAPartOf":true,"RelationshipName":"Itinerario","InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: aerolinea

Column name	aerolinea
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"aerolineas","ReferencedRootTableName":"aerolineas","ReferencedType":"Number","ReferencedTypeQualifier":"{\"MaxValue\":null,\"MinValue\":null,\"StepValue\":null,\"NumericDigits\":null,\"ShowThousandsSeparator\":true,\"NumberDisplayMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,

	\"Suggested_Values\":null}","ReferencedKeyColumn":"id_aerolinea","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: asiento_ida

Column name	asiento_ida
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: asiento_regreso

Column name	asiento_regreso
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: vuelo_ida

Column name	vuelo_ida
Visible?	ALWAYS

Type	Ref
Type Qualifier	{"ReferencedTableName":"vuelos","ReferencedRootTableName":"vuelos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id_vuelo","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: vuelo_regreso

Column name	vuelo_regreso
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"vuelos","ReferencedRootTableName":"vuelos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message

	_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id_vuelo","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: hora_en_aeropuerto

Column name	hora_en_aeropuerto
Visible?	ALWAYS
Type	Time
Type Qualifier	{"MinValue":null,"MaxValue":null,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 10: codigo_confirmacion

Column name	codigo_confirmacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: pdf

Column name	pdf

Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":"=\"ITINERARIO/\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 12: id_aplicante

Column name	id_aplicante
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"logistica_viajes","ReferencedRootTableName":"logistica_viajes","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id_logistica","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Pdf_itinerario

Column name	Pdf_itinerario
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Pdf_itinerario Output","ReferencedRootTableName":null,"ReferencedType":"Text", "ReferencedTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Instance Id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: New step

Column name	New step
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"New step Output","ReferencedRootTableName":null,"ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Instance Id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Pdf_itinerario Output_Schema

Schema Name	Pdf_itinerario Output_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No

Column 2: Output

Column name	Output
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name New step Output_Schema

Schema Name	New step Output_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: id_itinerario

Column name	id_itinerario
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: id_cotizacion

Column name	id_cotizacion
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"cotizaciones_vuelo","ReferencedRootTableName":"cotizaciones_vuelo","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id_cotizacion","IsAPartOf":true,"RelationshipName":"Itinerario","InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No

Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: aerolinea

Column name	aerolinea
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"aerolineas","ReferencedRootTableName":"aerolineas","ReferencedType":"Number","ReferencedTypeQualifier":"{\"MaxValue\":null,\"MinValue\":null,\"StepValue\":null,\"NumericDigits\":null,\"ShowThousandsSeparator\":true,\"NumberDisplayMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id_aerolinea","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: asiento_ida

Column name	asiento_ida
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: asiento_regreso

Column name	asiento_regreso
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: vuelo_ida

Column name	vuelo_ida
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"vuelos","ReferencedRootTableName":"vuelos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id_vuelo","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: vuelo_regreso

Column name	vuelo_regreso
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"vuelos","ReferencedRootTableName":"vuelos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id_vuelo","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: hora_en_aeropuerto

Column name	hora_en_aeropuerto
Visible?	ALWAYS
Type	Time
Type Qualifier	{"MinValue":null,"MaxValue":null,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 10: codigo_confirmacion

Column name	codigo_confirmacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: pdf

Column name	pdf
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":"=\"ITINERARIO/\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 12: id_aplicante

Column name	id_aplicante
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"logistica_viajes","ReferencedRootTableName":"logistica_viajes","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"id_logistica","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Process for Aceptar cotización - 1 Process Table_Schema

Schema Name	Process for Aceptar cotización - 1 Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: Id_asesor

Column name	Id_asesor
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

	valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Nombre

Column name	Nombre
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Correo

Column name	Correo
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Usuario

Column name	Usuario
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

	valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Contraseña

Column name	Contraseña
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Area

Column name	Area
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Related INFORMESs

Column name	Related INFORMESs
Visible?	ALWAYS
Type	List

Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"INFORMES\",\"ReferencedRootTableName\":\"INFORMES\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID DEL APLICANTE\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Related GRUPOS AMAs

Column name	Related GRUPOS AMAs
Visible?	ALWAYS
Type	List

Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"GRUPOS AMA\",\"ReferencedRootTableName\":\"GRUPOS AMA\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"NOMBRE DE GRUPO\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Related APLICANTES VISA INDs By Encargado

Column name	Related APLICANTES VISA INDs By Encargado
Visible?	ALWAYS

Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"APLICANTES VISA IND\",\"ReferencedRootTableName\":\"APLICANTES VISA IND\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_pros_visa_ind\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Related APLICANTES VISA INDs By Ultima_revision

Column name	Related APLICANTES VISA INDs By Ultima_revision

Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"APLICANTES VISA IND\",\"ReferencedRootTableName\":\"APLICANTES VISA IND\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_pros_visa_ind\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: Related encuesta_satisfaccions

Column name	Related encuesta_satisfaccions

Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"encuesta_satisfaccion\",\"ReferencedRootTableName\":\"encuesta_satisfaccion\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"id_respuesta\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Slices

Slice Name Aprobados

Slice Name	Aprobados
Slice Columns	_RowNumber id_pros_grupo ID APLICANTE NOMBRE DEL APLICANTE APELLIDOS DEL APLICANTE AA00 FECHA DE NACIMIENTO CLAVE PASAPORTE AMA GRUPO NOMBRE DE CONTACTO TELEFONO DEL CONTACTO TELEFONO DE EMERGENCIA CELULAR DE CONVERSACION ASESOR ESTATUS ESTATUS DE PAGO NOTAS DEL APLICANTE ASISTENCIA APROBADOS DESTINO FINAL Nombre completo visa_recibida Related logistica_viajes vigencia_pasaporte estatus_foia notas_area_legal
Row filter condition	=[APROBADOS]="SI"
Update mode	READ_ONLY
Source Table	APLICANTES AMA
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Grupos terminados

Slice Name	Grupos terminados
Slice Columns	_RowNumber NOMBRE DE GRUPO PAIS DE ORIGEN CORREO ELECTRONICO DEL GRUPO CONTRASEÑA WHATSAPP DEL GRUPO DESTINO TOTAL APLICANTES ASESOR DE PROTOCOLO NOTAS DE GRUPO UBICACION (LOCKER) ASISTENCIA APROBADOS PORCENTAJE DE APROBACION COMPLETO ESTATUS DE GRUPO LISTO PARA PAGO ENCARGADO fecha_creacion_grupo fecha_grupo_completo Related APLICANTES AMAs link_protocolo Related logistica_viajes
Row filter condition	=[ESTATUS DE GRUPO]="GRUPO TERMINADO"
Update mode	READ_ONLY
Source Table	GRUPOS AMA
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name grupos_proximos

Slice Name	grupos_proximos
Slice Columns	_RowNumber codigo_vuelo nombre_vuelo destino fecha hora

	aerolinea nota_vuelos tipo_vuelo id_vuelo numero_vuelo Related itinerarios By vuelo_ida Related itinerarios By vuelo_regreso encabezado_calendario
Row filter condition	=[fecha]>(TODAY()-1)
Update mode	ALL_CHANGES
Source Table	vuelos
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Grupos próximos

Slice Name	Grupos próximos
Slice Columns	_RowNumber id_grupo_asignado nombre fecha_ida fecha_regreso notas_grupoasignado grupo_de_regreso aplicantes Related vuelos Lista de aplicantes fecha_tentativa_viaje fecha_proxima Related vuelos By nombre_vuelo
Row filter condition	=OR([fecha_proxima] >= TODAY(),IN([nombre], {"INDIVIDUALES","DEUDORES"}))
Update mode	ALL_CHANGES
Source Table	grupo_asignado
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Aprobados_Ind

Slice Name	Aprobados_Ind
Slice Columns	_RowNumber id_pros_visa_ind Id_aplicante Nombre_aplicante Apellido_Aplicante Tramite AA00 fecha_vigecia_pago Correo Contraseña Estado_residencia Pais Estatus Encargado Fecha_nacimiento No_pasaporte plabra_clave Vigencia_pasaporte Nombre_contacto Tel_ contacto Tel_emergencia tel_aplicante Cel_seguimiento Notas Lugar_expediente Estatus_pago Ultima_revision Link_respaldo fecha_pago_anticipo Fecha_pago_completo fecha_perfil_completo recepcion_de_pago
Row filter condition	=[Estatus]="Completo"
Update mode	ALL_CHANGES
Source Table	APLICANTES VISA IND
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Vuelos y Hoteles

Slice Name	Vuelos y Hoteles
Slice Columns	_RowNumber id pagina nombre_pagina categoria imagen url
Row filter condition	=[categoria]="Vuelos y Hoteles"
Update mode	ALL_CHANGES
Source Table	menu
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Dilitours

Slice Name	Dilitours
Slice Columns	_RowNumber id pagina nombre_pagina categoria imagen url
Row filter condition	=[categoria]="Dilitours"
Update mode	ALL_CHANGES
Source Table	menu
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Aprobados_menu

Slice Name	Aprobados_menu
Slice Columns	_RowNumber id pagina

	nombre_pagina categoria imagen url
Row filter condition	=[categoria]="Aprobados"
Update mode	ALL_CHANGES
Source Table	menu
Visible?	ALWAYS
Slice Actions	**auto**

UX

Views

View name Catalogo de Hoteles

View name	Catalogo de Hoteles
Created by	App owner
View type	card
ActionType	Square Image
Position	menu
View configuration	{"Layout":null,"MainDeckImageColumn":null,"ImageShape":"Square Image","PrimaryDeckHeaderColumn":null,"SecondaryDeckHeaderColumn":null,"DeckSummaryColumn":null,"DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":null,"ActionBarEntries":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Vuelos y hoteles

View name	Vuelos y hoteles
Created by	App owner
View type	gallery
ActionType	Medium
Position	menu
View configuration	{"ImageSize":"Medium","ActionBarEntries":[],"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"abrir_menu"}],"Icon":"fas fa-plane","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Dilitours

View name	Dilitours
Created by	App owner
View type	gallery
ActionType	Medium
Position	menu
View configuration	{"ImageSize":"Medium","ActionBarEntries":[],"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"abrir_menu"}],"Icon":"far fa-bus","IconRunnerUps":null,"MenuOrder":2}
Visible?	ALWAYS
Icon	
Menu order	2

View name Aprobados Individuales

View name	Aprobados Individuales
Created by	App owner
View type	table
Position	menu
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"far fa-thumbs-up","IconRunnerUps":null,"MenuOrder":4}
Visible?	ALWAYS
Icon	
Menu order	4

View name Todos los grupos

View name	Todos los grupos
Created by	App owner
View type	card
ActionType	Square Image
Position	menu

View configuration

{"Layout":{"style":
{"type":"style","backgroundColor":"transparent","padding":8,"boxSizing":"
border-box","height":"100%","id":"18803ca8-6cbf-41d7-b090-
4509e0201431","inspection":{"isInspectable":true,"eventHandlers":
{}}},"children":[{"style":{"type":"style","color":
{"type":"variable","value":"primaryText","id":"10ee5459-af8f-45ac-b486-
193a9968c81e","inspection":{"isInspectable":true,"eventHandlers":
{}}},"height":"100%","cursor":"pointer","display":"flex","flexDirection":"colu
mn","justifyContent":"space-between","background":
{"type":"variable","value":"mainContentBackground","id":"847233a2-
0243-4f05-ac39-9d608383512f","inspection":
{"isInspectable":true,"eventHandlers":{}}},"border":
{"type":"variable","value":"cardBorderStyle","id":"961b51f3-302b-44b3-
a219-459d35685f82","inspection":{"isInspectable":true,"eventHandlers":
{}}},"borderRadius":
{"type":"variable","value":"cardBorderRadius","id":"966bcbe6-e888-4d43-
9882-c227d51686b9","inspection":
{"isInspectable":true,"eventHandlers":{}}},"borderColor":
{"type":"variable","value":"cardOutline","id":"fd110bc0-7c8f-4783-9004-
64b92a45fab3","inspection":{"isInspectable":true,"eventHandlers":
{}}},"highlighted":{"type":"style","background":
{"type":"variable","value":"tableRowFocus","id":"d220ae1c-9b38-45ec-
b75a-b03d8592fed3","inspection":{"isInspectable":true,"eventHandlers":
{}}},"id":"b10155de-960d-4680-99ab-12250e16f94e","inspection":
{"isInspectable":true,"eventHandlers":{}}},"highlightedUpdate":
{"type":"style","border":
{"type":"variable","value":"cardBorderStyleSelected","id":"9b3e708a-
4c9e-4720-ad5f-49de305cab58","inspection":
{"isInspectable":true,"eventHandlers":{}}},"borderColor":
{"type":"variable","value":"focusColor","id":"36664462-c187-41f5-9037-
e2005e5c48ad","inspection":{"isInspectable":true,"eventHandlers":
{}}},"id":"3dbfd31c-e3a0-4d51-8b66-7ccd7792e553","inspection":
{"isInspectable":true,"eventHandlers":{}}},"hover":
{"type":"style","boxShadow":
{"type":"variable","value":"cardHoverShadow","id":"d220ae1c-9b38-45ec-
b75a-b03d8592fede","inspection":{"isInspectable":true,"eventHandlers":
{}}},"id":"b10155de-960d-4680-99ab-12250e16f9ee","inspection":
{"isInspectable":true,"eventHandlers":{}}},"down":
{"type":"style","boxShadow":
{"type":"variable","value":"cardHoverShadow","id":"21f41bc4-1d8f-4212-

a6e4-057bd3a8fe0b","inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"9205c7a9-35ed-4237-b9c8-92d448dc9b11","inspection":{"isInspectable":true,"eventHandlers":{}}},"fontSize":14,"id":"0ed6623e-e7c8-4fc6-af1f-01adbfb245a0","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"style":{"type":"style","display":"flex","flexDirection":"column","id":"b326848a-0e5d-45b6-92e7-18b1eaff4fbf","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"style":{"type":"style","display":"flex","alignItems":"center","padding":16,"justifyContent":"flex-start","maxHeight":180,"overflow":"hidden","id":"ae5d4091-fbd2-4ae7-82e0-564ca1ea2a77","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"value":"PORCENTAJE DE APROBACION","child":{"id":"headerAvatar","type":"circleProgress","style":{"type":"style","overflow":"hidden","width":40,"height":40,"marginRight":8,"borderRadius":"50%","objectFit":"cover","flex":"0 0 40px","id":"22ed7929-a8cb-4a0a-b78b-fe7853b18125","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"63273175-9e0e-4379-95b5-8da5342d6fa8","type":"binding","inspection":{"isInspectable":true,"eventHandlers":{}}},{"style":{"type":"style","display":"flex","flexDirection":"column","flexShrink":1,"flexGrow":0,"id":"fe240110-04af-4b08-983c-f4e4624c8207","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"value":"fecha_grupo_completo","child":{"id":"topLabel","type":"text","style":{"type":"style","fontSize":14,"fontWeight":"bold","id":"4fc94630-1b53-4c2e-8477-826a4ef826c6","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"c58c3166-430e-40ee-b9e1-cab07ce2b356","type":"binding","inspection":{"isInspectable":true,"eventHandlers":{}}},{"value":"fecha_creacion_grupo","child":{"id":"subtitleText","type":"text","style":{"type":"style","opacity":0.6,"fontSize":12,"maxHeight":40,"id":"32687c50-44cb-4d0d-a848-d84a72d94ef2","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"6d1502ac-f3f3-4ce9-91ce-1f632c1a706b","type":"binding","inspection":{"isInspectable":true,"eventHandlers":{}}}],"id":"7be4f9c6-7504-426f-

b944-5a94795c043f","type":"container","inspection":
{"isInspectable":true,"eventHandlers":{}}}],"id":"704fef38-ab0b-4dd1-
95d6-8a07a7990d5f","type":"container","inspection":
{"isInspectable":true,"eventHandlers":{}}}],"id":"af91500b-b30c-4746-
9c04-115cba83dd48","type":"container","inspection":
{"isInspectable":true,"eventHandlers":{}}},{"value":"imageName","child":
{"id":"media","type":"image","style":
{"type":"style","width":"100%","height":194,"objectFit":"cover","borderRadi
us":{"type":"variable","value":"cardImageBorderRadius","id":"5c9593f4-
c818-44f5-b37f-f82a37c69ab5","inspection":
{"isInspectable":true,"eventHandlers":{}}},"id":"3a9f1a4f-a1c1-4e0b-
b789-dcf4b8995969","inspection":{"isInspectable":true,"eventHandlers":
{}}},"inspection":{"isInspectable":true,"eventHandlers":
{}}},"id":"389aa175-46a6-4aa3-86a5-
e62e641007fc","type":"variable","inspection":
{"isInspectable":true,"eventHandlers":{}}},{"style":
{"type":"style","padding":16,"overflowWrap":"break-word","id":"d378ae16-
bbfa-4b54-96ad-3121c7fd46b3","inspection":
{"isInspectable":true,"eventHandlers":{}}},"children":[{"value":"NOMBRE
DE GRUPO","child":{"id":"label","type":"text","style":
{"type":"style","fontSize":21,"lineHeight":1.15,"id":"97559953-75d9-4b10-
919d-c416d183b4c9","inspection":
{"isInspectable":true,"eventHandlers":{}}},"inspection":
{"isInspectable":true,"eventHandlers":{}}},"id":"c6a3a013-0faf-4db7-
8829-39efc6704784","type":"binding","inspection":
{"isInspectable":true,"eventHandlers":{}}},{"value":"WHATSAPP DEL
GRUPO","child":{"id":"subheader","type":"text","style":
{"type":"style","fontSize":14,"opacity":0.6,"paddingTop":4,"id":"f3a98f74-
a901-451b-9b64-8c00e5632325","inspection":
{"isInspectable":true,"eventHandlers":{}}},"inspection":
{"isInspectable":true,"eventHandlers":{}}},"id":"bba2d2cb-c355-43aa-
a0a3-46e89a578400","type":"binding","inspection":
{"isInspectable":true,"eventHandlers":
{}}}],"id":"headerTextContainer","type":"container","inspection":
{"isInspectable":true,"eventHandlers":{}}},
{"value":"CONTRASEÑA","child":{"id":"description","type":"text","style":
{"type":"style","fontSize":14,"padding":16,"paddingTop":8,"paddingBotto
m":0,"marginBottom":16,"WebkitLineClamp":4,"overflow":"hidden","Webk
itBoxOrient":"vertical","display":"-webkit-box","id":"f3a98f74-a901-451b-
9b64-8c00e5632327","inspection":

{"isInspectable":true,"eventHandlers":{}}},"inspection":
{"isInspectable":true,"eventHandlers":{}}},"id":"bba2d2cb-c355-43aa-
a0a3-46e89a5783d0","type":"binding","inspection":
{"isInspectable":true,"eventHandlers":{}}},{"style":
{"type":"style","display":"flex","alignItems":"center","justifyContent":"spac
e-
between","padding":8,"paddingTop":0,"paddingBottom":0,"id":"5fa06ef2-
6010-4c1e-aa84-668f8ac967aa","inspection":
{"isInspectable":true,"eventHandlers":{}}},"children":[{"child":{"id":"Action
1","type":"text","onClick":{"type":"action","id":"8faa486e-80a1-4bf8-9911-
ff05823f7018","inspection":{"isInspectable":true,"eventHandlers":
{}}},"style":
{"type":"variable","value":"actionButtonTextStyle","id":"4fcb9585-70b2-
4bc0-a407-be6849bea1a7","inspection":
{"isInspectable":true,"eventHandlers":{}}},"inspection":
{"isInspectable":true,"eventHandlers":{}},"ignore":true},"id":"c503ebe1-
33d7-49e6-979d-
a4f4a0345863","type":"actionDisplayText","inspection":
{"isInspectable":true,"eventHandlers":{}}},{"child":{"id":"Action
2","type":"text","onClick":{"type":"action","id":"fb9d48ba-a444-4617-8859-
7065b058efac","inspection":{"isInspectable":true,"eventHandlers":
{}}},"style":
{"type":"variable","value":"actionButtonTextStyle","id":"77f5bd38-248e-
4f75-bf97-18e3b5c54d50","inspection":
{"isInspectable":true,"eventHandlers":{}}},"inspection":
{"isInspectable":true,"eventHandlers":{}},"ignore":true},"id":"63cee5fc-
bcf9-4cce-bcfe-d330b69732b9","type":"actionDisplayText","inspection":
{"isInspectable":true,"eventHandlers":{}}},{"style":
{"type":"style","display":"flex","alignItems":"center","marginLeft":"auto","id"
:"ff7fc872-bf93-4502-963e-ecfc16771fd8","inspection":
{"isInspectable":true,"eventHandlers":{}}},"children":[{"child":{"id":"Action
3","type":"icon","onClick":{"type":"action","id":"c49470ae-b53e-4109-
9bb7-d85a93cd0fdf","inspection":{"isInspectable":true,"eventHandlers":
{}},"ignore":false},"style":
{"type":"variable","value":"actionButtonIconStyle","id":"cd0faa93-c489-
4d7b-bcd9-c8dd3e551dd1","inspection":
{"isInspectable":true,"eventHandlers":{}}},"inspection":
{"isInspectable":true,"eventHandlers":{}},"ignore":true},"id":"45097ee1-
733e-4faa-b049-
2e9be8ba402b","type":"constant","ignore":false,"inspection":

{"isInspectable":true,"eventHandlers":{}}},{"child":{"id":"Action 4","type":"icon","onClick":{"type":"action","id":"aaba7aa9-9bc5-4ca5-aef0-0e834f3b26e2","inspection":{"isInspectable":true,"eventHandlers":{}},"ignore":false},"style":{"type":"variable","value":"actionButtonIconStyle","id":"441cc05d-5e46-4753-bd34-6053ef27f305","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{},"ignore":true},"id":"5205cdc0-a69d-4f46-9a0a-4cc48950745a","type":"constant","ignore":false,"inspection":{"isInspectable":true,"eventHandlers":{}}}],"id":"65eb11c1-7b76-4565-9284-94d6783d8ec0","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}}],"variables":[{"name":"actionButtonTextStyle","value":{"type":"style","maxHeight":60,"maxWidth":100,"display":"flex","alignItems":"center","overflow":"hidden","overflowWrap":"break-word","textTransform":"uppercase","fontSize":12,"cursor":"pointer","color":{"type":"variable","value":"actionIcon"},"border":5,"padding":8,"transition":"background 0.8s","hover":{"type":"style","background":{"type":"variable","value":"mainBackgroundVariant"},"transition":"background 0.8s"},"down":{"type":"style","background":{"type":"variable","value":"mainBackgroundVariant"},"transition":"background 0.8s"}}},{"name":"actionButtonIconStyle","value":{"type":"style","fontSize":16,"display":"flex","alignItems":"center","color":{"type":"variable","value":"secondaryText"},"border":"50%","cursor":"pointer","padding":16,"transition":"background 0.8s","hover":{"type":"style","background":{"type":"variable","value":"mainBackgroundVariant"},"transition":"background 0.8s"},"down":{"type":"style","background":{"type":"variable","value":"mainBackgroundVariant"},"transition":"background 0.8s"}}}],"id":"2a07cf3b-cdec-4e45-90cb-f2b2e14dae8d","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}}],"onClick":{"value":"Go to details","id":"mainClickAction","type":"action","inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"55f59616-6c4f-48c8-88cc-1edd8388e4c9","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}}],"name":"large","variables":[{"name":"imageName","value":"https://www.appsheet.com/Content/editor/img/empty-media-template.png"},

	{"name":"labelName","value":"Title goes here"}],"version":0,"id":"52405288-3f27-45d7-8c68-c7d489a76db4","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}},"MainDeckImageColumn":"**auto**","ImageShape":"Square Image","PrimaryDeckHeaderColumn":"**auto**","SecondaryDeckHeaderColumn":"**auto**","DeckSummaryColumn":"**auto**","DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":[],"ActionBarEntries":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fas fa-spinner","IconRunnerUps":null,"MenuOrder":5}
Visible?	ALWAYS
Icon	
Menu order	5

View name aerolineas_Detail

View name	aerolineas_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name aerolineas_Form

View name	aerolineas_Form
Created by	System
View type	form

Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name aeropuertos_Detail

View name	aeropuertos_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name aeropuertos_Form

View name	aeropuertos_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"

	Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Aplicantes

View name	Aplicantes
Created by	App owner
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":true,"ColumnOrder":["id_aplicante","Grupo de vuelo","Vuelos_ida","Vuelos_regreso","precio_cliente","costo","costo_real","ganancia","notas_aplicantes_vuelos","destino","fecha_tentativa_ida","fecha_tentativa_vuelta","domicilio_aplic","num_tel_aplic"],"GroupBy":[{"Column":"estatus","Order":"Descending"}],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fas fa-users","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name APLICANTES AMA_Detail

View name	APLICANTES AMA_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["Nombre completo","id_pros_grupo","NOMBRE DEL APLICANTE","APELLIDOS DEL APLICANTE","AA00","FECHA DE NACIMIENTO","CLAVE","PASAPORTE","AMA","GRUPO","NOMBRE DE

	CONTACTO","TELEFONO DEL CONTACTO","TELEFONO DE EMERGENCIA","CELULAR DE CONVERSACION","ASESOR","ESTATUS","ESTATUS DE PAGO","NOTAS DEL APLICANTE","ASISTENCIA","APROBADOS","visa_recibida","DESTINO FINAL","vigencia_pasaporte"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name APLICANTES AMA_Inline

View name	APLICANTES AMA_Inline
Created by	System
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name APLICANTES VISA IND_Detail

View name	APLICANTES VISA IND_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref

View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name APLICANTES VISA IND_Form

View name	APLICANTES VISA IND_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name APLICANTES VISA IND_Inline

View name	APLICANTES VISA IND_Inline
Created by	System
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS

Icon	
Menu order	1

View name Aprobados

View name	Aprobados
Created by	App owner
View type	card
ActionType	Square Image
Position	ref
View configuration	{"Layout":null,"MainDeckImageColumn":"**auto**","ImageShape":"Square Image","PrimaryDeckHeaderColumn":"**auto**","SecondaryDeckHeaderColumn":"**auto**","DeckSummaryColumn":"**auto**","DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":[],"ActionBarEntries":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"far fa-thumbs-up","IconRunnerUps":null,"MenuOrder":3}
Visible?	ALWAYS
Icon	
Menu order	3

View name Aprobados_Detail

View name	Aprobados_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS

Icon	
Menu order	1

View name Aprobados_Ind_Detail

View name	Aprobados_Ind_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Aprobados_Ind_Form

View name	Aprobados_Ind_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name ASESORES_Detail

View name	ASESORES_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name ASESORES_Form

View name	ASESORES_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name catalogo_tours_Detail

View name	catalogo_tours_Detail
Created by	System
View type	detail
ActionType	Automatic

Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name catalogo_tours_Form

View name	catalogo_tours_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name clientes_tours_Detail

View name	clientes_tours_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitM

	ode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name clientes_tours_Form

View name	clientes_tours_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name CONTACTO_Detail

View name	CONTACTO_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["nombre_contacto","id_contacto","numero_contacto","numero_emergencia","email","cobro","Related INFORMESs"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}

Visible?	ALWAYS
Icon	
Menu order	1

View name CONTACTO_Form

View name	CONTACTO_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name cotizacion_vehiculos_pendientes

View name	cotizacion_vehiculos_pendientes
Created by	App owner
View type	card
ActionType	Square Image
Position	ref
View configuration	{"Layout":{"style":{"type":"style","backgroundColor":"transparent","padding":8,"boxSizing":"border-box","height":"100%","id":"18803ca8-6cbf-41d7-b090-4509e0201431","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"style":{"type":"style","color":{"type":"variable","value":"primaryText","id":"10ee5459-af8f-45ac-b486-193a9968c81e","inspection":{"isInspectable":true,"eventHandlers":{}}},"height":"100%","cursor":"pointer","display":"flex","flexDirection":"column","justifyContent":"space-between","background":{"type":"variable","value":"mainContentBackground","id":"847233a2-0243-4f05-ac39-9d608383512f","inspection":{"isInspectable":true,"eventHandlers":{}}},"border":

{"type":"variable","value":"cardBorderStyle","id":"06938ed8-740c-4c88-86cc-56ceab70e54d","inspection":{"isInspectable":true,"eventHandlers":{}}},"borderRadius":{"type":"variable","value":"cardBorderRadius","id":"6536de35-d6c7-4d29-b8ab-cbb28c0729df","inspection":{"isInspectable":true,"eventHandlers":{}}},"borderColor":{"type":"variable","value":"cardOutline","id":"62a9142d-9cdc-4648-b3fc-fd6dd70699be","inspection":{"isInspectable":true,"eventHandlers":{}}},"highlighted":{"type":"style","background":{"type":"variable","value":"tableRowFocus","id":"d220ae1c-9b38-45ec-b75a-b03d8592fed3","inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"b10155de-960d-4680-99ab-12250e16f94e","inspection":{"isInspectable":true,"eventHandlers":{}}},"highlightedUpdate":{"type":"style","border":{"type":"variable","value":"cardBorderStyleSelected","id":"6cc84d3b-4571-4493-a187-6f85d28eec12","inspection":{"isInspectable":true,"eventHandlers":{}}},"borderColor":{"type":"variable","value":"focusColor","id":"f14fbabd-db94-40ac-9f12-72960e2beafa","inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"e1e15248-4506-4f8f-9d7a-ace090596894","inspection":{"isInspectable":true,"eventHandlers":{}}},"hover":{"type":"style","boxShadow":{"type":"variable","value":"cardHoverShadow","id":"d220ae1c-9b38-45ec-b75a-b03d8592fede","inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"b10155de-960d-4680-99ab-12250e16f9ee","inspection":{"isInspectable":true,"eventHandlers":{}}},"down":{"type":"style","boxShadow":{"type":"variable","value":"cardHoverShadow","id":"21f41bc4-1d8f-4212-a6e4-057bd3a8fe0b","inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"9205c7a9-35ed-4237-b9c8-92d448dc9b11","inspection":{"isInspectable":true,"eventHandlers":{}}},"fontSize":14,"id":"0ed6623e-e7c8-4fc6-af1f-01adbfb245a0","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"style":{"type":"style","display":"flex","flexDirection":"column","id":"b326848a-0e5d-45b6-92e7-18b1eaff4fbf","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"style":{"type":"style","display":"flex","alignItems":"center","padding":16,"justifyContent":"flex-start","maxHeight":180,"overflow":"hidden","id":"ae5d4091-fbd2-4ae7-82e0-564ca1ea2a77","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"child":

{"id":"headerAvatar","type":"circleProgress","style":{"type":"style","overflow":"hidden","width":40,"height":40,"marginRight":8,"borderRadius":"50%","objectFit":"cover","flex":"0 0 40px","id":"22ed7929-a8cb-4a0a-b78b-fe7853b18125","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}},"ignore":true},"id":"63273175-9e0e-4379-95b5-8da5342d6fa8","type":"binding","ignore":false,"inspection":{"isInspectable":true,"eventHandlers":{}}},{"style":{"type":"style","display":"flex","flexDirection":"column","flexShrink":1,"flexGrow":0,"id":"fe240110-04af-4b08-983c-f4e4624c8207","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"value":"id_vehiculo","child":{"id":"topLabel","type":"text","style":{"type":"style","fontSize":14,"fontWeight":"bold","id":"4fc94630-1b53-4c2e-8477-826a4ef826c6","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}},"ignore":false},"id":"c58c3166-430e-40ee-b9e1-cab07ce2b356","type":"binding","ignore":false,"inspection":{"isInspectable":true,"eventHandlers":{}}},{"value":"Fecha de realización","child":{"id":"subtitleText","type":"text","style":{"type":"style","opacity":0.6,"fontSize":12,"maxHeight":40,"id":"32687c50-44cb-4d0d-a848-d84a72d94ef2","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}},"ignore":false},"id":"6d1502ac-f3f3-4ce9-91ce-1f632c1a706b","type":"binding","ignore":false,"inspection":{"isInspectable":true,"eventHandlers":{}}}],"id":"7be4f9c6-7504-426f-b944-5a94795c043f","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}}],"id":"704fef38-ab0b-4dd1-95d6-8a07a7990d5f","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}}],"id":"af91500b-b30c-4746-9c04-115cba83dd48","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}},{"child":{"id":"media","type":"circleProgress","style":{"type":"style","width":"100%","height":194,"objectFit":"cover","borderRadius":{"type":"variable","value":"cardImageBorderRadius","id":"9f05114f-7592-4bd8-9153-a3fbc7eac0f3","inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"3a9f1a4f-a1c1-4e0b-b789-dcf4b8995969","inspection":{"isInspectable":true,"eventHandlers":

{}}},"inspection":{"isInspectable":true,"eventHandlers":
{}},"ignore":true},"id":"389aa175-46a6-4aa3-86a5-
e62e641007fc","type":"binding","ignore":false,"inspection":
{"isInspectable":true,"eventHandlers":{}}},{"style":
{"type":"style","padding":16,"overflowWrap":"break-word","id":"af762ede-
face-46e4-bad1-62492a3f1649","inspection":
{"isInspectable":true,"eventHandlers":{}}},"children":
[{"value":"id_cliente","child":{"id":"label","type":"text","style":
{"type":"style","fontSize":21,"lineHeight":1.15,"id":"97559953-75d9-4b10-
919d-c416d183b4c9","inspection":
{"isInspectable":true,"eventHandlers":{}}},"inspection":
{"isInspectable":true,"eventHandlers":{}},"ignore":false},"id":"c6a3a013-
0faf-4db7-8829-
39efc6704784","type":"binding","ignore":false,"inspection":
{"isInspectable":true,"eventHandlers":{}}},{"value":"total_con_iva","child":
{"id":"subheader","type":"text","style":
{"type":"style","fontSize":14,"opacity":0.6,"paddingTop":4,"id":"f3a98f74-
a901-451b-9b64-8c00e5632325","inspection":
{"isInspectable":true,"eventHandlers":{}}},"inspection":
{"isInspectable":true,"eventHandlers":{}},"ignore":false},"id":"bba2d2cb-
c355-43aa-a0a3-
46e89a578400","type":"binding","ignore":false,"inspection":
{"isInspectable":true,"eventHandlers":
{}}}],"id":"headerTextContainer","type":"container","inspection":
{"isInspectable":true,"eventHandlers":{}}},{"value":"ruta","child":
{"id":"description","type":"text","style":
{"type":"style","fontSize":14,"padding":16,"paddingTop":8,"paddingBotto
m":0,"marginBottom":16,"WebkitLineClamp":4,"overflow":"hidden","Webk
itBoxOrient":"vertical","display":"-webkit-box","id":"f3a98f74-a901-451b-
9b64-8c00e5632327","inspection":
{"isInspectable":true,"eventHandlers":{}}},"inspection":
{"isInspectable":true,"eventHandlers":{}},"ignore":false},"id":"bba2d2cb-
c355-43aa-a0a3-
46e89a5783d0","type":"binding","ignore":false,"inspection":
{"isInspectable":true,"eventHandlers":{}}},{"style":
{"type":"style","display":"flex","alignItems":"center","justifyContent":"spac
e-
between","padding":8,"paddingTop":0,"paddingBottom":0,"id":"5fa06ef2-
6010-4c1e-aa84-668f8ac967aa","inspection":
{"isInspectable":true,"eventHandlers":{}}},"children":[{"value":"Enviar

Cotización","child":{"id":"Action 1","type":"text","onClick":{"type":"action","id":"8faa486e-80a1-4bf8-9911-ff05823f7018","inspection":{"isInspectable":true,"eventHandlers":{}},"ignore":false,"value":"Enviar Cotización"},"style":{"type":"variable","value":"actionButtonTextStyle","id":"4fcb9585-70b2-4bc0-a407-be6849bea1a7","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}},"ignore":false},"id":"c503ebe1-33d7-49e6-979d-a4f4a0345863","type":"actionDisplayText","ignore":false,"inspection":{"isInspectable":true,"eventHandlers":{}}},{"child":{"id":"Action 2","type":"text","onClick":{"type":"action","id":"fb9d48ba-a444-4617-8859-7065b058efac","inspection":{"isInspectable":true,"eventHandlers":{}},"ignore":false},"style":{"type":"variable","value":"actionButtonTextStyle","id":"77f5bd38-248e-4f75-bf97-18e3b5c54d50","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}},"ignore":true},"id":"63cee5fc-bcf9-4cce-bcfe-d330b69732b9","type":"actionDisplayText","ignore":false,"inspection":{"isInspectable":true,"eventHandlers":{}}},{"style":{"type":"style","display":"flex","alignItems":"center","marginLeft":"auto","id":"ff7fc872-bf93-4502-963e-ecfc16771fd8","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"value":"fas fa-copy","child":{"id":"Action 3","type":"icon","onClick":{"type":"action","id":"c49470ae-b53e-4109-9bb7-d85a93cd0fdf","inspection":{"isInspectable":true,"eventHandlers":{}},"ignore":false,"value":"Duplicar cotización"},"style":{"type":"variable","value":"actionButtonIconStyle","id":"cd0faa93-c489-4d7b-bcd9-c8dd3e551dd1","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}},"ignore":false},"id":"45097ee1-733e-4faa-b049-2e9be8ba402b","type":"constant","ignore":false,"inspection":{"isInspectable":true,"eventHandlers":{}}},{"child":{"id":"Action 4","type":"icon","onClick":{"type":"action","id":"aaba7aa9-9bc5-4ca5-aef0-0e834f3b26e2","inspection":{"isInspectable":true,"eventHandlers":{}},"ignore":false},"style":{"type":"variable","value":"actionButtonIconStyle","id":"441cc05d-5e46-4753-bd34-6053ef27f305","inspection":

{"isInspectable":true,"eventHandlers":{}}},"inspection":
{"isInspectable":true,"eventHandlers":{}},"ignore":true},"id":"5205cdc0-
a69d-4f46-9a0a-
4cc48950745a","type":"constant","ignore":false,"inspection":
{"isInspectable":true,"eventHandlers":{}}}],"id":"65eb11c1-7b76-4565-
9284-94d6783d8ec0","type":"container","inspection":
{"isInspectable":true,"eventHandlers":{}}}],"variables":
[{"name":"actionButtonTextStyle","value":
{"type":"style","maxHeight":60,"maxWidth":100,"display":"flex","alignItem
s":"center","overflow":"hidden","overflowWrap":"break-
word","textTransform":"uppercase","fontSize":12,"cursor":"pointer","color
":
{"type":"variable","value":"actionIcon"},"border":5,"padding":8,"transition":"
background 0.8s","hover":{"type":"style","background":
{"type":"variable","value":"mainBackgroundVariant"},"transition":"backgr
ound 0.8s"},"down":{"type":"style","background":
{"type":"variable","value":"mainBackgroundVariant"},"transition":"backgr
ound 0.8s"}}},{"name":"actionButtonIconStyle","value":
{"type":"style","fontSize":16,"display":"flex","alignItems":"center","color":
{"type":"variable","value":"secondaryText"},"border":"50%","cursor":"point
er","padding":16,"transition":"background 0.8s","hover":
{"type":"style","background":
{"type":"variable","value":"mainBackgroundVariant"},"transition":"backgr
ound 0.8s"},"down":{"type":"style","background":
{"type":"variable","value":"mainBackgroundVariant"},"transition":"backgr
ound 0.8s"}}}],"id":"2a07cf3b-cdec-4e45-90cb-
f2b2e14dae8d","type":"container","inspection":
{"isInspectable":true,"eventHandlers":{}}}],"onClick":{"value":"Go to
details","id":"mainClickAction","type":"action","ignore":false,"inspection":
{"isInspectable":true,"eventHandlers":{}}},"id":"55f59616-6c4f-48c8-
88cc-1edd8388e4c9","type":"container","ignore":false,"inspection":
{"isInspectable":true,"eventHandlers":{}}}],"name":"large","variables":
[{"name":"imageName","value":"https://www.appsheet.com/Content/ed
itor/img/empty-media-template.png"},
{"name":"labelName","value":"Title goes
here"}],"version":0,"id":"52405288-3f27-45d7-8c68-
c7d489a76db4","type":"container","ignore":false,"inspection":
{"isInspectable":true,"eventHandlers":
{}}},"MainDeckImageColumn":"**auto**","ImageShape":"Square
Image","PrimaryDeckHeaderColumn":"**auto**","SecondaryDeckHeade

	rColumn":"**auto**","DeckSummaryColumn":"**auto**","DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":[],"ActionBarEntries":[],"GroupBy":[{"Column":"estatus","Order":"Ascending"},{"Column":"_RowNumber","Order":"Ascending"}],"GroupAggregate":"NONE","SortBy":[{"Column":"_RowNumber","Order":"Descending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	☰
Menu order	1

View name Cotizaciones

View name	Cotizaciones
Created by	App owner
View type	card
ActionType	Square Image
Position	ref
View configuration	{"Layout":{"style":{"type":"style","backgroundColor":"transparent","padding":8,"boxSizing":"border-box","height":"100%","id":"18803ca8-6cbf-41d7-b090-4509e0201431","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"style":{"type":"style","color":{"type":"variable","value":"primaryText","id":"10ee5459-af8f-45ac-b486-193a9968c81e","inspection":{"isInspectable":true,"eventHandlers":{}}},"height":"100%","cursor":"pointer","display":"flex","flexDirection":"column","justifyContent":"space-between","background":{"type":"variable","value":"mainContentBackground","id":"847233a2-0243-4f05-ac39-9d608383512f","inspection":{"isInspectable":true,"eventHandlers":{}}},"border":{"type":"variable","value":"cardBorderStyle","id":"14d9b24f-5a98-4356-9025-c506b76c3cad","inspection":{"isInspectable":true,"eventHandlers":{}}},"borderRadius":{"type":"variable","value":"cardBorderRadius","id":"e0e77060-6900-4352-896e-b53f195b65b3","inspection":{"isInspectable":true,"eventHandlers":{}}},"borderColor":{"type":"variable","value":"cardOutline","id":"8516b89f-d4e6-4573-ac7d-073f26c3ff24","inspection":

{"isInspectable":true,"eventHandlers":{}}},"highlighted":
{"type":"style","background":
{"type":"variable","value":"tableRowFocus","id":"d220ae1c-9b38-45ec-b75a-b03d8592fed3","inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"b10155de-960d-4680-99ab-12250e16f94e","inspection":{"isInspectable":true,"eventHandlers":{}}},"highlightedUpdate":
{"type":"style","border":
{"type":"variable","value":"cardBorderStyleSelected","id":"170a8d50-6ad2-4c92-af7c-c20a66a5688b","inspection":
{"isInspectable":true,"eventHandlers":{}}},"borderColor":
{"type":"variable","value":"focusColor","id":"ab2a71f8-06e6-4f4c-b732-c429b2e272d5","inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"14b08ec3-1eae-4db5-95eb-02c1a047bb1c","inspection":{"isInspectable":true,"eventHandlers":{}}},"hover":
{"type":"style","boxShadow":
{"type":"variable","value":"cardHoverShadow","id":"d220ae1c-9b38-45ec-b75a-b03d8592fede","inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"b10155de-960d-4680-99ab-12250e16f9ee","inspection":{"isInspectable":true,"eventHandlers":{}}},"down":
{"type":"style","boxShadow":
{"type":"variable","value":"cardHoverShadow","id":"21f41bc4-1d8f-4212-a6e4-057bd3a8fe0b","inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"9205c7a9-35ed-4237-b9c8-92d448dc9b11","inspection":{"isInspectable":true,"eventHandlers":{}}},"fontSize":14,"id":"0ed6623e-e7c8-4fc6-af1f-01adbfb245a0","inspection":
{"isInspectable":true,"eventHandlers":{}}},"children":[{"style":
{"type":"style","display":"flex","flexDirection":"column","id":"b326848a-0e5d-45b6-92e7-18b1eaff4fbf","inspection":
{"isInspectable":true,"eventHandlers":{}}},"children":[{"style":
{"type":"style","display":"flex","alignItems":"center","padding":16,"justifyContent":"flex-start","maxHeight":180,"overflow":"hidden","id":"ae5d4091-fbd2-4ae7-82e0-564ca1ea2a77","inspection":
{"isInspectable":true,"eventHandlers":{}}},"children":[{"child":
{"id":"headerAvatar","type":"legacyInline","style":
{"type":"style","overflow":"hidden","width":40,"height":40,"marginRight":8,"borderRadius":"50%","objectFit":"cover","flex":"0 0 40px","id":"22ed7929-a8cb-4a0a-b78b-fe7853b18125","inspection":
{"isInspectable":true,"eventHandlers":{}}},"inspection":
{"isInspectable":true,"eventHandlers":{}},"ignore":true},"id":"63273175-9e0e-4379-95b5-

8da5342d6fa8","type":"binding","ignore":false,"inspection":
{"isInspectable":true,"eventHandlers":{}}},{"style":
{"type":"style","display":"flex","flexDirection":"column","flexShrink":1,"flexG
row":0,"id":"fe240110-04af-4b08-983c-f4e4624c8207","inspection":
{"isInspectable":true,"eventHandlers":{}}},"children":
[{"value":"id_aplicante","child":{"id":"topLabel","type":"text","style":
{"type":"style","fontSize":14,"fontWeight":"bold","id":"4fc94630-1b53-
4c2e-8477-826a4ef826c6","inspection":
{"isInspectable":true,"eventHandlers":{}}},"inspection":
{"isInspectable":true,"eventHandlers":{}},"ignore":false},"id":"c58c3166-
430e-40ee-b9e1-
cab07ce2b356","type":"binding","ignore":false,"inspection":
{"isInspectable":true,"eventHandlers":{}}},{"child":
{"id":"subtitleText","type":"text","style":
{"type":"style","opacity":0.6,"fontSize":12,"maxHeight":40,"id":"32687c50-
44cb-4d0d-a848-d84a72d94ef2","inspection":
{"isInspectable":true,"eventHandlers":{}}},"inspection":
{"isInspectable":true,"eventHandlers":{}},"ignore":true},"id":"6d1502ac-
f3f3-4ce9-91ce-
1f632c1a706b","type":"binding","ignore":false,"inspection":
{"isInspectable":true,"eventHandlers":{}}}],"id":"7be4f9c6-7504-426f-
b944-5a94795c043f","type":"container","inspection":
{"isInspectable":true,"eventHandlers":{}}}],"id":"704fef38-ab0b-4dd1-
95d6-8a07a7990d5f","type":"container","inspection":
{"isInspectable":true,"eventHandlers":{}}}],"id":"af91500b-b30c-4746-
9c04-115cba83dd48","type":"container","inspection":
{"isInspectable":true,"eventHandlers":{}}},{"value":"imageName","child":
{"id":"media","type":"image","style":
{"type":"style","width":"100%","height":194,"objectFit":"cover","borderRadi
us":{"type":"variable","value":"cardImageBorderRadius","id":"215ed90b-
bec2-4ab5-ad48-de66d2ff4331","inspection":
{"isInspectable":true,"eventHandlers":{}}},"id":"3a9f1a4f-a1c1-4e0b-
b789-dcf4b8995969","inspection":{"isInspectable":true,"eventHandlers":
{}}},"inspection":{"isInspectable":true,"eventHandlers":
{}}},"id":"389aa175-46a6-4aa3-86a5-
e62e641007fc","type":"variable","inspection":
{"isInspectable":true,"eventHandlers":{}}},{"style":
{"type":"style","padding":16,"overflowWrap":"break-word","id":"d587ca40-
492d-49cf-b2b7-6e81d74f3d3c","inspection":
{"isInspectable":true,"eventHandlers":{}}},"children":

[{"value":"id_aplicante","child":{"id":"label","type":"text","style":{"type":"style","fontSize":21,"lineHeight":1.15,"id":"97559953-75d9-4b10-919d-c416d183b4c9","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}},"ignore":false},"id":"c6a3a013-0faf-4db7-8829-39efc6704784","type":"binding","ignore":false,"inspection":{"isInspectable":true,"eventHandlers":{}}},{"value":"fecha_ida","child":{"id":"subheader","type":"text","style":{"type":"style","fontSize":14,"opacity":0.6,"paddingTop":4,"id":"f3a98f74-a901-451b-9b64-8c00e5632325","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}},"ignore":false},"id":"bba2d2cb-c355-43aa-a0a3-46e89a578400","type":"binding","ignore":false,"inspection":{"isInspectable":true,"eventHandlers":{}}}],"id":"headerTextContainer","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}},{"value":"estatus_cotizacion","child":{"id":"description","type":"text","style":{"type":"style","fontSize":14,"padding":16,"paddingTop":8,"paddingBottom":0,"marginBottom":16,"WebkitLineClamp":4,"overflow":"hidden","WebkitBoxOrient":"vertical","display":"-webkit-box","id":"f3a98f74-a901-451b-9b64-8c00e5632327","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}},"ignore":false},"id":"bba2d2cb-c355-43aa-a0a3-46e89a5783d0","type":"binding","ignore":false,"inspection":{"isInspectable":true,"eventHandlers":{}}},{"style":{"type":"style","display":"flex","alignItems":"center","justifyContent":"space-between","padding":8,"paddingTop":0,"paddingBottom":0,"id":"5fa06ef2-6010-4c1e-aa84-668f8ac967aa","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"child":{"id":"Action1","type":"text","onClick":{"type":"action","id":"8faa486e-80a1-4bf8-9911-ff05823f7018","inspection":{"isInspectable":true,"eventHandlers":{}},"ignore":false},"style":{"type":"variable","value":"actionButtonTextStyle","id":"4fcb9585-70b2-4bc0-a407-be6849bea1a7","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":

{"isInspectable":true,"eventHandlers":{}},"ignore":true},"id":"c503ebe1-33d7-49e6-979d-a4f4a0345863","type":"actionDisplayText","ignore":false,"inspection":{"isInspectable":true,"eventHandlers":{}}},{"child":{"id":"Action 2","type":"text","onClick":{"type":"action","id":"fb9d48ba-a444-4617-8859-7065b058efac","inspection":{"isInspectable":true,"eventHandlers":{}},"ignore":false},"style":{"type":"variable","value":"actionButtonTextStyle","id":"77f5bd38-248e-4f75-bf97-18e3b5c54d50","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}},"ignore":true},"id":"63cee5fc-bcf9-4cce-bcfe-d330b69732b9","type":"actionDisplayText","ignore":false,"inspection":{"isInspectable":true,"eventHandlers":{}}},{"style":{"type":"style","display":"flex","alignItems":"center","marginLeft":"auto","id":"ff7fc872-bf93-4502-963e-ecfc16771fd8","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"child":{"id":"Action 3","type":"icon","onClick":{"type":"action","id":"c49470ae-b53e-4109-9bb7-d85a93cd0fdf","inspection":{"isInspectable":true,"eventHandlers":{}},"ignore":false},"style":{"type":"variable","value":"actionButtonIconStyle","id":"cd0faa93-c489-4d7b-bcd9-c8dd3e551dd1","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}},"ignore":true},"id":"45097ee1-733e-4faa-b049-2e9be8ba402b","type":"constant","ignore":false,"inspection":{"isInspectable":true,"eventHandlers":{}}},{"child":{"id":"Action 4","type":"icon","onClick":{"type":"action","id":"aaba7aa9-9bc5-4ca5-aef0-0e834f3b26e2","inspection":{"isInspectable":true,"eventHandlers":{}},"ignore":false},"style":{"type":"variable","value":"actionButtonIconStyle","id":"441cc05d-5e46-4753-bd34-6053ef27f305","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}},"ignore":true},"id":"5205cdc0-a69d-4f46-9a0a-4cc48950745a","type":"constant","ignore":false,"inspection":{"isInspectable":true,"eventHandlers":{}}}],"id":"65eb11c1-7b76-4565-9284-94d6783d8ec0","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}}],"variables":[{"name":"actionButtonTextStyle","value":

{"type":"style","maxHeight":60,"maxWidth":100,"display":"flex","alignItems":"center","overflow":"hidden","overflowWrap":"break-word","textTransform":"uppercase","fontSize":12,"cursor":"pointer","color":
{"type":"variable","value":"actionIcon"},"border":5,"padding":8,"transition":"background 0.8s","hover":{"type":"style","background":
{"type":"variable","value":"mainBackgroundVariant"},"transition":"background 0.8s"},"down":{"type":"style","background":
{"type":"variable","value":"mainBackgroundVariant"},"transition":"background 0.8s"}}},{"name":"actionButtonIconStyle","value":
{"type":"style","fontSize":16,"display":"flex","alignItems":"center","color":
{"type":"variable","value":"secondaryText"},"border":"50%","cursor":"pointer","padding":16,"transition":"background 0.8s","hover":
{"type":"style","background":
{"type":"variable","value":"mainBackgroundVariant"},"transition":"background 0.8s"},"down":{"type":"style","background":
{"type":"variable","value":"mainBackgroundVariant"},"transition":"background 0.8s"}}}],"id":"2a07cf3b-cdec-4e45-90cb-f2b2e14dae8d","type":"container","inspection":
{"isInspectable":true,"eventHandlers":{}}}],"onClick":{"value":"Go to details","id":"mainClickAction","type":"action","ignore":false,"inspection":
{"isInspectable":true,"eventHandlers":{}}},"id":"55f59616-6c4f-48c8-88cc-1edd8388e4c9","type":"container","ignore":false,"inspection":
{"isInspectable":true,"eventHandlers":{}}}],"name":"large","variables":
[{"name":"imageName","value":"https://www.appsheet.com/Content/editor/img/empty-media-template.png"},
{"name":"labelName","value":"Title goes here"}],"version":0,"id":"52405288-3f27-45d7-8c68-c7d489a76db4","type":"container","ignore":false,"inspection":
{"isInspectable":true,"eventHandlers":
{}}},"MainDeckImageColumn":"**auto**","ImageShape":"Square Image","PrimaryDeckHeaderColumn":"**auto**","SecondaryDeckHeaderColumn":"**auto**","DeckSummaryColumn":"**auto**","DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":
[],"ActionBarEntries":[],"GroupBy":
[{"Column":"estatus_cotizacion","Order":"Ascending"},
{"Column":"_RowNumber","Order":"Ascending"}],"GroupAggregate":"NONE","SortBy":
[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":
[],"Icon":"fas fa-file-invoice-dollar","IconRunnerUps":null,"MenuOrder":4}

Visible?	ALWAYS
Icon	
Menu order	4

View name cotizaciones_vehiculos_Detail

View name	cotizaciones_vehiculos_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["id_cliente","ruta","id_vehiculo","fecha_ida","fecha_regreso","km_recorridos","fecha_realizacion","Fecha de vigencia","Finanzas","Gastos","casetas","total_combustible_mantenimiento","subtotal","Utilidad_page","utilidad total","Cargo por días de viaje","Total","total_con_iva","total_con_descuento","Total (Sin IVA)","Sueldos","Chofer","sueldo_chofer","total_viaticos_chofer","Comisión total de chofer","Guía","sueldo_guia","viaticos_guia","Comision_total_guia"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Full screen","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name cotizaciones_vehiculos_Form

View name	cotizaciones_vehiculos_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":["id_cliente","id_vehiculo","solo_ida","fecha_ida","fecha_regreso","estatal",

	"km_recorridos","ruta","casetas","sueldo_chofer","viaticos_chofer","habra_guia","sueldo_guia","viaticos_guia","apoyo_pernocta","ganancia_minima","utilidad","total_viaticos_chofer","total_combustible_mantenimiento","estatus","descuento","total_con_iva","cantidad_a_pagar"],"AutoSave":false,"AutoReopen":false,"FinishView":"cotizaciones_vehiculos_Detail","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name cotizaciones_vehiculos_Inline

View name	cotizaciones_vehiculos_Inline
Created by	System
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name cotizaciones_vuelo_Detail

View name	cotizaciones_vuelo_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["fecha_ida","id_cotizacion","id_aplicante","aeropuerto_ida_salida","aero

	puerto_ida_llegada","hora_ida_salida","hora_ida_llegada","fecha_regreso","aeropuerto_regreso_salida","aeropuerto_regreso_llegada","hora_regreso_salida","hora_regreso_llegada","precio","divisa","reencuentro","acompanamiento","escala_ida","escala_regreso","asistencia","fecha_cotizacion","pdf","Related itinerarios"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name cotizaciones_vuelo_Form

View name	cotizaciones_vuelo_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":["id_aplicante","fecha_ida","aeropuerto_ida_salida","aeropuerto_ida_llegada","hora_ida_salida","hora_ida_llegada","fecha_regreso","aeropuerto_regreso_salida","aeropuerto_regreso_llegada","hora_regreso_salida","hora_regreso_llegada","precio","divisa","reencuentro","lugar_reencuentro","acompanamiento","escala_ida","escala_regreso","asistencia","maleta_documentada","fecha_cotizacion","estatus_cotizacion"],"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name cotizaciones_vuelo_Inline

View name	cotizaciones_vuelo_Inline

Created by	System
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Dilitours_Detail

View name	Dilitours_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Dilitours_Form

View name	Dilitours_Form
Created by	System
View type	form
Position	ref

View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name dilitripers

View name	dilitripers
Created by	App owner
View type	card
ActionType	Square Image
Position	ref
View configuration	{"Layout":null,"MainDeckImageColumn":null,"ImageShape":"Square Image","PrimaryDeckHeaderColumn":null,"SecondaryDeckHeaderColumn":null,"DeckSummaryColumn":null,"DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":null,"ActionBarEntries":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name encuesta_satisfaccion_Detail

View name	encuesta_satisfaccion_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitM

	ode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name encuesta_satisfaccion_Form

View name	encuesta_satisfaccion_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name encuesta_satisfaccion_Inline

View name	encuesta_satisfaccion_Inline
Created by	System
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Gestion_tours

View name	Gestion_tours
Created by	App owner
View type	card
ActionType	Square Image
Position	ref
View configuration	{"Layout":null,"MainDeckImageColumn":null,"ImageShape":"Square Image","PrimaryDeckHeaderColumn":null,"SecondaryDeckHeaderColumn":null,"DeckSummaryColumn":null,"DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":null,"ActionBarEntries":[],"GroupBy":[{"Column":"Estatus","Order":"Ascending"},{"Column":"_RowNumber","Order":"Ascending"}],"GroupAggregate":"NONE","SortBy":[{"Column":"fecha_hora_salida","Order":"Ascending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name grupo_asignado_Detail

View name	grupo_asignado_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	

Menu order	1

View name grupo_asignado_Form

View name	grupo_asignado_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name GRUPOS AMA_Detail

View name	GRUPOS AMA_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["NOMBRE DE GRUPO","PAIS DE ORIGEN","CORREO ELECTRONICO DEL GRUPO","CONTRASEÑA","WHATSAPP DEL GRUPO","DESTINO","TOTAL APLICANTES","ASESOR DE PROTOCOLO","NOTAS DE GRUPO","UBICACION (LOCKER)","ASISTENCIA","APROBADOS","PORCENTAJE DE APROBACION","COMPLETO","ESTATUS DE GRUPO","LISTO PARA PAGO","ENCARGADO","fecha_creacion_grupo","fecha_grupo_completo","link_protocolo","Related APLICANTES AMAs"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":

	[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name GRUPOS AMA_Inline

View name	GRUPOS AMA_Inline
Created by	System
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Grupos próximos_Detail

View name	Grupos próximos_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["nombre","fecha_ida","fecha_regreso","notas_grupoasignado","grupo_de_regreso","Lista de aplicantes"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS

Icon	
Menu order	1

View name Grupos próximos_Form

View name	Grupos próximos_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder": ["nombre","fecha_ida","fecha_regreso","notas_grupoasignado","grupo_de_regreso","aplicantes","Lista de aplicantes"],"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Grupos terminados_Detail

View name	Grupos terminados_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	

Menu order	1

View name grupos_proximos

View name	grupos_proximos
Created by	App owner
View type	card
ActionType	Square Image
Position	ref
View configuration	{"Layout":{"style":{"type":"style","backgroundColor":"transparent","padding":8,"boxSizing":"border-box","height":"100%","id":"18803ca8-6cbf-41d7-b090-4509e0201431","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"style":{"type":"style","color":{"type":"variable","value":"primaryText","id":"10ee5459-af8f-45ac-b486-193a9968c81e","inspection":{"isInspectable":true,"eventHandlers":{}}},"height":"100%","cursor":"pointer","display":"flex","flexDirection":"column","justifyContent":"space-between","background":{"type":"variable","value":"mainContentBackground","id":"847233a2-0243-4f05-ac39-9d608383512f","inspection":{"isInspectable":true,"eventHandlers":{}}},"border":{"type":"variable","value":"cardBorderStyle","id":"32fe2505-ceaf-4a85-b707-06c3c4370053","inspection":{"isInspectable":true,"eventHandlers":{}}},"borderRadius":{"type":"variable","value":"cardBorderRadius","id":"93f981cf-37f2-41f0-8d2d-3be0c032bace","inspection":{"isInspectable":true,"eventHandlers":{}}},"borderColor":{"type":"variable","value":"cardOutline","id":"bac3db18-1ee5-4e81-9cc0-1f1509568f22","inspection":{"isInspectable":true,"eventHandlers":{}}},"highlighted":{"type":"style","background":{"type":"variable","value":"tableRowFocus","id":"d220ae1c-9b38-45ec-b75a-b03d8592fed3","inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"b10155de-960d-4680-99ab-12250e16f94e","inspection":{"isInspectable":true,"eventHandlers":{}}},"highlightedUpdate":{"type":"style","border":{"type":"variable","value":"cardBorderStyleSelected","id":"0ca8578b-7d25-4281-a458-041430dadce8","inspection":{"isInspectable":true,"eventHandlers":{}}},"borderColor":{"type":"variable","value":"focusColor","id":"0a9e9028-5c64-4b2a-af57-

1ac3d4a0829a","inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"dd0d8d5f-a11c-4984-8aaf-daffc1f44c40","inspection":{"isInspectable":true,"eventHandlers":{}}},"hover":{"type":"style","boxShadow":{"type":"variable","value":"cardHoverShadow","id":"d220ae1c-9b38-45ec-b75a-b03d8592fede","inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"b10155de-960d-4680-99ab-12250e16f9ee","inspection":{"isInspectable":true,"eventHandlers":{}}},"down":{"type":"style","boxShadow":{"type":"variable","value":"cardHoverShadow","id":"21f41bc4-1d8f-4212-a6e4-057bd3a8fe0b","inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"9205c7a9-35ed-4237-b9c8-92d448dc9b11","inspection":{"isInspectable":true,"eventHandlers":{}}},"fontSize":14,"id":"0ed6623e-e7c8-4fc6-af1f-01adbfb245a0","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"style":{"type":"style","display":"flex","flexDirection":"column","id":"b326848a-0e5d-45b6-92e7-18b1eaff4fbf","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"style":{"type":"style","display":"flex","alignItems":"center","padding":16,"justifyContent":"flex-start","maxHeight":180,"overflow":"hidden","id":"ae5d4091-fbd2-4ae7-82e0-564ca1ea2a77","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"value":"https://www.appsheet.com/Content/editor/img/empty-media-template.png","child":{"id":"headerAvatar","type":"image","style":{"type":"style","overflow":"hidden","width":40,"height":40,"marginRight":8,"borderRadius":"50%","objectFit":"cover","flex":"0 0 40px","id":"22ed7929-a8cb-4a0a-b78b-fe7853b18125","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"63273175-9e0e-4379-95b5-8da5342d6fa8","type":"constant","inspection":{"isInspectable":true,"eventHandlers":{}}},{"style":{"type":"style","display":"flex","flexDirection":"column","flexShrink":1,"flexGrow":0,"id":"fe240110-04af-4b08-983c-f4e4624c8207","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"value":"fecha_tentativa_viaje","child":{"id":"topLabel","type":"text","style":{"type":"style","fontSize":14,"fontWeight":"bold","id":"4fc94630-1b53-4c2e-8477-826a4ef826c6","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{},"ignore":false},"id":"c58c3166-

430e-40ee-b9e1-
cab07ce2b356","type":"binding","ignore":false,"inspection":
{"isInspectable":true,"eventHandlers":{}}},{"child":
{"id":"subtitleText","type":"text","style":
{"type":"style","opacity":0.6,"fontSize":12,"maxHeight":40,"id":"32687c50-
44cb-4d0d-a848-d84a72d94ef2","inspection":
{"isInspectable":true,"eventHandlers":{}}},"inspection":
{"isInspectable":true,"eventHandlers":{}},"ignore":true},"id":"6d1502ac-
f3f3-4ce9-91ce-
1f632c1a706b","type":"binding","ignore":false,"inspection":
{"isInspectable":true,"eventHandlers":{}}}],"id":"7be4f9c6-7504-426f-
b944-5a94795c043f","type":"container","inspection":
{"isInspectable":true,"eventHandlers":{}}}],"id":"704fef38-ab0b-4dd1-
95d6-8a07a7990d5f","type":"container","inspection":
{"isInspectable":true,"eventHandlers":{}}}],"id":"af91500b-b30c-4746-
9c04-115cba83dd48","type":"container","inspection":
{"isInspectable":true,"eventHandlers":{}}},{"child":
{"id":"media","type":"legacyInline","style":
{"type":"style","width":"100%","height":194,"objectFit":"cover","borderRadi
us":{"type":"variable","value":"cardImageBorderRadius","id":"8f1dad42-
0868-4c84-8c1d-4b50c36ef7f5","inspection":
{"isInspectable":true,"eventHandlers":{}}},"id":"3a9f1a4f-a1c1-4e0b-
b789-dcf4b8995969","inspection":{"isInspectable":true,"eventHandlers":
{}}},"inspection":{"isInspectable":true,"eventHandlers":
{}},"ignore":true},"id":"389aa175-46a6-4aa3-86a5-
e62e641007fc","type":"binding","ignore":false,"inspection":
{"isInspectable":true,"eventHandlers":{}}},{"style":
{"type":"style","padding":16,"overflowWrap":"break-word","id":"9fde06af-
630b-4df6-aba7-f90bd9570709","inspection":
{"isInspectable":true,"eventHandlers":{}}},"children":
[{"value":"nombre","child":{"id":"label","type":"text","style":
{"type":"style","fontSize":21,"lineHeight":1.15,"id":"97559953-75d9-4b10-
919d-c416d183b4c9","inspection":
{"isInspectable":true,"eventHandlers":{}}},"inspection":
{"isInspectable":true,"eventHandlers":{}},"ignore":false},"id":"c6a3a013-
0faf-4db7-8829-
39efc6704784","type":"binding","ignore":false,"inspection":
{"isInspectable":true,"eventHandlers":{}}},{"child":
{"id":"subheader","type":"text","style":
{"type":"style","fontSize":14,"opacity":0.6,"paddingTop":4,"id":"f3a98f74-

a901-451b-9b64-8c00e5632325","inspection":
{"isInspectable":true,"eventHandlers":{}}},"inspection":
{"isInspectable":true,"eventHandlers":{}},"ignore":true},"id":"bba2d2cb-
c355-43aa-a0a3-
46e89a578400","type":"binding","ignore":false,"inspection":
{"isInspectable":true,"eventHandlers":
{}}}],"id":"headerTextContainer","type":"container","inspection":
{"isInspectable":true,"eventHandlers":{}}},
{"value":"notas_grupoasignado","child":
{"id":"description","type":"text","style":
{"type":"style","fontSize":14,"padding":16,"paddingTop":8,"paddingBotto
m":0,"marginBottom":16,"WebkitLineClamp":4,"overflow":"hidden","Webk
itBoxOrient":"vertical","display":"-webkit-box","id":"f3a98f74-a901-451b-
9b64-8c00e5632327","inspection":
{"isInspectable":true,"eventHandlers":{}}},"inspection":
{"isInspectable":true,"eventHandlers":{}},"ignore":false},"id":"bba2d2cb-
c355-43aa-a0a3-
46e89a5783d0","type":"binding","ignore":false,"inspection":
{"isInspectable":true,"eventHandlers":{}}},{"style":
{"type":"style","display":"flex","alignItems":"center","justifyContent":"spac
e-
between","padding":8,"paddingTop":0,"paddingBottom":0,"id":"5fa06ef2-
6010-4c1e-aa84-668f8ac967aa","inspection":
{"isInspectable":true,"eventHandlers":{}}},"children":[{"child":{"id":"Action
1","type":"text","onClick":{"type":"action","id":"8faa486e-80a1-4bf8-9911-
ff05823f7018","inspection":{"isInspectable":true,"eventHandlers":
{}},"ignore":false},"style":
{"type":"variable","value":"actionButtonTextStyle","id":"4fcb9585-70b2-
4bc0-a407-be6849bea1a7","inspection":
{"isInspectable":true,"eventHandlers":{}}},"inspection":
{"isInspectable":true,"eventHandlers":{}},"ignore":true},"id":"c503ebe1-
33d7-49e6-979d-
a4f4a0345863","type":"actionDisplayText","ignore":false,"inspection":
{"isInspectable":true,"eventHandlers":{}}},{"child":{"id":"Action
2","type":"text","onClick":{"type":"action","id":"fb9d48ba-a444-4617-8859-
7065b058efac","inspection":{"isInspectable":true,"eventHandlers":
{}},"ignore":false},"style":
{"type":"variable","value":"actionButtonTextStyle","id":"77f5bd38-248e-
4f75-bf97-18e3b5c54d50","inspection":
{"isInspectable":true,"eventHandlers":{}}},"inspection":

{"isInspectable":true,"eventHandlers":{}},"ignore":true},"id":"63cee5fc-bcf9-4cce-bcfe-d330b69732b9","type":"actionDisplayText","ignore":false,"inspection":{"isInspectable":true,"eventHandlers":{}}},{"style":{"type":"style","display":"flex","alignItems":"center","marginLeft":"auto","id":"ff7fc872-bf93-4502-963e-ecfc16771fd8","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"child":{"id":"Action 3","type":"icon","onClick":{"type":"action","id":"c49470ae-b53e-4109-9bb7-d85a93cd0fdf","inspection":{"isInspectable":true,"eventHandlers":{}},"ignore":false},"style":{"type":"variable","value":"actionButtonIconStyle","id":"cd0faa93-c489-4d7b-bcd9-c8dd3e551dd1","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}},"ignore":true},"id":"45097ee1-733e-4faa-b049-2e9be8ba402b","type":"constant","ignore":false,"inspection":{"isInspectable":true,"eventHandlers":{}}},{"child":{"id":"Action 4","type":"icon","onClick":{"type":"action","id":"aaba7aa9-9bc5-4ca5-aef0-0e834f3b26e2","inspection":{"isInspectable":true,"eventHandlers":{}},"ignore":false},"style":{"type":"variable","value":"actionButtonIconStyle","id":"441cc05d-5e46-4753-bd34-6053ef27f305","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}},"ignore":true},"id":"5205cdc0-a69d-4f46-9a0a-4cc48950745a","type":"constant","ignore":false,"inspection":{"isInspectable":true,"eventHandlers":{}}}],"id":"65eb11c1-7b76-4565-9284-94d6783d8ec0","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}}],"variables":[{"name":"actionButtonTextStyle","value":{"type":"style","maxHeight":60,"maxWidth":100,"display":"flex","alignItems":"center","overflow":"hidden","overflowWrap":"break-word","textTransform":"uppercase","fontSize":12,"cursor":"pointer","color":{"type":"variable","value":"actionIcon"},"border":5,"padding":8,"transition":"background 0.8s","hover":{"type":"style","background":{"type":"variable","value":"mainBackgroundVariant"},"transition":"background 0.8s"},"down":{"type":"style","background":{"type":"variable","value":"mainBackgroundVariant"},"transition":"background 0.8s"}}},{"name":"actionButtonIconStyle","value":

{"type":"style","fontSize":16,"display":"flex","alignItems":"center","color":{"type":"variable","value":"secondaryText"},"border":"50%","cursor":"pointer","padding":16,"transition":"background 0.8s","hover":{"type":"style","background":{"type":"variable","value":"mainBackgroundVariant"},"transition":"background 0.8s"},"down":{"type":"style","background":{"type":"variable","value":"mainBackgroundVariant"},"transition":"background 0.8s"}}}],"id":"2a07cf3b-cdec-4e45-90cb-f2b2e14dae8d","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}}],"onClick":{"value":"Go to details","id":"mainClickAction","type":"action","ignore":false,"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"55f59616-6c4f-48c8-88cc-1edd8388e4c9","type":"container","ignore":false,"inspection":{"isInspectable":true,"eventHandlers":{}}}],"name":"large","variables":[{"name":"imageName","value":"https://www.appsheet.com/Content/editor/img/empty-media-template.png"},{"name":"labelName","value":"Title goes here"}],"version":0,"id":"52405288-3f27-45d7-8c68-c7d489a76db4","type":"container","ignore":false,"inspection":{"isInspectable":true,"eventHandlers":{}}},"MainDeckImageColumn":"**none**","ImageShape":"Square Image","PrimaryDeckHeaderColumn":"**auto**","SecondaryDeckHeaderColumn":"**none**","DeckSummaryColumn":"**none**","DeckNestedTableColumn":"Lista de aplicantes","ShowActionBar":false,"ActionColumns":[],"ActionBarEntries":[],"GroupBy":[{"Column":"fecha_proxima","Order":"Ascending"}],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fas fa-ball-pile","IconRunnerUps":null,"MenuOrder":2}

Visible?	ALWAYS
Icon	
Menu order	2

View name HISTORIAL DE TRAMITES_Detail

View name	HISTORIAL DE TRAMITES_Detail
Created by	System
View type	detail

ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name HISTORIAL DE TRAMITES_Form

View name	HISTORIAL DE TRAMITES_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Hotel_Detail

View name	Hotel_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":

	[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Hotel_Form

View name	Hotel_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name hoteles_detalles_Detail

View name	hoteles_detalles_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}

Visible?	ALWAYS
Icon	
Menu order	1

View name hoteles_detalles_Form

View name	hoteles_detalles_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name hoteles_detalles_Inline

View name	hoteles_detalles_Inline
Created by	System
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name hoteles_principal_Detail

View name	hoteles_principal_Detail

Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**none**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["id_aplicante","fecha_llegada","fecha_salida","estatus_reserva","precio_total","Contacto","Numero de contacto","total_noches","Related hoteles_detalles"],"ImageStyle":"Fill","Layout":{"style":{"type":"style","backgroundColor":"transparent","boxSizing":"border-box","height":"100%","id":"18803ca8-6cbf-41d7-b090-4509e0201431","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"style":{"type":"style","color":{"type":"variable","value":"primaryText","id":"10ee5459-af8f-45ac-b486-193a9968c81e","inspection":{"isInspectable":true,"eventHandlers":{}}},"height":"100%","display":"flex","flexDirection":"column","justifyContent":"space-between","background":{"type":"variable","value":"mainContentBackground","id":"847233a2-0243-4f05-ac39-9d608383512f","inspection":{"isInspectable":true,"eventHandlers":{}}},"fontSize":14,"id":"0ed6623e-e7c8-4fc6-af1f-01adbfb245a0","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"value":"imageName","child":{"id":"media","type":"image","style":{"type":"style","width":"100%","height":194,"borderRadius":"4px 4px 0 0","objectFit":"cover","id":"3a9f1a4f-a1c1-4e0b-b789-dcf4b8995969","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"mainImage","type":"variable","inspection":{"isInspectable":true,"eventHandlers":{}}},{"style":{"type":"style","padding":16,"id":"d45dff1c-6f22-43aa-9f39-413445368005","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"value":"id_aplicante","child":{"id":"label","type":"text","style":{"type":"style","fontSize":21,"lineHeight":1.15,"id":"97559953-75d9-4b10-919d-c416d183b4c9","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"c6a3a013-0faf-4db7-8829-39efc6704784","type":"binding","inspection":{"isInspectable":true,"eventHandlers":{}}},{"value":"id_reserva","child":{"id":"subheader","type":"text","style":

{"type":"style","fontSize":14,"opacity":0.6,"paddingTop":4,"overflow":"hidden","id":"f3a98f74-a901-451b-9b64-8c00e5632325","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"bba2d2cb-c355-43aa-a0a3-46e89a578400","type":"binding","inspection":{"isInspectable":true,"eventHandlers":{}}}],"id":"headerTextContainer","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}},{"value":"fecha_salida","child":{"id":"description","type":"text","style":{"type":"style","fontSize":14,"padding":16,"paddingTop":8,"maxHeight":100,"overflow":"hidden","id":"f3a98f74-a901-451b-9b64-8c00e5632327","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"bba2d2cb-c355-43aa-a0a3-46e89a5783d0","type":"binding","inspection":{"isInspectable":true,"eventHandlers":{}}},{"style":{"type":"style","display":"flex","alignItems":"center","justifyContent":"space-between","padding":8,"paddingTop":0,"paddingBottom":0,"id":"5fa06ef2-6010-4c1e-aa84-668f8ac967aa","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"value":"Delete","child":{"id":"Action 1","type":"text","onClick":{"type":"action","id":"8faa486e-80a1-4bf8-9911-ff05823f7018","inspection":{"isInspectable":true,"eventHandlers":{}},"value":"Delete"},"style":{"type":"variable","value":"actionButtonTextStyle","id":"4fcb9585-70b2-4bc0-a407-be6849bea1a7","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"c503ebe1-33d7-49e6-979d-a4f4a0345863","type":"actionDisplayText","inspection":{"isInspectable":true,"eventHandlers":{}}},{"value":"Edit","child":{"id":"Action 2","type":"text","onClick":{"type":"action","id":"fb9d48ba-a444-4617-8859-7065b058efac","inspection":{"isInspectable":true,"eventHandlers":{}},"value":"Edit"},"style":{"type":"variable","value":"actionButtonTextStyle","id":"77f5bd38-248e-4f75-bf97-18e3b5c54d50","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"63cee5fc-bcf9-4cce-bcfe-d330b69732b9","type":"actionDisplayText","inspection":{"isInspectable":true,"eventHandlers":{}}},{"style":

{"type":"style","display":"flex","alignItems":"center","marginLeft":"auto","id":"ff7fc872-bf93-4502-963e-ecfc16771fd8","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"value":"fa-chevron-circle-right","child":{"id":"Action 3","type":"icon","onClick":{"type":"action","id":"c49470ae-b53e-4109-9bb7-d85a93cd0fdf","inspection":{"isInspectable":true,"eventHandlers":{}},"value":"View Ref (id_aplicante)"},"style":{"type":"variable","value":"actionButtonIconStyle","id":"cd0faa93-c489-4d7b-bcd9-c8dd3e551dd1","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}},"id":"45097ee1-733e-4faa-b049-2e9be8ba402b","type":"constant","inspection":{"isInspectable":true,"eventHandlers":{}}},{"value":"fas fa-share-alt","child":{"id":"Action 4","type":"icon","onClick":{"type":"action","id":"aaba7aa9-9bc5-4ca5-aef0-0e834f3b26e2","inspection":{"isInspectable":true,"eventHandlers":{}}},"style":{"type":"variable","value":"actionButtonIconStyle","id":"441cc05d-5e46-4753-bd34-6053ef27f305","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}},"id":"5205cdc0-a69d-4f46-9a0a-4cc48950745a","type":"constant","inspection":{"isInspectable":true,"eventHandlers":{}}}],"id":"65eb11c1-7b76-4565-9284-94d6783d8ec0","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}}],"variables":[{"name":"actionButtonTextStyle","value":{"type":"style","maxHeight":60,"maxWidth":100,"display":"flex","alignItems":"center","overflow":"hidden","overflowWrap":"break-word","textTransform":"uppercase","fontSize":12,"cursor":"pointer","color":{"type":"variable","value":"actionIcon"},"border":5,"padding":8,"transition":"background 0.8s","hover":{"type":"style","background":{"type":"variable","value":"mainBackgroundVariant"},"transition":"background 0.8s"},"down":{"type":"style","background":{"type":"variable","value":"mainBackgroundVariant"},"transition":"background 0.8s"}}},{"name":"actionButtonIconStyle","value":{"type":"style","fontSize":16,"color":{"type":"variable","value":"secondaryText"},"border":"50%","cursor":"pointer","padding":8,"transition":"background 0.8s","hover":{"type":"style","background":

	{"type":"variable","value":"mainBackgroundVariant"},"transition":"background 0.8s"},"down":{"type":"style","background":{"type":"variable","value":"mainBackgroundVariant"},"transition":"background 0.8s"}}}],"id":"2a07cf3b-cdec-4e45-90cb-f2b2e14dae8d","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}}],"id":"55f59616-6c4f-48c8-88cc-1edd8388e4c9","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}}],"name":"detail","variables":[{"name":"imageName","value":"https://www.appsheet.com/Content/editor/img/empty-media-template.png"},{"name":"labelName","value":"Title goes here"}],"version":0,"id":"52405288-3f27-45d7-8c68-c7d489a76db4","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}},"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name hoteles_principal_Form

View name	hoteles_principal_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":["id_reserva","id_aplicante","fecha_llegada","fecha_salida","estatus_reserva","precio_total","Related hoteles_detalles"],"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	

Menu order	1

View name hoteles_principal_Inline

View name	hoteles_principal_Inline
Created by	System
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name INFORMES_Detail

View name	INFORMES_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["Nombre completo","ID DEL APLICANTE","NOMBRE DE CONTACTO","NOTAS DE TRAMITE","FOTO DE PASAPORTE","FOTO DE CREDENCIAL PARTE DELANTERA","FOTO DE CREDENCIAL PARTE TRASERA","FOTO ACTA DE NACIMIENTO","foto_acta_nacimiento_parte_trasera","FOTO DE COMPROBANTE DE DOMICILIO","foto_pasaporte_vencido","foto_visa_vencida","foto_adicional1","curp","adicional_credencial_delantera","adicional_credencial_trasera"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":

	[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name INFORMES_Form

View name	INFORMES_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name INFORMES_Inline

View name	INFORMES_Inline
Created by	System
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name itinerario_Detail

View name	itinerario_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name itinerario_Form

View name	itinerario_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":["id_itinerario","id_cotizacion","aerolinea","asiento_ida","asiento_regreso","vuelo_ida","vuelo_regreso","hora_en_aeropuerto","codigo_confirmacion"],"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name itinerario_Inline

View name	itinerario_Inline

Created by	System
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name logistica_viajes_Detail

View name	logistica_viajes_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["id_aplicante","precio_cliente","costo","costo_real","ganancia","notas_aplicantes_vuelos","estatus","grupo_ama","Contacto","Numero de contacto","Numero de emergencia","destino","fecha_tentativa_ida","fecha_tentativa_vuelta","Vuelos de ida","Vuelos de regreso","Related cotizaciones_vuelos","Grupo_ref","Estatus de visa","Related itinerarios"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name logistica_viajes_Form

View name	logistica_viajes_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder": ["id_aplicante","id_grupo","destino_principal","id_grupo_asignado","id_vuelo_ida","id_vuelos_vuelta","precio_cliente","costo","precio_contado","costo_real","ganancia","estatus","vuelo de ida","fecha_tentativa_ida","fecha_tentativa_vuelta"],"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name logistica_viajes_Inline

View name	logistica_viajes_Inline
Created by	System
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":true,"ColumnOrder": ["id_aplicante","Vuelos_ida","Vuelos_regreso","destino","precio_cliente","costo","costo_real","ganancia","Contacto","Numero de contacto","notas_aplicantes_vuelos","estatus","domicilio_aplic","num_tel_aplic","Estatus de visa"],"GroupBy": [{"Column":"estatus","Order":"Descending"}],"GroupAggregate":"NONE","SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name menu_Detail

View name	menu_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name menu_Form

View name	menu_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name pagos_cotizacion_vehiculos_Detail

View name	pagos_cotizacion_vehiculos_Detail
Created by	System

View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name pagos_cotizacion_vehiculos_Form

View name	pagos_cotizacion_vehiculos_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name pagos_cotizacion_vehiculos_Inline

View name	pagos_cotizacion_vehiculos_Inline
Created by	System
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":

	[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name PAISES_Detail

View name	PAISES_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name PAISES_Form

View name	PAISES_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS

Icon	
Menu order	1

View name reserva_hoteles

View name	reserva_hoteles
Created by	App owner
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[{"Column":"estatus_reserva","Order":"Ascending"}],"GroupAggregate":"NONE","SortBy":[{"Column":"_RowNumber","Order":"Ascending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"far fa-hotel","IconRunnerUps":null,"MenuOrder":5}
Visible?	ALWAYS
Icon	
Menu order	5

View name Tours

View name	Tours
Created by	App owner
View type	calendar
ActionType	Month
Position	ref
View configuration	{"StartDateColumn":"fecha_hora_salida","StartTimeColumn":"fecha_hora_salida","EndDateColumn":"fecha_hora_regreso","EndTimeColumn":"fecha_hora_regreso","LabelColumn":"nombre_tour","CategoryColumn":"**none**","DefaultCalendarView":"Month","ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	

Menu order	1

View name tours_cliente_Detail

View name	tours_cliente_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name tours_cliente_Form

View name	tours_cliente_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name tours_cliente_Inline

View name	tours_cliente_Inline

Created by	System
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name tours_Detail

View name	tours_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name tours_Form

View name	tours_Form
Created by	System
View type	form
Position	ref

View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name tours_Form_cotiza

View name	tours_Form_cotiza
Created by	App owner
View type	form
Position	ref
View configuration	{"ColumnOrder":["nombre_tour","fecha_hora_salida","fecha_hora_regreso","lugar","capacidad","descripcion","notas"],"AutoSave":true,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name tours_Inline

View name	tours_Inline
Created by	System
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}

Visible?	ALWAYS
Icon	
Menu order	1

View name TRAMITES_Detail

View name	TRAMITES_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name TRAMITES_Form

View name	TRAMITES_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Vehiculos

View name	Vehiculos
Created by	App owner
View type	card
ActionType	Square Image
Position	ref
View configuration	{"Layout":{"style":{"type":"style","border":{"type":"variable","value":"cardBorderStyle","id":"ab546fa5-bbe4-4518-99ec-6acc64b24c8d"},"borderColor":{"type":"variable","value":"cardOutline","id":"dff11e89-20da-4dce-a978-8131e73077a7"},"borderRadius":{"type":"variable","value":"cardBorderRadius","id":"6c701795-d23f-4e97-bee0-3f4f74da8944"},"highlighted":{"type":"style","background":{"type":"variable","value":"tableRowFocus","id":"d220ae1c-9b38-45ec-b75a-b03d8592fed3"},"id":"b10155de-960d-4680-99ab-12250e16f94e"},"highlightedUpdate":{"type":"style","border":{"type":"variable","value":"cardBorderStyleSelected","id":"76b6072c-c82b-4a7a-ad7a-99515f1f5251"},"borderColor":{"type":"variable","value":"focusColor","id":"3a270588-4074-41eb-9536-9871f58dca6f"},"id":"6eab6615-2428-4d28-be14-99ec0d12c64a"},"hover":{"type":"style","boxShadow":{"type":"variable","value":"cardHoverShadow","id":"d220ae1c-9b38-45ec-b75a-b03d8592fede"},"id":"b10155de-960d-4680-99ab-12250e16f9ee"},"down":{"type":"style","boxShadow":{"type":"variable","value":"cardHoverShadow","id":"21f41bc4-1d8f-4212-a6e4-057bd3a8fe0b"},"id":"9205c7a9-35ed-4237-b9c8-92d448dc9b11"},"id":"5565025e-650f-4756-834f-fc76c1452f14"},"children":[{"style":{"type":"style","color":{"type":"variable","value":"primaryText","id":"adc79778-8152-45c3-9f9f-385a029fe3dd"},"cursor":"pointer","display":"flex","flexDirection":"column","fontSize":14,"width":"100%","height":180,"id":"7e9c6f6b-1317-4bc0-8078-b73d93505ad6"},"children":[{"style":{"type":"style","width":"100%","height":180,"position":"relative","id":"9f2851c3-222d-4bee-9c1e-fbcc2dd29cae","background":{"type":"variable","value":"mainContentBackground","id":"c65b1846-b789-41e8-a993-a8d7feb2f15a"},"borderRadius":{"type":"variable","value":"cardBorderRadius","id":"9a453097-5a51-43e6-ac9b-27fe5a8b15c6"}},"children":[{"value":"imagen1","child":

{"id":"backdropImage","type":"image","style":{"type":"style","position":"absolute","top":0,"width":"100%","height":"100%","objectFit":"cover","borderRadius":"4px","id":"1dde03a5-6cf5-4f77-80c1-8ee8183cb992"}},"id":"73d1e9f7-8bde-431a-8a00-3bc65978d49d","type":"binding"},{"style":{"type":"style","position":"absolute","pointerEvents":"none","height":"100%","width":"100%","background":"linear-gradient(to top, #666, transparent 25%)","id":"fd32372a-8617-45dc-99ec-9e8309986a58"},"children":[],"id":"56cac10f-d5c3-4615-97a0-7ff56a746699","type":"container"},{"value":"nombre_vehiculo","child":{"type":"text","id":"title","style":{"type":"style","color":"black","padding":8,"position":"absolute","bottom":16,"left":16,"borderRadius":"2px","background":"rgba(255, 255, 255, 0.7)","id":"82a18f49-360c-4040-91b7-812ef844655a"},"ignore":false},"id":"1c1abed9-59f0-4685-9155-d1cf58a5f891","type":"binding","ignore":false}],"onClick":{"value":"Go to details","id":"mainClickAction","type":"action"},"id":"136c1665-773b-405e-9024-96b6f68c70f6","type":"container"}],"variables":[{"name":"imageName","value":"https://www.appsheet.com/Content/editor/img/empty-media-template.png"},{"name":"labelName","value":"Title goes here"}],"id":"4793d251-b41f-4c3b-903c-eb46a91ac534","type":"container"}],"name":"backdrop","version":0,"id":"65d73dd3-8f45-4d7a-ad4c-83e3ba060076","type":"container"},"MainDeckImageColumn":"**auto**","ImageShape":"Square Image","PrimaryDeckHeaderColumn":"**auto**","SecondaryDeckHeaderColumn":"**auto**","DeckSummaryColumn":"**auto**","DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":[],"ActionBarEntries":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}

Visible?	ALWAYS
Icon	☰
Menu order	1

View name vehiculos_Detail

View name	vehiculos_Detail
Created by	System

View type	detail
ActionType	Normal
Position	ref
View configuration	{"MainSlideshowImageColumn":"imagen1","DetailContentColumn":"**none**","HeaderColumns":["nombre_vehiculo"],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":{"style":{"type":"style","backgroundColor":"transparent","boxSizing":"border-box","height":"100%","id":"18803ca8-6cbf-41d7-b090-4509e0201431","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"style":{"type":"style","color":{"type":"variable","value":"primaryText","id":"10ee5459-af8f-45ac-b486-193a9968c81e","inspection":{"isInspectable":true,"eventHandlers":{}}},"height":"100%","display":"flex","flexDirection":"column","justifyContent":"space-between","background":{"type":"variable","value":"mainContentBackground","id":"847233a2-0243-4f05-ac39-9d608383512f","inspection":{"isInspectable":true,"eventHandlers":{}}},"fontSize":14,"id":"0ed6623e-e7c8-4fc6-af1f-01adbfb245a0","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"value":"imagen1","child":{"id":"media","type":"image","style":{"type":"style","width":"100%","height":194,"borderRadius":"4px 4px 0 0","objectFit":"cover","id":"3a9f1a4f-a1c1-4e0b-b789-dcf4b8995969","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"mainImage","type":"binding","inspection":{"isInspectable":true,"eventHandlers":{}}},{"style":{"type":"style","padding":16,"id":"3190f38b-8518-4c04-ad51-e3ff83ada8ff","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"value":"nombre_vehiculo","child":{"id":"label","type":"text","style":{"type":"style","fontSize":21,"lineHeight":1.15,"id":"97559953-75d9-4b10-919d-c416d183b4c9","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"c6a3a013-0faf-4db7-8829-39efc6704784","type":"binding","inspection":{"isInspectable":true,"eventHandlers":{}}},{"value":"marca","child":{"id":"subheader","type":"text","style":{"type":"style","fontSize":14,"opacity":0.6,"paddingTop":4,"overflow":"hidden","id":"f3a98f74-a901-451b-9b64-8c00e5632325","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":

{"isInspectable":true,"eventHandlers":{}}},"id":"bba2d2cb-c355-43aa-a0a3-46e89a578400","type":"binding","inspection":{"isInspectable":true,"eventHandlers":{}}}],"id":"headerTextContainer","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}},{"value":"gasto_por_km","child":{"id":"description","type":"text","style":{"type":"style","fontSize":14,"padding":16,"paddingTop":8,"maxHeight":100,"overflow":"hidden","id":"f3a98f74-a901-451b-9b64-8c00e5632327","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"bba2d2cb-c355-43aa-a0a3-46e89a5783d0","type":"binding","inspection":{"isInspectable":true,"eventHandlers":{}}},{"style":{"type":"style","display":"flex","alignItems":"center","justifyContent":"space-between","padding":8,"paddingTop":0,"paddingBottom":0,"id":"5fa06ef2-6010-4c1e-aa84-668f8ac967aa","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"value":"Delete","child":{"id":"Action 1","type":"text","onClick":{"type":"action","id":"8faa486e-80a1-4bf8-9911-ff05823f7018","inspection":{"isInspectable":true,"eventHandlers":{}},"value":"Delete"},"style":{"type":"variable","value":"actionButtonTextStyle","id":"4fcb9585-70b2-4bc0-a407-be6849bea1a7","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"c503ebe1-33d7-49e6-979d-a4f4a0345863","type":"actionDisplayText","inspection":{"isInspectable":true,"eventHandlers":{}}},{"value":"Edit","child":{"id":"Action 2","type":"text","onClick":{"type":"action","id":"fb9d48ba-a444-4617-8859-7065b058efac","inspection":{"isInspectable":true,"eventHandlers":{}},"value":"Edit"},"style":{"type":"variable","value":"actionButtonTextStyle","id":"77f5bd38-248e-4f75-bf97-18e3b5c54d50","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"63cee5fc-bcf9-4cce-bcfe-d330b69732b9","type":"actionDisplayText","inspection":{"isInspectable":true,"eventHandlers":{}}},{"style":{"type":"style","display":"flex","alignItems":"center","marginLeft":"auto","id":"ff7fc872-bf93-4502-963e-ecfc16771fd8","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"value":"far fa-

heart","child":{"id":"Action 3","type":"icon","onClick":
{"type":"action","id":"c49470ae-b53e-4109-9bb7-
d85a93cd0fdf","inspection":{"isInspectable":true,"eventHandlers":
{}}},"style":
{"type":"variable","value":"actionButtonIconStyle","id":"cd0faa93-c489-
4d7b-bcd9-c8dd3e551dd1","inspection":
{"isInspectable":true,"eventHandlers":{}}},"inspection":
{"isInspectable":true,"eventHandlers":{}}},"id":"45097ee1-733e-4faa-
b049-2e9be8ba402b","type":"constant","inspection":
{"isInspectable":true,"eventHandlers":{}}},{"value":"fas fa-share-
alt","child":{"id":"Action 4","type":"icon","onClick":
{"type":"action","id":"aaba7aa9-9bc5-4ca5-aef0-
0e834f3b26e2","inspection":{"isInspectable":true,"eventHandlers":
{}}},"style":
{"type":"variable","value":"actionButtonIconStyle","id":"441cc05d-5e46-
4753-bd34-6053ef27f305","inspection":
{"isInspectable":true,"eventHandlers":{}}},"inspection":
{"isInspectable":true,"eventHandlers":{}}},"id":"5205cdc0-a69d-4f46-
9a0a-4cc48950745a","type":"constant","inspection":
{"isInspectable":true,"eventHandlers":{}}}],"id":"65eb11c1-7b76-4565-
9284-94d6783d8ec0","type":"container","inspection":
{"isInspectable":true,"eventHandlers":{}}}],"variables":
[{"name":"actionButtonTextStyle","value":
{"type":"style","maxHeight":60,"maxWidth":100,"display":"flex","alignItem
s":"center","overflow":"hidden","overflowWrap":"break-
word","textTransform":"uppercase","fontSize":12,"cursor":"pointer","color
":
{"type":"variable","value":"actionIcon"},"border":5,"padding":8,"transition":"
background 0.8s","hover":{"type":"style","background":
{"type":"variable","value":"mainBackgroundVariant"},"transition":"backgr
ound 0.8s"},"down":{"type":"style","background":
{"type":"variable","value":"mainBackgroundVariant"},"transition":"backgr
ound 0.8s"}}},{"name":"actionButtonIconStyle","value":
{"type":"style","fontSize":16,"color":
{"type":"variable","value":"secondaryText"},"border":"50%","cursor":"point
er","padding":8,"transition":"background 0.8s","hover":
{"type":"style","background":
{"type":"variable","value":"mainBackgroundVariant"},"transition":"backgr
ound 0.8s"},"down":{"type":"style","background":
{"type":"variable","value":"mainBackgroundVariant"},"transition":"backgr

	ound 0.8s"}}}],"id":"2a07cf3b-cdec-4e45-90cb-f2b2e14dae8d","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}}],"id":"55f59616-6c4f-48c8-88cc-1edd8388e4c9","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}}],"name":"detail","variables":[{"name":"imageName","value":"https://www.appsheet.com/Content/editor/img/empty-media-template.png"},{"name":"labelName","value":"Title goes here"}],"version":0,"id":"52405288-3f27-45d7-8c68-c7d489a76db4","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}},"UseCardLayout":false,"DisplayMode":"Normal","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Full screen","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name vehiculos_Form

View name	vehiculos_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":[],"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Vuelos y Hoteles_Detail

View name	Vuelos y Hoteles_Detail

Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Vuelos y Hoteles_Form

View name	Vuelos y Hoteles_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name vuelos_Detail

View name	vuelos_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref

View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name vuelos_Form

View name	vuelos_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name vuelos_Inline

View name	vuelos_Inline
Created by	System
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS

Icon	
Menu order	1

View name vuelos_proximos

View name	vuelos_proximos
Created by	App owner
View type	calendar
ActionType	Month
Position	ref
View configuration	{"StartDateColumn":"fecha","StartTimeColumn":"hora","EndDateColumn":"fecha","EndTimeColumn":"hora","LabelColumn":"encabezado_calendario","CategoryColumn":"tipo_vuelo","DefaultCalendarView":"Month","ColumnOrder":[],"GroupBy":[{"Column":"fecha","Order":"Ascending"}],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"far fa-plane-departure","IconRunnerUps":null,"MenuOrder":3}
Visible?	ALWAYS
Icon	
Menu order	3

Format Rules

Rule name Cotización aceptada

Rule name	Cotización aceptada
Format these columns and actions	id_cotizacion
For this data	cotizaciones_vuelo
If this condition is true	=[estatus_cotizacion]="Aceptado"
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"green","highlightColor":"","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":"Large"}
Visible?	ALWAYS

Rule name Format estatus in logistica_viajes as themeMainColor

Rule name	Format estatus in logistica_viajes as themeMainColor
Format these columns and actions	Estatus de visa
For this data	logistica_viajes
If this condition is true	=AND([Estatus de visa] = "recibido", ISBLANK([estatus]))
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"green","highlightColor":"","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"","imageSize":""}
Visible?	ALWAYS

Rule name Highlight Cotización aceptada in logistica_viajes with themeMainColor

Rule name	Highlight Cotización aceptada in logistica_viajes with themeMainColor
Format these columns and actions	id_aplicante
For this data	logistica_viajes
If this condition is true	=and([Cotización aceptada]="Cotización aceptada", [estatus]="Pago confirmado ")
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"","highlightColor":"green","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"","imageSize":""}
Visible?	ALWAYS

Rule name Cotización cancelada

Rule name	Cotización cancelada
Format these columns and actions	id_cotizacion
For this data	cotizaciones_vuelo

If this condition is true	=[estatus_cotizacion]="Cancelado"
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"red","highlightColor":"","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":"Large"}
Visible?	ALWAYS

Rule name gastos

Rule name	gastos
Format these columns and actions	Gastos
For this data	cotizaciones_vehiculos
If this condition is true	=TRUE
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"red","highlightColor":"","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fas fa-arrow-alt-down","imageSize":null}
Visible?	ALWAYS

Rule name utilidad

Rule name	utilidad
Format these columns and actions	Utilidad_page
For this data	cotizaciones_vehiculos
If this condition is true	=TRUE
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"green","highlightColor":"","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fas fa-arrow-alt-up","imageSize":null}
Visible?	ALWAYS

Rule name Comisión total chofer

Rule name	Comisión total chofer
Format these columns and actions	Comisión total de chofer
For this data	cotizaciones_vehiculos
If this condition is true	=TRUE
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"","highlightColor":"","textSize":1.1,"underline":true,"strikethrough":false,"bold":true,"italic":true,"uppercase":false,"icon":"","imageSize":"Text"}
Visible?	ALWAYS

Rule name Total con IVA

Rule name	Total con IVA
Format these columns and actions	total_con_iva
For this data	cotizaciones_vehiculos
If this condition is true	=TRUE
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"","highlightColor":"","textSize":1.1,"underline":true,"strikethrough":false,"bold":true,"italic":true,"uppercase":false,"icon":"","imageSize":"Text"}
Visible?	ALWAYS

Rule name Total sin IVA

Rule name	Total sin IVA
Format these columns and actions	Total (Sin IVA)
For this data	cotizaciones_vehiculos
If this condition is true	=TRUE
Rule order	1
Is this format rule disabled?	No

Like this	{"textColor":"","highlightColor":"","textSize":1.1,"underline":true,"strikethrough":false,"bold":true,"italic":true,"uppercase":false,"icon":"","imageSize":"Text"}
Visible?	ALWAYS

Rule name Totales

Rule name	Totales
Format these columns and actions	Total
For this data	cotizaciones_vehiculos
If this condition is true	=TRUE
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"primaryText","highlightColor":"","textSize":1.5,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"","imageSize":null}
Visible?	ALWAYS

Rule name Comisión total guía

Rule name	Comisión total guía
Format these columns and actions	Comision_total_guia
For this data	cotizaciones_vehiculos
If this condition is true	=TRUE
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"","highlightColor":"","textSize":1.1,"underline":true,"strikethrough":false,"bold":true,"italic":true,"uppercase":false,"icon":"","imageSize":"Text"}
Visible?	ALWAYS

Behavior

Actions

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	grupo_asignado
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No

Action icon	
For a record of this table	grupo_asignado
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	grupo_asignado
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD

Disable automatic updates?	No
Action icon	
For a record of this table	logistica_viajes
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	logistica_viajes
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1

With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	logistica_viajes
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Compose Email (CORREO ELECTRONICO DEL GRUPO)

Action name	Compose Email (CORREO ELECTRONICO DEL GRUPO)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"EmailTo":"[CORREO ELECTRONICO DEL GRUPO]","Subject":null,"Body":null,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	EMAIL
Attach to column	CORREO ELECTRONICO DEL GRUPO
Set this column	CORREO ELECTRONICO DEL GRUPO
Only if this condition is true	NOT(ISBLANK([CORREO ELECTRONICO DEL GRUPO]))
Disable automatic updates?	No
Action icon	✉
For a record of this table	GRUPOS AMA
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Open Url (ENCARGADO)

Action name	Open Url (ENCARGADO)

Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"[ENCARGADO]","LaunchExternal":false,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_URL
Attach to column	ENCARGADO
Set this column	ENCARGADO
Only if this condition is true	NOT(ISBLANK([ENCARGADO]))
Disable automatic updates?	No
Action icon	
For a record of this table	GRUPOS AMA
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	vuelos

Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	vuelos
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No

Action icon	+
For a record of this table	vuelos
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (id_aplicante)

Action name	View Ref (id_aplicante)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=INFORMES&row=\", ENCODEURL([id_aplicante]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	id_aplicante
Set this column	id_aplicante
Only if this condition is true	NOT(ISBLANK([id_aplicante]))
Disable automatic updates?	No
Action icon	
For a record of this table	logistica_viajes
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (GRUPO)

Action name	View Ref (GRUPO)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline

Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=GRUPOS%20AMA&row=\", ENCODEURL([GRUPO]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	GRUPO
Set this column	GRUPO
Only if this condition is true	NOT(ISBLANK([GRUPO]))
Disable automatic updates?	No
Action icon	
For a record of this table	APLICANTES AMA
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Terminado

Action name	Terminado
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"Assignments":[{"ColumnToEdit":"grupo_de_regreso","NewColumnValue":"true"}],"ColumnToEdit":"grupo_de_regreso","NewColumnValue":"true","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	grupo_de_regreso
Set this column	grupo_de_regreso
Descriptive comment	Marcara como terminado el grupo
Only if this condition is true	[grupo_de_regreso] <> true
Disable automatic updates?	No

Action icon	
For a record of this table	grupo_asignado
Does this action apply to the whole table?	No
To this value	true
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	ASESORES
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"

	ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	ASESORES
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	ASESORES
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Compose Email (Correo)

Action name	Compose Email (Correo)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1

With these properties	{"EmailTo":"[Correo]","Subject":null,"Body":null,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	EMAIL
Attach to column	Correo
Set this column	Correo
Only if this condition is true	NOT(ISBLANK([Correo]))
Disable automatic updates?	No
Action icon	
For a record of this table	ASESORES
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	CONTACTO
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit

Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	CONTACTO
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	HISTORIAL DE TRAMITES
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	HISTORIAL DE TRAMITES
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	INFORMES

Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	INFORMES
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No

Action icon	
For a record of this table	PAISES
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	PAISES
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}

Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	TRAMITES
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	TRAMITES
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Compose Email (email)

Action name	Compose Email (email)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1

With these properties	{"EmailTo":"[email]","Subject":null,"Body":null,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	EMAIL
Attach to column	email
Set this column	email
Only if this condition is true	NOT(ISBLANK([email]))
Disable automatic updates?	No
Action icon	
For a record of this table	CONTACTO
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	CONTACTO
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Add

Action name	Add

Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	HISTORIAL DE TRAMITES
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	INFORMES
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Add

Action name	Add

Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	PAISES
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	TRAMITES
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (PAIS DONDE SE REALIZARA EL TRAMITE)

Action name	View Ref (PAIS DONDE SE REALIZARA EL TRAMITE)

Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=PAISES&row=\", ENCODEURL([PAIS DONDE SE REALIZARA EL TRAMITE]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	PAIS DONDE SE REALIZARA EL TRAMITE
Set this column	PAIS DONDE SE REALIZARA EL TRAMITE
Only if this condition is true	NOT(ISBLANK([PAIS DONDE SE REALIZARA EL TRAMITE]))
Disable automatic updates?	No
Action icon	
For a record of this table	INFORMES
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (NOMBRE DE CONTACTO)

Action name	View Ref (NOMBRE DE CONTACTO)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=CONTACTO&row=\", ENCODEURL([NOMBRE DE CONTACTO]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	NOMBRE DE CONTACTO
Set this column	NOMBRE DE CONTACTO
Only if this condition is true	NOT(ISBLANK([NOMBRE DE CONTACTO]))

Disable automatic updates?	No
Action icon	
For a record of this table	INFORMES
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (TRAMITE)

Action name	View Ref (TRAMITE)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=TRAMITES&row=\", ENCODEURL([TRAMITE]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	TRAMITE
Set this column	TRAMITE
Only if this condition is true	NOT(ISBLANK([TRAMITE]))
Disable automatic updates?	No
Action icon	
For a record of this table	INFORMES
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (TRAMITE ADICIONAL)

Action name	View Ref (TRAMITE ADICIONAL)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No

Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=TRAMITES&row=\", ENCODEURL([TRAMITE ADICIONAL]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	TRAMITE ADICIONAL
Set this column	TRAMITE ADICIONAL
Only if this condition is true	NOT(ISBLANK([TRAMITE ADICIONAL]))
Disable automatic updates?	No
Action icon	
For a record of this table	INFORMES
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (PERSONA QUIEN ATIENDE)

Action name	View Ref (PERSONA QUIEN ATIENDE)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=ASESORES&row=\", ENCODEURL([PERSONA QUIEN ATIENDE]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	PERSONA QUIEN ATIENDE
Set this column	PERSONA QUIEN ATIENDE
Only if this condition is true	NOT(ISBLANK([PERSONA QUIEN ATIENDE]))
Disable automatic updates?	No
Action icon	
For a record of this table	INFORMES

Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Open File (FOTO DE PASAPORTE)

Action name	Open File (FOTO DE PASAPORTE)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"FileTarget":"[FOTO DE PASAPORTE]","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	OPEN_FILE
Attach to column	FOTO DE PASAPORTE
Set this column	FOTO DE PASAPORTE
Only if this condition is true	NOT(ISBLANK([FOTO DE PASAPORTE]))
Disable automatic updates?	No
Action icon	
For a record of this table	INFORMES
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Open File (FOTO DE CREDENCIAL PARTE DELANTERA)

Action name	Open File (FOTO DE CREDENCIAL PARTE DELANTERA)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"FileTarget":"[FOTO DE CREDENCIAL PARTE DELANTERA]","Prominence":"Display_Inline","NeedsConfirmation":f

	alse,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	OPEN_FILE
Attach to column	FOTO DE CREDENCIAL PARTE DELANTERA
Set this column	FOTO DE CREDENCIAL PARTE DELANTERA
Only if this condition is true	NOT(ISBLANK([FOTO DE CREDENCIAL PARTE DELANTERA]))
Disable automatic updates?	No
Action icon	
For a record of this table	INFORMES
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Open File (FOTO DE CREDENCIAL PARTE TRASERA)

Action name	Open File (FOTO DE CREDENCIAL PARTE TRASERA)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"FileTarget":"[FOTO DE CREDENCIAL PARTE TRASERA]","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	OPEN_FILE
Attach to column	FOTO DE CREDENCIAL PARTE TRASERA
Set this column	FOTO DE CREDENCIAL PARTE TRASERA
Only if this condition is true	NOT(ISBLANK([FOTO DE CREDENCIAL PARTE TRASERA]))
Disable automatic updates?	No
Action icon	
For a record of this table	INFORMES
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Open File (FOTO ACTA DE NACIMIENTO)

Action name	Open File (FOTO ACTA DE NACIMIENTO)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"FileTarget":"[FOTO ACTA DE NACIMIENTO]","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	OPEN_FILE
Attach to column	FOTO ACTA DE NACIMIENTO
Set this column	FOTO ACTA DE NACIMIENTO
Only if this condition is true	NOT(ISBLANK([FOTO ACTA DE NACIMIENTO]))
Disable automatic updates?	No
Action icon	
For a record of this table	INFORMES
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Open File (foto_acta_nacimiento_parte_trasera)

Action name	Open File (foto_acta_nacimiento_parte_trasera)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"FileTarget":"[foto_acta_nacimiento_parte_trasera]","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	OPEN_FILE

Attach to column	foto_acta_nacimiento_parte_trasera
Set this column	foto_acta_nacimiento_parte_trasera
Only if this condition is true	NOT(ISBLANK([foto_acta_nacimiento_parte_trasera]))
Disable automatic updates?	No
Action icon	
For a record of this table	INFORMES
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Open File (FOTO DE COMPROBANTE DE DOMICILIO)

Action name	Open File (FOTO DE COMPROBANTE DE DOMICILIO)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"FileTarget":"[FOTO DE COMPROBANTE DE DOMICILIO]","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	OPEN_FILE
Attach to column	FOTO DE COMPROBANTE DE DOMICILIO
Set this column	FOTO DE COMPROBANTE DE DOMICILIO
Only if this condition is true	NOT(ISBLANK([FOTO DE COMPROBANTE DE DOMICILIO]))
Disable automatic updates?	No
Action icon	
For a record of this table	INFORMES
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Open File (foto_pasaporte_vencido)

Action name	Open File (foto_pasaporte_vencido)

Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"FileTarget":"[foto_pasaporte_vencido]","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	OPEN_FILE
Attach to column	foto_pasaporte_vencido
Set this column	foto_pasaporte_vencido
Only if this condition is true	NOT(ISBLANK([foto_pasaporte_vencido]))
Disable automatic updates?	No
Action icon	
For a record of this table	INFORMES
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Open File (foto_visa_vencida)

Action name	Open File (foto_visa_vencida)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"FileTarget":"[foto_visa_vencida]","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	OPEN_FILE
Attach to column	foto_visa_vencida
Set this column	foto_visa_vencida
Only if this condition is true	NOT(ISBLANK([foto_visa_vencida]))

Disable automatic updates?	No
Action icon	
For a record of this table	INFORMES
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Open File (foto_adicional1)

Action name	Open File (foto_adicional1)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"FileTarget":"[foto_adicional1]","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	OPEN_FILE
Attach to column	foto_adicional1
Set this column	foto_adicional1
Only if this condition is true	NOT(ISBLANK([foto_adicional1]))
Disable automatic updates?	No
Action icon	
For a record of this table	INFORMES
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Open File (curp)

Action name	Open File (curp)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No

Prominence	Display_Inline
Action order	1
With these properties	{"FileTarget":"[curp]","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	OPEN_FILE
Attach to column	curp
Set this column	curp
Only if this condition is true	NOT(ISBLANK([curp]))
Disable automatic updates?	No
Action icon	
For a record of this table	INFORMES
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Open File (adicional_credencial_delantera)

Action name	Open File (adicional_credencial_delantera)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"FileTarget":"[adicional_credencial_delantera]","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	OPEN_FILE
Attach to column	adicional_credencial_delantera
Set this column	adicional_credencial_delantera
Only if this condition is true	NOT(ISBLANK([adicional_credencial_delantera]))
Disable automatic updates?	No
Action icon	
For a record of this table	INFORMES

Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Open File (adicional_credencial_trasera)

Action name	Open File (adicional_credencial_trasera)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"FileTarget":"[adicional_credencial_trasera]","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	OPEN_FILE
Attach to column	adicional_credencial_trasera
Set this column	adicional_credencial_trasera
Only if this condition is true	NOT(ISBLANK([adicional_credencial_trasera]))
Disable automatic updates?	No
Action icon	
For a record of this table	INFORMES
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData"

	:true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	cotizaciones_vuelo
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	cotizaciones_vuelo
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently

Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	itinerario
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	itinerario
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes

Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	cotizaciones_vuelo
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	itinerario
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (id_cotizacion)

Action name	View Ref (id_cotizacion)
Bulk action?	No
Modifies data?	No

Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=cotizaciones_vuelo&row=\", ENCODEURL([id_cotizacion]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	id_cotizacion
Set this column	id_cotizacion
Only if this condition is true	NOT(ISBLANK([id_cotizacion]))
Disable automatic updates?	No
Action icon	
For a record of this table	itinerario
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (id_aplicante)

Action name	View Ref (id_aplicante)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=logistica_viajes&row=\", ENCODEURL([id_aplicante]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	id_aplicante
Set this column	id_aplicante
Only if this condition is true	NOT(ISBLANK([id_aplicante]))
Disable automatic updates?	No
Action icon	

For a record of this table	cotizaciones_vuelo
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Crear cotización

Action name	Crear cotización
Bulk action?	No
Modifies data?	No
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"Actions":[{"ActionName":"Formulario de cotización"}],"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	COMPOSITE
Attach to column	id_aplicante
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	logistica_viajes
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Crear itinerario

Action name	Crear itinerario
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"NavigateTarget":"=LINKTOFORM(\"itinerario_Form\",\"id_itinerario\",UNIQUEID(),\"id_cotizacion\",[id_cotizacion],\"id_aplicante\",

	[id_aplicante])","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	id_cotizacion
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	cotizaciones_vuelo
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Aceptar

Action name	Aceptar
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"Assignments":[{"ColumnToEdit":"estatus_cotizacion","NewColumnValue":"\"Aceptado\""}],"ColumnToEdit":"estatus_cotizacion","NewColumnValue":"\"Aceptado\"","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	estatus_cotizacion
Set this column	estatus_cotizacion
Only if this condition is true	=[estatus_cotizacion] <> "Aceptado"
Disable automatic updates?	No
Display name	"Aceptar"
Action icon	
For a record of this table	cotizaciones_vuelo

Does this action apply to the whole table?	No
To this value	"Aceptado"
Visible?	ALWAYS

Action name Cancelar

Action name	Cancelar
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"Assignments": [{"ColumnToEdit":"estatus_cotizacion","NewColumnValue":"\"Cancelado\""}],"ColumnToEdit":"estatus_cotizacion","NewColumnValue":"\"Cancelado\"","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	estatus_cotizacion
Set this column	estatus_cotizacion
Only if this condition is true	[estatus_cotizacion] <> "Cancelado"
Disable automatic updates?	No
Display name	"Cancelar"
Action icon	
For a record of this table	cotizaciones_vuelo
Does this action apply to the whole table?	No
To this value	"Cancelado"
Visible?	ALWAYS

Action name DESCARGAR LISTA

Action name	DESCARGAR LISTA
Bulk action?	No
Modifies data?	No

Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"CsvLocale":"es-MX","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	EXPORT_VIEW
Attach to column	id_logistica
Only if this condition is true	true
Disable automatic updates?	No
Action icon	⤓
For a record of this table	logistica_viajes
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Start

Action name	Start
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"Assignments":[{"ColumnToEdit":"estatus","NewColumnValue":"\"Cotización \""}],"ColumnToEdit":"estatus","NewColumnValue":"\"Cotización \"","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	estatus
Set this column	estatus
Only if this condition is true	ISBLANK([estatus])
Disable automatic updates?	No

Display name	"Cotización "
Action icon	
For a record of this table	logistica_viajes
Does this action apply to the whole table?	No
To this value	"Cotización "
Visible?	ALWAYS

Action name Previous

Action name	Previous
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"Assignments": [{"ColumnToEdit":"estatus","NewColumnValue":"=SWITCH([estatus], \"Pago confirmado\", \"Cotización\", \"Vuelo reservado\", \"Pago confirmado\", \"Recordatorio enviado\", \"Vuelo reservado\", \"\")"}],"ColumnToEdit":"estatus","NewColumnValue":"=SWITCH([estatus], \"Pago confirmado\", \"Cotización\", \"Vuelo reservado\", \"Pago confirmado\", \"Recordatorio enviado\", \"Vuelo reservado\", \"\")","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	estatus
Set this column	estatus
Only if this condition is true	IN([estatus], LIST("Pago realizado ", "Pago confirmado ", "Vuelo reservado", "Confirmado ", "Recordatorio enviado"))
Disable automatic updates?	No
Display name	=SWITCH([estatus], "Pago confirmado", "Cotización", "Vuelo reservado", "Pago confirmado", "Recordatorio enviado", "Vuelo reservado", "")
Action icon	

For a record of this table	logistica_viajes
Does this action apply to the whole table?	No
To this value	=SWITCH([estatus], "Pago confirmado", "Cotización", "Vuelo reservado", "Pago confirmado", "Recordatorio enviado", "Vuelo reservado", "")
Visible?	ALWAYS

Action name Next

Action name	Next
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"Assignments": [{"ColumnToEdit":"estatus","NewColumnValue":"=SWITCH(\n [estatus],\n \"Cotización \",\n \"Pago confirmado \",\n \"Vuelo reservado\",\n \"Recordatorio enviado \",\n \"Pago confirmado \",\n \"Vuelo reservado\",\n \"Recordatorio enviado\",\n \"Terminado\",\n \"\"\n)"}],"ColumnToEdit":"estatus","NewColumnValue":"=SWITCH(\n [estatus],\n \"Cotización \",\n \"Pago confirmado \",\n \"Vuelo reservado\",\n \"Recordatorio enviado \",\n \"Pago confirmado \",\n \"Vuelo reservado\",\n \"Recordatorio enviado\",\n \"Terminado\",\n \"\"\n)","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	estatus
Set this column	estatus
Only if this condition is true	=IN([estatus], LIST("Cotización", "Pago realizado", "Pago confirmado", "Vuelo reservado", "Confirmado", "Recordatorio enviado"))
Disable automatic updates?	No

Display name	=SWITCH([estatus], "Cotización ", "Pago confirmado ", "Vuelo reservado", "Recordatorio enviado ", "Pago confirmado ", "Vuelo reservado", "Recordatorio enviado", "Terminado", "")
Action icon	⏭
For a record of this table	logistica_viajes
Does this action apply to the whole table?	No
To this value	=SWITCH([estatus], "Cotización ", "Pago confirmado ", "Vuelo reservado", "Recordatorio enviado ", "Pago confirmado ", "Vuelo reservado", "Recordatorio enviado", "Terminado", "")
Visible?	ALWAYS

Action name Stop

Action name	Stop
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"Assignments": [{"ColumnToEdit":"estatus","NewColumnValue":"\"Recordatorio enviado\""}],"ColumnToEdit":"estatus","NewColumnValue":"\"Recordatorio enviado\"","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	estatus
Set this column	estatus
Only if this condition is true	[estatus] = "Confirmado "
Disable automatic updates?	No
Display name	"Recordatorio enviado"
Action icon	■
For a record of this table	logistica_viajes
Does this action apply to the whole table?	No

To this value	"Recordatorio enviado"
Visible?	ALWAYS

Action name Formulario de cotización

Action name	Formulario de cotización
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"NavigateTarget":"=LINKTOFORM(\"cotizaciones_vuelo_Form\",\"id_cotizacion\",UNIQUEID(),\"id_aplicante\",[id_logistica])","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	id_aplicante
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	logistica_viajes
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Hotel

Action name	Hotel
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"NavigateTarget":"=LINKTOFORM(\"hoteles_principal_Form\",\"\",UNIQUEID(),\"id_aplicante\",[ID APLICANTE].[ID DEL APLICANTE])","Prominence":"Display_Prominently","NeedsConfirm

	ation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	id_aplicante
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	APLICANTES AMA
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (id_ama)

Action name	View Ref (id_ama)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=APLICANTES%20AMA&row=\", ENCODEURL([id_ama]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	id_ama
Set this column	id_ama
Only if this condition is true	NOT(ISBLANK([id_ama]))
Disable automatic updates?	No
Action icon	
For a record of this table	logistica_viajes
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (nombre_vuelo)

Action name	View Ref (nombre_vuelo)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=grupo_asignado&row=\", ENCODEURL([nombre_vuelo]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	nombre_vuelo
Set this column	nombre_vuelo
Only if this condition is true	NOT(ISBLANK([nombre_vuelo]))
Disable automatic updates?	No
Action icon	
For a record of this table	vuelos
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (vuelo_ida)

Action name	View Ref (vuelo_ida)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=vuelos&row=\", ENCODEURL([vuelo_ida]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	vuelo_ida
Set this column	vuelo_ida

Only if this condition is true	NOT(ISBLANK([vuelo_ida]))
Disable automatic updates?	No
Action icon	
For a record of this table	itinerario
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (vuelo_regreso)

Action name	View Ref (vuelo_regreso)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=vuelos&row=\", ENCODEURL([vuelo_regreso]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	vuelo_regreso
Set this column	vuelo_regreso
Only if this condition is true	NOT(ISBLANK([vuelo_regreso]))
Disable automatic updates?	No
Action icon	
For a record of this table	itinerario
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes

Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	aeropuertos
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	aeropuertos
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add

Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	aeropuertos
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (aeropuerto_ida_salida)

Action name	View Ref (aeropuerto_ida_salida)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=aeropuertos&row=\", ENCODEURL([aeropuerto_ida_salida]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	aeropuerto_ida_salida
Set this column	aeropuerto_ida_salida
Only if this condition is true	NOT(ISBLANK([aeropuerto_ida_salida]))
Disable automatic updates?	No
Action icon	
For a record of this table	cotizaciones_vuelo
Does this action apply to the whole table?	No

Visible?	ALWAYS

Action name View Ref (aeropuerto_ida_llegada)

Action name	View Ref (aeropuerto_ida_llegada)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=aeropuertos&row=\", ENCODEURL([aeropuerto_ida_llegada]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	aeropuerto_ida_llegada
Set this column	aeropuerto_ida_llegada
Only if this condition is true	NOT(ISBLANK([aeropuerto_ida_llegada]))
Disable automatic updates?	No
Action icon	
For a record of this table	cotizaciones_vuelo
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (aeropuerto_regreso_salida)

Action name	View Ref (aeropuerto_regreso_salida)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=aeropuertos&row=\", ENCODEURL([aeropuerto_regreso_salida]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}

Do this	NAVIGATE_APP
Attach to column	aeropuerto_regreso_salida
Set this column	aeropuerto_regreso_salida
Only if this condition is true	NOT(ISBLANK([aeropuerto_regreso_salida]))
Disable automatic updates?	No
Action icon	
For a record of this table	cotizaciones_vuelo
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (aeropuerto_regreso_llegada)

Action name	View Ref (aeropuerto_regreso_llegada)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=aeropuertos&row=\", ENCODEURL([aeropuerto_regreso_llegada]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	aeropuerto_regreso_llegada
Set this column	aeropuerto_regreso_llegada
Only if this condition is true	NOT(ISBLANK([aeropuerto_regreso_llegada]))
Disable automatic updates?	No
Action icon	
For a record of this table	cotizaciones_vuelo
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (grupo_ama)

Action name	View Ref (grupo_ama)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=GRUPOS%20AMA&row=\", ENCODEURL([grupo_ama]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	grupo_ama
Set this column	grupo_ama
Only if this condition is true	NOT(ISBLANK([grupo_ama]))
Disable automatic updates?	No
Action icon	
For a record of this table	logistica_viajes
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	hoteles_detalles

Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	hoteles_detalles
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No

Action icon	
For a record of this table	hoteles_principal
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	hoteles_principal
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}

Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	hoteles_detalles
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	hoteles_principal
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (id_aplicante)

Action name	View Ref (id_aplicante)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=INFORMES&row=\", ENCODEURL([id_aplicante])}

	)","Prominence":"Display_Inline","NeedsConfirmation":false,"Confirmation Message":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	id_aplicante
Set this column	id_aplicante
Only if this condition is true	NOT(ISBLANK([id_aplicante]))
Disable automatic updates?	No
Action icon	
For a record of this table	hoteles_principal
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (id_reserva)

Action name	View Ref (id_reserva)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=hoteles_principal&row=\", ENCODEURL([id_reserva]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	id_reserva
Set this column	id_reserva
Only if this condition is true	NOT(ISBLANK([id_reserva]))
Disable automatic updates?	No
Action icon	
For a record of this table	hoteles_detalles
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (ASESOR DE PROTOCOLO)

Action name	View Ref (ASESOR DE PROTOCOLO)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=ASESORES&row=\", ENCODEURL([ASESOR DE PROTOCOLO]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	ASESOR DE PROTOCOLO
Set this column	ASESOR DE PROTOCOLO
Only if this condition is true	NOT(ISBLANK([ASESOR DE PROTOCOLO]))
Disable automatic updates?	No
Action icon	
For a record of this table	GRUPOS AMA
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Guardar_pdf Action - 1

Action name	Guardar_pdf Action - 1
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"Assignments":[{"ColumnToEdit":"pdf","NewColumnValue":"=[Pdf_cotizacion].[Output]"}],"ColumnToEdit":"pdf","NewColumnValue":"=[Pdf_cotizacion].[Output]","InputParametersUsed":null,"Prominence":"Display_Promi

	nently","NeedsConfirmation":false,"ConfirmationMessage":"","Modifies Data":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	pdf
Set this column	pdf
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	cotizaciones_vuelo
Does this action apply to the whole table?	No
To this value	=[Pdf_cotizacion].[Output]
Visible?	ALWAYS

Action name New step Action - 1

Action name	New step Action - 1
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"Assignments":[{"ColumnToEdit":"pdf","NewColumnValue":"=[Pdf_itinerario].[Output]"}],"ColumnToEdit":"pdf","NewColumnValue":"=[Pdf_itinerario].[Output]","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	pdf
Set this column	pdf
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	itinerario

Does this action apply to the whole table?	No
To this value	=[Pdf_itinerario].[Output]
Visible?	ALWAYS

Action name View Ref (id_aplicante)

Action name	View Ref (id_aplicante)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=logistica_viajes&row=\", ENCODEURL([id_aplicante]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	id_aplicante
Set this column	id_aplicante
Only if this condition is true	NOT(ISBLANK([id_aplicante]))
Disable automatic updates?	No
Action icon	
For a record of this table	itinerario
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1

With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	aerolineas
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	aerolineas
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (aerolinea)

Action name	View Ref (aerolinea)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No

Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=aerolineas&row=\", ENCODEURL([aerolinea]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	aerolinea
Set this column	aerolinea
Only if this condition is true	NOT(ISBLANK([aerolinea]))
Disable automatic updates?	No
Action icon	
For a record of this table	vuelos
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (aerolinea)

Action name	View Ref (aerolinea)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=aerolineas&row=\", ENCODEURL([aerolinea]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	aerolinea
Set this column	aerolinea
Only if this condition is true	NOT(ISBLANK([aerolinea]))
Disable automatic updates?	No
Action icon	
For a record of this table	itinerario

Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	aerolineas
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (destino)

Action name	View Ref (destino)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=aeropuertos&row=\", ENCODEURL([destino]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	destino

Set this column	destino
Only if this condition is true	NOT(ISBLANK([destino]))
Disable automatic updates?	No
Action icon	
For a record of this table	vuelos
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	APLICANTES VISA IND
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1

With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	APLICANTES VISA IND
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	APLICANTES VISA IND
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (Id_aplicante)

Action name	View Ref (Id_aplicante)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No

Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=INFORMES&row=\", ENCODEURL([Id_aplicante]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Id_aplicante
Set this column	Id_aplicante
Only if this condition is true	NOT(ISBLANK([Id_aplicante]))
Disable automatic updates?	No
Action icon	
For a record of this table	APLICANTES VISA IND
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	encuesta_satisfaccion
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	encuesta_satisfaccion
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	encuesta_satisfaccion
Does this action apply to the whole table?	Yes

Visible?	ALWAYS

Action name View Ref (Encargado)

Action name	View Ref (Encargado)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=ASESORES&row=\", ENCODEURL([Encargado]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Encargado
Set this column	Encargado
Only if this condition is true	NOT(ISBLANK([Encargado]))
Disable automatic updates?	No
Action icon	
For a record of this table	APLICANTES VISA IND
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Nombre_contacto)

Action name	View Ref (Nombre_contacto)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=CONTACTO&row=\", ENCODEURL([Nombre_contacto]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}

Do this	NAVIGATE_APP
Attach to column	Nombre_contacto
Set this column	Nombre_contacto
Only if this condition is true	NOT(ISBLANK([Nombre_contacto]))
Disable automatic updates?	No
Action icon	
For a record of this table	APLICANTES VISA IND
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Call Phone (Tel_ contacto)

Action name	Call Phone (Tel_ contacto)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"Number":"[Tel_ contacto]","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	CALL
Attach to column	Tel_ contacto
Set this column	Tel_ contacto
Only if this condition is true	NOT(ISBLANK([Tel_ contacto]))
Disable automatic updates?	No
Display name	Phone call
Action icon	
For a record of this table	APLICANTES VISA IND
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Send SMS (Tel_ contacto)

Action name	Send SMS (Tel_ contacto)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"Number":"[Tel_ contacto]","Message":"","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	SMS
Attach to column	Tel_ contacto
Set this column	Tel_ contacto
Only if this condition is true	NOT(ISBLANK([Tel_ contacto]))
Disable automatic updates?	No
Display name	Text message
Action icon	💬
For a record of this table	APLICANTES VISA IND
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Ultima_revision)

Action name	View Ref (Ultima_revision)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=ASESORES&row=\", ENCODEURL([Ultima_revision]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Ultima_revision

Set this column	Ultima_revision
Only if this condition is true	NOT(ISBLANK([Ultima_revision]))
Disable automatic updates?	No
Action icon	
For a record of this table	APLICANTES VISA IND
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Open Url (Link_respaldo)

Action name	Open Url (Link_respaldo)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"[Link_respaldo]","LaunchExternal":false,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_URL
Attach to column	Link_respaldo
Set this column	Link_respaldo
Only if this condition is true	NOT(ISBLANK([Link_respaldo]))
Disable automatic updates?	No
Action icon	
For a record of this table	APLICANTES VISA IND
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Encuesta

Action name	Encuesta
Bulk action?	No

Modifies data?	No
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"NavigateTarget":"=LINKTOFORM(\"encuesta_satisfaccion_Form\",\"id_respuesta\",UNIQUEID(),\"id_aplicante\",[Id_aplicante],\"aprobado_negado\",\"Aprobado\")","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Id_aplicante
Only if this condition is true	true
Disable automatic updates?	No
Display name	Encuesta de satisfacción
Action icon	
For a record of this table	APLICANTES VISA IND
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Encuesta 2

Action name	Encuesta 2
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"NavigateTarget":"=LINKTOFORM(\"encuesta_satisfaccion_Form\",\"id_respuesta\",UNIQUEID(),\"id_aplicante\",[Id_aplicante],\"aprobado_negado\",\"Aprobado\")","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Id_aplicante
Only if this condition is true	true

Disable automatic updates?	No
Display name	Encuesta de satisfacción
Action icon	
For a record of this table	logistica_viajes
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Nuevo Vuelo

Action name	Nuevo Vuelo
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"NavigateTarget":"=LINKTOFORM(\"logistica_viajes_Form\",\"id_logistica\",UNIQUEID(),\"id_aplicante\",[Id_aplicante])","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	id_pros_visa_ind
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	APLICANTES VISA IND
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes

Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	tours_cliente
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	tours_cliente
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add

Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	tours_cliente
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	🗑
For a record of this table	clientes_tours
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	clientes_tours
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	clientes_tours
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	tours
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	tours

Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	tours
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Call Phone (telefono)

Action name	Call Phone (telefono)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"Number":"[telefono]","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	CALL
Attach to column	telefono

Set this column	telefono
Only if this condition is true	NOT(ISBLANK([telefono]))
Disable automatic updates?	No
Display name	Phone call
Action icon	
For a record of this table	clientes_tours
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Send SMS (telefono)

Action name	Send SMS (telefono)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"Number":" [telefono]","Message":"","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	SMS
Attach to column	telefono
Set this column	telefono
Only if this condition is true	NOT(ISBLANK([telefono]))
Disable automatic updates?	No
Display name	Text message
Action icon	
For a record of this table	clientes_tours
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Call Phone (contacto_emergencia)

Action name	Call Phone (contacto_emergencia)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"Number":"[contacto_emergencia]","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	CALL
Attach to column	contacto_emergencia
Set this column	contacto_emergencia
Only if this condition is true	NOT(ISBLANK([contacto_emergencia]))
Disable automatic updates?	No
Display name	Phone call
Action icon	
For a record of this table	clientes_tours
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Send SMS (contacto_emergencia)

Action name	Send SMS (contacto_emergencia)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"Number":"[contacto_emergencia]","Message":"","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	SMS
Attach to column	contacto_emergencia

Set this column	contacto_emergencia
Only if this condition is true	NOT(ISBLANK([contacto_emergencia]))
Disable automatic updates?	No
Display name	Text message
Action icon	
For a record of this table	clientes_tours
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (id_cliente)

Action name	View Ref (id_cliente)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=clientes_tours&row=\", ENCODEURL([id_cliente]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	id_cliente
Set this column	id_cliente
Only if this condition is true	NOT(ISBLANK([id_cliente]))
Disable automatic updates?	No
Action icon	
For a record of this table	tours_cliente
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (tour_solicitado)

Action name	View Ref (tour_solicitado)

Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=tours&row=\", ENCODEURL([tour_solicitado]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	tour_solicitado
Set this column	tour_solicitado
Only if this condition is true	NOT(ISBLANK([tour_solicitado]))
Disable automatic updates?	No
Action icon	
For a record of this table	tours_cliente
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	menu

Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	menu
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No

Action icon	+
For a record of this table	menu
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name abrir_menu

Action name	abrir_menu
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"NavigateTarget":"=LINKTOVIEW([pagina])","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	pagina
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	menu
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Map (lugar)

Action name	View Map (lugar)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1

With these properties	{"NavigateTarget":"CONCATENATE(\"#page=map&table=tours&mapcolumn=lugar&row=\", ENCODEURL([_THISROW]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	lugar
Set this column	lugar
Only if this condition is true	NOT(ISBLANK([lugar]))
Disable automatic updates?	No
Action icon	
For a record of this table	tours
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	cotizaciones_vehiculos
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	cotizaciones_vehiculos
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	cotizaciones_vehiculos
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	vehiculos
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	vehiculos

Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	vehiculos
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (id_cliente)

Action name	View Ref (id_cliente)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=clientes_tours&row=\", ENCODEURL([id_cliente]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	id_cliente

Set this column	id_cliente
Only if this condition is true	NOT(ISBLANK([id_cliente]))
Disable automatic updates?	No
Action icon	
For a record of this table	cotizaciones_vehiculos
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (id_vehiculo)

Action name	View Ref (id_vehiculo)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=vehiculos&row=\", ENCODEURL([id_vehiculo]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	id_vehiculo
Set this column	id_vehiculo
Only if this condition is true	NOT(ISBLANK([id_vehiculo]))
Disable automatic updates?	No
Action icon	
For a record of this table	cotizaciones_vehiculos
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name whatsapp

Action name	whatsapp
Bulk action?	No

Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"NavigateTarget":"=CONCATENATE(\"https://wa.me/\", [telefono_con_lada])","LaunchExternal":true,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_URL
Attach to column	telefono_con_lada
Only if this condition is true	true
Disable automatic updates?	No
Display name	="Enviar mensaje de whastapp"
Action icon	
For a record of this table	clientes_tours
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Enviar Cotización

Action name	Enviar Cotización
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"NavigateTarget":"=CONCATENATE(\n \"https://api.whatsapp.com/send?phone=\", \n [id_cliente].[telefono_con_lada], \n \"&text=\", \n [mensaje_de_cotizacion]\n)","LaunchExternal":true,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_URL
Only if this condition is true	true
Disable automatic updates?	No

Action icon	
For a record of this table	cotizaciones_vehiculos
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name estatus

Action name	estatus
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"Assignments":[{"ColumnToEdit":"estatus","NewColumnValue":"=[_INPUT].[estatus]"}],"ColumnToEdit":"estatus","NewColumnValue":"=[_INPUT].[estatus]","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	id_cotizacion
Set this column	estatus
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	cotizaciones_vehiculos
Does this action apply to the whole table?	No
To this value	=[_INPUT].[estatus]
Visible?	ALWAYS

Action name View Ref (cotizacion_vechiculo)

Action name	View Ref (cotizacion_vechiculo)
Bulk action?	No

Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=cotizaciones_vehiculos&row=\", ENCODEURL([cotizacion_vechiculo]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	cotizacion_vechiculo
Set this column	cotizacion_vechiculo
Only if this condition is true	NOT(ISBLANK([cotizacion_vechiculo]))
Disable automatic updates?	No
Action icon	
For a record of this table	tours
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Pagado_transformar_tour

Action name	Pagado_transformar_tour
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"NavigateTarget":"=LINKTOFORM(\"tours_Form_cotiza\",\"id_tour\", UNIQUEID( ),\"fecha_hora_salida\", [fecha_ida], \"fecha_hora_regreso\", [fecha_regreso], \"lugar\", [ruta], \"cotizacion_vechiculo\", [id_cotizacion])","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	id_cotizacion
Only if this condition is true	true

Disable automatic updates?	No
Display name	="Registrar en calendario"
Action icon	
For a record of this table	cotizaciones_vehiculos
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Duplicar cotización

Action name	Duplicar cotización
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"NavigateTarget":"=LINKTOFORM(\n \"cotizaciones_vehiculos_Form\",\n \"id_cliente\", [id_cliente],\n \"id_vehiculo\", [id_vehiculo],\n \"fecha_ida\", [fecha_ida],\n \"fecha_regreso\", [fecha_regreso],\n \"km_recorridos\", [km_recorridos],\n \"ruta\", [ruta],\n \"casetas\", [casetas],\n \"sueldo_chofer\", [sueldo_chofer],\n \"viaticos_chofer\", [viaticos_chofer],\n \"habra_guia\", [habra_guia],\n \"sueldo_guia\", [sueldo_guia],\n \"apoyo_pernocta\", [apoyo_pernocta],\n \"ganancia_minima\", [ganancia_minima],\n \"utilidad\", [utilidad],\n \"estatus\", [estatus],\n \"estatal\", [estatal],\n \"solo_ida\", [solo_ida],\n \"descuento\", [descuento],\n \"movimientos_extra\", [movimientos_extra]\n)","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	cotizaciones_vehiculos

Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Mensaje de recuperación

Action name	Mensaje de recuperación
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"NavigateTarget":"=CONCATENATE(\n \"https://api.whatsapp.com/send?phone=\", \n [id_cliente].[telefono_con_lada], \n \"&text=\", \n ENCODEURL(\"¡Hola buen día! ¿Tiene alguna duda sobre la cotización enviada? Cualquier cosa estaremos a la orden para usted 🚆\n\nAdemás, si ya cuenta con alguna cotización de otra agencia, con gusto podemos revisarla y buscar una opción que le brinde una mejor tarifa o mayores beneficios, siempre procurando ofrecerle la mejor alternativa para su viaje ✅\n\nSerá un gusto poder apoyarle. Quedamos atentos a cualquier consulta.\")\n)","LaunchExternal":true,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_URL
Attach to column	id_cliente
Only if this condition is true	true
Disable automatic updates?	No
Action icon	⏳
For a record of this table	cotizaciones_vehiculos
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Open Url (url)

Action name	Open Url (url)

Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"NavigateTarget":"[url]","LaunchExternal":true,"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_URL
Attach to column	url
Set this column	url
Only if this condition is true	NOT(ISBLANK([url]))
Disable automatic updates?	No
Action icon	
For a record of this table	menu
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	catalogo_tours

Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	catalogo_tours
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No

Action icon	+
For a record of this table	catalogo_tours
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	🗑
For a record of this table	Hotel
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}

Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Hotel
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Hotel
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Cambio de estatus

Action name	Cambio de estatus
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Assignments":[{"ColumnToEdit":"estatus","NewColumnValue":"=[_INPUT].

	[estatus]"}],"ColumnToEdit":"estatus","NewColumnValue":"=[_INPUT].[estatus]","InputParametersUsed":null,"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	id_logistica
Set this column	estatus
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	logistica_viajes
Does this action apply to the whole table?	No
To this value	=[_INPUT].[estatus]
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	pagos_cotizacion_vehiculos
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	pagos_cotizacion_vehiculos
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	pagos_cotizacion_vehiculos
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name registro_pago

Action name	registro_pago
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"NavigateTarget":"=LINKTOFORM(\n \"pagos_cotizacion_vehiculos_Form\",\n \"id_pago\",\n UNIQUEID(),\n \"id_cotizacion\",\n [id_cotizacion],\n \"fecha\",\n TODAY()\n)","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	id_cotizacion
Only if this condition is true	true
Disable automatic updates?	No
Display name	Registrar pago
Action icon	
For a record of this table	cotizaciones_vehiculos
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (id_cotizacion)

Action name	View Ref (id_cotizacion)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=cotizaciones_vehiculos&row=\", ENCODEURL([id_cotizacion]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}

Do this	NAVIGATE_APP
Attach to column	id_cotizacion
Set this column	id_cotizacion
Only if this condition is true	NOT(ISBLANK([id_cotizacion]))
Disable automatic updates?	No
Action icon	
For a record of this table	pagos_cotizacion_vehiculos
Does this action apply to the whole table?	No
Visible?	ALWAYS