

First Edition

INTERMEDIATE PYTHON

Muhammad Yasooob Ullah Khalid

Contents

I	Preface	2
II	Author	3
1	*args and **kwargs	4
1.1	Usage of *args	4
1.2	Usage of **kwargs	5
1.3	Using *args and **kwargs to call a function	5
1.4	When to use them?	6
2	Debugging	7
3	Generators	9
3.1	Iterable	9
3.2	Iterator	10
3.3	Iteration	10
3.4	Generators	10
4	Map & Filter	13
4.1	1. Map	13
4.2	2. Filter	14
5	set Data Structure	15

6	Ternary Operators	17
7	Decorators	19
7.1	Everything in python is an object:	19
7.2	Defining functions within functions:	20
7.3	Returning functions from within functions:	21
7.4	Giving a function as an argument to another function:	22
7.5	Writing your first decorator:	22
7.6	1. Authorization	25
7.7	2. Logging	25
8	Global & Return	27
9	Mutation	29
10	__slots__ Magic	32
11	Virtual Environment	34
12	Collections	36
12.1	1.defaultdict	36
12.2	2.counter	38
12.3	3.deque	38
12.4	4.namedtuple	40
12.5	5.enum.Enum (Python 3.4+)	42
13	Enumerate	44
14	Object introspection	46
14.1	1.dir	46
14.2	2.type and id	47
14.3	3.inspect module	47
15	Comprehensions	48
15.1	list comprehensions	48
15.2	dict comprehensions	49
15.3	set comprehensions	50
16	Exceptions	51
16.1	Handling multiple exceptions:	51
17	Lambdas	54

18 One Liners	56
19 For - Else	58
19.1 1.else clause:	58
20 Open function	60
21 Targeting Python 2+3	63
22 Coroutines	66
23 Function caching	68
23.1 Python 3.2+	68
23.2 Python 2+	69
24 Context managers	70
24.1 Implementing Context Manager as a Class:	71
24.2 Handling exceptions	72
24.3 Implementing a Context Manager as a Generator	73

Note: If you want to tip me then kindly signup at my [mailing list](#) and I will send you an email once I have a tip receiving system in place! :)

Part I

PREFACE

Python is an amazing language with a strong and friendly community of programmers. However, there is a lack of documentation on what to learn after getting the basics of Python down your throat. Through this book I aim to solve this problem. I would give you bits of information about some interesting topics which you can further explore.

The topics which are discussed in this book open up your mind towards some nice corners of Python language. This book is an outcome of my desire to have something like this when I was beginning to learn Python.

If you are a beginner, intermediate or even an advanced programmer there is something for you in this book.

Please note that this book is not a tutorial and does not teach you Python. The topics are not explained in depth, instead only the minimum required information is given.

I am sure you are as excited as I am so let's start!

Note: This book is a work in progress. If you find anything which you can further improve (I know you will find a lot of stuff) then kindly submit a pull request. :)

Part II

AUTHOR

I am Muhammad Yasoob Ullah Khalid. I have been programming extensively in Python for over 3 years now. I have been involved in a lot of Open Source projects. I regularly blog about interesting Python topics over at my [blog](#) . In 2014 I also spoke at EuroPython which was held in Berlin. It is the biggest Python conference in Europe.

`*args` and `**kwargs`

I have come to see that most new python programmers have a hard time figuring out the `*args` and `**kwargs` magic variables. So what are they ? First of all let me tell you that it is not necessary to write `*args` or `**kwargs`. Only the `*` (asterisk) is necessary. You could have also written `*var` and `**vars`. Writing `*args` and `**kwargs` is just a convention. So now lets take a look at `*args` first.

1.1 Usage of `*args`

`*args` and `**kwargs` are mostly used in function definitions. `*args` and `**kwargs` allow you to pass a variable number of arguments to a function. What variable means here is that you do not know beforehand how many arguments can be passed to your function by the user so in this case you use these two keywords. `*args` is used to send a **non-keyworded** variable length argument list to the function. Here's an example to help you get a clear idea:

```
def test_var_args(f_arg, *argv):
    print("first normal arg:", f_arg)
    for arg in argv:
        print("another arg through *argv:", arg)

test_var_args('yasoob', 'python', 'eggs', 'test')
```

This produces the following result:

```
first normal arg: yasoob
another arg through *argv: python
another arg through *argv: eggs
another arg through *argv: test
```

I hope this cleared away any confusion that you had. So now let's talk about ****kwargs**

1.2 Usage of ****kwargs**

****kwargs** allows you to pass **keyworded** variable length of arguments to a function. You should use ****kwargs** if you want to handle **named arguments** in a function. Here is an example to get you going with it:

```
def greet_me(**kwargs):
    for key, value in kwargs.items():
        print("{0} == {1}".format(key, value))
```

```
>>> greet_me(name="yasoob")
name == yasoob
```

So you can see how we handled a keyworded argument list in our function. This is just the basics of ****kwargs** and you can see how useful it is. Now let's talk about how you can use ***args** and ****kwargs** to call a function with a list or dictionary of arguments.

1.3 Using ***args** and ****kwargs** to call a function

So here we will see how to call a function using ***args** and ****kwargs**. Just consider that you have this little function:

```
def test_args_kwargs(arg1, arg2, arg3):
    print("arg1:", arg1)
    print("arg2:", arg2)
    print("arg3:", arg3)
```

Now you can use ***args** or ****kwargs** to pass arguments to this little function. Here's how to do it:

```
# first with *args
>>> args = ("two", 3, 5)
>>> test_args_kwargs(*args)
arg1: two
arg2: 3
arg3: 5

# now with **kwargs:
>>> kwargs = {"arg3": 3, "arg2": "two", "arg1": 5}
>>> test_args_kwargs(**kwargs)
arg1: 5
arg2: two
arg3: 3
```

Order of using *args **kwargs and formal args

So if you want to use all three of these in functions then the order is

```
some_func(fargs, *args, **kwargs)
```

1.4 When to use them?

It really depends on what your requirements are. The most common use case is when making function decorators (discussed in another chapter). Moreover it can be used in monkey patching as well. Monkey patching means modifying some code at runtime. Consider that you have a class with a function called `get_info` which calls an API and returns the response data. If we want to test it we can replace the API call with some test data. For instance:

```
import someclass

def get_info(self, *args):
    return "Test data"

someclass.get_info = get_info
```

I am sure that you can think of some other use cases as well.

Debugging

Debugging is also something which once mastered can greatly enhance your bug hunting skills. Most of the newcomers neglect the importance of the Python debugger (pdb). In this section I am going to tell you only a few important commands. You can learn more about it from the official documentation.

Running from commandline

You can run a script from the commandline using the Python debugger. Here is an example:

```
$ python -m pdb my_script.py
```

It would cause the debugger to stop the execution on the first statement it finds. This is helpful if your script is short. You can then inspect the variables and continue execution line-by-line.

Running from inside a script

You can set break points in the script itself so that you can inspect the variables and stuff at particular points. This is possible using the `pdb.set_trace()` method. Here is an example:

```
import pdb

def make_bread():
    pdb.set_trace()
    return "I don't have time"

print(make_bread())
```

Try running the above script after saving it. You would enter the debugger as soon as you run it. Now it's time to learn some of the commands of the debugger.

Commands:

- c: continue execution
- w: shows the context of the current line it is executing.
- a: print the argument list of the current function
- s: Execute the current line and stop at the first possible occasion.
- n: Continue execution until the next line in the current function is reached or it returns.

The difference between next and step is that step stops inside a called function, while next executes called functions at (nearly) full speed, only stopping at the next line in the current function.

These are just a few commands. pdb also supports post mortem. It is also a really handy function. I would highly suggest you to look at the official documentation and learn more about it.

Generators

First lets understand iterators. According to Wikipedia, an iterator is an object that enables a programmer to traverse a container, particularly lists. However, an iterator performs traversal and gives access to data elements in a container, but does not perform iteration. You might be confused so lets take it a bit slow. There are three parts namely:

- Iterable
- Iterator
- Iteration

All of these parts are linked to each other. We will discuss them one by one and later talk about generators.

3.1 Iterable

An iterable is any object in Python which has an `__iter__` or a `__getitem__` method defined which returns an **iterator** or can take indexes (Both of these dunder methods are fully explained in a previous chapter). In short an iterable is any object which can provide us with an **iterator**. So what is an **iterator**?

3.2 Iterator

An iterator is any object in Python which has a `next` (Python2) or `__next__` method defined. That's it. That's an iterator. Now let's understand **iteration**.

3.3 Iteration

In simple words it is the process of taking an item from something e.g a list. When we use a loop to loop over something it is called iteration. It is the name given to the process itself. Now as we have a basic understanding of these terms let's understand **generators**.

3.4 Generators

Generators are iterators, but you can only iterate over them once. It's because they do not store all the values in memory, they generate the values on the fly. You use them by iterating over them, either with a 'for' loop or by passing them to any function or construct that iterates. Most of the time generators are implemented as functions. However, they do not return a value, they yield it. Here is a simple example of a generator function:

```
def generator_function():
    for i in range(10):
        yield i

for item in generator_function():
    print(item)
```

```
# Output: 0
# 1
# 2
# 3
# 4
# 5
# 6
# 7
# 8
# 9
```

It is not really useful in this case. Generators are best for calculating large sets of results (particularly calculations involving loops themselves) where you don't want to allocate the memory for all results at the same time. Many Standard Library functions that return lists in Python 2 have been modified to return generators in Python 3 because generators require fewer resources.

Here is an example generator which calculates fibonacci numbers:

```
# generator version
def fibon(n):
    a = b = 1
    for i in range(n):
        yield a
        a, b = b, a + b
```

Now we can use it like this:

```
for x in fibon(1000000):
    print(x)
```

This way we would not have to worry about it using a lot of resources. However, if we would have implemented it like this:

```
def fibon(n):
    a = b = 1
    result = []
    for i in range(n):
        result.append(a)
        a, b = b, a + b
    return result
```

It would have used up all our resources while calculating a large input. We have discussed that we can iterate over generators only once but we haven't tested it. Before testing it you need to know about one more built-in function of Python, `next()`. It allows us to access the next element of a sequence. So let's test out our understanding:

```
def generator_function():
    for i in range(3):
        yield i

gen = generator_function()
print(next(gen))
# Output: 0
```



```

print(next(gen))
# Output: 1
print(next(gen))
# Output: 2
print(next(gen))
# Output: Traceback (most recent call last):
#       File "<stdin>", line 1, in <module>
#       StopIteration

```

As we can see that after yielding all the values `next()` caused a `StopIteration` error. Basically this error informs us that all the values have been yielded. You might be wondering that why don't we get this error while using a for loop? Well the answer is simple. The for loop automatically catches this error and stops calling `next`. Do you know that a few built-in data types in Python also support iteration? Let's check it out:

```

my_string = "Yasoob"
next(my_string)
# Output: Traceback (most recent call last):
#       File "<stdin>", line 1, in <module>
#       TypeError: str object is not an iterator

```

Well that's not what we expected. The error says that `str` is not an iterator. Well it is right! It is an iterable but not an iterator. This means that it supports iteration but we can not directly iterate over it. How can we then iterate over it? It's time to learn about one more built-in function, `iter`. It returns an iterator object from an iterable. Here is how we can use it:

```

my_string = "Yasoob"
my_iter = iter(my_string)
next(my_iter)
# Output: 'Y'

```

Now that is much better. I am sure that you loved learning about generators. Do bear it in mind that you can fully grasp this concept only when you use it. Make sure that you follow this pattern and use generators whenever they make sense to you. You won't be disappointed!

Map & Filter

These are two functions which facilitate a functional approach to programming. We will discuss them one by one and understand their use cases.

4.1 1. Map

Map applies a function to all the items in an `input_list`. Here is the blueprint:

Blueprint

```
map(function_to_apply, list_of_inputs)
```

Most of the times we want to pass all the list elements to a function one-by-one and then collect the output. For instance:

```
items = [1, 2, 3, 4, 5]
squared = []
for i in items:
    squared.append(i**2)
```

Map allows us to implement this in a much simpler and nicer way. Here you go:

```
items = [1, 2, 3, 4, 5]
squared = map(lambda x: x**2, items)
```

Most of the times we use lambdas with map so I did the same. Instead of a list of inputs we can even have a list of functions!

```

def multiply(x):
    return (x*x)
def add(x):
    return (x+x)

funcs = [multiply, add]
for i in range(5):
    value = map(lambda x: x(i), funcs)
    print(value)

# Output:
# [0, 0]
# [1, 2]
# [4, 4]
# [9, 6]
# [16, 8]

```

4.2 2. Filter

As the name suggests, filter creates a list of elements for which a function returns true. Here is a short and concise example:

```

number_list = range(-5, 5)
less_than_zero = list(filter(lambda x: x < 0, number_list))
print(less_than_zero)

# Output: [-5, -4, -3, -2, -1]

```

The filter resembles a for loop but it is a builtin function and faster.

Note: If map & filter do not appear beautiful to you then you can read about list/dict/tuple comprehensions.

set Data Structure

set is a really useful data structure. sets behave mostly like lists with the distinction that they can not contain duplicate values. It is really useful in a lot of cases. For instance you might want to check whether there are duplicates in a list or not. You have two options. The first one involves using a for loop. Something like this:

```
some_list = ['a', 'b', 'c', 'b', 'd', 'm', 'n', 'n']
```

```
duplicates = []
for value in some_list:
    if some_list.count(value) > 1:
        if value not in duplicates:
            duplicates.append(value)
```

```
print(duplicates)
# Output: ['b', 'n']
```

But there is a simpler and more elegant solution involving sets. You can simply do something like this:

```
some_list = ['a', 'b', 'c', 'b', 'd', 'm', 'n', 'n']
duplicates = set([x for x in some_list if some_list.count(x) > 1])
print(duplicates)
# Output: set(['b', 'n'])
```

Sets also have a few other methods. Below are some of them.

Intersection

You can intersect two sets. For instance:

```
valid = set(['yellow', 'red', 'blue', 'green', 'black'])
input_set = set(['red', 'brown'])
print(input_set.intersection(valid))
# Output: set(['red'])
```

Difference

You can find the invalid values in the above example using the difference method. For example:

```
valid = set(['yellow', 'red', 'blue', 'green', 'black'])
input_set = set(['red', 'brown'])
print(input_set.difference(valid))
# Output: set(['brown'])
```

You can also create sets using the new notation:

```
a_set = {'red', 'blue', 'green'}
print(type(a_set))
# Output: <type 'set'>
```

There are a few other methods as well. I would recommend visiting the official documentation and giving it a quick read.

Ternary Operators

Ternary operators are more commonly known as conditional expressions in Python. These operators evaluate something based on a condition being true or not. They became a part of Python in version 2.4

Here is a blueprint and an example of using these conditional expressions.

Blueprint:

```
condition_is_true if condition else condition_is_false
```

Example:

```
is_fat = True  
state = "fat" if is_fat else "not fat"
```

It allows to quickly test a condition instead of a multiline if statement. Often times it can be immensely helpful and can make your code compact but still maintainable.

Another more obscure and not widely used example involves tuples. Here is some sample code:

Blueprint:

```
(if_test_is_false, if_test_is_true)[test]
```

Example:

```
fat = True  
fitness = ("skinny", "fat")[fat]
```

```
print("Ali is ", fitness)  
# Output: Ali is fat
```

The above example is not widely used and is generally disliked by Pythonistas for not being Pythonic. It is also easy to confuse where to put the true value and where to put the false value in the tuple.

Decorators

Decorators are a significant part of Python. In simple words: they are functions which modify the functionality of another function. They help to make our code shorter and more Pythonic. Most of the beginners do not know where to use them so I am going to share some areas where decorators can make your code more concise.

First, let's discuss how to write your own decorator.

It is perhaps one of the most difficult concepts to grasp. We will take it one step at a time so that you can fully understand it.

7.1 Everything in python is an object:

First of all let's understand functions in python:

```
def hi(name="yasoob"):  
    return "hi " + name
```

```
print(hi())  
# output: 'hi yasoob'
```

```
# We can even assign a function to a variable like
```

```
greet = hi
```

```
# We are not using parentheses here because we are not calling the function hi
```

```
# instead we are just putting it into the greet variable. Let's try to run this
```



```

print(greet())
# output: 'hi yasoob'

# Let's see what happens if we delete the old hi function!
del hi
print(hi())
#outputs: NameError

print(greet())
#outputs: 'hi yasoob'

```

7.2 Defining functions within functions:

So those are the basics when it comes to functions. Let's take your knowledge one step further. In Python we can define functions inside other functions:

```

def hi(name="yasoob"):
    print("now you are inside the hi() function")

    def greet():
        return "now you are in the greet() function"

    def welcome():
        return "now you are in the welcome() function"

    print(greet())
    print(welcome())
    print("now you are back in the hi() function")

hi()
#output:now you are inside the hi() function
#       now you are in the greet() function
#       now you are in the welcome() function
#       now you are back in the hi() function

# This shows that whenever you call hi(), greet() and welcome()
# are also called. However the greet() and welcome() functions
# are not available outside the hi() function e.g:

greet()

```

```
#outputs: NameError: name 'greet' is not defined
```

So now we know that we can define functions in other functions. In other words: we can make nested functions. Now you need to learn one more thing, that functions can return functions too.

7.3 Returning functions from within functions:

It is not necessary to execute a function within another function, we can return it as an output as well:

```
def hi(name="yasoob"):
    def greet():
        return "now you are in the greet() function"

    def welcome():
        return "now you are in the welcome() function"

    if name == "yasoob":
        return greet
    else:
        return welcome
```

```
a = hi()
print(a)
#outputs: <function greet at 0x7f2143c01500>
```

```
#This clearly shows that 'a' now points to the greet() function in hi()
#Now try this
```

```
print(a())
#outputs: now you are in the greet() function
```

Just take a look at the code again. In the if/else clause we are returning greet and welcome, not greet() and welcome(). Why is that? It's because when you put a pair of parentheses after it, the function gets executed; whereas if you don't put parenthesis after it, then it can be passed around and can be assigned to other variables without executing it. Did you get it? Let me explain it in a little bit more detail. When we write `a = hi()`, `hi()` gets executed and because the name is yasoob by default, the function greet is returned. If we change the

statement to `a = hi(name = "ali")` then the welcome function will be returned. We can also do `print hi()()` which outputs *now you are in the greet() function*.

7.4 Giving a function as an argument to another function:

```
def hi():
    return "hi yasoob!"

def doSomethingBeforeHi(func):
    print("I am doing some boring work before executing hi()")
    print(func())

doSomethingBeforeHi(hi)
#outputs:I am doing some boring work before executing hi()
#      hi yasoob!
```

Now you have all the required knowledge to learn what decorators really are. Decorators let you execute code before and after a function.

7.5 Writing your first decorator:

In the last example we actually made a decorator! Let's modify the previous decorator and make a little bit more usable program:

```
def a_new_decorator(a_func):

    def wrapTheFunction():
        print("I am doing some boring work before executing a_func()")

        a_func()

        print("I am doing some boring work after executing a_func()")

    return wrapTheFunction

def a_function_requiring_decoration():
    print("I am the function which needs some decoration to remove my foul smell")
```

```

a_function_requiring_decoration()
#outputs: "I am the function which needs some decoration to remove my foul smell"

a_function_requiring_decoration = a_new_decorator(a_function_requiring_decoration)
#now a_function_requiring_decoration is wrapped by wrapTheFunction()

a_function_requiring_decoration()
#outputs:I am doing some boring work before executing a_function_requiring_decoration()
#       I am the function which needs some decoration to remove my foul smell
#       I am doing some boring work after executing a_function_requiring_decoration()

```

Did you get it? We just applied the previously learned principles. This is exactly what the decorators do in python! They wrap a function and modify its behaviour in one way or the another. Now you might be wondering that we did not use the @ anywhere in our code? That is just a short way of making up a decorated function. Here is how we could have run the previous code sample using @.

```

@a_new_decorator
def a_function_requiring_decoration():
    """Hey you! Decorate me!"""
    print("I am the function which needs some decoration to "
          "remove my foul smell")

a_function_requiring_decoration()
#outputs: I am doing some boring work before executing a_function_requiring_decoration()
#       I am the function which needs some decoration to remove my foul smell
#       I am doing some boring work after executing a_function_requiring_decoration()

#the @a_new_decorator is just a short way of saying:
a_function_requiring_decoration = a_new_decorator(a_function_requiring_decoration)

```

I hope you now have a basic understanding of how decorators work in Python. Now there is one problem with our code. If we run:

```

print(a_function_requiring_decoration.__name__)
# Output: wrapTheFunction

```

That's not what we expected! Its name is "a_function_requiring_decoration". Well our function was replaced by wrapTheFunction. It overrode the name and docstring of our function. Luckily Python provides us a simple function to solve this problem and that is `functools.wraps`. Let's modify our previous example to use `functools.wraps`:

```

from functools import wraps

def a_new_decorator(a_func):
    @wraps(a_func)
    def wrapTheFunction():
        print("I am doing some boring work before executing a_func()")
        a_func()
        print("I am doing some boring work after executing a_func()")
    return wrapTheFunction

@a_new_decorator
def a_function_requiring_decoration():
    """Hey yo! Decorate me!"""
    print("I am the function which needs some decoration to "
          "remove my foul smell")

print(a_function_requiring_decoration.__name__)
# Output: a_function_requiring_decoration

```

Now that is much better. Let's move on and learn some use-cases of decorators.

Blueprint:

```

from functools import wraps

def decorator_name(f):
    @wraps(f)
    def decorated(*args, **kwargs):
        if not can_run:
            return "Function will not run"
        return f(*args, **kwargs)
    return decorated

@decorator_name
def func():
    print("Function is running")

can_run = True
print(func())
# Output: Function is running

can_run = False
print(func())
# Output: Function will not run

```

Note: @wraps takes a function to be decorated and adds the functionality of copying over the function name, docstring, arguments list, etc. This allows to access the pre-decorated function's properties in the decorator.

7.5.1 Use-cases:

Now let's take a look at the areas where decorators really shine and their usage makes something really easy to manage.

7.6 1. Authorization

Decorators can help to check whether someone is authorized to use an endpoint in a web application. They are extensively used in Flask web framework and Django. Here is an example to employ decorator based authentication:

Example :

```
from functools import wraps

def requires_auth(f):
    @wraps(f)
    def decorated(*args, **kwargs):
        auth = request.authorization
        if not auth or not check_auth(auth.username, auth.password):
            authenticate()
        return f(*args, **kwargs)
    return decorated
```

7.7 2. Logging

Logging is another area where the decorators shine. Here is an example:

```
from functools import wraps

def logit(func):
    @wraps(func)
    def with_logging(*args, **kwargs):
        print(func.__name__ + " was called")
```

```
        return func(*args, **kwargs)
    return with_logging

@logit
def addition_func(x):
    """Do some math."""
    return x + x

result = addition_func(4)
# Output: addition_func was called
```

I am sure you are already thinking about some clever uses of decorators.

Global & Return

You might have encountered some functions written in python which have a return keyword in the end of the function. Do you know what it does? It is similar to return in other languages. Lets examine this little function:

```
def add(value1, value2):  
    return value1 + value2
```

```
result = add(3, 5)  
print(result)  
# Output: 8
```

The function above takes two values as input and then output their addition. We could have also done:

```
def add(value1,value2):  
    global result  
    result = value1 + value2
```

```
add(3,5)  
print(result)  
# Output: 8
```

So first lets talk about the first bit of code which involves the return keyword. What that function is doing is that it is assigning the value to the variable which is calling that function which in our case is result. In most cases and you won't need to use the global keyword. However lets examine the other bit of code as well which includes the global keyword. So what that function is doing is

that it is making a global variable result. What does global mean here? Global variable means that we can access that variable outside the scope of the function as well. Let me demonstrate it with an example :

```
# first without the global variable
def add(value1, value2):
    result = value1 + value2

add(2, 4)
print(result)

# Oh crap we encountered an exception. Why is it so ?
# the python interpreter is telling us that we do not
# have any variable with the name of result. It is so
# because the result variable is only accessible inside
# the function in which it is created if it is not global.
Traceback (most recent call last):
  File "", line 1, in
    result
NameError: name 'result' is not defined

# Now lets run the same code but after making the result
# variable global
def add(value1, value2):
    global result
    result = value1 + value2

add(2, 4)
result
6
```

So hopefully there are no errors in the second run as expected. In practical programming you should try to stay away from global keyword as it only makes life difficult by introducing unwanted variables to the global scope.

Mutation

The mutable and immutable datatypes in Python cause a lot of headache for new programmers. In simple words, mutable means ‘able to be changed’ and immutable means ‘constant’. Want your head to spin? Consider this example:

```
foo = ['hi']
print(foo)
# Output: ['hi']

bar = foo
bar += ['bye']
print(foo)
# Output: ['hi', 'bye']
```

What just happened? We were not expecting that! We were expecting something like this:

```
foo = ['hi']
print(foo)
# Output: ['hi']

bar = foo
bar += ['bye']

print(foo)
# Output: ['hi']

print(bar)
```

```
# Output: ['hi', 'bye']
```

It's not a bug. It's mutability in action. Whenever you assign a variable to another variable of mutable datatype, any changes to the data are reflected by both variables. The new variable is just an alias for the old variable. This is only true for mutable datatypes. Here is a gotcha involving functions and mutable data types:

```
def add_to(num, target=[]):  
    target.append(num)  
    return target
```

```
add_to(1)
```

```
# Output: [1]
```

```
add_to(2)
```

```
# Output: [1, 2]
```

```
add_to(3)
```

```
# Output: [1, 2, 3]
```

You might have expected it to behave differently. You might be expecting that a fresh list would be created when you call `add_to` like this:

```
def add_to(num, target=[]):  
    target.append(num)  
    return target
```

```
add_to(1)
```

```
# Output: [1]
```

```
add_to(2)
```

```
# Output: [2]
```

```
add_to(3)
```

```
# Output: [3]
```

Well again it is the mutability of lists which causes this pain. In Python the default arguments are evaluated once when the function is defined, not each time the function is called. You should never define default arguments of mutable type unless you know what you are doing. You should do something like this:

```
def add_to(element, target=None):  
    if target is None:  
        target = []  
    target.append(element)  
    return target
```

Now whenever you call the function without the target argument, a new list is created. For instance:

```
add_to(42)  
# Output: [42]  
  
add_to(42)  
# Output: [42]  
  
add_to(42)  
# Output: [42]
```

__slots__ Magic

In Python every class can have instance attributes. By default Python uses a dict to store an object's instance attributes. This is really helpful as it allows setting arbitrary new attributes at runtime.

However, for small classes with known attributes it might be a bottleneck. The dict wastes a lot of RAM. Python can't just allocate a static amount of memory at object creation to store all the attributes. Therefore it sucks a lot of RAM if you create a lot of objects (I am talking in thousands and millions). Still there is a way to circumvent this issue. It involves the usage of `__slots__` to tell Python not to use a dict, and only allocate space for a fixed set of attributes. Here is an example with and without `__slots__`:

Without `__slots__`:

```
class MyClass(object):
    def __init__(name, identifier):
        self.name = name
        self.identifier = identifier
        self.set_up()
    # ...
```

With `__slots__`:

```
class MyClass(object):
    __slots__ = ['name', 'identifier']
    def __init__(name, identifier):
        self.name = name
        self.identifier = identifier
```

```
self.set_up()  
# ...
```

The second piece of code will reduce the burden on your RAM. Some people have seen almost 40 to 50% reduction in RAM usage by using this technique.

On a sidenote, you might want to give PyPy a try. It does all of these optimizations by default.

Virtual Environment

Have you ever heard of `virtualenv`? The chances are that if you are a beginner then you might not have heard about it but if you are a seasoned programmer than it's a vital part of your toolset. So what `virtualenv` really is? `Virtualenv` is a tool which allows us to make isolated python environments. Imagine you have an application that needs version 2 of a `LibraryBar`, but another application requires version 3. How can you use and develop both these applications?

If you install everything into `/usr/lib/python2.7/site-packages` (or whatever your platform's standard location is), it's easy to end up in a situation where you unintentionally upgrade a package that shouldn't be upgraded. In another case just imagine that you have an application which is fully developed and you do not want to make any change to the libraries it is using but at the same time you start developing another application which requires the updated versions of those libraries. What will you do? It is where `virtualenv` comes into play. It creates isolated environments for your python application and allows you to install Python libraries in that isolated environment instead of installing them globally.

In order to install it just type this command in the shell:

```
$ pip install virtualenv
```

Now i am going to list some of it's commands. The most important ones are:

- `$ virtualenv myproject`
- `$ source bin/activate`

This first one makes an isolated virtualenv environment in the myproject folder and the second command activates that isolated environment. While running the first command you have to make a decision.

Do you want this virtualenv to use packages from your system site-packages or install them in the virtualenv's site-packages? By default, virtualenv will not give access to the global site-packages. If you want your virtualenv to have access to your systems site-packages use the `--system-site-packages` switch when creating your virtualenv like this:

```
$ virtualenv --system-site-packages mycoolproject
```

You can turn off the env by typing:

```
$ deactivate
```

Bonus

You can use `smartcd` which is a library for bash and zsh and allows you to alter your bash (or zsh) environment as you `cd`. It can be really helpful to activate and deactivate a virtualenv when you change directories. I have used it quite a lot and love it. You can read more about it on [GitHub](#)

This was just a short intro to virtualenv. There's a lot more to it. For further study i recommend [this link](#). It will remove all of your confusions about virtualenv.

Collections

Python ships with a module that contains a number of container data types called Collections. We will talk about a few of them and discuss their usefulness.

The ones which we will talk about are:

- `defaultdict`
- `counter`
- `deque`
- `namedtuple`
- `enum.Enum` (outside of the module; Python 3.4+)

12.1 1.defaultdict

I personally use `defaultdict` quite a bit. Unlike `dict`, with `defaultdict` you do not need to check whether a key is present or not. So we can do:

```
from collections import defaultdict
```

```
colours = (  
    ('Yasoob', 'Yellow'),  
    ('Ali', 'Blue'),  
    ('Arham', 'Green'),  
    ('Ali', 'Black'),
```

```

        ('Yasoob', 'Red'),
        ('Ahmed', 'Silver'),
    )

favourite_colours = defaultdict(list)

for name, colour in colours:
    favourite_colours[name].append(colour)

print(favourite_colours)

# output
# defaultdict(<type 'list'>,
#     {'Arham': ['Green'],
#      'Yasoob': ['Yellow', 'Red'],
#      'Ahmed': ['Silver'],
#      'Ali': ['Blue', 'Black']}
# )

```

One another very important use case is when you are appending to nested lists inside a dictionary. If a key is not already present in the dictionary then you are greeted with a `KeyError`. `defaultdict` allows us to circumvent this issue in a clever way. First let me share an example using `dict` which raises `KeyError` and then I will share a solution using `defaultdict`.

Problem:

```

some_dict = {}
some_dict['colours']['favourite'] = "yellow"
# Raises KeyError: 'colours'

```

Solution:

```

import collections
tree = lambda: collections.defaultdict(tree)
some_dict = tree()
some_dict['colours']['favourite'] = "yellow"
# Works fine

```

You can print the `some_dict` using `json.dumps`. Here is some sample code:

```

import json
print(json.dumps(some_dict))
# Output: {"colours": {"favourite": "yellow"}}

```

12.2 2.counter

Counter allows us to count the occurrences of a particular item. For instance it can be used to count the number of individual favourite colours:

```
from collections import Counter

colours = (
    ('Yasoob', 'Yellow'),
    ('Ali', 'Blue'),
    ('Arham', 'Green'),
    ('Ali', 'Black'),
    ('Yasoob', 'Red'),
    ('Ahmed', 'Silver'),
)

fav = Counter(name for name, colour in colours)
print(fav)
# Output: Counter({
#     'Yasoob': 2,
#     'Ali': 2,
#     'Arham': 1,
#     'Ahmed': 1
# })
```

We can also count the most common lines in a file using it. For example:

```
with open('filename', 'rb') as f:
    line_count = Counter(f)
print(line_count)
```

12.3 3.deque

deque provides you with a double ended queue which means that you can append and delete elements from either side of the queue. First of all you have to import the deque module from the collections library:

```
from collections import deque
```

Now we can instantiate a deque object.

```
d = deque()
```

It works like python lists and provides you with somewhat similar methods as well. For example you can do:

```
d = deque()
d.append('1')
d.append('2')
d.append('3')
```

```
print(len(d))
# Output: 3
```

```
print(d[0])
# Output: '1'
```

```
print(d[-1])
# Output: '3'
```

You can pop values from both sides of the deque:

```
d = deque(range(5))
print(len(d))
# Output: 5
```

```
d.popleft()
# Output: 0
```

```
d.pop()
# Output: 4
```

```
print(d)
# Output: deque([1, 2, 3])
```

We can also limit the amount of items a deque can hold. By doing this when we achieve the maximum limit of our deque it will simply pop out the items from the opposite end. It is better to explain it using an example so here you go:

```
d = deque(maxlen=30)
```

Now whenever you insert values after 30, the leftmost value will be popped from the list. You can also expand the list in any direction with new values:

```
d = deque([1,2,3,4,5])
d.extendleft([0])
d.extend([6,7,8])
print(d)
# Output: deque([0, 1, 2, 3, 4, 5, 6, 7, 8])
```

This was just a quick drive through the collections module. Make sure you read the official documentation after reading this.

12.4 4.namedtuple

You might already be acquainted with tuples. A tuple is a lightweight object type which allows to store a sequence of immutable Python objects. They are just like lists but have a few key differences. The major one is that unlike lists, **you can not change a value in a tuple**. In order to access the value in a tuple you use integer indexes like:

```
man = ('Ali', 30)
print(man[0])
# Output: Ali
```

Well, so now what are namedtuples? They turn tuples into convenient containers for simple tasks. With namedtuples you don't have to use integer indexes for accessing members of a tuple. You can think of namedtuples like dictionaries but unlike dictionaries they are immutable.

```
from collections import namedtuple

Animal = namedtuple('Animal', 'name age type')
perry = Animal(name="perry", age=31, type="cat")

print(perry)
# Output: Animal(name='perry', age=31, type='cat')

print(perry.name)
# Output: 'perry'
```

As you can see that now we can access members of a tuple just by their name using a .. Let's dissect it a little more. A named tuple has two required arguments. They are the tuple name and the tuple field_names. In the above example our tuple name was 'Animal' and the tuple field_names were 'name',

‘age’ and ‘cat’. Namedtuple makes your tuples **self-document**. You can easily understand what is going on by having a quick glance at your code. And as you are not bound to use integer indexes to access members of a tuple, it makes it more easy to maintain your code. Moreover, as “**namedtuple**” instances **do not have per-instance dictionaries**, they are lightweight and require no more memory than regular tuples. This makes them faster than dictionaries. However, do remember that as with tuples, **attributes in namedtuples are immutable**. It means that this would not work:

```
from collections import namedtuple

Animal = namedtuple('Animal', 'name age type')
perry = Animal(name="perry", age=31, type="cat")
perry.age = 42

# Output: Traceback (most recent call last):
#           File "", line 1, in
#           AttributeError: can't set attribute
```

You should use named tuples to make your code self-documenting. **They are backwards compatible with normal tuples**. It means that you can use integer indexes with namedtuples as well:

```
from collections import namedtuple

Animal = namedtuple('Animal', 'name age type')
perry = Animal(name="perry", age=31, type="cat")
print(perry[0])
# Output: perry
```

Last but not the least, you can convert a namedtuple to a dictionary. Like this:

```
from collections import namedtuple

Animal = namedtuple('Animal', 'name age type')
perry = Animal(name="Perry", age=31, type="cat")
print(perry._asdict())
# Output: OrderedDict([('name', 'Perry'), ('age', 31), ...])
```

12.5 5.enum.Enum (Python 3.4+)

Another useful collection is the enum object. It is available in the enum module, in Python 3.4 and up (also available as a backport in PyPI named enum34.) Enums (*enumerated type* <https://en.wikipedia.org/wiki/Enumerated_type>) are basically a way to organize various things.

Let's consider the Animal namedtuple from the last example. It had a type field. The problem is, the type was a string. This poses some problems for us. What if the user types in Cat because they held the Shift key? Or CAT? Or ki tten?

Enumerations can help us avoid this problem, by not using strings. Consider this example:

```
from collections import namedtuple
from enum import Enum

class Species(Enum):
    cat = 1
    dog = 2
    horse = 3
    aardvark = 4
    butterfly = 5
    owl = 6
    platypus = 7
    dragon = 8
    unicorn = 9
    # The list goes on and on...

    # But we don't really care about age, so we can use an alias.
    kitten = 1
    puppy = 2

Animal = namedtuple('Animal', 'name age type')
perry = Animal(name="Perry", age=31, type=Species.cat)
drogon = Animal(name="Drogon", age=4, type=Species.dragon)
tom = Animal(name="Tom", age=75, type=Species.cat)
charlie = Animal(name="Charlie", age=2, type=Species.kitten)

# And now, some tests.
>>> charlie.type == tom.type
True
>>> charlie.type
```

```
<Species.cat: 1>
```

This is much less error-prone. We have to be specific, and we should use only the enumeration to name types.

There are three ways to access enumeration members. For example, all three methods will get you the value for cat:

```
Species(1)  
Species['cat']  
Species.cat
```

Enumerate

Enumerate is a built-in function of Python. It's usefulness can not be summarized in a single line. Yet most of the newcomers and even some advanced programmers are unaware of it. It allows us to loop over something and have an automatic counter. Here is an example:

```
for counter, value in enumerate(some_list):  
    print(counter, value)
```

This is not it. `enumerate` also accepts some optional arguments which make it even more useful.

```
my_list = ['apple', 'banana', 'grapes', 'pear']  
for c, value in enumerate(my_list, 1):  
    print(c, value)
```

```
# Output:  
# 1 apple  
# 2 banana  
# 3 grapes  
# 4 pear
```

The optional argument allows us to tell `enumerate` from where to start the index. You can also create tuples containing the index and list item using a list. Here is an example:

```
my_list = ['apple', 'banana', 'grapes', 'pear']  
counter_list = list(enumerate(my_list, 1))
```

```
print(counter_list)  
# Output: [(1, 'apple'), (2, 'banana'), (3, 'grapes'), (4, 'pear')]
```

Object introspection

In computer programming, introspection is the ability to determine the type of an object at runtime. It is one of Python's strengths. Everything in Python is an object and we can examine those objects. Python ships with a few built-in functions and modules to help us.

14.1 1.dir

In this section we will learn about `dir` and how it facilitates us in introspection.

It is one of the most important functions for introspection. It returns a list of attributes and methods belonging to an object. Here is an example:

```
my_list = [1, 2, 3]
dir(my_list)
# Output: ['__add__', '__class__', '__contains__', '__delattr__', '__delitem__',
# '__delslice__', '__doc__', '__eq__', '__format__', '__ge__', '__getattr__',
# '__getitem__', '__getslice__', '__gt__', '__hash__', '__iadd__', '__imul__',
# '__init__', '__iter__', '__le__', '__len__', '__lt__', '__mul__', '__ne__',
# '__new__', '__reduce__', '__reduce_ex__', '__repr__', '__reversed__', '__rmul__',
# '__setattr__', '__setitem__', '__setslice__', '__sizeof__', '__str__',
# '__subclasshook__', 'append', 'count', 'extend', 'index', 'insert', 'pop',
# 'remove', 'reverse', 'sort']
```

Our introspection gave us the names of all the methods of a list. This can be handy when you are not able to recall a method name. If we run `dir()` without any argument then it returns all names in the current scope.

14.2 2.type and id

The type function returns the type of an object. For example:

```
print(type(''))  
# Output: <type 'str'>  
  
print(type([]))  
# Output: <type 'list'>  
  
print(type({}))  
# Output: <type 'dict'>  
  
print(type(dict))  
# Output: <type 'type'>  
  
print(type(3))  
# Output: <type 'int'>
```

id returns the unique ids of various objects. For instance:

```
name = "Yasoob"  
print(id(name))  
# Output: 139972439030304
```

14.3 3.inspect module

The inspect module also provides several useful functions to get information about live objects. For example you can check the members of an object by running:

```
import inspect  
print(inspect.getmembers(str))  
# Output: [('__add__', <slot wrapper '__add__' of ... ...
```

There are a couple of other methods as well which help in introspection. You can explore them if you wish.

Comprehensions

Comprehensions are a feature of Python which I would really miss if I ever have to leave it. Comprehensions are constructs that allow sequences to be built from other sequences. Three types of comprehensions are supported in both Python 2 and Python 3:

- list comprehensions
- dictionary comprehensions
- set comprehensions

We will discuss them one by one. Once you get the hang of using list comprehensions then you can use any one of them easily.

15.1 list comprehensions

List comprehensions provide a short and concise way to create lists. It consists of square brackets containing an expression followed by a for clause, then zero or more for or if clauses. The expressions can be anything, meaning you can put in all kinds of objects in lists. The result would be a new list made after the evaluation of the expression in context of the if and for clauses.

Blueprint

```
variable = [out_exp for out_exp in input_list if out_exp == 2]
```

Here is a short example:

```
multiples = [i for i in range(30) if i % 3 is 0]
print(multiples)
# Output: [0, 3, 6, 9, 12, 15, 18, 21, 24, 27]
```

This can be really useful to make lists quickly. It is even preferred by some instead of the filter function. list comprehensions really shine when you want to supply a list to a method or function to make a new list by appending to it in each iteration of the for loop. For instance you would usually do something like this:

```
squared = []
for x in range(10):
    squared.append(x**2)
```

You can simplify it using list comprehensions. For example:

```
squared = [x**2 for x in range(10)]
```

15.2 dict comprehensions

They are used in a similar way. Here is an example which I found recently:

```
mcase = {'a': 10, 'b': 34, 'A': 7, 'Z': 3}

mcase_frequency = {
    k.lower(): mcase.get(k.lower(), 0) + mcase.get(k.upper(), 0)
    for k in mcase.keys()
}

# mcase_frequency == {'a': 17, 'z': 3, 'b': 34}
```

In the above example we are combining the values of keys which are same but in different typecase. I personally do not use dict comprehensions a lot. You can also quickly switch keys and values of a dictionary:

```
{v: k for k, v in some_dict.items()}
```

15.3 set comprehensions

They are also similar to list comprehensions. The only difference is that they use braces {}. Here is an example:

```
squared = {x for x in [1, 1, 2]}  
print(squared)  
# Output: {1, 2}
```

Exceptions

Exception handling is an art which once you master grants you immense powers. I am going to show you some of the ways in which we can handle exceptions.

In basic terminology we are aware of try/except clause. The code which can cause an exception to occur is put in the try block and the handling of the exception is implemented in the except block. Here is a simple example:

```
try:
    file = open('test.txt', 'rb')
except IOError as e:
    print('An IOError occurred. {}'.format(e.args[-1]))
```

In the above example we are handling only the IOError exception. What most beginners do not know is that we can handle multiple exceptions.

16.1 Handling multiple exceptions:

We can use three methods to handle multiple exceptions. The first one involves putting all the exceptions which are likely to occur in a tuple. Like so:

```
try:
    file = open('test.txt', 'rb')
except (IOError, EOFError) as e:
    print("An error occurred. {}".format(e.args[-1]))
```


Another method is to handle individual exception in a separate except block. We can have as many except blocks as we want. Here is an example:

```
try:
    file = open('test.txt', 'rb')
except EOFError as e:
    print("An EOF error occurred.")
    raise e
except IOError as e:
    print("An error occurred.")
    raise e
```

This way if the exception is not handled by the first except block then it is passed on to the second block. Now the last method involves trapping ALL exceptions:

```
try:
    file = open('test.txt', 'rb')
except Exception:
    # Some logging if you want
    raise
```

This can be helpful when you have no idea about the exception which can be thrown by your program.

16.1.1 Finally clause

We wrap our main code in the try clause. After that we wrap some code in except clause which gets executed if an exception occurs in the code wrapped in try clause. But in this example we will use a third clause as well which is the finally clause. The code which is wrapped in the finally clause will run even if no exception occurs. It might be used for cleaning up after a script. Here is a simple example:

```
try:
    file = open('test.txt', 'rb')
except IOError as e:
    print('An IOError occurred. {}'.format(e.args[-1]))
finally:
    print("This would be printed even if no exception occurs!")
```

```
# Output: An IOError occurred. No such file or directory
# This would be printed even if no exception occurs!
```

16.1.2 try/else clause

Often times we might want some code to run if **no** exception occurs. This can easily be achieved by using an else clause. Most people don't use it and honestly I have myself not used it widely. Here is an example:

```
try:
    print('I am sure no exception is going to occur!')
except Exception:
    print('exception')
else:
    print('This would only run if no exception occurs.')
finally:
    print('This would be printed in every case.')
```

```
# Output: I am sure no exception is going to occur!
# This would only run if no exception occurs.
# This would be printed in every case.
```

The else clause would only run if no exception occurs and it would run before the finally clause.

Lambdas

Lambdas are one line functions. They are also known as anonymous functions in some other languages. You might want to use lambdas when you don't want to use a function twice in a program. They are just like normal functions and even behave like them.

Blueprint

```
lambda argument: manipulate(argument)
```

Example

```
add = lambda x, y: x + y
```

```
print(add(3, 5))
```

```
# Output: 8
```

Here are a few useful use cases for lambdas and just a few way in which they are used in the wild:

List sorting

```
a = [(1, 2), (4, 1), (9, 10), (13, -3)]
```

```
a.sort(key=lambda x: x[1])
```

```
print(a)
```

```
# Output: [(13, -3), (4, 1), (1, 2), (9, 10)]
```

Parallel sorting of lists

```
data = zip(list1, list2)
data.sort()
list1, list2 = map(lambda t: list(t), zip(*data))
```

One Liners

In this chapter I will show you some one liner Python commands which can be really helpful sometimes.

Simple Webserver

Ever wanted to quickly share a file over a network? Well you are in luck. Python has a similar feature just for you. Go to the directory which you want to serve over network and write the following code in terminal:

```
# Python 2
python -m SimpleHTTPServer
```

```
# Python 3
python -m http.server
```

Pretty printing

You can print a list and dictionary in a beautiful format in Python repl. Here is the relevant code:

```
from pprint import pprint

my_dict = {'name': 'Yasoob', 'age': 'undefined', 'personality': 'awesome'}
pprint(my_dict)
```

This is more effective on dicts. Moreover, if you want to pretty print json quickly from a file then you can simply do:

```
cat file.json | python -m json.tool
```

Profiling a script

This can be extremely helpful in pin pointing the bottlenecks in your scripts.

```
python -m cProfile my_script.py
```

Note: cProfile is a faster implementation of profile as it is written in c

CSV to json

Run this in the terminal:

```
python -c "import csv,json;print json.dumps(list(csv.reader(open('csv_file.csv'))))"
```

Make sure that you replace csv_file.csv to the relevant file name.

List Flattening

You can quickly and easily flatten a list using `itertools.chain.from_iterable` from the `itertools` package. Here is a simple example:

```
a_list = [[1, 2], [3, 4], [5, 6]]
print(list(itertools.chain.from_iterable(a_list)))
# Output: [1, 2, 3, 4, 5, 6]

# or
print(list(itertools.chain(*a_list)))
# Output: [1, 2, 3, 4, 5, 6]
```

One Line Constructors

Avoid a lot of boilerplate assignments when initializing a class

```
class A(object):
    def __init__(self, a, b, c, d, e, f):
        self.__dict__.update({k: v for k, v in locals().items() if k != 'self'})
```

A couple of more one liners can be found on the [Python website](#).

For - Else

Loops are an integral part of any language. Likewise for loops are an important part of Python. However there are a few things which most beginners do not know about them. We will discuss a few of them one by one.

Let's first start of by what we know. We know that we can use for loops like this:

```
fruits = ['apple', 'banana', 'mango']
for fruit in fruits:
    print(fruit.capitalize())
```

```
# Output: Apple
#         Banana
#         Mango
```

That is the very basic structure of a for loop. Now let's move on to some of the lesser known features of for loops in Python.

19.1 1.else clause:

For loops also have an else clause which most of us are unfamiliar with. The else clause executes when the loop completes normally. This means that the loop did not encounter any break. They are really useful once you understand where to use them. I myself came to know about them a lot later.

The common construct is to run a loop and search for an item. If the item is found, we break the loop using `break`. There are two scenarios in which the loop may end. The first one is when the item is found and `break` is encountered. The second scenario is that the loop ends. Now we may want to know which one of these is the reason for a loops completion. One method is to set a flag and then check it once the loop ends. Another is to use the `else` clause.

This is the basic structure of a `for/else` loop:

```
for item in container:
    if search_something(item):
        # Found it!
        process(item)
        break
else:
    # Didn't find anything..
    not_found_in_container()
```

Consider this simple example which I took from the official documentation:

```
for n in range(2, 10):
    for x in range(2, n):
        if n % x == 0:
            print(n, 'equals', x, '*', n/x)
            break
```

It finds factors for numbers between 2 to 10. Now for the fun part. We can add an additional `else` block which catches the numbers which are prime and tells us so:

```
for n in range(2, 10):
    for x in range(2, n):
        if n % x == 0:
            print(n, 'equals', x, '*', n/x)
            break
    else:
        # loop fell through without finding a factor
        print(n, 'is a prime number')
```

Open function

`open` opens a file. Pretty simple, eh? Most of the time, we see it being used like this:

```
f = open('photo.jpg', 'r+')
jpgdata = f.read()
f.close()
```

The reason I am writing this article is that most of the time, I see `open` used like this. There are **three** errors in the above code. Can you spot them all? If not, read on. By the end of this article, you'll know what's wrong in the above code, and, more importantly, be able to avoid these mistakes in your own code. Let's start with the basics:

The return of `open` is a file handle, given out from the operating system to your Python application. You will want to return this file handle once you're finished with the file, if only so that your application won't reach the limit of the number of open file handle it can have at once.

Explicitly calling `close` closes the file handle, but only if the read was successful. If there is any error just after `f = open(...)`, `f.close()` will not be called (depending on the Python interpreter, the file handle may still be returned, but that's another story). To make sure that the file gets closed whether an exception occurs or not, pack it into a `with` statement:

```
with open('photo.jpg', 'r+') as f:
    jpgdata = f.read()
```

The first argument of `open` is the filename. The second one (the *mode*) determines

how the file gets opened.

- If you want to read the file, pass in `r`
- If you want to read and write the file, pass in `r+`
- If you want to overwrite the file, pass in `w`
- If you want to append to the file, pass in `a`

While there are a couple of other valid mode strings, chances are you won't ever use them. The mode matters not only because it changes the behavior, but also because it may result in permission errors. For example, if we were to open a jpg-file in a write-protected directory, `open(..., 'r+')` would fail. The mode can contain one further character; we can open the file in binary (you'll get a string of bytes) or text mode (a string of characters).

In general, if the format is written by humans, it tends to be text mode. jpg image files are not generally written by humans (and are indeed not readable to humans), and you should therefore open them in binary mode by adding a `b` to the text string (if you're following the opening example, the correct mode would be `rb`). If you open something in text mode (i.e. add a `t`, or nothing apart from `r/r+/w/a`), you must also know which encoding to use - for a computer, all files are just bytes, not characters.

Unfortunately, `open` does not allow explicit encoding specification in Python 2.x. However, the function `io.open` is available in both Python 2.x and 3.x (where it is an alias of `open`), and does the right thing. You can pass in the encoding with the encoding keyword. If you don't pass in any encoding, a system- (and Python-) specific default will be picked. You may be tempted to rely on these defaults, but the defaults are often wrong, or the default encoding cannot actually express all characters (this will happen on Python 2.x and/or Windows). So go ahead and pick an encoding. `utf-8` is a terrific one. When you write a file, you can just pick the encoding to your liking (or the liking of the program that will eventually read your file).

How do you find out which encoding a file you read has? Well, unfortunately, there is no foolproof way to detect the encoding - the same bytes can represent different, but equally valid characters in different encodings. Therefore, you must rely on metadata (for example, in HTTP headers) to know the encoding. Increasingly, formats just define the encoding to be UTF-8.

Armed with this knowledge, let's write a program that reads a file, determines whether it's JPG (hint: These files start with the bytes `FF D8`), and writes a text file that describe the input file.

```
import io

with open('photo.jpg', 'rb') as inf:
    jpgdata = inf.read()

if jpgdata.startswith(b'\xff\xd8'):
    text = u'This is a jpeg file (%d bytes long)\n'
else:
    text = u'This is a random file (%d bytes long)\n'

with io.open('summary.txt', 'w', encoding='utf-8') as outf:
    outf.write(text % len(jpgdata))
```

I am sure that now you would use open correctly!

Targeting Python 2+3

In a lot of cases you might want to develop programs which can be run in both Python 2+ and 3+.

Just imagine that you have a very popular Python module which is use by hundreds of people but not all of them have Python 2 or 3. In that case you have two choices. The first one is to distribute 2 modules, one for Python 2 and the other for Python 3. The other choice is to modify your current code and make is compatible with both Python 2 and 3.

In this section I am going to highlight some of the tricks which you can employ to make a script compatible with both of them.

Future imports

The first and most important method is to use `__future__` imports. It allows you to import Python 3 functionality in Python 2. Here is an example:

- Context managers were new in Python 2.6+. For using them in Python 2.5 you can use:

```
from __future__ import with_statement
```

- `print` function

`print` was changed to a function in Python 3. If you want to use it in Python 2 you can import it from `__future__`.

```
print
# Output:
```

```
from __future__ import print_function
print(print)
# Output: <built-in function print>
```

Dealing with module renaming

First tell me how you import packages in your script ? Most of us do this :

```
import foo
# or
from foo import bar
```

Do you know that you can do something like this as well?

```
import foo as foo
```

I know its function is the same as the above listed code but it is vital for making your script compatible with Python 2 and 3. Now examine the code below :

```
try:
    import urllib.request as urllib_request # for Python 3
except ImportError:
    import urllib2 as urllib_request # for Python 2
```

So let me explain the above code a little. We are wrapping our importing code in a try except clause. We are doing it because in Python 2 there is no `urllib.request` module and will result in an `ImportError`. The functionality of `urllib.request` is provided by `urllib2` module in Python 2. So now when in Python 2 we try to import `urllib.request` and get an `ImportError` we tell Python to import `urllib2` instead.

The final thing you need to know about is the `as` keyword. It is mapping the imported module to `urllib_request`. So that now all of the Classes and methods of `urllib2` are available to us by `urllib_request`.

Obsolete Python 2 builtins

Another thing to keep in mind is that there are 12 Python 2 builtins which have been removed from Python 3. Make sure that you don't use them in Python 2 as well in order to make your code compatible with Python 3. Here is a way to enforce you to abandon these 12 builtins in Python 2 as well.

```
from future.builtins.disabled import *
```

Now whenever you try to use the modules which are abandoned in Python 3, it raises a `NameError` like this:

```
from future.builtins.disabled import *  
  
apply()  
# Output: NameError: obsolete Python 2 builtin apply is disabled
```

External standard-library backports

There are a few packages in the wild which provide Python 3 functionality in Python 2. For instance we have:

- `enum` pip install `enum34`
- `singledispatch` pip install `singledispatch`
- `pathlib` pip install `pathlib`

For further reading, the Python documentation has a [comprehensive guide](#) of steps you need to take to make your code compatible with both Python 2 and 3.

Coroutines

Coroutines are similar to generators with a few differences. The main differences are:

- generators are data producers
- coroutines are data consumers

First of all let's review the generator creation process. We can make generators like this:

```
def fib():
    a, b = 0, 1
    while True:
        yield a
        a, b = b, a+b
```

We then commonly use it in a for loop like this:

```
for i in fib():
    print(i)
```

It is fast and does not put a lot of pressure on memory because it **generates** the values on the fly rather than storing them in a list. Now if we use yield in the above example more generally we get a coroutine. Coroutines consume values which are sent to it. A very basic example would be a grep alternative in Python:

```
def grep(pattern):
    print("Searching for", pattern)
```

```
while True:
    line = (yield)
    if pattern in line:
        print(line)
```

Wait! What does yield return? Well we have turned it into a coroutine. It does not contain any value initially instead we supply it values externally. We supply values by using the `.send()` method. Here is an example:

```
search = grep('coroutine')
search.next()
# Output: Searching for coroutine
search.send("I love you")
search.send("Don't you love me?")
search.send("I love coroutines instead!")
# Output: I love coroutines instead!
```

The sent values are accessed by yield. Why did we run `.next()`? It is done to start the coroutine. Just like generators coroutines do not start the function immediately. Instead they run it in response to `.next()` and `.send()` methods. Therefore you have to run `.next()` so that the execution advances to the yield expression.

We can close a coroutine by calling the `.close()` method. Like:

```
search = grep('coroutine')
# ...
search.close()
```

There is a lot more to coroutines. I suggest you check out [this awesome presentation](#) by David Beazley.

Function caching

Function caching allows us to cache the return values of a function depending on the arguments. It can save time when an I/O bound function is periodically called with the same arguments. Before Python 3.2 we had to write a custom implementation. In Python 3.2+ there is an `lru_cache` decorator which allows us to quickly cache and uncache the return values of a function.

Let's see how we can use it in Python 3.2+ and the versions before it.

23.1 Python 3.2+

Let's implement a Fibonacci calculator and use `lru_cache`.

```
from functools import lru_cache

@lru_cache(maxsize=32)
def fib(n):
    if n < 2:
        return n
    return fib(n-1) + fib(n-2)

>>> print([fib(n) for n in range(10)])
# Output: [0, 1, 1, 2, 3, 5, 8, 13, 21, 34]
```

The `maxsize` argument tells `lru_cache` about how many recent return values to cache.

We can easily uncache the return values as well by using:

```
fib.cache_clear()
```

23.2 Python 2+

There are a couple of ways to achieve the same effect. You can create any type of caching mechanism. It entirely depends upon your needs. Here is a generic cache:

```
from functools import wraps

def memoize(function):
    memo = {}
    @wraps(function)
    def wrapper(*args):
        if args in memo:
            return memo[args]
        else:
            rv = function(*args)
            memo[args] = rv
        return rv
    return wrapper

@memoize
def fibonacci(n):
    if n < 2: return n
    return fibonacci(n - 1) + fibonacci(n - 2)

fibonacci(25)
```

[Here](#) is a fine article by Caktus Group in which they caught a bug in Django which occurred due to `lru_cache`. It's an interesting read. Do check it out.

Context managers

Context managers allow you to allocate and release resources precisely when you want to. The most widely used example of context managers is the `with` statement. Suppose you have two related operations which you'd like to execute as a pair, with a block of code in between. Context managers allow you to do specifically that. For example:

```
with open('some_file', 'w') as opened_file:
    opened_file.write('Hola!')
```

The above code opens the file, writes some data to it and then closes it. If an error occurs while writing the data to the file, it tries to close it. The above code is equivalent to:

```
file = open('some_file', 'w')
try:
    file.write('Hola!')
finally:
    file.close()
```

While comparing it to the first example we can see that a lot of boilerplate code is eliminated just by using `with`. The main advantage of using a `with` statement is that it makes sure our file is closed without paying attention to how the nested block exits.

A common use case of context managers is locking and unlocking resources and closing opened files (as I have already showed you).

Let's see how we can implement our own Context Manager. This would allow

us to understand exactly what's going on behind the scenes.

24.1 Implementing Context Manager as a Class:

At the very least a context manager has an `__enter__` and `__exit__` methods defined. Let's make our own file opening Context Manager and learn the basics.

```
class File(object):
    def __init__(self, file_name, method):
        self.file_obj = open(file_name, method)
    def __enter__(self):
        return self.file_obj
    def __exit__(self, type, value, traceback):
        self.file_obj.close()
```

Just by defining `__enter__` and `__exit__` methods we can use it in a with statement. Let's try:

```
with File('demo.txt', 'w') as opened_file:
    opened_file.write('Hola!')
```

Our `__exit__` function accepts three arguments. They are required by every `__exit__` method which is a part of a Context Manager class. Let's talk about what happens under-the-hood.

1. The with statement stores the `__exit__` method of File class.
2. It calls the `__enter__` method of File class.
3. `__enter__` method opens the file and returns it.
4. the opened file handle is passed to `opened_file`.
5. we write to the file using `.write()`
6. with statement calls the stored `__exit__` method.
7. the `__exit__` method closes the file.

24.2 Handling exceptions

We did not talk about the type, value and traceback arguments of the `__exit__` method. Between the 4th and 6th step, if an exception occurs, Python passes the type, value and traceback of the exception to the `__exit__` method. It allows the `__exit__` method to decide how to close the file and if any further steps are required. In our case we are not paying any attention to them.

What if our file object raises an exception? We might be trying to access a method on the file object which it does not supports. For instance:

```
with File('demo.txt', 'w') as opened_file:
    opened_file.undefined_function('Hola!')
```

Let's list down the steps which are taken by the with statement when an error is encountered.

1. It passes the type, value and traceback of the error to the `__exit__` method.
2. It allows the `__exit__` method to handle the exception.
3. If `__exit__` returns True then the exception was gracefully handled.
4. If anything else than True is returned by `__exit__` method then the exception is raised by with statement.

In our case the `__exit__` method returns None (when no return statement is encountered then the method returns None). Therefore, with statement raises the exception.

Traceback (most recent call last):

```
File "<stdin>", line 2, in <module>
AttributeError: 'file' object has no attribute 'undefined_function'
```

Let's try handling the exception in the `__exit__` method:

```
class File(object):
    def __init__(self, file_name, method):
        self.file_obj = open(file_name, method)
    def __enter__(self):
        return self.file_obj
    def __exit__(self, type, value, traceback):
        print("Exception has been handled")
        self.file_obj.close()
        return True
```

```
with File('demo.txt', 'w') as opened_file:
    opened_file.undefined_function()
```

```
# Output: Exception has been handled
```

Our `__exit__` method returned `True`, therefore no exception was raised by the `with` statement.

This is not the only way to implement context managers. There is another way and we will be looking at it in this next section.

24.3 Implementing a Context Manager as a Generator

We can also implement Context Managers using decorators and generators. Python has a `contextlib` module for this very purpose. Instead of a class, we can implement a Context Manager using a generator function. Let's see a basic, useless example:

```
from contextlib import contextmanager

@contextmanager
def open_file(name):
    f = open(name, 'w')
    yield f
    f.close()
```

Okay! This way of implementing Context Managers appear to be more intuitive and easy. However, this method requires some knowledge about generators, `yield` and decorators. In this example we have not caught any exceptions which might occur. It works in mostly the same way as the previous method.

Let's dissect this method a little.

1. Python encounters the `yield` keyword. Due to this it creates a generator instead of a normal function.
2. Due to the decoration, `contextmanager` is called with the function name (`open_file`) as it's argument.
3. The `contextmanager` function returns the generator wrapped by the `GeneratorContextManager` object.

4. The `GeneratorContextManager` is assigned to the `open_file` function. Therefore, when we later call `open_file` function, we are actually calling the `GeneratorContextManager` object.

So now that we know all this, we can use the newly generated Context Manager like this:

```
with open_file('some_file') as f:  
    f.write('hola!')
```