

Bellabeat Case Study Analysis

Alan Biju Palayil

Department of Information Technology, University of the Cumberlands

MSDS-532: Data Science Programming in Python

Professor: Dr. Andre Slonopas

Date: May 14th, 2026

Case Study Analysis of Bellabeat

Business problem, operational objective, research question – these are the typical drivers for data science projects that require evidence-based decision-making. The case study for Bellabeat was to detect patterns in the usage behavior of smart-devices to help Bellabeat’s marketing strategy and business growth. The project illustrates many concepts covered in this course including: the stages of the data science process, the importance of data preparation, and the difficulties in interpreting statistical relationships and visualizations. The case study offers interesting exploratory insights into user behavior but a number of analytical limitations mean that some conclusions should be treated with caution.

Data Science Project Stages in the Bellabeat Case Study

The Bellabeat project is a good example of the main stages of the data science process that we discussed in this course: define, collect, prepare, analyze and deliver. The first stage of defining the problem includes the project’s objective to understand how consumers use smart fitness devices and how such findings could improve Bellabeat’s marketing decisions. The project was motivated by a real business problem rather than just curiosity, which is the principal driver of most data science projects. The analyst attempted to spot behavioral patterns to increase customer engagement and market growth”

The second step was to collect relevant data. The analyst sourced Fitbit smart-device usage data from Kaggle. The data set contained activity tracking data, sleep data, calories burned, and

user engagement data collected from users of smart-devices. This stage is similar to the collection phase of the data science process because the data chosen by the analyst can answer the initial business question. There was no meaningful analysis or evidence-based recommendations that could have been made due to the lack of the data.

The preparation stage was also well illustrated throughout the case study. The analyst cleaned the dataset, normalized values, structured tables and prepared the information for analysis and visualization. Data preparation is frequently one of the most time-consuming phases in a data science project, as missing values, inconsistencies, duplicates, and formatting issues can seriously impact analytical accuracy. An example of this stage is the Bellabeat project where the raw data is filtered and transformed into usable forms for charts, summaries and trend analysis.

In the analysis phase, behavioral trends were identified, visualizations were created, relationships between variables were analyzed, and patterns in the usage of smart devices were interpreted. For example, the analyst looked for correlations between physical activity, calories burned and steps a day. This is the analytical phase of the data science process as the data was analyzed to get insights to solve the initial business problem.

The last step, delivery, consisted of the analyst summarizing the findings and suggesting strategies for Bellabeat's marketing strategy. Delivering analytical results is an important step in the data science process because communicating those insights to decision makers is an integral part of the process. The case study was intended to translate analytical findings into actionable business recommendations for Bellabeat to improve customer engagement and product positioning.

How to Read a Scatter Plot and the Limitations of R^2

In the Bellabeat case study, some of the scatter plots had a lot of overlap between data points. This limits the interpretability of the plots. When multiple observations occupy the same visual space, it is hard to evaluate the real density and distribution of values in the dataset. Points that appear to have only a few observations may actually be large clusters of overlapping points. Making it more difficult to identify trends, variability, and outliers.

Scatter plots are still useful for exploratory analyses, but when observations overlap, visual clarity can be compromised and the strength or consistency of relationships between variables may appear misleading. Methods like transparency adjustment, jittering or density based plotting techniques could help with interpretability, by showing point concentration better.

Another important issue to be discussed is the interpretation of the R^2 values reported in the case study. The analysis mentioned R^2 as a measure of "correlation". R^2 is better described as the coefficient of determination used in linear regression analysis. R^2 is mathematically related to Pearson's product-moment correlation coefficient in simple linear regression but it is not a formal statistical test of correlation. Additionally, linear regression and Pearson correlation are based on a number of assumptions, such as linearity, independence, normality, and limited influence of outliers.

Scatter plots indicate that some relationships in the case study may have significant variation and possible outliers. Outliers can have a big effect on regression models as well as measurements related to correlation, artificially increasing or decreasing the strength of relationships between variables. The R^2 values reported may therefore not be representative of the true nature of the relationships observed in the data because of this sensitivity.

Moreover, correlation does not mean causation, even when variables seem strongly related. For example, higher levels of activity might seem to be associated with burning more calories, but there could be other reasons behind the findings, such as differences in age, body composition, health problems, metabolism or lifestyle. Thus, visualizations and R^2 values should be interpreted as indicators of possible relationships rather than as definitive evidence for causal effects.

In conclusion, the Bellabeat analysis provides valuable exploratory insights into smart-device usage behaviors; however, some conclusions should be interpreted with caution due to visualization limitations, statistical assumptions, and the potential impact of outliers. More validation, larger datasets and more stringent statistical testing would give more confidence in the recommendations that come out of the analysis.

Conclusion

The Bellabeat case study shows several important principles related to the data science process: problem definition, data collection, data preparation, data analysis, and delivering the results. The project made good use of smart-device fitness data to find patterns of behavior that could aid Bellabeat's marketing strategy and customer engagement. At the same time, the case study shows the importance of critically evaluating analytical methods, statistical assumptions and data visualizations. The interpretation of R^2 values along with overlapping scatter plot observations introduce limitations that reduce certainty of some conclusions. Overall, the project is a good example of how data science assists business decision-making and suggests the importance of careful statistical interpretation and evidence-based reasoning.

References

American Psychological Association. (2020). *Publication manual of the American Psychological Association* (7th ed.). <https://doi.org/10.1037/0000165-000>

Anderson, K. (2022). *Bellabeat case study (Sheets, SQL, Data Studio)*. Kaggle. <https://www.kaggle.com/code/kander87/bellabeat-case-study-sheets-sql-data-studio>

Field, A. (2018). *Discovering statistics using IBM SPSS statistics* (5th ed.). Sage.