Mata Kuliah Pemrograman Web Lanjut



Oleh:

ALAN PERDHANA TIMOR / NIM : 1841720187 KELAS TI 2A

PROGRAM STUDI TEKNIK INFORMATIKA JURUSAN TEKNOLOGI INFORMASI POLITEKNIK NEGERI MALANG 2020

Topik


Pengenalan JSON, penggunaan postman, Public API, Restful API, cURL


<u>Tujuan</u>

Mahasiswa diharapkan dapat:


- 1. Memahami cara konsep JSON
- 2. Memahami cara menggunakan Postman untuk mengambil data JSON
- 3. Memahami Public API, Restful API
- 4. Memahami penggunaan cURL


Praktikum – Bagian 1: Registrasi Account di layanan Public API dan Test API menggunakan Postman






Setelah mendapat kunci api, kita dapat melakukan ujicoba kunci api tersebut dengan menggunakan aplikasi Postman. Sebelumnya lakukan instalasi aplikasi postman yang sudah didownload pada halaman https://www.postman.com/downloads/. Lakukan instalasi sampai selesai dan aplikasi postman dapat berjalan seperti gambar dibawah ini.







<u>Praktikum – Bagian 2: Membuat Aplikasi Movie List Code Igniter Menggunakan Public API</u>

Langkah	Keterangan
1	Duplikasi Project Code-Ketiga dan berilah nama project Code-ketujuh

2 Lakukan perubahan konfigurasi \$config['base_url'] = 'http://localhost/rest-api/Codeketujuh/'; pada config.php

Buatlah sebuah file **index.php** pada folder **view/movie/** dan tuliskan script seperti gambar dibawah ini:

```
<div class="container mt-3">
    <div class="row justify-content-center">
        <div class="col-md-8">
            <div class="input-group mb-3">
                <input type= "text" id="search text" class="form-</pre>
control" placeholder="Input Hovie Title"
                aria-label="Recipient's username" aria-describedby="button-
addon2">
                <div class="input-group-append">
                     <button class="btn btn-primary ml-</pre>
2" type="button" id="btn-search">Search <i class="fa
                    fa-search"></i></button>
            </div>
        </div>
    </div>
</div>
<hr>>
<div class="row" id="movie-list">
</div>
</div>
<div class="modal fade" id="exampleModal" tabindex="-1" role="dialog"</pre>
aria-labelledby="exampleModalLabel" aria-hidden="true">
    <div class="modal-dialog modal-lg" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-
title" id="exampleModallabel">Movie Details</h5>
```

Buatlah sebuah file controller **Movie.php** pada folder **controller** dan tuliskan script seperti gambar dibawah ini:

```
defined('BASEPATH') OR exit('No direct script access allowed');

class Movie extends CI Controller
{
public function index (){
    $this->load->view('template/header');
    $this->load->view('movie/index');
    $this->load->view('template/footer');
}
}
}
```

Selanjutnya buat file javascript **script.js** pada folder **assets/js/** kemudian tuliskan script seperti gambar dibawah ini:

```
if(e.keyCode == 13)
       searchMovies();
$('#btn-search').on('click', function(e){
       searchmovies();
})
$('#movie-list').on('click', '#btn-details', function(e) {
   $.ajax({
       url: 'http://omdbapi.com',
       type: 'GET',
       dataType: 'json',
       data:{
           'apikey' : '7a17628d', //apikey
          'i' : $(this).data('id') //Parameter i untuk pencarian film berda
sarkan id film
      },
   success: function(result){
        if(result.Response == "True"){
          $('.modal-body').html('');
          $('.modal-body').append(`
              <div class= "container-fluid">
                  <div class="row">
                     <div class="col-md-4">
                         <img src="` + result.Poster + `" class="img-</pre>
fluid">
                  </div>
                  <div class="col-md-8">
                     item"><h4>` + result.Title +` </h4>
                         class="list-group-"
item">Released: `+ result.Released +` 
                         item">Genre : `+ result.Genre +`
                        item">Writer : `+ result.Writer +`
                         class-"list-group-
item">Actors : `+ result. Actors +`
                         class-"list-group-
item">Production : `+ result.Production + `
                        class-"list-
group item">Plot : `+ result.Plot +` 
                     </div>
               </div>
          </div>
              `);
```

```
});
function searchMovies() {
    $.ajax({
        url: 'http://omdbapi.com',
        type: 'GET',
        dataType: 'json',
        data:{
            'apikey' : '7a17628d', //apikey
            's': $('#search-
text').val() //Parameter i untuk pencarian film berdasarkan judul
        },
        success: function(result){
            let movies = result.Search;
            $('#movie-list').html('');
            if(result.Response = "True"){
                $.each(movies, function(i, data){
                    $('#movie-list').append(`<div class="col-md-4 mb-3">
                        <div class="card" style="width: 18rem;">
                        <img src="` + data.Poster +`" class="card-img-</pre>
top" height="300px">
                        <div class="card-body"><h5 class="card-</pre>
title">` + data.Title +` </h5>
                         Year : `+ data. Year +` 
                        <a href="#" class="btn btn-primary" id="btn-
details" data-id="`+ data.imdbID
                        data-toggle="modal" data-
target="#exampleModal">Show Details</a>
                        </div></div></div>
                        `);
                })
            }else{
                $('#movie-list').append(`
                <div class = "col=sm-12 text-center">
                    <h1>`+result.Error+`</h1>
                </div>
       }
    });
    $('#seacrh-text').val("");
```

Tambahkan script pada **footer.php** pada folder **template** seperti gambar dibawah ini:

6

```
<!-- Optional JavaScript -->
<!-- jQuery first, then Popper.js, then Bootstrap JS -->
<script src="https://code.jquery.com/jquery-3.4.1.js" integrity="sha256-</pre>
WpOohJOqMqqyKL9FccASB900KwACQJpFTUBLTYOVvVU=" crossorigin="anonymous"></scrip</pre>
t>
<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd/popp</pre>
er.min.js" integrity="sha384-
ZMP7rVo3mIykV+2+9J3UJ46jBk0WLaUAdn689aCwoqbBJiSnjAK/18WvCWPIPm49" crossorigin
="anonymous"></script>
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/js/bootstrap.</pre>
min.js" integrity="sha384-
ChfqqxuZUCnJSK3+MXmPNIyE6ZbWh2IMqE241rYiqJxyMiZ60W/JmZQ5stwEULTy" crossorigin
="anonymous"></script>
<script src="assets/js/script.js"></script>
</body>
</html>
```

7 Tambahkan juga script pada **header.php** pada folder **template** seperti gambar dibawah ini:

```
<!doctype html>
<html lang="en">
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-</pre>
scale=1, shrink-to-fit=no">
    <!-- Bootstrap CSS -->
    <link rel="stylesheet" href="<?=base_url(); ?>assets/css/bootstrap.css">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/fontawesome.min.css">
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap</pre>
/4.1.3/css/bootstrap.min.css" integrity="sha384-
MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkF0JwJ8ERdknLPMO" crossorigin
="anonymous">
    <title><?= $title ?></title>
  .badge{
    margin-left: 3px;
  </style>
  <!-- <title>Hello, World!</title -->
  <title>Movie Title</title>
```

```
</head>
                    <nav class="navbar navbar-expand-lg navbar-light bg-light">
                                <div class="container">
                          <a class="navbar-brand" href="#">CI</a>
                          <button class="navbar-toggler" type="button" data-toggle="collapse" data-</pre>
                    target="#navbarNav"
                          aria-controls="navbarNav" aria-expanded="false" aria-
                    label="Toggle navigation">
                                <span class="navbar-toggler-icon"></span>
                         </button>
                          <div class="collapse navbar-collapse" id="navbarNav">
                                <a class="nav-link" href="#">Home <span class="sr-</pre>
                    only">(current)</span></a>
                                class="nav-item">
                                      <a class="nav-link" href="movie">Movie Search</a>
                                <a class="nav-link" href="#">About</a>
                                </div>
                          </div>
                    </nav>
8
                   Jika sudah selesai, hasil akhir aplikasi pencarian film adalah seperti gambar dibawah ini:

Tutorial Bagaim X ONLINE COURSE X G Blocked loading X G [SOLVED] SSL | X Mixed col

Mixed Col


Tutorial Bagaim X ONLINE COURSE X G Blocked loading X G [SOLVED] SSL | X Mixed Col

Tutorial Bagaim X ONLINE COURSE X G Blocked loading X G [SOLVED] SSL | X Mixed Col

Tutorial Bagaim X ONLINE COURSE X G Blocked loading X G [SOLVED] SSL | X Mixed Col

Tutorial Bagaim X ONLINE COURSE X G Blocked loading X G [SOLVED] SSL | X Mixed Col

Tutorial Bagaim X [Solved Solved Sol
                           → G ⊕
                                                                                                                                                                                                                                             III\ 🗈 🕲
                                          CI Home Movie Search About
                                                                             your name
9
                    Lakukan pencarian informasi film dengan mengetikan keyword berupa judul film seperti
                   gambar dibawah ini:
```



-- Selamat Mengerjakan –