

FrontEnd

Frontend Tech Stack

```
{  
  "framework": "Next.js 15+ (App Router)",  
  "language": "TypeScript",  
  "ui_library": "shadcn/ui + Radix UI",  
  "styling": "Tailwind CSS",  
  "state_management": "Zustand or React Context",  
  "data_fetching": "TanStack Query (React Query)",  
  "forms": "react-hook-form + zod",  
  "http_client": "axios or fetch",  
  "auth": "Supabase Auth (JWT)",  
  "deployment": "Vercel",  
  "testing": "vitest + @testing-library/react"  
}
```

Frontend Checklist

- Next.js project created with TypeScript
- Supabase Auth integrated (login/signup)
- Protected routes (middleware)
- shadcn/ui components installed
- React Query + axios setup

- All sections stubbed (pages created)
- Navigation / sidebar working
- Forms with validation (react-hook-form + zod)
- Error handling + error boundary
- API client with interceptors
- Environment variables configured
- Deployed to Vercel
- Core Web Vitals optimized
- Storybook running locally

Project Structure Example

frontend/

```

├── app/ # Next.js App Router
│   ├── layout.tsx # Root layout (nav, auth check)
│   ├── page.tsx # Landing page (pre-login)
│   ├── (auth)/ # Auth group (login, signup)
│   │   ├── login/page.tsx
│   │   ├── signup/page.tsx
│   │   └── forgot-password/page.tsx
│   └── (dashboard)/ # Protected routes (require login)
│       ├── layout.tsx # Dashboard layout (sidebar, nav)
│       ├── page.tsx # Dashboard home
│       ├── bienvenida/page.tsx # Section: Bienvenida
│       ├── clasificacion/page.tsx # Section: Clasificación
│       └── configuracion/page.tsx # Section: Configuración

```

- | |—— alineamiento/page.tsx # Section: Alineamiento
- | |—— estructura/page.tsx # Section: Estructura
- | |—— manual-operativo/page.tsx # Section: Manual Operativo
- | |—— settings/page.tsx # Restaurant settings
- | |—— data/page.tsx # Export data / downloads
- | |—— support/page.tsx # Help & support
- |
- |—— components/
 - | |—— ui/ # shadcn/ui components
 - | | |—— button.tsx
 - | | |—— input.tsx
 - | | |—— card.tsx
 - | | |—— dialog.tsx
 - | | |—— table.tsx
 - | | |—— ...
 - | |—— sections/ # Section-specific components
 - | | |—— bienvenida/
 - | | | |—— index.tsx # Page wrapper
 - | | | |—— restaurant-form.tsx
 - | | | |—— greeting.tsx
 - | | | |—— skeleton.tsx # Loading state
 - | | |—— clasificacion/
 - | | |—— alineamiento/
 - | | |—— estructura/
- | |—— shared/ # Reusable components
 - | | |—— navbar.tsx
 - | | |—— sidebar.tsx

- | | |—— progress-stepper.tsx
- | | |—— agent-chat.tsx
- | | |—— table-editor.tsx
- | | |—— file-upload.tsx
- | | |—— error-boundary.tsx
- | |—— providers.tsx # Root providers (Auth, Query, Theme)
- |
- |—— lib/
- | |—— api.ts # API client (axios config + interceptors)
- | |—— auth.ts # Supabase Auth helpers
- | |—— supabase.ts # Supabase client setup
- | |—— hooks/
- | | |—— useAuth.ts # Auth hook
- | | |—— useRestaurant.ts # Fetch restaurant data
- | | |—— useAgent.ts # Agent API calls
- | | |—— useInventory.ts # Inventory queries
- | |—— types/
- | | |—— index.ts # Global types
- | | |—— api.ts # API response types
- | | |—— domain.ts # Domain entities
- | |—— utils.ts # Utility functions
- |
- |—— styles/
- | |—— globals.css # Tailwind + global styles
- | |—— tokens.ts # Design tokens (colors, spacing)
- |
- |—— middleware.ts # Auth middleware (protect routes)

|—— .env.local # Environment variables

|—— package.json