

Report Template 报告模板

Xiaofeng QU 曲晓峰, Research Student
csxfqu@comp.polyu.edu.hk

Department of *Computing* 电子计算学系
The Hong Kong Polytechnic University 香港理工大学

April 16, 2014



Department of Computing
电子计算学系



THE HONG KONG
POLYTECHNIC UNIVERSITY
香港理工大学



Table of Contents

- 1 Tips of Beamer
 - Tips of Beamer
 - Block Environments
 - Including Code
 - 测试中文字体 Fonts Test

- 2 Layout
 - Two Images
 - Image and Text
 - Don't be overcrowded



Tips of Beamer

subtitle

- ① Use [`<+-|alert@+>`] in the `enumerate` or `itemize` environments to generate multiple pages with the items showing up and alerted one by one.
- ② Don't use `\overprint`. It messes up the the PDF page number, `draft` and `handout` options.
- ③ Use `\note` to add notes to the handout.



Block Environments

This is a Block

This is important information.

This is an Alert block

This is important alert.

This is an Example block

This is an example.

Definition

A prime number is a number that ...

Example

This is an example of ...

Theorem

$$a^2 + b^2 = c^2$$

Corollary

$$x + y = y + x$$

Proof.

$$\omega + \phi = \epsilon$$





Including Codewith a fragile option

```
\begin{frame}  
\frametitle{Outline}  
\tableofcontents  
\end{frame}
```



测试中文字体 Fonts Test I

- 衬线字体，建议用宋体、楷体、魏碑等。Roman or Sans Serif
- 无衬线字体，建议用黑体或者幼圆体。Serif
- 等宽字体，建议用中文等宽字体。Monospaced
- Roman 正文 **Bold 粗体**，建议用黑体或隶书
- Sans Serif 无衬线 **Bold 粗体**，建议用黑体或隶书
- Monospaced 等宽 **Bold 粗体**，建议用黑体或隶书
- Roman 正文 *Slanted* 斜体，建议用楷体。
- Sans Serif 无衬线 *Slanted* 斜体，建议用楷体。
- Monospaced 等宽 *Slanted* 斜体，建议用楷体。
- Roman 正文 *Italic* 手写体，建议用楷体、行书或者草书。



测试中文字体 Fonts Test II

- Sans Serif 无衬线 *Italic* 手写体，建议用楷体、行书或者草书。
- Monospaced 等宽 *Italic* 手写体，建议用楷体、行书或者草书。
- Roman 正文 CAPS 全大写，应用夸张美术字。
- Sans Serif 无衬线 CAPS 全大写，应用夸张美术字。
- Monospaced 等宽 CAPS 全大写，应用夸张美术字。
- 斜体，建议用楷体。
- 手写体，建议用楷体、行书或者草书。
- 全大写，应用夸张美术字。

Two Images




Figure: Test Figure





Figure: Test Figure

Image and Text



Use the `columns` environment to display the image and text in the same frame side by side vertically.

Figure: Test Figure



Image and Text

Use the `columns` environment to display the image and text in the same frame side by side vertically.




Figure: Test Figure



Don't be overcrowded

- ❶ Don't be overcrowded.
- ❷ Don't be overcrowded.
- ❸ Don't be overcrowded.
- ❹ Don't be overcrowded.
- ❺ Don't be overcrowded.
- ❻ Don't be overcrowded.
- ❼ Don't be overcrowded.
- ❽ Don't be overcrowded.
- ❾ Don't be overcrowded.
- ❿ Don't be overcrowded.
- ⓫ Don't be overcrowded.
- ⓬ Don't be overcrowded.
- ⓭ Don't be overcrowded.
- ⓮ Don't be overcrowded.
- ⓯ Don't be overcrowded.
- ⓰ Don't be overcrowded.



The **shrunk** Frame

- ❶ **shrink** buys you a little space, but is not recommended.
- ❷ Don't be overcrowded.
- ❸ Don't be overcrowded.
- ❹ Don't be overcrowded.
- ❺ Don't be overcrowded.
- ❻ Don't be overcrowded.
- ❼ Don't be overcrowded.
- ❽ Don't be overcrowded.
- ❾ Don't be overcrowded.
- ❿ Don't be overcrowded.
- ⓫ Don't be overcrowded.
- ⓬ Don't be overcrowded.
- ⓭ Don't be overcrowded.
- ⓮ Don't be overcrowded.
- ⓯ Don't be overcrowded.
- ⓰ Don't be overcrowded.
- ⓱ Don't be overcrowded.
- ⓲ Don't be overcrowded.
- ⓳ Don't be overcrowded.
- ⓴ Don't be overcrowded.
- ⓵ Don't be overcrowded.



The broken Frame I

- ❶ `allowframebreaks` breaks a frame into several frames.
- ❷ Don't be overcrowded.
- ❸ Don't be overcrowded.
- ❹ Don't be overcrowded.
- ❺ Don't be overcrowded.
- ❻ Don't be overcrowded.
- ❼ Don't be overcrowded.
- ❽ Don't be overcrowded.
- ❾ Don't be overcrowded.
- ❿ Don't be overcrowded.
- ⓫ Don't be overcrowded.
- ⓬ Don't be overcrowded.



The broken Frame II

- 13 Don't be overcrowded.
- 14 Don't be overcrowded.
- 15 Don't be overcrowded.
- 16 Don't be overcrowded.
- 17 Don't be overcrowded.
- 18 Don't be overcrowded.
- 19 Don't be overcrowded.
- 20 Don't be overcrowded.