

Automating the SPS Translation Workflow

Alan Tipper

July 17, 2026

Contents

1	INTRODUCTION	2
1.1	OPEN SOURCE LICENSE	3
1.2	INSTALLING PREREQUISITS	3
1.3	SETTING UP THE WORKSPACE	4
1.4	RUNNING THE AUTOMATION SCRIPT	4
2	BASELINE TRANSLATION	5
2.1	PROMPT GENERATION	5
2.2	CONSECUTIVE AI SUBMISSION	5
3	BILINGUAL REVIEW/ACCURACY CHECKING	6
3.1	PROMPT GENERATION	6
3.2	CONSECUTIVE AI SUBMISSION	6
4	LINE EDITING	7
4.1	PROMPT GENERATION	7
4.2	CONSECUTIVE AI SUBMISSION	7
5	RESULTS	8

Chapter 1

INTRODUCTION

The Translation workflow follows the translation industry ISO 18587 standard sequence of style guide generation, baseline translation, bilingual review and Line editing. This can be implemented using AI prompts and templates supplied with James Blatch's SPS "A.I TRANSLATIONS FOR AUTHORS course.

Whilst fully functional this chapter by chapter workflow can be quite time consuming with multiple document editing, cut and paste operations and document saving. With a typical 60,000 word novel split into 1500 word chapters this can result in a lot of manual file manipulation (e.g each operation is repeated 120 times for 40 chapters x 3 passes). Additionally the finite token limits of current AI web platforms puts a further bottleneck in this flow, It is not unusual to spend many days to get the baseline translation, error checking and line editing done before any manual proofing.

There are multiple stages to automating this workflow that can decrease the task duration.

1. Automate the generation of per chapter translation prompt files from the manuscript and style guide
2. Use the AI API to submit multiple consecutive prompts for execution
3. Collate AI responses in individual files
4. Automatically parse the responses to separate translation text from notes
5. Merge the individual chapter files into a single document
6. Automate the generation of per chapter accuracy checking prompt files from the translation stage, the manuscript and the style guide
7. Use the AI API to submit multiple consecutive prompts for execution
8. Collate AI responses in individual files
9. Automatically parse the responses to separate checked text from notes
10. Merge the individual chapter files into a single document
11. Automate the generation of per chapter line editing prompt files from the accuracy check stage and the style guide

12. Use the AI API to submit multiple consecutive prompts for execution
13. Collate AI responses in individual files
14. Automatically parse the responses to separate edited text from notes
15. Merge the individual chapter files into a single line edited document

By maintaining the same overall flow as per the manual process and keeping all per chapter responses available it is possible to still use the web interface for moderate time savings or implement the full API method for big reductions in execution time. Additionally the individual chapters can be re-edited using the AI web tool if necessary and re-merged back into the final document(s).

Using the API rather than the web interface, whilst introducing extra complexity, brings a number of advantages

1. The API is a pay per use service that does not have the hard limits of the web max tokens limit
2. Whilst the API does have token rate limits they are easily managed.
3. The API can issue consecutive requests without having to wait for the AI responses hence significantly saving time
4. The API calls can be placed in a software loop with a small dwell between requests to automate an entire book submission

As an example of the huge savings from the API use the line edited translation of an 80,000 word novel went from a 10 day exercise using the original workflow to a 1 hour fully automated process costing £9 i.e less than the monthly subscription to the web interface and considerably less than commercial turn-key tools like Scribe Shadow.

This document describes the implementation of the automation to use the Claude API using Python and Bash scripts running on a Linux PC. They can be adapted for use in a Windows environment if required but will require the installation of Python (it is free!) and modification of the final automation script to use CMD rather than Bash. The scripts can be easily adapted for other AI platforms e.g Gemini or Chat-GPT. In order to use the API a console account must be set up with Anthropic (or Chat-GPT/Google) and an API key generated to enable them to charge to a credit card.

1.1 OPEN SOURCE LICENSE

This software is supplied under the GNU General Public License, For full details see the LICENSE file. For clarity note that there is no warranty of any kind.

1.2 INSTALLING PREREQUISITS

The process requires a python interpreter and also the litellm and dotenv libraries to be installed. It also requires pandoc to be installed.

1.3 SETTING UP THE WORKSPACE

Download the zip file and extract it to a convenient location such as the desktop. Add your API key to the .env file in the top level subdirectory using the syntax "ANTHROPIC_API_KEY=your specific key"

1.4 RUNNING THE AUTOMATION SCRIPT

Before running the bash script add your style guide to the 01Style folder and call it styleguide.txt then add your translation _template.txt, Acccheck _template.txt and LineEdit _template.txt files to the templates folder. Finally add the mark-down manuscript to be translated to the manuscript folder.

Make sure that the template files preserve the "PROJECT STYLE SHEET" and "CHAPTER START" lines as they will be used as insertion keys to add the style sheet and chapter text during prompt generation.

Determine the number of consecutive chapters to submit and the number of cycles of groups of chapters to complete. the product of cycles x chapters should be greater than or equal to the total chapter count. A maximum consecutive count of 6 has been found to work well. Edit the Bash/CMD script lines: python scripts/multiprompt_async.py "translate_prompt_file_ch" "AI_response" "02Translate" 2 2

python scripts/multiprompt_async.py "acc_check_prompt_file_ch" "AI_response" "03Check" 2 2

python scripts/multiprompt_async.py "line_edit_prompt_file_ch" "AI_response" "04Edit" 2 2

For example for a 40 chapter book with 6 consecutive chapters per AI submission use python scripts/multiprompt_async.py "translate_prompt_file_ch" "AI_response" "02Translate" 6 7

On Linux start the translation by using the bash command: ./startup.sh from the top level folder.

On windows open a command window and type startup.cmd

Chapter 2

BASELINE TRANSLATION

2.1 PROMPT GENERATION

For the translation prompt generation stages we work with 3 reference files

1. The markdown manuscript
2. The style guide
3. The language combination translation template

The Bash/CMD script checks the manuscript and sets up the config.json file with the correct manuscript name and chapter count. Then it runs the python file scripts/translate_prompt.py which will extract chapters from the manuscript and generate one prompt per chapter containing the chapter text, style guide text and template specifics.

2.2 CONSECUTIVE AI SUBMISSION

The script then runs a further python script to loop through all prompt files and submit them to the AI in groups of consecutive execution. The AI responses are then saved to text files and these are parsed to separate out the translator notes from the translated text. Finally the translated texts are merged back into a single document "translated.md"

Chapter 3

BILINGUAL REVIEW/ACCURACY CHECKING

3.1 PROMPT GENERATION

For the accuracy check prompt generation stages we work with 4 reference files

1. The markdown manuscript
2. The baseline translation
3. The style guide
4. The language accuracy checking template

Then runs the python file `scripts/AccCheck_prompt.py` which will extract chapters from the manuscript and translation and generate one prompt per chapter containing the chapter text, style guide text and template specifics.

3.2 CONSECUTIVE AI SUBMISSION

The script then runs a further python script to loop through all prompt files and submit them to the AI in groups of consecutive execution. The AI responses are then saved to text files and these are parsed to separate out the accuracy check notes from the corrected text. Finally the corrected texts are merged back into a single document "checked.md"

Chapter 4

LINE EDITING

4.1 PROMPT GENERATION

For the accuracy check prompt generation stages we work with 3 reference files

1. The checked text
2. The style guide
3. The language line editing template

Then runs the python file `scripts/LineEdit_prompt.py` which will extract chapters from the manuscript and translation and generate one prompt per chapter containing the chapter text, style guide text and template specifics.

4.2 CONSECUTIVE AI SUBMISSION

The script then runs a further python script to loop through all prompt files and submit them to the AI in groups of consecutive execution. The AI responses are then saved to text files and these are parsed to separate out the accuracy check notes from the edited text. Finally the edited texts are merged back into a single document "LineEdited.md"

Chapter 5

RESULTS

The line edited document is then converted to word .docx format and saved into the top level directory along with the collected log files containing translating, accuracy checking and editing notes log files.

The individual results are all retained and the python scripts kept as individual modules so that single chapters can be revised as required then resubmitted to the AI and parsed/merged as required. To rerun a particular chapter through the AI delete the corresponding AI_response file and only that chapter will be redone. The individual scripts can be run from the command line if only one or two stages need repeating.