

jQuery DOM Manipulation Tasks - Solutions

Task 1: Add and Remove Elements Dynamically

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Task 1</title>
  <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
</head>
<body>
  <input type="text" id="inputText">
  <button id="addButton">Add</button>
  <ul id="list"></ul>

  <script>
    $(document).ready(function () {
      $("#addButton").click(function () {
        let text = $("#inputText").val();
        if (text !== "") {
          let li = $("<li>").text(text);
          let delButton = $("<button>").text("Delete").click(function () {
            $(this).parent().remove();
          });
          li.append(delButton);
          $("#list").append(li);
          $("#inputText").val("");
        }
      });
    });
  </script>
</body>
</html>
```

Task 2: Change Text and Attributes

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Task 2</title>
  <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
</head>
<body>
  <p id="text">This is the original text.</p>
  <button id="changeButton">Change Text</button>

  <script>
```

```

        $(document).ready(function () {
            $("#changeButton").click(function () {
                $("#text").text("This is the changed text.");
                $(this).text("Text Changed");
            });
        });
    </script>
</body>
</html>

```

Task 3: Clone and Modify Elements

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Task 3</title>
    <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
</head>
<body>
    <div id="originalDiv" style="color: blue;">Original Text</div>
    <button id="cloneButton">Clone</button>

    <script>
        $(document).ready(function () {
            let count = 1;
            $("#cloneButton").click(function () {
                let clonedDiv = $("#originalDiv").clone();
                clonedDiv.text("Cloned Text " + count);
                clonedDiv.css("color", "red");
                clonedDiv.appendTo("body");
                count++;
            });
        });
    </script>
</body>
</html>

```

Task 4: Add and Toggle CSS Classes

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Task 4</title>
    <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
    <style>
        .highlight {
            background-color: yellow;
        }
    </style>

```

```
</head>
<body>
  <div id="toggleDiv">Click the button to change my background!</div>
  <button id="toggleButton">Toggle Class</button>

  <script>
    $(document).ready(function () {
      $("#toggleButton").click(function () {
        $("#toggleDiv").toggleClass("highlight");
      });
    });
  </script>
</body>
</html>
```

Task 5: Form Input Value Manipulation

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Task 5</title>
  <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
</head>
<body>
  <input type="text" id="textInput">
  <button id="upperButton">Uppercase</button>
  <button id="lowerButton">Lowercase</button>

  <script>
    $(document).ready(function () {
      $("#upperButton").click(function () {
        let text = $("#textInput").val();
        $("#textInput").val(text.toUpperCase());
      });

      $("#lowerButton").click(function () {
        let text = $("#textInput").val();
        $("#textInput").val(text.toLowerCase());
      });
    });
  </script>
</body>
</html>
```