

carmonaopp_db

activity_logs

Column	Type	Null	Default	Comments
id (<i>Primary</i>)	int(11)	No		
user_id	int(11)	Yes	NULL	
action	varchar(100)	No		
description	text	No		
details	longtext	Yes	NULL	
ip_address	varchar(45)	Yes	NULL	
user_agent	text	Yes	NULL	
created_at	timestamp	No	current_timestamp()	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	438	A	No	
idx_user_id	BTREE	No	No	user_id	8	A	Yes	
idx_action	BTREE	No	No	action	48	A	No	
idx_created_at	BTREE	No	No	created_at	438	A	No	

applications

Column	Type	Null	Default	Comments
id (<i>Primary</i>)	int(11)	No		
user_id	int(11)	No		
department_id	int(11)	No		
service_id	int(11)	No		
service_name	varchar(255)	Yes	NULL	
tracking_number	varchar(50)	No		
purpose	text	Yes	NULL	
location	varchar(255)	Yes	NULL	
compiled_document	varchar(500)	Yes	NULL	
document_file_size	int(11)	Yes	NULL	
admin_remarks	text	Yes	NULL	
remarks	text	Yes	NULL	
status	enum('Pending', 'Processing', 'Approved', 'Paid', 'Rejected', 'Completed')	Yes	Pending	
payment_required	tinyint(1)	Yes	0	
payment_amount	decimal(10,2)	Yes	0.00	
payment_status	enum('not_required', 'pending', 'submitted', 'verified', 'rejected')	Yes	not_required	
payment_deadline	datetime	Yes	NULL	
payment_method	varchar(50)	Yes	NULL	
payment_reference	varchar(100)	Yes	NULL	

Column	Type	Null	Default	Comments
payment_proof	varchar(500)	Yes	NULL	
payment_proof_size	int(11)	Yes	NULL	
payment_notes	text	Yes	NULL	
payment_submitted_at	datetime	Yes	NULL	
payment_verified_by	int(11)	Yes	NULL	
payment_verified_at	datetime	Yes	NULL	
payment_rejection_reason	text	Yes	NULL	
notes	text	Yes	NULL	
total_fee	decimal(10,2)	Yes	0.00	
fee	decimal(10,2)	Yes	0.00	
processing_time	varchar(50)	Yes	NULL	
created_at	timestamp	No	current_timestamp()	
updated_at	timestamp	No	current_timestamp()	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	27	A	No	
tracking_number	BTREE	Yes	No	tracking_number	27	A	No	
idx_tracking	BTREE	No	No	tracking_number	27	A	No	
idx_user	BTREE	No	No	user_id	2	A	No	
idx_status	BTREE	No	No	status	13	A	Yes	
idx_user_status	BTREE	No	No	user_id	2	A	No	
				status	13	A	Yes	
idx_created	BTREE	No	No	created_at	27	A	No	
idx_applications_department	BTREE	No	No	department_id	13	A	No	
idx_applications_service	BTREE	No	No	service_id	27	A	No	
idx_applications_status_dept	BTREE	No	No	status	13	A	Yes	
				department_id	27	A	No	
idx_payment_status	BTREE	No	No	payment_status	9	A	Yes	
idx_payment_deadline	BTREE	No	No	payment_deadline	27	A	Yes	

application_details

Table comments: [VIEW](#)

Column	Type	Null	Default	Comments
id	int(11)	No	0	
tracking_number	varchar(50)	No		
user_id	int(11)	No		
applicant_name	varchar(255)	Yes	NULL	
email	varchar(255)	Yes	NULL	
mobile	varchar(20)	Yes	NULL	
department_name	varchar(255)	Yes	NULL	
department_code	varchar(50)	Yes	NULL	
service_name	varchar(255)	Yes	NULL	

Column	Type	Null	Default	Comments
service_code	varchar(50)	Yes	NULL	
purpose	text	Yes	NULL	
location	varchar(255)	Yes	NULL	
status	enum('Pending', 'Processing', 'Approved', 'Paid', 'Rejected', 'Completed')	Yes	Pending	
compiled_document	varchar(500)	Yes	NULL	
admin_remarks	text	Yes	NULL	
created_at	timestamp	No	current_timestamp()	
updated_at	timestamp	No	current_timestamp()	
base_fee	decimal(10,2)	Yes	0.00	
processing_days	int(11)	Yes	7	

No index defined!

application_status_history

Column	Type	Null	Default	Comments
id (<i>Primary</i>)	int(11)	No		
application_id	int(11)	No		
status	varchar(50)	No		
remarks	text	Yes	NULL	
updated_by	int(11)	No		
created_at	timestamp	No	current_timestamp()	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	105	A	No	
application_id	BTREE	No	No	application_id	52	A	No	
updated_by	BTREE	No	No	updated_by	4	A	No	
created_at	BTREE	No	No	created_at	105	A	No	

departments

Column	Type	Null	Default	Comments
id (<i>Primary</i>)	int(11)	No		
name	varchar(255)	No		
code	varchar(50)	Yes	NULL	
description	text	Yes	NULL	
contact_person	varchar(255)	Yes	NULL	
contact_number	varchar(50)	Yes	NULL	
email	varchar(255)	Yes	NULL	
office_location	text	Yes	NULL	
is_active	tinyint(1)	Yes	1	
created_at	timestamp	No	current_timestamp()	
updated_at	timestamp	No	current_timestamp()	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	9	A	No	
code	BTREE	Yes	No	code	9	A	Yes	

documents

Column	Type	Null	Default	Comments
id (<i>Primary</i>)	int(11)	No		
application_id	int(11)	No		
filename	varchar(255)	No		
file_path	varchar(500)	No		
file_size	int(11)	No		
uploaded_at	timestamp	No	current_timestamp()	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	27	A	No	
idx_application	BTREE	No	No	application_id	27	A	No	

email_logs

Column	Type	Null	Default	Comments
id (<i>Primary</i>)	int(11)	No		
recipient	varchar(255)	No		
subject	varchar(500)	No		
status	enum('sent', 'failed', 'pending')	Yes	pending	
error_message	text	Yes	NULL	
created_at	timestamp	No	current_timestamp()	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	49	A	No	
recipient	BTREE	No	No	recipient	2	A	No	
status	BTREE	No	No	status	2	A	Yes	
created_at	BTREE	No	No	created_at	49	A	No	
idx_status_date	BTREE	No	No	status	2	A	Yes	
				created_at	49	A	No	

notifications

Column	Type	Null	Default	Comments
id (<i>Primary</i>)	int(11)	No		
user_id	int(11)	No		

Column	Type	Null	Default	Comments
application_id	int(11)	Yes	NULL	
title	varchar(255)	No		
message	text	No		
type	varchar(50)	Yes	info	
is_read	tinyint(1)	Yes	0	
created_at	timestamp	No	current_timestamp()	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	42	A	No	
application_id	BTREE	No	No	application_id	42	A	Yes	
idx_user	BTREE	No	No	user_id	4	A	No	
idx_read	BTREE	No	No	is_read	4	A	Yes	
idx_user_read	BTREE	No	No	user_id	4	A	No	
				is_read	6	A	Yes	

password_resets

Column	Type	Null	Default	Comments
id (<i>Primary</i>)	int(11)	No		
user_id	int(11)	No		
token	varchar(64)	No		
used	tinyint(1)	Yes	0	
expires_at	timestamp	No	current_timestamp()	
created_at	timestamp	No	current_timestamp()	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
token	BTREE	Yes	No	token	0	A	No	
idx_token	BTREE	No	No	token	0	A	No	
idx_user_id	BTREE	No	No	user_id	0	A	No	
idx_expires	BTREE	No	No	expires_at	0	A	No	

payment_config

Column	Type	Null	Default	Comments
id (<i>Primary</i>)	int(11)	No		
config_key	varchar(100)	No		
config_value	text	No		
description	text	Yes	NULL	
updated_at	timestamp	No	current_timestamp()	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	5	A	No	
config_key	BTREE	Yes	No	config_key	5	A	No	

payment_history

Column	Type	Null	Default	Comments
id (<i>Primary</i>)	int(11)	No		
application_id	int(11)	No		
action	varchar(50)	No		
amount	decimal(10,2)	Yes	NULL	
payment_method	varchar(50)	Yes	NULL	
reference_number	varchar(100)	Yes	NULL	
notes	text	Yes	NULL	
performed_by	int(11)	No		
performed_at	timestamp	No	current_timestamp()	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	67	A	No	
idx_application	BTREE	No	No	application_id	33	A	No	
idx_performed_by	BTREE	No	No	performed_by	4	A	No	

services

Column	Type	Null	Default	Comments
id (<i>Primary</i>)	int(11)	No		
department_id	int(11)	No		
service_name	varchar(255)	No		
service_code	varchar(50)	Yes	NULL	
description	text	Yes	NULL	
requirements	text	Yes	NULL	
processing_days	int(11)	Yes	7	
base_fee	decimal(10,2)	Yes	0.00	
is_active	tinyint(1)	Yes	1	
created_at	timestamp	No	current_timestamp()	
updated_at	timestamp	No	current_timestamp()	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	22	A	No	
idx_department	BTREE	No	No	department_id	22	A	No	
idx_active	BTREE	No	No	is_active	2	A	Yes	

sms_logs

Column	Type	Null	Default	Comments
id (<i>Primary</i>)	int(11)	No		
phone_number	varchar(20)	No		
message	text	No		
status	enum('sent', 'failed', 'pending')	Yes	pending	
error_message	text	Yes	NULL	
sent_at	timestamp	Yes	NULL	
created_at	timestamp	No	current_timestamp()	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	28	A	No	
phone_number	BTREE	No	No	phone_number	4	A	No	
status	BTREE	No	No	status	2	A	Yes	
created_at	BTREE	No	No	created_at	28	A	No	
idx_status_date	BTREE	No	No	status	2	A	Yes	
				created_at	28	A	No	

users

Column	Type	Null	Default	Comments
id (<i>Primary</i>)	int(11)	No		
name	varchar(255)	No		
email	varchar(255)	No		
password	varchar(255)	No		
mobile	varchar(20)	No		
address	text	Yes	NULL	
role	enum('user', 'admin')	Yes	user	
is_active	tinyint(1)	Yes	1	
created_at	timestamp	No	current_timestamp()	
updated_at	timestamp	No	current_timestamp()	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	2	A	No	
email	BTREE	Yes	No	email	2	A	No	