

SUNRISE MULTISPECIALITY CLINIC

DISCHARGE SUMMARY

DEPARTMENT OF INTERNAL MEDICINE

Patient Details

General Information

UHID: SMC/IM/2026/1142

IP No: IP/2602/0784

Patient Identifier

Ward/Bed Number: GENERAL WARD – B12

Name: **MR. ROHAN MEHTA**

Address: Velachery, Chennai, Tamil Nadu, INDIA

Age/Sex: 52 / Male

Treating Consultants

Primary Consultant: **Dr. Ananya Rao**

Consultant: DR. ANANYA RAO, MD (INTERNAL MEDICINE)

Policy Details: Self-Paid

Date of Admission: 12/02/2026 – 10:15 AM

Date of Discharge: 14/02/2026 – 04:30 PM

Diagnosis

Type 2 Diabetes Mellitus – Newly Diagnosed (Uncontrolled)
Systemic Hypertension

Chief Complaints

- Increased thirst for 3 months
 - Frequent urination (8–10 times/day)
 - Fatigue
 - Unintentional weight loss
-

History of Present Illness

Patient presented with complaints of polyuria, polydipsia, and generalized weakness for the past 3 months. No history of chest pain, breathlessness, or syncope. No prior diagnosis of diabetes.

Past History

- Hypertension (5 years, on irregular medication)
 - No previous hospitalizations
 - No known drug allergies
-

Family History

Father – Known case of Type 2 Diabetes Mellitus

Clinical Examination

General Examination

Pallor: No
Icterus: No

Cyanosis: No
Clubbing: No
Edema: No

Temperature: 98.4°F
Pulse: 82 /min
BP: 146/92 mmHg
RR: 18 /min
SpO₂: 99% on Room Air

Systemic Examination

CVS: S1 S2 +, No murmurs
RS: NVBS +
P/A: Soft, Non-tender
CNS: Conscious, Oriented, No focal deficits

Investigation Reports

Blood Investigations

Fasting Blood Glucose: 168 mg/dL
Postprandial Glucose: 242 mg/dL
HbA1c: 8.1%
Serum Creatinine: 0.9 mg/dL
Lipid Profile: Elevated LDL (148 mg/dL)

Urine Routine: No ketones

Course in the Hospital

Patient was admitted for evaluation of hyperglycemia. Laboratory findings confirmed Type 2 Diabetes Mellitus. Blood sugar levels were monitored. Patient was initiated on oral

hypoglycemic agents. Condition improved and patient remained hemodynamically stable throughout hospitalization.

Treatment Given During Hospital Stay

TAB. METFORMIN 500mg – 1-0-1
TAB. TELMISARTAN 40mg – 1-0-0
INSULIN (Sliding Scale) – As per RBS monitoring
IVF – As required

Condition on Discharge

Vitals Stable: Yes
Ambulatory: Yes
Blood Sugar Controlled: Improving

Advice on Discharge

Diet

Diabetic Diet – Low carbohydrate, low saturated fat

Medications

TAB. METFORMIN 500mg – 1-0-1 AFTER FOOD
TAB. TELMISARTAN 40mg – 1-0-0
TAB. ATORVASTATIN 10mg – 0-0-1

Lifestyle Advice

- Daily 30 minutes brisk walking
- Weight reduction recommended
- Regular home blood glucose monitoring

Follow-up

Review after 6 weeks with FBS, PPBS, HbA1c reports.

For appointment contact: +91 44 4000 2248

Dr. ANANYA RAO

Consultant – Internal Medicine
(Signature)

Prepared By: Medical Records Department

Sunrise Multispeciality Clinic
Chennai, Tamil Nadu