DEMO slides

Lv Wenlong

October 27, 2016

Outline

- Pandoc template for my weekly report in my research group meeting
- What's in this demo:
 - ► CJK font: 中文字体
 - ► Footnote¹
 - Figures, like Fig. 1
 - Equations, like Eq. 1
 - Algorithms
 - ► IEEE style bibliography[1, 2, 3, 4, 5, 6]
 - Code

)

¹Footnote here: $3^2 + 4^2 = 5^2$

Use this template:

- Edit meta.yaml for title, author, date
- Edit custom.latex to add custom latex packages
- Edit makefile for markdown file name, target pdf file name, font...
- Edit beamer.tex to modify the beamer template

中文字体

马上相逢揖马鞭,客中相见客中怜。欲邀击筑悲歌饮,正值倾家无酒钱。

Figures

Seems that bmp format is not supported.




Figure 1: Figure 1: Ackley function

Equations

$$\begin{cases}
\mu(\mathbf{x}) = \mu_0(\mathbf{x}) + \mathbf{k}(\mathbf{x})^T (\mathbf{K} + \sigma^2 \mathbf{I})^{-1} (\mathbf{y} - \mathbf{m}) \\
\sigma^2(\mathbf{x}) = k(\mathbf{x}, \mathbf{x}) - \mathbf{k}(\mathbf{x})^T (\mathbf{K} + \sigma^2 \mathbf{I})^{-1} \mathbf{k}(\mathbf{x}) \\
LCB(\mathbf{x}) = \mu(\mathbf{x}) - \kappa \sigma(\mathbf{x})
\end{cases} (1)$$

Algorithms

Algorithm 1 Bayesian Optimization

- 1: Initial Sampling
- 2: Construct GP model
- 3: **for** t = 1, 2, ... **do**
- 4: Find \mathbf{x}_t that minimizes LCB
- 5: Sample $y_t = f(\mathbf{x}_t) + \epsilon_t$
- 6: Update GP model
- 7: end for
- 8: **return** best $f(\mathbf{x})$ recorded during iterations

7

Code

```
#include <iostream>
using namespace std;
int main()
{
    cout << "Whatever!" << endl;
    return EXIT_SUCCESS;
}</pre>
```

References I

- [1] I. Couckuyt, T. Dhaene, and P. Demeester, "ooDACE toolbox: A flexible object-oriented kriging implementation.," *Journal of Machine Learning Research*, vol. 15, no. 1, pp. 3183–3186, 2014.
- [2] C. E. Rasmussen, "Gaussian processes for machine learning,", 2006.
- [3] B. Shahriari, K. Swersky, Z. Wang, R. P. Adams, and N. de Freitas, "Taking the human out of the loop: A review of bayesian optimization," *Proceedings of the IEEE*, vol. 104, no. 1, pp. 148–175, 2016.
- [4] M. A. Gelbart, "Constrained bayesian optimization and applications," PhD thesis, 2015.
- [5] B. Liu, D. Zhao, P. Reynaert, and G. G. Gielen, "Gaspad: A general and efficient mm-wave integrated circuit synthesis method based on surrogate model assisted evolutionary algorithm," *IEEE Transactions* on Computer-Aided Design of Integrated Circuits and Systems, vol. 33, no. 2, pp. 169–182, 2014.

References II

[6] A. Melkumyan and F. Ramos, "Multi-kernel gaussian processes," in *IJCAI Proceedings-International Joint Conference on Artificial Intelligence*, vol. 22, 2011, p. 1408.