Fibrinogen Induces Biofilm Formation by *Streptococcus suis* and Enhances Its Antibiotic Resistance[∇]

Laetitia Bonifait, Louis Grignon, and Daniel Grenier*

Groupe de Recherche en Écologie Buccale, Faculté de Médecine Dentaire, Université Laval, Quebec City, Quebec, Canada

Received 7 March 2008/Accepted 26 May 2008

In this study, we showed that supplementing the culture medium with fibrinogen induced biofilm formation by *Streptococcus suis* in a dose-dependent manner. Biofilm-grown *S. suis* cells were much more resistant to penicillin G than planktonic cells. *S. suis* bound fibrinogen to its surface, a property that likely contributes to biofilm formation.

Streptococcus suis, a major swine pathogen worldwide, is transmitted via the respiratory route and colonizes the palatine tonsils of pigs (11). Although 35 serotypes (serotypes 1 to 34 and 1/2) have been identified, serotype 2 is considered the most prevalent and virulent in pigs (9). The major infections caused by this pathogen include septicemia, meningitis, and endocarditis (9). Zoonotic diseases caused by S. suis occur sporadically in individuals who work in close contact with pigs or pork by-products (7, 10).

Biofilm formation by pathogenic microorganisms is a mechanism that allows them to become persistent colonizers, resist clearance by the innate and adaptive host immune system, enhance their resistance to antibiotics, and exchange genetic material (6). Biofilm formation is influenced by environmental parameters, such as the nature and availability of nutrients, which may modulate adhesin and polysaccharide production (15). We recently investigated the capacity of *S. suis* isolates to form biofilms and showed that this property was restricted to a few strains (8). In this paper, we report that fibrinogen induced biofilm formation by *S. suis* and increased its resistance to antibiotics.

The basal broth medium used to investigate biofilm formation by S. suis S735, a virulent serotype 2 strain, contained 0.5% glucose, 2% peptone (proteose peptone no. 3; BBL Microbiology Systems), 0.3% K₂HPO₄, 0.2% KH₂PO₄, 0.01% $MgSO_4 \cdot 7H_2O$, 0.002% $MnSO_4 \cdot 6H_2O$, and 0.5% NaCl. An overnight culture of S. suis was diluted in fresh culture broth to obtain an optical density at 655 nm (OD₆₅₅) of 0.2. Samples (100 µl) were added to the wells of a 96-well polystyrene tissue culture plate containing 100 µl of culture medium. The effect on biofilm formation by S. suis of supplementing the medium with various mammalian proteins was investigated. The following proteins were added (5 mg/ml) to the basal broth medium: fibrinogen (human, bovine, and porcine), serum albumin (bovine), transferrin (human), gamma globulin (human), plasminogen (human), and mucin (porcine). Human fibrinogen was also tested at final concentrations of 0.5, 1, and 2 mg/ml. The

plates were incubated for 18 h at 37°C, and bacterial growth was evaluated by determining the OD_{655} using a microplate reader. Medium and free-floating bacteria were then removed, and biofilms were stained with crystal violet dye as previously described (8).

As shown in Fig. 1, human, bovine, and porcine fibrinogens all induced marked biofilm formation. The effect was dose dependent and was observed at the lowest human fibrinogen concentration tested (0.5 mg/ml) (Fig. 2). Precoating the wells with fibringen (5 mg/ml for 2 h) did not induce biofilm formation (data not shown). Fibrinogen-induced biofilm formation was not related to increased growth since the fibrinogen had no impact on the growth of S. suis (data not shown). Other mammalian proteins, including serum albumin, transferrin, gamma globulin, plasminogen, and mucin, did not promote biofilm formation by S. suis in the polystyrene microplates (Fig. 1). To ensure that fibrinogen-induced biofilm formation was not a strain-specific phenomenon, additional strains of S. suis were tested. As shown in Fig. 3, human fibrinogen induced all 10 strains, including one serotype 1/2 strain (2651) and one serotype 3 strain (4961), to form biofilms to various extents.

The structural architecture of the *S. suis* S735 biofilms formed in the absence and presence of human fibrinogen (5 mg/ml) was examined by scanning electron microscopy using a previously described procedure (8). As shown in Fig. 4, in the absence of fibrinogen, individual bacteria and short chains of *S. suis* S735 cells were attached to the polystyrene surface but were rarely bound to each other. However, when the culture medium was supplemented with fibrinogen, aggregates and microcolonies of *S. suis* almost completely covered the surface of the support.

The MICs and minimal bactericidal concentrations (MBCs) of penicillin G for planktonic S. suis S735 and AAH4 cells were determined using a microbroth dilution method. The wells of a microtiter plate, each containing 100 μ l of serially diluted penicillin G (62 to 0.0004 μ g/ml), were inoculated with 100 μ l of an overnight culture of S. suis diluted in fresh culture broth to obtain an OD₆₅₅ of 0.5. The MIC was the lowest concentration of antibiotic with which no significant increase in OD₆₅₅ was noted after 24 h of incubation at 37°C. To determine the MBCs, 10 μ l of culture was collected from wells with no apparent growth and spread on Todd-Hewitt broth agar plates. The MBC was the lowest concentration of antibiotic at which

^{*} Corresponding author. Mailing address: Groupe de Recherche en Écologie Buccale, Faculté de Médecine Dentaire, Université Laval, Quebec City, Quebec, Canada G1K 7P4. Phone: (418) 656-7341. Fax: (418) 656-2861. E-mail: Daniel.Grenier@greb.ulaval.ca.

[▽] Published ahead of print on 6 June 2008.

4970 BONIFAIT ET AL. APPL. ENVIRON. MICROBIOL.




FIG. 1. Effects of various mammalian proteins (5 mg/ml) added to the culture medium on biofilm formation by *S. suis* S735. Assays were performed in triplicate, and the means ± standard deviations of two independent experiments are indicated.

no colonies grew on the plates. The MICs and MBCs for biofilm-grown S. suis S735 and AAH4 were determined using a microtiter plate containing a 24-h preformed fibrinogeninduced biofilm in each well. The culture supernatants were aspirated, and 200-µl portions of twofold serial dilutions of antibiotic in fresh culture broth were added to the wells. The plate was then incubated at 37°C for 24 h. The biofilm-grown bacteria were then suspended by scraping the bottoms of the wells with a 200-µl pipette tip and performing up and down aspiration until a homogeneous suspension was obtained. Growth was then estimated by determining the OD_{655} . The MICs were the lowest concentrations of antibiotic with which no significant increase in OD₆₅₅ was noted following the addition of the antibiotic. The MBCs of the biofilm-grown cells were determined by spreading 10 µl of a resuspended biofilm on a Todd-Hewitt broth agar plate. The MBC was the lowest concentration of antibiotic with which no colonies grew on the agar medium. The MICs and MBCs of penicillin G for S. suis strains S735 and AAH4 grown in biofilms (in the presence of fibrinogen) and planktonic cultures are shown in Table 1. S. suis (both strains) grown in a biofilm induced by the presence of fibrinogen had MICs similar to those of the planktonic cultures. However, the MBCs were much higher for the biofilm cells. More specifically, the MBCs for S. suis S735 and AAH4 biofilm cells were 1.95 µg/ml (0.03 µg/ml for planktonic cells) and 15.6 µg/ml (1.95 µg/ml for planktonic cells), respectively. The enhanced resistance to antibiotics was likely related to the stable architecture of biofilms, which restricts the penetration of antibiotics.

The mechanisms by which human fibrinogen promotes bio-

film formation by S. suis S735 and AAH4 were then investigated. First, the ability of *S. suis* (cells and culture supernatant) to produce fibrin from fibrinogen was assayed using a plate assay as previously described (1). Thrombin (1 U/ml) was used as a positive control. Neither S. suis cells nor culture supernatants converted fibrinogen into fibrin. Second, an enzymelinked immunosorbent assay was developed to investigate fibringen binding to S. suis. Briefly, bacterial cells were harvested by centrifugation, suspended (OD₆₅₅, 0.25) in 50 mM carbonate buffer (pH 9.6), and allowed to attach to the bottoms of microplate wells. It was found that approximately 10⁷ bacteria were attached to the well walls (data not shown). S. suis-coated wells were then treated with phosphate-buffered saline containing 0.5% gelatin, incubated with fibrinogen (400 ng), washed in phosphate-buffered saline containing 0.5% gelatin and 0.05% (vol/vol) Tween 20, and then incubated with horseradish peroxidase-conjugated goat anti-fibrinogen antibody (1:1,000). After washing, 0.2 M sodium phosphate (4.86 ml), 0.1 M citric acid (5.15 ml), 30% H₂O₂ (10 μl), and 1 mg tetramethylbenzidine were added to each well (30 min), and the absorbance at 450 nm was determined with a microplate reader. The amount of fibringen bound by S. suis was estimated from a standard curve obtained by using different amounts of fibringen (range, 2 to 200 ng) that were immobilized on the bottoms of the wells and the enzyme-linked immunosorbent assay procedure described above. This assay, which was performed in triplicate, showed the ability of S. suis S735 to bind fibringen. The amounts of fibringen bound by S. suis S735 and AAH4 were estimated to be 22.8 \pm 3.8 and




FIG. 2. Effects of various concentrations of human fibrinogen added to the culture medium on biofilm formation by S. suis S735. Assays were performed in triplicate, and the means \pm standard deviations of two independent experiments are indicated.




FIG. 3. Effect of human fibrinogen on biofilm formation by various strains of *S. suis*. Assays were performed in triplicate, and the means ± standard deviations of two independent experiments are indicated.

 17 ± 3.1 ng per 10^7 cells immobilized onto microplate wells, respectively.

The ability of bacteria to form biofilms on host surfaces is critical to the virulence of these organisms. While research on biofilms formed by animal pathogens is rather limited, biofilms are likely involved in many diseases, including pneumonia, endocarditis, and mastitis (3). In the present study, we showed that *S. suis* biofilm formation on a polystyrene surface was stimulated in a dose-dependent manner when fibrinogen, a

340-kDa glycoprotein found in human blood plasma (17), was added to the culture medium. The stimulation occurred at relevant in vivo concentrations since the in vivo concentration of fibrinogen in blood plasma is approximately 2.5 mg/ml. This phenomenon appeared to be highly specific since other mammalian proteins did not stimulate biofilm formation. To the best of our knowledge, this is the first report of fibrinogen-induced biofilm formation. The stimulation of bacterial biofilm formation by an exogenous mammalian protein has been re-




FIG. 4. Scanning electron micrographs of *S. suis* S735 biofilms formed on plastic tissue culture coverslips following growth in the absence of human fibrinogen (A and C) and in the presence of 5 mg/ml human fibrinogen (B and D). Magnifications, ×500 (A and B) and ×3,000 (C and D).

4972 BONIFAIT ET AL. Appl. Environ, Microbiol.

TABLE 1. MICs and MBCs of penicillin G for planktonic and biofilm-grown *S. suis* S735 and AAH4 cells^a

Strain	Growth	Penicillin G MIC (μg/ml)	Penicillin G MBC (µg/ml)
S735	Planktonic	0.015	0.031
	Fibrinogen-induced biofilm	0.015	1.95
AAH4	Planktonic	0.007	1.95
	Fibrinogen-induced biofilm	0.007	15.6

^a The values are representative of three independent experiments.

ported previously. Shanks et al. (14) showed that heparin, a heterogeneous glycosaminoglycan, increased biofilm formation by several *Staphylococcus aureus* strains and suggested that this compound stimulates the formation of adhesion molecules that help *S. aureus* to better adhere to one another in either a heparin-dependent (where heparin acts as a cross-bridge) or heparin-independent manner.

We showed that S. suis can bind fibringen to its surface, a property that may allow bacteria to attach to each other through fibrinogen-mediated cross-bridging. Interestingly, Cheung et al. (2) reported that fibringen can act as a bridging molecule in the adherence of *S. aureus* to cultured endothelial cells. Fibrinogen binding to streptococci also plays a significant role in enabling the cells to adhere to host surfaces and in protecting them from the host immune system, notably by preventing opsonophagocytosis (4, 13, 16). De Greeff et al. (5) reported that S. suis produces cell surface fibrinogen-binding proteins and showed, using a deficient mutant, that this property contributes to the virulence of *S. suis* in a piglet model (5). The 64-kDa protein receptor was also found to bind fibronectin (5). Fibrinogen may also contribute to biofilm formation by stimulating the expression of adhesion molecules that help S. suis cells adhere better to one another. A comparative proteome analysis of S. aureus biofilm and planktonic cells showed that biofilm cells express higher levels of protein associated with cell attachment and, in particular, fibrinogen-binding proteins (12).

This work was supported by a grant from the Natural Sciences and Engineering Research Council of Canada (NSERC grant 194703-04). We thank Marie-Claude Jacques for her technical assistance.

REFERENCES

- Bouchara, J. P., G. Larcher, F. Joubaud, P. Penn, G. Tronchin, and D. Chabasse. 1993. Extracellular fibrinogenolytic enzyme of *Aspergillus fumigatus*: substrate-dependent variations in the proteinase synthesis and characterization of the enzyme. FEMS Immunol. Med. Microbiol. 7:81–91.
- Cheung, A. L., M. Krishnan, E. A. Jaffe, and V. A. Fischetti. 1991. Fibrinogen
 acts as a bridging molecule in the adherence of *Staphylococcus aureus* to
 cultured human endothelial cells. J. Clin. Investig. 87:2236–2245.
- Clutterbuck, A. L., E. J. Woods, D. C. Knottenbelt, P. D. Clegg, C. A. Cochrane, and S. L. Percival. 2007. Biofilms and their relevance to veterinary medicine. Vet. Microbiol. 121:1–17.
- Courtney, H. S., D. L. Hasty, and J. B. Dale. 2006. Anti-phagocytic mechanisms of *Streptococcus pyogenes*: binding of fibrinogen to M-related protein. Mol. Microbiol. 59:936–947.
- De Greeff, A., H. Buys, R. Verhaar, J. Dijkstra, L. van Alphen, and H. Smith. 2002. Contribution of fibronectin-binding protein to pathogenesis of *Streptococcus suis* serotype 2. Infect. Immun. 70:1319–1325.
- Donlan, R. M., and J. W. Costerton. 2002. Biofilms: survival mechanisms of clinically relevant microorganisms. Clin. Microbiol. Rev. 15:167–193.
- Dupas, D., M. Vignon, and C. Géraut. 1992. Streptococcus suis meningitis. A severe noncompensated occupational disease. J. Occup. Med. 34:1102–1105.
- Grenier, D., L. Grignon, and M. Gottschalk. Characterisation of biofilm formation by a *Streptococcus suis* meningitis isolate. Vet. J., in press.
- Higgins, R., and M. Gottschalk. 1999. Streptococcal diseases, p. 563–578. In
 B. E. I. Straw, S. Allaire, W. L. Mangeling, and D. J. Taylor (ed.), Diseases of swine, 8th ed. Iowa State University Press, Ames.
- Huang, Y. T., L. J. Teng, S. W. Ho, and P. R. Hsueh. 2005. Streptococcus suis infection. J. Microbiol. Immunol. Infect. 38:306–313.
- MacInnes, J. I., and R. Desrosiers. 1999. Agents of the "suis-ide diseases" of swine: Actinobacillus suis, Haemophilus parasuis, and Streptococcus suis. Can. J. Vet. Res. 63:83–89.
- Resch, A., S. Leicht, M. Saric, L. Pasztor, A. Jakob, F. Götz, and A. Nordheim. 2006. Comparative proteome analysis of *Staphylococcus aureus* biofilm and planktonic cells and correlation with transcriptome profiling. Proteomics 6:1867–1877.
- Schubert, A., K. Zakikhany, M. Schreiner, R. Frank, B. Spellerberg, B. J. Eikmanns, and D. J. Reinscheid. 2002. A fibrinogen receptor from group B Streptococcus interacts with fibrinogen by repetitive units with novel ligand binding sites. Mol. Microbiol. 2:557–569.
- Shanks, R. M. Q., N. P. Donegan, M. L. Graber, S. E. Buckingham, M. E. Zegans, A. L. Cheung, and G. A. O'Toole. 2005. Heparin stimulates Staphylococcus aureus biofilm formation. Infect. Immun. 73:4596–4606.
- Stanley, N. R., and B. A. Lazazzera. 2004. Environmental signals and regulatory pathways that influence biofilm formation. Mol. Microbiol. 52:917–924
- Tenenbaum, T., C. Bloier, R. Adam, D. J. Reinscheid, and H. Schroten. 2005. Adherence to and invasion of human brain microvascular endothelial cells are promoted by fibrinogen-binding protein FbsA of *Streptococcus agalactiae*. Infect. Immun. 73:4404–4409.
- 17. Weisel, J. W. 2005. Fibrinogen and fibrin. Adv. Protein Chem. 70:247-255.