




Bootcamp de Desarrollo Web

Ejercicio 10



Objetivo

Practicar programación de JavaScript y el consumo de APIs
Asincronas



1 – Creación de Clases, objetos y métodos

Escribe un programa en javascript que te permita hacer un llamado a una Rest API pública y que imprime la respuesta en consola.

Dentro del programa también llama una WebAPI que te permita imprimir un mensaje después de cierto tiempo de espera.

```
1  async function fetchApiData() {
2    const apiUrl = 'https://pokeapi.co/api/v2/pokemon/3';
3    try {
4      const response = await fetch(apiUrl);
5      if (!response.ok) {
6        throw new Error(`Error en la API: ${response.status}`);
7      }
8      const data = await response.json();
9      console.log('Respuesta de la API:', data); ... slot: 2, type: { name: 'poison', url: 'https://pokeapi.co/api/v2/type/4/' } } ], weight: 1000 }
10   } catch (error) {
11     console.error('Error al llamar a la API:', error.message);
12   }
13 }
14
15 fetchApiData()
```

OUTPUT DEBUG CONSOLE PROBLEMS TERMINAL PORTS QUOKKA COMMENTS EXPLORER

LOGS



LLAMADA_REST_API.JS

✓ ['Respuesta de la API:', { abilities: [...], base_experience: 263, cries: {...}, forms: [...], game_indices: Array(20) [...], ... }] 9:9



['Respuesta de la API:',

```
  {
    > abilities: [...],
    > base_experience: 263,
    > cries: {...},
    > forms: [...],
    > game_indices: Array(20) [...],
    > height: 20,
    > held_items: [],
    > id: 3,
    > is_default: true,
    > location_area_encounters: 'https://pokeapi.co/api/v2/pokemon/3/encounters',
    > moves: Array(96) [...],
```