




OLYMPOS GİYOTİN CAM SİSTEMLERİ

Olympos Guillotine
Glass Systems

OLYMPOS GİYOTİN CAM SİSTEMLERİ

Olympos Guillotine Glass Systems



Olympos Giyotin Cam Sistemi, genellikle büyük cam yüzeylerin açılabilir pencere olarak kullanılabilmesini sağlayan bir tür cam sistemi veya cam düzenlemesini ifade eder. Bu sistem, özellikle ticari binalarda, otellerde veya büyük yapılarla tercih edilen bir cam açma mekanizmasıdır.

Olympos Giyotin Cam Sistemi, mekanın doğal havalandırılması veya büyük cam yüzeylerin geçiş açıklıkları olarak kullanılabilmesi için idealdir. Özellikle güzel hava koşullarında iç ve dış mekan arasındaki geçiş kolaylaştırır.

Modern bina tasarımlında popüler bir tercih haline gelmiştir. Estetik açıdan çekici ve dayanıklı olmaları, birçok yapı projesinde tercih edilmelerinin nedenlerindenidir. Ayrıca, enerji tasarrufu ve iç mekan konforunu artırma potansiyeli sunarlar.



The Olympos Guillotine Glass System generally refers to a type of glass system or arrangement that allows large glass surfaces to be used as operable windows. This system is a preferred glass opening mechanism, especially in commercial buildings, hotels, or large structures.

The Olympos Guillotine Glass System is ideal for natural ventilation of the space or for serving as access openings in large glass surfaces. It particularly facilitates the transition between indoor and outdoor environments, especially in good weather conditions.

It has become a popular choice in modern building design. Their aesthetic appeal and durability are some of the reasons why they are preferred in many construction projects. Additionally, they offer the potential for energy savings and improving indoor comfort.





RAL renk standardına göre seçtiğiniz tüm renkler uygulanabilir.

All the colours you have selected can be applied according to the RAL colour standard.

Yağmur ve rüzgar gibi hava şartlarına son derece dayanıklıdır.

It is extremely resistant to weather conditions such as rain and wind.

Materyal // 6063 T5 alüminyum, paslanmaz çelik ve derlin.

Materials // 6063 T5 aluminum, stainless steel and derlin.

Alüminyum giyotin cam sistemleri, cam panelleri yukarı ve aşağı hareket ettiren bir çerçeve ve kaldırma mekanizması içerir. Bu sistem, pencereyi yarıya veya tamamen açarak hava sirkülasyonu sağlar ve dışarıdaki manzaranın keyfini çıkarmانıza olanak tanır.

Bu tür cam sistemlerinde kullanılan ana malzeme dayanıklı ve hafif olan alüminyumdur. Alüminyum, paslanmaz ve uzun ömürlü bir malzeme olduğu için iç ve dış mekanlarda kullanılmak üzere uygundur.


Bu sistemler, modern ve şık bir tasarıma sahiptir ve iç ve dış mekanların estetğini artırır. Farklı renk ve bitki seçenekleri sunar, böylece mekana uygun bir tasarım seçilebilir.

"Aluminum guillotine glass systems consist of a frame and lifting mechanism that moves the glass panels up and down. This system allows for partial or complete window opening, facilitating air circulation and enabling you to enjoy the outdoor view."


"The primary material used in such glass systems is durable and lightweight aluminum. Aluminum is resistant to corrosion and is a long-lasting material, making it suitable for both indoor and outdoor use."

"These systems have a modern and stylish design, enhancing the aesthetics of both interior and exterior spaces. They offer various color and plant options, allowing for a design that suits the space."











MOTOR KUTUSU PROFİLİ
MOTOR BOX PROFILE

Ürün Kodu / Product Code	37272
Ağırlık / Weight	2,699 kg/m 5,950 lb/m





MOTOR KUTUSU KAPAK PROFİLİ
MOTOR BOX COVER PROFILE



Ürün Kodu / Product Code	37271
Ağırlık / Weight	0,847 kg/m 1,867 lb/m



MOTOR TÜP BORUSU PROFİLİ
MOTOR TUBE PROFILE

Ürün Kodu / Product Code	37115
Ağırlık / Weight	0,992 kg/m 2,187 lb/m





24MM CAM ÇEKİCİ PROFİLİ
24MM GLASS PULLER PROFILE

Ürün Kodu / Product Code	37264
Ağırlık / Weight	0,818 kg/m 1,803 lb/m

Technical drawing showing dimensions: Total width 38,45 [1,514"], height 35 [1,378"], thickness 1,6 [0,063"], and a central slot depth of 1,6 [0,063"].

24MM CAM ÇERÇEVE PROFİLİ
24MM GLASS FRAME PROFILE

Ürün Kodu / Product Code	37263
Ağırlık / Weight	0,545 kg/m 1,202 lb/m

Technical drawing showing dimensions: Total width 35 [1,378"], height 35 [1,378"], thickness 1,6 [0,063"], and a central slot depth of 28,2 [1,110"].

8MM CAM ADAPTÖRÜ
8MM GLASS ADAPTER

Ürün Kodu / Product Code	37281
Ağırlık / Weight	0,353 kg/m 0,778 lb/m

Technical drawing showing dimensions: Total width 24,6 [0,968"], height 16,1 [0,634"], and a central slot depth of 1,25 [0,049"].



Giyotin Aksesuarları
Zincirli Takımı
Kod: GYT-01

Guillotine Accessories
Chain Set
Code: GYT-01



Giyotin Motor Kutusu Kapağı
Guillotine Motor Box Cover

Kod / Code
Adet / Piece


GYT-07
2 Piece



Alt Baza Plastiği
Lower Base Plastic

Kod / Code
Adet / Piece

GYT-06
2 Piece



Trabzan Plastik Kapağı
Handrail Plastic Cover

Kod / Code
Adet / Piece

GYT-10
2 Piece



Köşe Takozu
Corner Wedge

Kod / Code
Adet / Piece

GYT-11
12 Piece



Zincir Dışı Sprocket

Kod / Code
Adet / Piece

GYT-12
2 Piece



Zincir
Chain

Kod / Code
Adet / Piece

GYT-19
5 Meters



Zincir Bağlantı Aparatı
Chain Connection

Kod / Code
Adet / Piece



Borу Başы
Pipe Head

Kod / Code
Adet / Piece

GYT-14
1 Piece



3,9x22 YHB Sac Vidası
3,9x22 YHB Screw

Kod / Code
Adet / Piece

8 Piece



4,8x16 YHB Sac Vidası
4,8x16 YHB Screw

Kod / Code
Adet / Piece


24 Piece



4,8x60 YHB Sac Vidası
4,8x60 YHB Screw

Kod / Code
Adet / Piece

24 Piece



M6x25 HB İmbus Civata
M6x25 HB Imbus Bolt

Kod / Code
Adet / Piece

2 Piece



M3 Fiberli Somun
M3 Fiber Nut

Kod / Code
Adet / Piece

2 Piece



M3x25 İmbus Civata
M3x25 Imbus Bolt

Kod / Code
Adet / Piece

2 Piece



Giyotin Aksesuarları
Kayışlı Takımı
Kod: GYT-02

Guillotine Accessories
Strapped Set
Code: GYT-02



Giyotin Motor Kutusu Kapağı
Guillotine Motor Box Cover

Kod / Code
Adet / Piece

GYT-07
2 Piece



Alt Baza Plastiği
Lower Base Plastic

Kod / Code
Adet / Piece

GYT-06
2 Piece



Köşe Kapağı
Corner Cover

Kod / Code
Adet / Piece

GYT-10
2 Piece



Triger Kasnağı
Timing Pulley

Kod / Code
Adet / Piece

GYT-15
2 Piece



Kasnak Kayış Sıkıştırma T Sac
Pulley Belt Compression T-Sheet

Kod / Code
Adet / Piece

GYT-22
4 Piece



Kayış Bağlantı Pimi
Belt Connector Pin T-sheet

Kod / Code
Adet / Piece

GYT-23
2 Piece



Kayış Alt Sıkıştırma
Belt Under Compression

Kod / Code
Adet / Piece



Kayış Alt Stoplama
Belt Bottom Stopping

Kod / Code
Adet / Piece

GYT-25
2 Piece



Köşe Takozu
Corner Wedge

Kod / Code
Adet / Piece

GYT-11
12 Piece



Borу Başы T
Pipe Head T

Kod / Code
Adet / Piece

GYT-14
1 Piece



3,9x22 YHB Sac Vidası
3,9x22 YHB Screw

Kod / Code
Adet / Piece

8 Piece



4,8x16 YHB Sac Vidası
4,8x16 YHB Screw

Kod / Code
Adet / Piece

24 Piece



4,8x60 YHB Sac Vidası
4,8x60 YHB Screw

Kod / Code
Adet / Piece

24 Piece



M6x22 HB İmbus Civata
M6x22 HB Imbus Bolt

Kod / Code
Adet / Piece

2 Piece



Giyotin Aksesuarları

Guillotine Accessories

T3-F20 Giyotin Kayış
T3-F20 Guillotine BeltKod / Code
1 Top / 1 RollGYT-21
100 MetersKenetli Profil Contası
Clamped Profile BoltKod / Code
1 Top / 1 RollGYT-27
300 MetersMotor Kutusu Contası
Motor Box BoltKod / Code
1 Top / 1 RollGYT-28
75 Meters67x800 Kıl Filili
67x800 Bristle WickKod / Code
1 Top / 1 RollGYT-29
250 MetersGiyotin Somfy Motor Aparatı
Guillotine Somfy Motor ApparatusKod / Code
Adet / PieceGYT-26-1
1 PieceGiyotin Becker Motor Aparatı
Guillotine Becker Motor ApparatusKod / Code
Adet / PieceGYT-26-2
1 PieceGiyotin Universal Motor Aparatı
Guillotine Universal Motor ApparatusKod / Code
Adet / PieceGYT-26-3
1Motor Switch Bileziği
Motor Switch RingKod / Code
Adet / PiecePRG-151
1



Biz Kimiz ?

Üstün kaliteli alüminyum profil üretimini her geçen gün artan standartlarla devam ettiren Kenan Metal A.Ş. ülkemizin önde gelen alüminyum fabrikalarından biridir. Mutlak müşteri ve çalışan memnuniyeti prensibiyle üretim yapan Kenan Metal A.Ş., tente pergola, inşaat ve özel profiller gibi farklı sektörlerin mevcut ve gelecekteki bekleyenlerini karşılayan, çevreyle dost üretim sistemlerini benimseyen, küresel etkileşimleri yakından takip ederek sürekli yenilenen, çağdaş bir vizyonla gelişiyor. Ürün-kalite çatışının sürekli yükselmesi, ürün yelpazesinin geliştirilmesi, yeni ürünlerin tasarımları, kullanım alanlarının artırılması için sürekli olarak çalışan Ar-Ge bölümümyle göz dolduran Kenan Metal A.Ş., kalitesi güvenilirliği, kullandığı teknoloji ve özel çözümler üretme gücüyle pazar payını sürekli genişletiyor.

Kenan Metal A.Ş., alüminyum bazlı ürünlerin kalitelerini artıracak ve kullanım alanlarını yaygınlaştırarak doğal ve estetik mekanların yaratılmasına da öncülük ediyor. Her yapı için kendine özgü üstün nitelikli ve ileri teknoloji gerektiren çağdaş çözümler sunan Kenan Metal A.Ş., esnek yaklaşımları üstün hizmet kalitesi ve fiyat-kalite dengesiyle küresel pazarda söz sahibi bir kurum olma yolunda emin adımlarla ilerliyor.

Who Are We?

Kenan Metal is one of the leading aluminum factories of our country which continues to produce high quality aluminum profiles with increasing standards each passing day. Kenan Metal which makes production with absolute customer and employee satisfaction principle, develops with a modern vision that meets current and future expectations of different sectors such as awning pergola, construction and special profiles, adopts environmentally friendly production systems, renews itself constantly by following global interactions closely.

Kenan Metal which makes a strong impression with its R&D department working constantly for raising product-quality level, improving product range, designing new products, increasing usage areas, expands its market share constantly with its quality, credibility technology used and power to produce special solutions

Kenan Metal is also leading creation of natural and aesthetic spaces by increasing quality of aluminum-based products and expanding usage areas. Kenan Metal which offers its unique, superior and modern solutions requiring advanced technology for every structure, is moving confidently on its way to become a promising company in global market with its flexible approaches, superior service quality and price-quality balance.





kenanmetal.com | info@kenanmetal.com | +90 212 485 60 35

Genel Merkez : İosb Mh. Atatürk Blv. Mahmut Torun İş Merkezi No: 54 Kat: 1 34490 İkitelli Osb / Başakşehir / İstanbul
Fabrika : Velimeşé Mahallesi, Kandil Caddesi, 329 Sokak, Dış Kapı No:7 Ergene / Tekirdağ



TR / ENG 2023.v1