

# 1. Description

## 1.1. Project

Project Name	servoMotores_FREERTOS2
Board Name	custom
Generated with:	STM32CubeMX 6.8.1
Date	06/05/2023


## 1.2. MCU

MCU Series	STM32F4
MCU Line	STM32F411
MCU name	STM32F411CEUx
MCU Package	UFQFPN48
MCU Pin number	48

## 1.3. Core(s) information

Core(s)	Arm Cortex-M4

# 2. Pinout Configuration




# 3. Pins Configuration

Pin Number UFQFPN48	Pin Name (function after reset)	Pin Type	Alternate Function(s)	Label
1	VBAT	Power		
3	PC14-OSC32_IN	I/O	RCC_OSC32_IN	
4	PC15-OSC32_OUT	I/O	RCC_OSC32_OUT	
5	PH0 - OSC_IN	I/O	RCC_OSC_IN	
6	PH1 - OSC_OUT	I/O	RCC_OSC_OUT	
7	NRST	Reset		
8	VSSA	Power		
9	VDDA	Power		
10	PA0-WKUP	I/O	TIM2_CH1	Motor1_TIM2_CH1
11	PA1	I/O	TIM2_CH2	
12	PA2 *	I/O	GPIO_Input	Button
22	VCAP1	Power		
23	VSS	Power		
24	VDD	Power		
34	PA13	I/O	SYS_JTMS-SWDIO	
35	VSS	Power		
36	VDD	Power		
37	PA14	I/O	SYS_JTCK-SWCLK	
44	BOOT0	Boot		
47	VSS	Power		
48	VDD	Power		

<sup>\*</sup> The pin is affected with an I/O function

# 4. Clock Tree Configuration



# 5. Software Project

## 5.1. Project Settings

Name	Value	
Project Name	servoMotores_FREERTOS2	
Project Folder	C:\Users\mfern\STM32CubeIDE\workspace_1.12.1\servoMotores_FREERTOS2	
Toolchain / IDE	STM32CubeIDE	
Firmware Package Name and Version	STM32Cube FW_F4 V1.27.1	
Application Structure	Advanced	
Generate Under Root	Yes	
Do not generate the main()	No	
Minimum Heap Size	0x200	
Minimum Stack Size	0x400	

## 5.2. Code Generation Settings

Name	Value
STM32Cube MCU packages and embedded software	Copy only the necessary library files
Generate peripheral initialization as a pair of '.c/.h' files	No
Backup previously generated files when re-generating	No
Keep User Code when re-generating	Yes
Delete previously generated files when not re-generated	Yes
Set all free pins as analog (to optimize the power	No
consumption)	
Enable Full Assert	No

## 5.3. Advanced Settings - Generated Function Calls

Rank Function Name		Peripheral Instance Name
1	SystemClock_Config	RCC
2	MX_GPIO_Init	GPIO
3	MX TIM2 Init	TIM2

# 6. Power Consumption Calculator report

### 6.1. Microcontroller Selection

Series	STM32F4
Line	STM32F411
мси	STM32F411CEUx
Datasheet	DS10314_Rev6

### 6.2. Parameter Selection

Temperature	25
Vdd	1.7

## 6.3. Battery Selection

Battery	Li-SOCL2(A3400)
Capacity	3400.0 mAh
Self Discharge	0.08 %/month
Nominal Voltage	3.6 V
Max Cont Current	100.0 mA
Max Pulse Current	200.0 mA
Cells in series	1
Cells in parallel	1


## 6.4. Sequence

Step	Step1	Step2
Mode	RUN	STOP
Vdd	1.7	1.7
Voltage Source	Battery	Battery
Range	Scale1-High	No Scale
Fetch Type	SRAM	n/a
CPU Frequency	100 MHz	0 Hz
Clock Configuration	HSE PLL	Regulator_LPLV Flash- PwrDwn
Clock Source Frequency	4 MHz	0 Hz
Peripherals		
Additional Cons.	0 mA	0 mA
Average Current	12.7 mA	9 μΑ
Duration	0.1 ms	0.9 ms
DMIPS	125.0	0.0
Ta Max	104.31	105
Category	In DS Table	In DS Table

### 6.5. Results

Sequence Time	1 ms	Average Current	1.28 mA
Battery Life	3 months, 19	Average DMIPS	125.0 DMIPS
	days, 6 hours		

## 6.6. Chart



# 7. Peripherals and Middlewares Configuration

#### 7.1. RCC

High Speed Clock (HSE): Crystal/Ceramic Resonator Low Speed Clock (LSE): Crystal/Ceramic Resonator

7.1.1. Parameter Settings:

#### **System Parameters:**

VDD voltage (V) 3.3
Instruction Cache Enabled
Prefetch Buffer Enabled
Data Cache Enabled

Flash Latency(WS) 0 WS (1 CPU cycle)

**RCC Parameters:** 

HSI Calibration Value 16

TIM Prescaler Selection Disabled

HSE Startup Timout Value (ms) 100

LSE Startup Timout Value (ms) 5000

**Power Parameters:** 

Power Regulator Voltage Scale Power Regulator Voltage Scale 1

#### 7.2. SYS

**Debug: Serial Wire** 

**Timebase Source: TIM3** 

#### 7.3. TIM2

Clock Source: Internal Clock
Channel1: PWM Generation CH1
Channel2: PWM Generation CH2

7.3.1. Parameter Settings:

#### **Counter Settings:**

Prescaler (PSC - 16 bits value) 64 \*

Counter Mode Up

Counter Period (AutoReload Register - 32 bits value) 2499 \*

Internal Clock Division (CKD) No Division auto-reload preload Disable

**Trigger Output (TRGO) Parameters:** 

Master/Slave Mode (MSM bit) Disable (Trigger input effect not delayed)

Trigger Event Selection Reset (UG bit from TIMx\_EGR)

**PWM Generation Channel 1:** 

Mode PWM mode 1

Pulse (32 bits value) 0

Output compare preload Enable

Fast Mode Disable

CH Polarity High

**PWM Generation Channel 2:** 

Mode PWM mode 1

Pulse (32 bits value) 0
Output compare preload Enable
Fast Mode Disable
CH Polarity High

7.4. FREERTOS

Interface: CMSIS\_V2

7.4.1. Config parameters:

API:

FreeRTOS API CMSIS v2

Versions:

FreeRTOS version 10.3.1 CMSIS-RTOS version 2.00

MPU/FPU:

ENABLE\_MPU Disabled ENABLE\_FPU Disabled

Kernel settings:

USE\_RECURSIVE\_MUTEXES

USE\_PREEMPTION Enabled

CPU\_CLOCK\_HZ SystemCoreClock

TICK\_RATE\_HZ 1000

MAX\_PRIORITIES 56

MINIMAL\_STACK\_SIZE 128

MAX\_TASK\_NAME\_LEN 16

USE\_16\_BIT\_TICKS Disabled

IDLE\_SHOULD\_YIELD Enabled

USE\_MUTEXES Enabled

Enabled

USE\_COUNTING\_SEMAPHORES Enabled

QUEUE\_REGISTRY\_SIZE 8

USE\_APPLICATION\_TASK\_TAG Disabled

ENABLE\_BACKWARD\_COMPATIBILITY Enabled

USE\_PORT\_OPTIMISED\_TASK\_SELECTION Disabled

USE\_TICKLESS\_IDLE Disabled

USE\_TASK\_NOTIFICATIONS Enabled

RECORD\_STACK\_HIGH\_ADDRESS Disabled

#### Memory management settings:

Memory Allocation Dynamic / Static

TOTAL\_HEAP\_SIZE 15360

Memory Management scheme heap\_4

#### **Hook function related definitions:**

USE\_IDLE\_HOOK Disabled
USE\_TICK\_HOOK Disabled
USE\_MALLOC\_FAILED\_HOOK Disabled
USE\_DAEMON\_TASK\_STARTUP\_HOOK Disabled
CHECK\_FOR\_STACK\_OVERFLOW Disabled

#### Run time and task stats gathering related definitions:

GENERATE\_RUN\_TIME\_STATS Disabled
USE\_TRACE\_FACILITY Enabled
USE\_STATS\_FORMATTING\_FUNCTIONS Disabled

#### Co-routine related definitions:

USE\_CO\_ROUTINES Disabled MAX\_CO\_ROUTINE\_PRIORITIES 2

#### Software timer definitions:

USE\_TIMERS Enabled
TIMER\_TASK\_PRIORITY 2
TIMER\_QUEUE\_LENGTH 10
TIMER\_TASK\_STACK\_DEPTH 256

#### Interrupt nesting behaviour configuration:

LIBRARY\_LOWEST\_INTERRUPT\_PRIORITY 15
LIBRARY\_MAX\_SYSCALL\_INTERRUPT\_PRIORITY 5

#### Added with 10.2.1 support:

MESSAGE\_BUFFER\_LENGTH\_TYPE size\_t
USE\_POSIX\_ERRNO Disabled

#### **CMSIS-RTOS V2 flags:**

USE\_OS2\_THREAD\_SUSPEND\_RESUME Enabled
USE\_OS2\_THREAD\_ENUMERATE Enabled
USE\_OS2\_EVENTFLAGS\_FROM\_ISR Enabled
USE\_OS2\_THREAD\_FLAGS Enabled

USE\_OS2\_TIMER Enabled USE\_OS2\_MUTEX Enabled

#### 7.4.2. Include parameters:

#### Include definitions:

Enabled vTaskPrioritySet uxTaskPriorityGet Enabled vTaskDelete Enabled Disabled vTaskCleanUpResources Enabled vTaskSuspend Enabled vTaskDelayUntil Enabled vTaskDelay Enabled xTaskGetSchedulerState Enabled xTaskResumeFromISR Enabled xQueueGetMutexHolder Disabled xSemaphoreGetMutexHolder Disabled pcTaskGetTaskName Enabled uxTaskGetStackHighWaterMark Enabled xTaskGetCurrentTaskHandle Enabled eTaskGetState Disabled xEventGroupSetBitFromISR xTimerPendFunctionCall Enabled xTaskAbortDelay Disabled Disabled xTaskGetHandle Disabled uxTaskGetStackHighWaterMark2

#### 7.4.3. Advanced settings:

Newlib settings (see parameter description first):

USE\_NEWLIB\_REENTRANT Enabled \*

Project settings (see parameter description first):

Use FW pack heap file Enabled

<sup>\*</sup> User modified value

# 8. System Configuration

## 8.1. GPIO configuration

IP	Pin	Signal	GPIO mode	GPIO pull/up pull down	Max Speed	User Label
RCC	PC14- OSC32_IN	RCC_OSC32_IN	n/a	n/a	n/a	
	PC15- OSC32_OU T	RCC_OSC32_O UT	n/a	n/a	n/a	
	PH0 - OSC_IN	RCC_OSC_IN	n/a	n/a	n/a	
	PH1 - OSC_OUT	RCC_OSC_OUT	n/a	n/a	n/a	
SYS	PA13	SYS_JTMS- SWDIO	n/a	n/a	n/a	
	PA14	SYS_JTCK- SWCLK	n/a	n/a	n/a	
TIM2	PA0-WKUP	TIM2_CH1	Alternate Function Push Pull	No pull-up and no pull-down	Low	Motor1_TIM2_CH1
	PA1	TIM2_CH2	Alternate Function Push Pull	No pull-up and no pull-down	Low	
GPIO	PA2	GPIO_Input	Input mode	No pull-up and no pull-down	n/a	Button

## 8.2. DMA configuration

nothing configured in DMA service

## 8.3. NVIC configuration

## 8.3.1. NVIC

Interrupt Table	Enable	Preenmption Priority	SubPriority	
Non maskable interrupt	true	0	0	
Hard fault interrupt	true	0	0	
Memory management fault	true	0	0	
Pre-fetch fault, memory access fault	true	0	0	
Undefined instruction or illegal state	true	0	0	
System service call via SWI instruction	true	0	0	
Debug monitor	true	0	0	
Pendable request for system service	true	15	0	
System tick timer	true	15	0	
TIM2 global interrupt	true	5	0	
TIM3 global interrupt	true	15	0	
PVD interrupt through EXTI line 16	unused			
Flash global interrupt	unused			
RCC global interrupt	unused			
FPU global interrupt	unused			


## 8.3.2. NVIC Code generation

Enabled interrupt Table	Select for init sequence ordering	Generate IRQ handler	Call HAL handler
Non maskable interrupt	false	true	false
Hard fault interrupt	false	true	false
Memory management fault	false	true	false
Pre-fetch fault, memory access fault	false	true	false
Undefined instruction or illegal state	false	true	false
System service call via SWI instruction	false	false	false
Debug monitor	false	true	false
Pendable request for system service	false	false	false
System tick timer	false	false	true
TIM2 global interrupt	false	true	true
TIM3 global interrupt	false	true	true

#### \* User modified value

# 9. System Views

- 9.1. Category view
- 9.1.1. Current



### 10. Docs & Resources

Type Link

BSDL files https://www.st.com/resource/en/bsdl\_model/stm32f411\_bsdl.zip

IBIS models https://www.st.com/resource/en/ibis\_model/stm32f411\_ibis.zip

System View https://www.st.com/resource/en/svd/stm32f4\_svd.zip

Description

BSDL files https://www.st.com/resource/en/bsdl\_model/stm32f411\_bsdl.zip

IBIS models https://www.st.com/resource/en/ibis\_model/stm32f411\_ibis.zip

System View https://www.st.com/resource/en/svd/stm32f4\_svd.zip

Description

Presentations https://www.st.com/resource/en/product\_presentation/stm32-

stm8\_embedded\_software\_solutions.pdf

Presentations https://www.st.com/resource/en/product\_presentation/stm32\_eval-

tools\_portfolio.pdf

Presentations https://www.st.com/resource/en/product\_presentation/stm32\_stm8\_functi

onal-safety-packages.pdf

Presentations https://www.st.com/resource/en/product\_presentation/stm32-

stm8\_software\_development\_tools.pdf

Training Material https://www.st.com/resource/en/sales\_guide/sg\_sc2154.pdf

Flyers https://www.st.com/resource/en/flyer/flstm32f4x1.pdf

Flyers https://www.st.com/resource/en/flyer/flstm32nucleo.pdf

Flyers https://www.st.com/resource/en/flyer/flstmcsuite.pdf

Flyers https://www.st.com/resource/en/flyer/flstm32trust.pdf

Product https://www.st.com/resource/en/certification\_document/stm32\_authenticat

Certifications ion\_can.pdf

Application Notes https://www.st.com/resource/en/application\_note/an1181-electrostatic-

discharge-sensitivity-measurement-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an1709-emc-design-

guide-for-stm8-stm32-and-legacy-mcus-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an2606-stm32-

microcontroller-system-memory-boot-mode-stmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application\_note/an2639-solderingrecommendations-and-package-information-for-leadfree-ecopack-mcusand-mpus-stmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application\_note/an2834-how-to-get-thebest-adc-accuracy-in-stm32-microcontrollers-stmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application\_note/an2867-oscillatordesign-guide-for-stm8afals-stm32-mcus-and-mpus-stmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application\_note/an2945-stm8s-andstm32-mcus-a-consistent-832bit-product-line-for-painless-migrationstmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application note/an3070-managing-thedriver-enable-signal-for-rs485-and-iolink-communications-with-thestm32s-usart-stmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application note/an3126-audio-andwaveform-generation-using-the-dac-in-stm32-productsstmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application\_note/an3154-can-protocolused-in-the-stm32-bootloader-stmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application note/an3155-usart-protocolused-in-the-stm32-bootloader-stmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application\_note/an3156-usb-dfuprotocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application note/an3364-migration-andcompatibility-guidelines-for-stm32-microcontroller-applicationsstmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application\_note/an3997-audio-playbackand-recording-using-the-stm32f4discovery-stmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application note/an3998-pdm-audiosoftware-decoding-on-stm32-microcontrollers-stmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application\_note/an4013-stm32crossseries-timer-overview-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4031-using-the-

- stm32f2-stm32f4-and-stm32f7-series-dma-controller-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4221-i2c-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4229-how-to-implement-a-vocoder-solution-using-stm32-microcontrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4230-stm32-microcontroller-random-number-generation-validation-using-the-nist-statistical-test-suite-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4277-using-stm32-device-pwm-shutdown-features-for-motor-control-and-digital-power-conversion-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4286-spi-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4488-getting-started-with-stm32f4xxxx-mcu-hardware-development-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4566-extending-the-dac-performance-of-stm32-microcontrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4616-migrating-from-stm32f401-and-stm32f411-lines-to-stm32l4-series-and-stm32l4-series-microcontrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4646-peripheral-interconnections-on-stm32f401-and-stm32f411-lines-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4655-virtually-increasing-the-number-of-serial-communication-peripherals-in-stm32-applications-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4739-stm32cube-firmware-examples-for-stm32f4-series-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4750-handling-of-soft-errors-in-stm32-applications-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4759-using-the-

hardware-realtime-clock-rtc-and-the-tamper-management-unit-tamp-withstm32-microcontrollers-stmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application\_note/an4776-generalpurposetimer-cookbook-for-stm32-microcontrollers-stmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application\_note/an4803-highspeed-sisimulations-using-ibis-and-boardlevel-simulations-using-hyperlynx-si-onstm32-mcus-and-mpus-stmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application note/an4838-managingmemory-protection-unit-in-stm32-mcus-stmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application note/an4850-stm32-mcusspreadspectrum-clock-generation-principles-properties-andimplementation-stmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application\_note/an4879-usb-hardwareand-pcb-guidelines-using-stm32-mcus-stmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application note/an4904-migration-ofmicrocontroller-applications-from-stm32f1-series-to-stm32f4-access-linesstmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application\_note/an4908-stm32-usartautomatic-baud-rate-detection-stmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application note/an4989-stm32microcontroller-debug-toolbox-stmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application\_note/an4995-using-anelectromyogram-technique-to-detect-muscle-activitystmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application\_note/an5027-interfacing-pdmdigital-microphones-using-stm32-mcus-and-mpus-stmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application note/an5036-thermalmanagement-guidelines-for-stm32-applications-stmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application note/an5073-receiving-spdifaudio-stream-with-the-stm32f4f7h7-series-stmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application note/an5225-usb-typecpower-delivery-using-stm32-mcus-and-mpus-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application note/an5543-enhanced-

methods-to-handle-spi-communication-on-stm32-devicesstmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4899-stm32-

microcontroller-gpio-hardware-settings-and-lowpower-consumption-

stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5612-esd-protection-

of-stm32-mcus-and-mpus-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5156-introduction-to-

stm32-microcontrollers-security-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an1202\_freertos\_guide-

for related Tools freertos-guide-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an1602\_semihosting\_in for related Tools \_\_truestudio-how-to-do-semihosting-in-truestudio-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an1801\_stm32cubeprog for related Tools rammer\_in\_truestudio-installing-stm32cubeprogrammer-in-truestudio-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application note/atollic editing keyboard

for related Tools \_shortcuts-atollic-editing-keyboard-shortcuts-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/iar\_to\_atollic\_truestudio for related Tools \_\_migration\_guide-truestudio-for-arm-migration-guide-iar-embedded-

& Software workbench-to-truestudio-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/stm32cubemx\_installatio

for related Tools n in truestudio-stm32cubemx-installation-in-truestudio-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an2656-stm32f10xxx-

& Software

Application Notes https://www.st.com/resource/en/application\_note/an2790-tft-lcd-

for related Tools interfacing-with-the-highdensity-stm32f10xxx-fsmc-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an3078-stm32-

for related Tools inapplication-programming-over-the-ic-bus-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an3116-stm32s-adc-

for related Tools modes-and-their-applications-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an3174-implementing-

for related Tools receivers-for-infrared-remote-control-protocols-using-stm32f10xxx-

& Software microcontrollers-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an3241-qvga-tftlcd-

for related Tools direct-drive-using-the-stm32f10xx-fsmc-peripheral-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an3307-guidelines-for-

for related Tools obtaining-iec-60335-class-b-certification-for-any-stm32-application-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application note/an3364-migration-and-

for related Tools compatibility-guidelines-for-stm32-microcontroller-applications-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an3965-

for related Tools stm32f40xstm32f41x-inapplication-programming-using-the-usart-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an3969-eeprom-

for related Tools emulation-in-stm32f40xstm32f41x-microcontrollers-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an3990-upgrading-

for related Tools stm32f4discovery-board-firmware-using-a-usb-key-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an3997-audio-playback-

for related Tools and-recording-using-the-stm32f4discovery-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an3998-pdm-audio-

for related Tools software-decoding-on-stm32-microcontrollers-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4044-floating-point-

for related Tools unit-demonstration-on-stm32-microcontrollers-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4323-getting-started-for related Tools with-stemwin-library-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4365-using-stm32f4-for related Tools mcu-power-modes-with-best-dynamic-efficiency-stmicroelectronics.pdf & Software

Application Notes https://www.st.com/resource/en/application\_note/an4435-guidelines-for-for related Tools obtaining-ulcsaiec-607301603351-class-b-certification-in-any-stm32-

& Software application-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4457-implementing-for related Tools an-emulated-uart-on-stm32f4-microcontrollers-stmicroelectronics.pdf & Software

Application Notes https://www.st.com/resource/en/application\_note/an4499-stm32-for related Tools nrf51822-bluetooth-low-energy-system-solution-stmicroelectronics.pdf
& Software

Application Notes https://www.st.com/resource/en/application\_note/an4502-stm32-for related Tools smbuspmbus-embedded-software-expansion-for-stm32cube-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4515-using-batch-for related Tools acquisition-mode-bam-to-maximize-power-efficiency-on-stm32f410-

& Software stm32f411-stm32f412-stm32f413-microcontroller-lines-

stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4657-stm32-for related Tools inapplication-programming-iap-using-the-usart-stmicroelectronics.pdf & Software

Application Notes https://www.st.com/resource/en/application\_note/an4666-parallel-for related Tools synchronous-transmission-using-gpio-and-dma-stmicroelectronics.pdf & Software

Application Notes https://www.st.com/resource/en/application\_note/an4678-full-duplex-spifor related Tools emulation-for-stm32f4-microcontrollers-stmicroelectronics.pdf & Software

Application Notes https://www.st.com/resource/en/application\_note/an4701-proprietary-for related Tools code-readout-protection-on-microcontrollers-of-the-stm32f4-series-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4739-stm32cube-

for related Tools firmware-examples-for-stm32f4-series-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4758-proprietary-for related Tools code-readout-protection-on-stm32l4-stm32l4-stm32g4-and-stm32wb-

& Software series-mcus-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4759-using-the-

for related Tools hardware-realtime-clock-rtc-and-the-tamper-management-unit-tamp-with-

& Software stm32-microcontrollers-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4841-digital-signal-for related Tools processing-for-stm32-microcontrollers-using-cmsis-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4968-proprietary-for related Tools code-read-out-protection-pcrop-on-stm32f72xxx-and-stm32f73xxx-

& Software microcontrollers-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5054-secure-for related Tools programming-using-stm32cubeprogrammer-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an5056-integration-

for related Tools guide-for-the-xcubesbsfu-stm32cube-expansion-package-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5360-getting-started-

for related Tools with-projects-based-on-the-stm32mp1-series-in-stm32cubeide-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5361-getting-started-

for related Tools with-projects-based-on-dualcore-stm32h7-microcontrollers-in-

& Software stm32cubeide-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5394-getting-started-

for related Tools with-projects-based-on-the-stm32l5-series-in-stm32cubeide-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5418-how-to-build-a-for related Tools simple-usbpd-sink-application-with-stm32cubemx-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an5426-migrating-for related Tools graphics-middleware-projects-from-stm32cubemx-540-to-stm32cubemx-

& Software 550-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5464-position-control-

for related Tools of-a-threephase-permanent-magnet-motor-using-xcubemcsdk-or-

& Software xcubemcsdkful-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5564-getting-started-

for related Tools with-projects-based-on-dualcore-stm32wl-microcontrollers-in-

& Software stm32cubeide-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5698-adapting-the-for related Tools xcubestl-functional-safety-package-for-stm32-iec-61508-compliant-to-

& Software other-safety-standards-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5731-stm32cubemx-

for related Tools and-stm32cubeide-threadsafe-solution-stmicroelectronics.pdf

& Software

Design Notes & https://www.st.com/resource/en/design\_tip/dt0088-fir-filter-design-by-

Tips sampling-windowing-and-modulating-the-sinc-function-

stmicroelectronics.pdf

Design Notes & https://www.st.com/resource/en/design\_tip/dt0089-the-goertzel-algorithm-

Tips to-compute-individual-terms-of-the-discrete-fourier-transform-dft-

stmicroelectronics.pdf

Design Notes & https://www.st.com/resource/en/design\_tip/dt0091-lattice-wave-digital-

Tips filter-design-and-automatic-c-code-generation-stmicroelectronics.pdf

Design Notes & https://www.st.com/resource/en/design\_tip/dt0092-lattice-wave-digital-

Tips filter-test-and-performance-verification-stmicroelectronics.pdf

Device Option https://www.st.com/resource/en/device\_option\_list/opl\_stm32f411\_512k.zi

Lists p

Errata Sheets https://www.st.com/resource/en/errata\_sheet/es0287-stm32f411xc-and-

stm32f411xe-device-limitations-stmicroelectronics.pdf

Datasheet https://www.st.com/resource/en/datasheet/dm00115249.pdf

Programming https://www.st.com/resource/en/programming\_manual/pm0214-stm32-Manuals cortexm4-mcus-and-mpus-programming-manual-stmicroelectronics.pdf

Reference https://www.st.com/resource/en/reference\_manual/rm0383-

Manuals	stm32f411xce-advanced-armbased-32bit-mcus-stmicroelectronics.pdf
Technical Notes & Articles	https://www.st.com/resource/en/technical_note/tn0516-overview-of-the-stm32f0xf100xxf103xx-and-stm32f2xxf30xf4xx-mcus-pmsm-singledual-
	foc-sdk-v40-stmicroelectronics.pdf
Technical Notes & Articles	https://www.st.com/resource/en/technical_note/tn1163-description-of-wlcsp-for-microcontrollers-and-recommendations-for-its-use-stmicroelectronics.pdf
Technical Notes & Articles	https://www.st.com/resource/en/technical_note/tn1204-tape-and-reel-shipping-media-for-stm32-microcontrollers-in-bga-packages-stmicroelectronics.pdf
Technical Notes & Articles	https://www.st.com/resource/en/technical_note/tn1205-tape-and-reel-shipping-media-for-stm8-and-stm32-microcontrollers-in-fpn-packages-stmicroelectronics.pdf
Technical Notes & Articles	https://www.st.com/resource/en/technical_note/tn1206-tape-and-reel-shipping-media-for-stm8-and-stm32-microcontrollers-in-qfp-packages-stmicroelectronics.pdf
Technical Notes & Articles	https://www.st.com/resource/en/technical_note/tn1207-tape-and-reel-shipping-media-for-stm8-and-stm32-microcontrollers-in-so-packages-stmicroelectronics.pdf
Technical Notes & Articles	https://www.st.com/resource/en/technical_note/tn1208-tape-and-reel-shipping-media-for-stm8-and-stm32-microcontrollers-in-tssop-and-ssop-packages-stmicroelectronics.pdf
Technical Notes & Articles	https://www.st.com/resource/en/technical_note/tn1433-reference-device-marking-schematics-for-stm32-microcontrollers-and-microprocessors-stmicroelectronics.pdf