Exercicis tema 6


Exercici (1)


Acció be (678)	71	Zo
A la dieta	0	0
t prindmis	0	1
Coron	4	0
Amperant	{	(


		E	gwro	E	
	ParaT	3 D	uta	D	
g 10	10101	(En	Mercan 7	E, I)


		}	Eguna	7	MITCH
۵	Moviment	"E" {	No cto ginant	in in	nita duta ja hojoia
	互 v D	an (0.70	`		


Z_1	Zo	臣	D	Z_1^+	Zo
	0)	O	0	0	0
0	0	6	1	0	0
0	O	1	Ċ	1	\
0	0	1	1		6
000	0	0	G.	0	1
0	1	0	0		1
0	1	0	C	0	1
0			1	1	0
0		0	,		0
1	B	0	O	1 0	
- (0	C	į		
i	0	1	G) (
1	0	(1	1	' '
i	١	0	0		,
1	-1	O	1		0 0
		1	O) (

















$$D_0 = \overline{Q}_0 \cdot \overline{X} + \overline{Q}_0 \cdot X$$

$$b_1 = x(\bar{q}_1) + \bar{x}_1(q_1, \bar{q}_1 + \bar{q}_1, q_0) = x(\bar{q}_1) + x_1(q_1, \bar{q}_1 + \bar{q}_1, q_0) = x(\bar{q}_1) + x(\bar{q}_$$

b) toule de Transicions i de nomides.

· Taula Transicions


×	9,	20	9,+	J.,
0000	G 0 1	0101	0 1 10 1	10100
\	0 1 0 1 1	0	0	0 0

· Toula Mida 00


o toulo norrida O.

X	9,	90	(\mathcal{J}_{i}
0	6	0		0
0	Ö	9		Ì
0	((N.	C
1	0	U)	9	(
(i	9	1	U

c) broad



amb 2 Bo i 2 ROM siltima lógic aurili 4 9,+ 20 Xº X EIA 0 B 0 0 B 0 1 0 0 1 0 0/100/100/100/ B 0011 000-000 4 0/0/0/0/0/0/0 11000 110000 72 1, 1, 9,90 00 0 0 1 10 24 Siles 2 Columne 00 O 1 0 ROM 90 2 01 01 01 Roh 0 11 90/



Worchi (3)
Data Out = Data on (2) + Data on (21) + Data on (22) + Data on (23)

17)		Å.	, 2	3	1 4	<i>(S</i>
Cillia	0	0x0043	() y 0022	Daoxo	0 × 00 10	0×0017
Dara EN		444	m	1		0 0 0014
Dataout	am	mu	1	(0.2		

Data-IN 5/ de REG > REU Un - REG ada GDD ADD SRL-2 Dava-aut