

Assignment : 6

Upload a static website on S3.

Step 1: Make two static HTML pages with first page containing Title and paragraph and other page containing link to page1 and Google or any other site.

Page:

```
Next.html - Notepad
File Edit Format View Help
<!DOCTYPE html>
<html>
<head>
<title>Next-Page</title>
</head>
<body>
<h1>This is Next</h1>
<p>This is a Next-Page</p>
</body>
</html>
```

Index:

```
index.html - Notepad
File Edit Format View Help
<!DOCTYPE html>
<html>
<head>
<title>Page Title</title>
</head>
<body>
<h1>This is a heading</h1>
<p>This is a paragraph</p>
<a href="https://www.google.co.in/">Google</a>
<a href="Next.html">Next-Page</a>
</body>
</html>
```

Step 2: Create a Public bucket (similar to which we've done in the previous assignment).

The screenshot shows the 'Create bucket' page in the AWS Management Console. The 'General configuration' section is visible, showing the 'AWS Region' as 'US East (N. Virginia) us-east-1'. Under 'Bucket type', 'General purpose' is selected. The 'Bucket name' field contains 'awsbktsttic'. Below this, there is a 'Copy settings from existing bucket - optional' section with a 'Choose bucket' button. The footer of the console shows '© 2025, Amazon Web Services, Inc. or its affiliates.' and links for 'Privacy', 'Terms', and 'Cookie preferences'.

Step 3: Open the bucket and click on 'Upload'.

The screenshot shows the 'awsbktsttic' bucket view in the AWS Management Console. The 'Objects' tab is selected, showing a list of objects. The list is currently empty, with a message stating 'No objects. You don't have any objects in this bucket.' Below this message is an 'Upload' button. The console footer is the same as in the previous screenshot.

Step 4: Click on add files and select both the HTML files.

The screenshot shows the AWS S3 'Upload' interface for the bucket 'awsbktstatic'. At the top, there's a navigation bar with the AWS logo, a search bar, and user information. Below the navigation bar, the breadcrumb trail shows 'Amazon S3 > Buckets > awsbktstatic > Upload'. The main heading is 'Upload' with an 'Info' link. A dashed box contains the instruction: 'Drag and drop files and folders you want to upload here, or choose **Add files** or **Add folder**.' Below this, the 'Files and folders (0)' section shows a search bar and a table with columns: Name, Folder, Type, and Size. A message states: 'No files or folders. You have not chosen any files or folders to upload.' To the right of the table are buttons for 'Remove', 'Add files', and 'Add folder'. The 'Destination' section shows the path 's3://awsbktstatic' with an 'Info' link. At the bottom, there's a footer with 'CloudShell', 'Feedback', and copyright information.

Step 5: After the upload is successful, click on close and go to the S3 bucket.

The screenshot shows the AWS S3 'Upload Summary' interface for the bucket 'awsbktstatic'. At the top, there's a green banner that says 'Upload succeeded' with a close button. Below the banner, the 'Summary' section shows the destination 's3://awsbktstatic' and two columns: 'Succeeded' (2 files, 374.0 B (100.00%)) and 'Failed' (0 files, 0 B (0%)). Below the summary, there are two tabs: 'Files and folders' (selected) and 'Configuration'. The 'Files and folders' tab shows a table with columns: Name, Folder, Type, Size, Status, and Error. The table contains two rows: 'index.html' (text/html, 231.0 B, Succeeded) and 'Next.html' (text/html, 143.0 B, Succeeded). At the bottom, there's a footer with 'CloudShell', 'Feedback', and copyright information.

Step 6: In the S3 bucket, scroll down to the bottom where you'll find S3 Static Website Hosting, click on Edit.

The screenshot shows the AWS S3 bucket configuration page for the bucket 'awsbktstatic'. At the top, there's a navigation bar with the AWS logo, a search bar, and user information. Below the navigation bar, the breadcrumb trail shows 'Amazon S3 > Buckets > awsbktstatic'. The main heading is 'Object Lock' with a 'Disabled' status. Below this, there are two sections: 'Requester pays' and 'Static website hosting'. The 'Requester pays' section shows 'Disabled' status and an 'Edit' button. The 'Static website hosting' section shows 'Disabled' status and an 'Edit' button. Below the 'Static website hosting' section, there's a box with a recommendation: 'We recommend using AWS Amplify Hosting for static website hosting. Deploy a fast, secure, and reliable website quickly with AWS Amplify Hosting. Learn more about Amplify Hosting or View your existing Amplify apps.' At the bottom, there's a footer with 'CloudShell', 'Feedback', and copyright information.

Step 7: 'Enable' the Static website hosting and name the HTML file. Afterwards click on Save changes.

The screenshot shows the 'Edit static website hosting' page in the AWS console. The breadcrumb trail is 'Amazon S3 > Buckets > awsbkstatic > Edit static website hosting'. The page title is 'Edit static website hosting' with an 'Info' link. Under 'Static website hosting', the 'Enable' radio button is selected. Under 'Hosting type', 'Host a static website' is selected. A blue information box states: 'For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see Using Amazon S3 Block Public Access'. The 'Index document' field contains 'index.html'.

Step 8: Now go to the index file and click on 'permissions' to edit the ACLs.

The screenshot shows the 'index.html' page in the AWS console. The breadcrumb trail is 'Amazon S3 > Buckets > awsbkstatic > index.html'. There are buttons for 'Copy S3 URI', 'Download', 'Open', and 'Object actions'. The 'Permissions' tab is selected. The 'Access control list (ACL)' section shows a table with three rows: 'Object owner (your AWS account)', 'Everyone (public access)', and 'Authenticated users group (anyone with an AWS account)'. The 'Object' column shows 'Read' for the owner and '-' for the others. The 'Object ACL' column shows 'Read, Write' for the owner and '-' for the others.

Step 9: Check the boxes to make it public. After that click on save changes. And do the same for Next page.

The screenshot shows the 'Edit access control list' page in the AWS console. The breadcrumb trail is 'Amazon S3 > Buckets > awsbkstatic > index.html > Edit access control list'. The page title is 'Edit access control list' with an 'Info' link. The 'Access control list (ACL)' section shows a table with three rows: 'Object owner (your AWS account)', 'Everyone (public access)', and 'Authenticated users group (anyone with an AWS account)'. The 'Objects' column has checkboxes for 'Read' and 'Write'. The 'Object ACL' column has checkboxes for 'Read' and 'Write'. The 'Everyone (public access)' row has 'Read' checked and 'Write' unchecked. The 'Authenticated users group (anyone with an AWS account)' row has 'Read' unchecked and 'Write' unchecked. A yellow warning box at the bottom states: 'When you grant access to the Everyone or Authenticated users group grantees, anyone in the world can access this object. Learn more'. A checkbox 'I understand the effects of these changes on this object.' is checked.

aws Search [Alt+S]

Amazon S3 Buckets awsbktstatic Next.html Edit access control list

Edit access control list Info

Access control list (ACL)
Grant basic read/write permissions to AWS accounts. [Learn more](#)

Grantee	Objects	Object ACL
Object owner (your AWS account) Canonical ID: e17798eb031ae7a306fcd339cd8041e5653ff1142ecf756fd907ed1b82200cd	☒ Read	☒ Read ☒ Write
Everyone (public access) Group: http://acs.amazonaws.com/groups/global/AllUsers	☒ Read	☒ Read ☐ Write
Authenticated users group (anyone with an AWS account) Group: http://acs.amazonaws.com/groups/global/AuthenticatedUsers	☐ Read	☐ Read ☐ Write

⚠ When you grant access to the Everyone or Authenticated users group grantees, anyone in the world can access this object.
[Learn more](#)

☒ I understand the effects of these changes on this object.

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Step 10: Now navigate back to the bucket and copy the selected HTML page URL.

aws Search [Alt+S]

Amazon S3 Buckets awsbktstatic

awsbktstatic Info

Objects Metadata Properties Permissions Management Access Points

✔ Object URL Copied

Objects (1/2) 🔄 📄 Copy S3 URI 📄 Copy URL ⬇ Download 🔗 Open 🗑 Delete ⋮ Actions 📁 Create folder 📤 Upload

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

	Name	Type	Last modified	Size	Storage class
☒	index.html	html	February 24, 2025, 22:02:11 (UTC+05:30)	231.0 B	Standard
☐	Next.html	html	February 24, 2025, 22:02:12 (UTC+05:30)	143.0 B	Standard

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Step 11: Open the incognito window and paste the copied URL.

New Incognito Tab

https://awsbktstatics3.us-east-1.amazonaws.com/index.html

Incognito

https://awsbktstatics3.us-east-1.amazonaws.com/index.html

https://awsbktstatics3.us-east-1.amazonaws.com/index.html - Google Search

You've gone Incognito

Others who use this device won't see your activity, so you can browse more privately. This won't change how data is collected by websites you visit and the services they use, including Google. Downloads, bookmarks and reading list items will be saved. [Learn more](#)

Chrome won't save:


- Your browsing history
- Cookies and site data
- Information entered in forms

Your activity might still be visible to:

- Websites you visit
- Your employer or school
- Your internet service provider

Block third-party cookies
When on, sites can't use cookies that track you across the web. Features on some sites may break. 🔴

Step 12: The webpage should open as follows.



Next-Page:



So, we've successfully uploaded a static website on S3 and executed it.