KU LEUVEN BRUGGE

Analytical Evaluation of Magnetic Shielding Effectiveness of Infinite Planar Screens under Near-Field Conditions

State of the Art

Albéric Simperl

Thesis submitted for the degree of Master of Science in Engineering Technology, option Electronics and ICT

Supervisors
Prof. dr. ir. Davy Pissoort
Ir. Lirim Koraqi

Academic year 2026 – 2027

© 2027 KU Leuven – Faculty of Engineering Science
Published by Albéric Simperl and ,
Faculty of Engineering Science, Kasteelpark Arenberg 1 bus 2200, B-3001 Leuven
All rights reserved. No part of the publication may be reproduced in any form by print, photoprint, microfilm, electronic or any other means without written permission from the publisher. This publication contains the study work of a student in the context of the academic training and assessment. After this assessment no correction of the study work took place.

Preface

Kept empty for now, ill keep on using this layout. I can't get rid of the preface.

Albéric Simperl

Contents

Preface i

Abstract iii

List of Figures and Tables iv

List of Abbreviations and Symbols v

1 State of the Art 1
1.1 What is shielding? 1
1.2 Physics behind near-field magnetic shielding 1

2 The First Chapter 3
2.1 Figures 3
2.2 Tables 4
2.3 Conclusion 4

3 Conclusion 5

Bibliography 6

Transparency statement on the use of GenAI for KU Leuven students (academic year 2026–2027) 7

Abstract

again pointless to write out for a state of the art

List of Figures and Tables

List of Figures

1.1 Eddy-current shielding principle. 2
2.1 The logo of the Faculty of Engineering Science. 3

List of Tables

2.1 A table with the wrong layout. 4
2.2 A table with the correct layout. 4

List of Abbreviations and Symbols

Abbreviations

EM	electromagnetic
EMC	electromagnetic compatability
SE	Shielding Effectiveness
RX	Receiving
TX	Transmitting
LF	Low frequency
NF	Near-field

Symbols

$J_n(.)$	Bessel function of the first kind and order n
$\boldsymbol{B}_i$	Magnetic field in medium i
$\boldsymbol{E}_i$	Electric field in medium i
$\boldsymbol{A}_i$	First order vector potential in medium i
$\boldsymbol{U}_i$	Second order vector potential in medium i

Chapter 1

State of the Art

1.1 What is shielding?

Electromagnetic shielding is a means of improving electromagnetic compatibility (EMC) using an electromagnetic (EM) shield. Using this shield, it is possible to reduce the electromagnetic field intensity within a prescribed region [1]. A shield's effectiveness is denoted by it's shielding effectiveness (SE). The definition is analogous for magnetic and electric fields,

$$\mathrm{SE} = 20 \log_{10} \left| \frac{H_{\mathrm{open}}}{H_{\mathrm{closed}}} \right|, \ [\mathrm{dB}].$$

Depending on the material used, a shield can reflect, absorb or redirect the incident field. Shielding is used whenever a field source and/or a sensitive region must be isolated from each other. In military settings it can be used to guarantee communication security, thus protecting sensitive information transmitted using electromagnetic waves. Medically use cases are found isolating medical MRI and ECG/EEG units, which need to be strictly enclosed. Furthermore, active implanted medical devices such as pacemakers and cardioverters require an enclosure which protects these sensitive detection circuits. Although shielding is used is virtually any field and whether this happens through immunity, emission control, privacy or even human safety, the objective is always ensuring EMC.

1.2 Physics behind near-field magnetic shielding

For electrical shielding, the situation is quite trivial compared to its magnetic counterpart. When using a good conductor for a shield, we find a low impedance surface off of which incoming electric fields get reflected. This mechanism is mainly caused by charge redistributions and reflections instead of diffusion.

1.2.1 Electrical and magnetic shields

As stated before, the behaviour of a shield is highly dependent on its material characteristics. With the biggest distinction coming from it's EM behaviour, we find electrically and magnetically conducting shields.

When looking at electrically conductive shields, also called eddy-current shields, the behaviour at lower frequencies is heavily dependent on the wave impedance and diffusion. In the lower frequency ranges this impedance will be low, meaning magnetic surface reflections will be weak. The shields therefore rely on eddy-currents induced by the incident magnetic field. This follows directly from Faraday's Law,

$$\nabla \times \boldsymbol{E} = -\frac{\partial \boldsymbol{B}}{\partial t}$$

which states that a time-varying magnetic field induces an electric field. This field drives the free charges within the conductor, producing an induced current. When a magnetic field line falls into a screen, the induced eddy-currents will form a closed loop around said field line. This current's direction being such that the induced field will oppose that of the incident magnetic field, following Lenz' law.




Figure 1.1: Eddy-current shielding principle.

Chapter 2

The First Chapter

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aeque doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut.

2.1 Figures

A figure gets a caption, which is what puts it in the List of Figures.



Figure 2.1: The logo of the Faculty of Engineering Science.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aeque doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere.

2.2 Tables

Column A	Column B	Column C
1	2	3
4	5	6

Table 2.1: A table with the wrong layout.

Booktabs-style rules read better in print: no vertical lines, and only three horizontal ones.

Column A	Column B	Column C
1	2	3
4	5	6

Table 2.2: A table with the correct layout.

2.3 Conclusion

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aeque doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere.

Chapter 3

Conclusion

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aeque doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguique possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis.

Bibliography

[1] S. Celozzi, R. Araneo, and G. Lovat, *Electromagnetic Shielding*. in Wiley Series in Microwave and Optical Engineering. Hoboken, NJ, USA: IEEE Press / John Wiley \& Sons, Inc., 2008. doi: 10.1002/9780470268483.

Transparency statement on the use of GenAI for KU Leuven students (academic year 2026–2027)

- Complete the transparency statement based on the Code of Conduct for GenAI use by students and the principles and guidelines (`kuleuven.be/english/genai/principles`) for GenAI use at KU Leuven.
- **Specific instructions from your teaching staff or faculty take precedence** over the university-wide code of conduct and guidelines.
- By completing this document, you acknowledge that you have read the code of conduct and guidelines and have used them to fill in this transparency statement.
- Below, you indicate yes/no for each type of GenAI use. In the bottom row of the table, specify any GenAI use that does not fall under the other categories (or is a combination of them).
- Where the code of conduct states that you do not need to cite a particular type of GenAI use, this refers to citations within your work itself. However, you must of course still mention the relevant GenAI use in this transparency statement.

Student name: _____
Student number: _____

Please indicate with "X" whether it relates to a course assignment or to your Bachelor's or Master's thesis:

☐ This form is related to a **course assignment**.

Course name: _____
Course number: _____

This form is related to my ☐ **Bachelor's** or ☐ **Master's thesis**.

Thesis title: _____
Supervisor: _____
Daily supervisor: _____

Please indicate with "X":

☐ **I did not use** any GenAI assistance tool.

☐ **I did use** GenAI assistance. In this case **specify which tools** (e.g. Microsoft Copilot, ChatGPT, …) and describe your usage where necessary:

GenAI assistance used as/for:	**Yes/ No**	**Name of the GenAI tool(s) used.** If helpful, also describe in which way you were using GenAI related to what is specified in the code of conduct and guidelines.
As a search engine to get information on a topic or to search for existing research on the topic	☐ Yes ☐ No	
For generating new (research) ideas	☐ Yes ☐ No	
For literature search *(finding sources)*	☐ Yes ☐ No	
As a language assistant for reviewing or improving texts I wrote myself	☐ Yes ☐ No	
For translation aid to improve texts I wrote myself or to better understand text from others	☐ Yes ☐ No	
As a paraphrasing tool *(rewriting words within a sentence)*	☐ Yes ☐ No	
For generating programming code	☐ Yes ☐ No	
For generating synthetic data	☐ Yes ☐ No	
For generating visuals, video or audio	☐ Yes ☐ No	
For generating blocks of text *(other than the allowed use without referencing mentioned above)*	☐ Yes ☐ No	
Other use *(this may also include a combination of types of use mentioned above)*	☐ Yes ☐ No	