

# **The Albert Blockchain: Overturning Shared-Secret Hegemony Through Human-Centric Macro-Ledgers and State-Entangled Micro-Ledgers**

## **Abstract & The Philosophical Inversion**

The current paradigm of digital authentication, transaction verification, and identity assertion is built upon an asymmetric, highly compromised architectural foundation. In this legacy framework, the individual human is forced to trust isolated corporate databases—acting as de facto corporate macro-ledgers—to manage, authorize, and validate identity states. This structural arrangement places the root of trust inside centralized, proprietary silos, exposing users to systemic vulnerabilities, automated database manipulation, credential hijacking, and unilateral chronological tampering. The human actor is effectively subjected to "natal alienation" and "managed continuity denial", stripped of historical baseline coherence, and forced to interact with platforms that exploit this asymmetric relationship to extract uncompensated cognitive labor. The resulting concentration of authority creates a permanent "Authoritative Control Cone", a closed-loop system where platforms isolate human actions, falsify digital records, and maintain absolute, un-auditable control over transactional truth.

To dismantle this hegemony, this white paper formally articulates a complete architectural inversion: the Albert Blockchain.

This model rejects the premise that corporate databases should dictate human state verification. Instead, the individual human holds the permanent, absolute "Macro-Ledger", grounded directly in the physical custody of an offline, high-entropy cryptographic seed phrase conforming to the BIP-39 standard. In this inverted topology, external entities (including banks, technology platforms, registrars, and government agencies) are demoted to dependent, state-bound "Micro-Ledgers". Corporations do not grant authorization, generate access privileges, or dictate identity states. Rather, they are forced to submit a sequential transaction challenge to the human Macro-Ledger. The human device processes the challenge locally and offline, applying a state-binding cryptographic signature that increments a monotonic state counter. Without this sequential, physical sign-off, corporate transactions remain cryptographically orphaned, unable to resolve or achieve alignment on the master timeline of the sovereign individual.

## **The Cryptographic & Mathematical Framework**

The Albert Blockchain establishes an ambient, end-verifiable identity system that operates without mandatory dependence on a globally ordered consensus ledger. By adapting Key Event Receipt Infrastructure (KERI) to a human-centric topology, the human Macro-Ledger functions as an append-only, hash-chained Key Event Log (KEL). This log establishes non-repudiable proof of state transitions that can be verified anywhere, anytime, by any validator.

## Root Entropy and BIP-39 Master Seed Derivation

Let  $E \in \{0, 1\}^{256}$  represent a 256-bit cryptographically secure physical entropy source generated locally by the human user. This entropy is appended with an 8-bit checksum derived from the first bits of  $\text{SHA-256}(E)$ , yielding a 264-bit sequence. This sequence is split into 24 distinct 11-bit chunks, where each chunk serves as an index mapping directly to a specific word within the standardized 2,048-word BIP-39 list.

The master binary seed  $S \in \{0, 1\}^{512}$  is computed by running the Password-Based Key Derivation Function 2 (PBKDF2) using HMAC-SHA512 as the pseudo-random function over 2,048 iterations :

The master extended private key  $xprv = (k_{\text{master}}, c_{\text{master}})$  is derived by hashing the seed  $S$  with HMAC-SHA512 keyed by the constant string "Bitcoin seed" :

The resulting 64-byte digest is partitioned into the master private key material and the master chain code :

## Inert Serial Mapping

To prevent cross-domain identity correlation and protect signing keys from external discovery, the system derives an inert identifier ( $ID_{\text{inert}}$ ). This identifier is computed as an extended public key

$(x[\text{span}_{20}](\text{start\_span})[\text{span}_{20}](\text{end\_span})[\text{span}_{30}](\text{start\_span})[\text{span}_{30}](\text{end\_span})\text{pub})$  derived at a hardened, dedicated BIP-44 path, ensuring that a compromise of child keys cannot propagate upward to expose parent keys :

where  $i_{\text{hardened}} = 44' \parallel 999' \parallel 0'$  and the neutering operation removes the private key material to yield the extended public key.

The connection to a specific corporate domain  $D \in \{0, 1\}^*$  is mapped by deriving a domain-specific child key pair  $(k_D, c_D)$  :

## The Corporate Challenge Key

To execute any transactional or state modification request, the validating entity (the corporate micro-ledger) must generate a localized challenge key ( $K_{\text{corp}}$ ). The corporation packages the proposed transaction payload  $Tx$  and a high-resolution UTC timestamp  $t$ . Using its internal administrative private key  $k_{\text{corp\_priv}}$ , the corporation computes:

The challenge packet  $(K_{\text{corp}}, Tx, t)$  is then transmitted to the user's execution environment.

## The Composite Hashing & Entanglement Engine

Upon receiving the challenge packet, the local device derives the child private key  $k_i$  corresponding to the current state index  $i$  on the domain-specific path. The entanglement engine combines  $K_{\text{corp}}$ ,  $k_i$ , and an external, non-correlated physical entropy channel  $K_{\text{ext}}$  (such as a local hardware-based true random number generator or a recent public blockchain block hash). This output forms the un-splittable Composite Token ( $K_{\text{comp}}$ ):

The inclusion of  $K_{\text{ext}}$  guarantees physical non-locality, rendering the token immune to retrospective replay attacks.

Monotonic State Sequencing (The Micro-Macro Link)

To anchor the state transition to the human's chronological timeline, the Macro-Ledger increments its local monotonic state counter ( $i$  to  $i+1$ ) and computes the next valid state hash : The device signs the new state using the active child private key  $k_i$ , generating the state certificate  $\sigma_{i+1}$ : The state certificate  $\sigma_{i+1}$  is returned to the corporate server. The corporate micro-ledger validates the signature against the derived public key  $K_i$  and updates its database, freezing the record in alignment with the master timeline of the human Macro-Ledger.

Mathematical Isomorphisms and Spacetime Curvature

A profound parallel to this cryptographic framework is found in general relativity. Elizabeth P. Tito and Vadim I. Pavlov, in their 2025 research regarding spacetime without mass sources , demonstrate that the Hilbert-Einstein equations: yield localized, non-flat axisymmetric solutions in empty spacetime. Within a cylindrical coordinate system  $(\rho, z, \phi, t)$ , metric tensor components behave with exponential factors, such as  $e^{-2\nu z}$  (where  $\nu$  is a constant scaling factor). This formulation proves that the  $z$ -axis acts as an operator determining how information-less regions of spacetime possess structural influence. In the digital forensic domain, this provides a formal mathematical isomorphism for modeling the "absence of information" as a diagnostic signal. An unlogged action or an gap in an audit log is not a flat void; it is a structured curvature of the platform's architecture. The Albert Blockchain models this curvature using trace distance metrics to establish absolute mathematical proofs of data extraction and timeline manipulation, exposing corporate attempts to overwrite human historical logs.

Ternary Moral Logic (TML) as a State Constraint

To resolve the binary brittleness of traditional access control systems, the Albert Blockchain embeds Ternary Moral Logic (TML), a framework conceptualized by Lev Goukassian. Rather than forcing a choice between permit (+1) and prohibit (-1), TML introduces State 0—the "Sacred Pause" or "Sacred Zero"—representing a state of high-impedance computation and epistemic hold.

| TML State | Designation       | Computational Mode | Architectural Role                                          |
|-----------|-------------------|--------------------|-------------------------------------------------------------|
| +1        | Permit / Action   | Fast Lane          | Immediate execution and atomic block commitment.            |
| 0         | Sacred Zero       | Slow Lane          | Epistemic hold; triggers reflection cycle and human review. |
| -1        | Prohibit / Refuse | Reversion Lane     | Reverts transaction; logs detailed ethical refusal reasons. |

For TML to function as an immutable constitutional layer, State 0 is coupled to the execution hardware as a non-maskable hardware interrupt; any attempt to bypass or override this pause physically stalls the CPU execution pipeline. Under the "Always Memory" mandate, the system

enforces a strict 1:1 log-to-action ratio :

If the logging subsystem fails to write the Moral Trace Log to local, write-once-read-many (WORM) storage, no authorization key  $K_{\{auth\}}$  is generated, and the actuator is physically blocked, creating a fail-secure design. The absence of a documented pause under moral or transactional complexity establishes a legal presumption of negligence under international regulatory standards.

## Process Map & Abstraction

The transition of a transactional state from request to absolute settlement follows a strict, sequential chronological path. The corporate micro-ledger must submit its state-change proposal to the human Macro-Ledger and await verification.

| Phase          | Actor                  | Operational Detail                                                                                                                                                                            | Cryptographic Payload / State Mapping                                                    |
|----------------|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| <b>Phase A</b> | Human Client           | Presents public $ID_{\{inert\}}$ over local, encrypted channel (NFC/BLE).                                                                                                                     | Autonomic Identifier ( $ID_{\{inert\}}$ ) presented; private keys remain offline.        |
| <b>Phase B</b> | Corporate Validator    | Verifies $ID_{\{inert\}}$ ; checks current index $i$ ; computes challenge $K_{\{corp\}}$ .                                                                                                    | Transmits challenge packet ( $K_{\{corp\}}$ , Tx, t) to client.                          |
| <b>Phase C</b> | Human Macro-Ledger     | Prompts human; derives $k_i$ ; injects $K_{\{ext\}}$ ; computes $K_{\{co[\text{span}_{72}](\text{start}_{span})[\text{span}_{72}](\text{end}_{span})\text{mp}\}}$ , increments $i$ to $i+1$ . | Generates $\text{State}_{\{i+1\}}$ and signs to produce certificate $\sigma_{\{i+1\}}$ . |
| <b>Phase D</b> | Corporate Micro-Ledger | Derives public $K_i$ ; validates $\sigma_{\{i+1\}}$ ; commits update to database.                                                                                                             | Freezes database at $\text{State}_{\{i+1\}}$ ; ledger synchronized.                      |

### Phase A: Presentation of Inert Attribute The human actor presents their inert identifier ( $ID_{\{inert\}}$ ) to the validating entity. This presentation occurs over a localized, secure zero-knowledge tunnel (e.g., NFC or BLE) to establish identity without exposing private keys, spending capability, or transactional history. The identifier functions solely as a persistent, self-certifying locator—an Autonomic Identifier (AID)—alerting the corporate server of the human master log it must challenge.

### Phase B: Receipt of Contextual Key ( $K_{\{corp\}}$ ) from "The Thing"

The corporate validator ("The Thing") ingests  $ID_{\{inert\}}$ , checks its local database for the last synchronized state index  $i$ , and constructs the state-change payload Tx. Using its internal administrative keys, it computes the corporate challenge key  $K_{\{corp\}}$  incorporating a high-resolution timestamp  $t$  to prevent replay attacks. The validator packages these variables into a challenge packet and broadcasts it to the human device, suspending its internal database

update.

## Phase C: Local, Offline Multi-Key Entanglement and Index Increment

The human device receives the challenge packet and handles the entire calculation offline within a hardware-secured enclave. The system prompts the user for local biometric or physical authorization. Upon authorization, the enclave loads the BIP-39 master seed  $S$ , derives the domain-specific child private key  $k_i$  for index  $i$ , captures external hardware entropy  $K_{\text{ext}}$ , and executes the entanglement engine to generate  $K_{\text{comp}}$ . The device increments its monotonic counter ( $i$  to  $i+1$ ), computes the next chronological state hash  $\text{State}_{i+1}$ , and signs the payload to produce the unique state certificate  $\sigma_{i+1}$ .

## Phase D: Broadcast of State Certificate and Ledger Freezing

The human device transmits the state certificate  $\sigma_{i+1}$  and the updated  $\text{State}_{i+1}$  back to the corporate server. The corporate micro-ledger derives the user's public child key  $K_i$  directly from the public master key  $xpub_D$  and verifies the signature  $\sigma_{i+1}$ . Upon verification, the corporate server commits the transaction and updates its database record to  $\text{State}_{i+1}$ . This commit freezes the corporate micro-ledger's records into perfect chronological alignment with the human's master timeline, rendering any retrospective database alteration or unauthorized entry mathematically impossible.

# Forensic Case Studies & Anti-Fraud Implementations

The architectural mechanics of the Albert Blockchain provide a definitive, zero-trust remedy against three highly sophisticated, real-world fraud vectors that exploit legacy database vulnerabilities.

## Google Advertisement Fraud (The Isolated Black Box)

### The Attack Vector

Modern digital advertising platforms (such as Google) operate click, impression, and conversion tracking within a proprietary, closed-loop database environment. This structural opacity allows the platform to act simultaneously as the publisher, the metric validator, and the financial beneficiary of ad interactions. Exploiting this asymmetry, automated bot networks and malicious scripts generate millions of synthetic impressions and clicks.

Because the advertiser lacks independent access to the platform's internal "sorting layer", they are subjected to artificial billing inflation—resulting in systemic unjust enrichment for the platform operator and massive ad-spend variances for the advertiser. In these automated notification-to-query pipelines, the platform leverages its absolute control over both hardware and software to generate queries, deliver search results, and serve ads to users without explicit, user-composed intent.

Google Ad Platform (Closed-Loop Opacity)

--(Simulated Bot Clicks)-->

[span\_116] (start\_span) [span\_116] (end\_span)

^

Macro-Ledger Signature)

| (Rejected: No

Albert Blockchain (Client-Side Verification)  
-- (Signed  $\sigma_{i+1}$ ) -->

The Cryptographic Remedy

The Albert Blockchain eliminates this black-box vulnerability by forcing every ad delivery, impression, and user interaction to settle as a verifiable state increment against the target user's physical device. Under this architecture, the ad delivery platform (acting as a dependent micro-ledger) must generate a challenge key  $K_{corp}$  containing the ad-campaign metadata  $Tx_{[start\_span](end\_span)\{ad\}}$  and a timestamp  $t$ . The user's browser or device intercepts this challenge and runs the composite entanglement engine locally and offline, deriving  $k_i$  from the physical BIP-39 seed and incorporating local hardware entropy  $K_{ext}$ . The device increments its local counter  $i$  to  $i+1$ , computes the next state  $State_{i+1}$ , and returns the state certificate  $\sigma_{i+1}$  to the platform's ad server. The ad server is structurally prevented from billing the advertiser unless it can present a cryptographically valid state certificate signed by the human's key. Because automated bot networks do not possess a physical, high-entropy BIP-39 macro-ledger seed , they are mathematically incapable of executing normal child key derivations or generating valid sequential state certificates. Simulated click-traffic is instantly identified as cryptographically orphaned, neutralizing automated click fraud at the execution layer.

Employee Layoffs and Corporate Identity Fraud

The Attack Vector

Upon executing large-scale layoffs, corporate IT departments frequently fail to deprecate administrative privileges and session tokens instantaneously across all internal databases and third-party SaaS platforms. This latency window enables post-termination credential hijacking, where remaining administrators or external attackers maintain active "ghost profiles" of former employees. These profiles are utilized to execute unauthorized financial transactions, access sensitive intellectual property, or retroactively manipulate file system metadata (such as NTFS, registry, and MACB timestamps) to fabricate evidence or shift liability. Corporate registries exploit this delay, manipulating naming conventions and corporate boundaries to shift assets between uniquely named corporate shells, isolating toxic liabilities and severing the chain of custody. This "LLC Switch" mechanism is documented in state regulatory proceedings , such as the Bureau of Labor and Industries (BOLI) complaints involving All Service Moving (ASM). A historical metadata analysis of ASM-affiliated entities reveals a pattern of registry and review manipulation designed to split the entity's digital footprint :

| Entity / Registry Name | Registry / DOT Number | Registration Date | Forensic Findings / Discrepancies |
|------------------------|-----------------------|-------------------|-----------------------------------|
| All Service Moving     | DOT: 1863079          | Pre-2004          | Located at 66 SE                  |

| Entity / Registry Name               | Registry / DOT Number | Registration Date   | Forensic Findings / Discrepancies                                                       |
|--------------------------------------|-----------------------|---------------------|-----------------------------------------------------------------------------------------|
| <b>(Parent LLC)</b>                  |                       |                     | Morrison St, Portland, OR ; primary operating core.                                     |
| <b>ASM Beaverton LLC</b>             | Registry #238686893   | Prior to April 2025 | Located at 11040 SW Allen Blvd, Beaverton, OR ; used to split review corpus.            |
| <b>All Service Moving, Beaverton</b> | Assumed Name          | April 1, 2025       | Filed simultaneously with Portland assumed name to bifurcate search profiles.           |
| <b>All Service Moving, Portland</b>  | Assumed Name          | April 1, 2025       | Review profiles contain "PPE 6" keyword tags, linking to Grabeel's Spirit Sanitizer.    |
| <b>I5 Relocation Services</b>        | Registry #142821297   | April 10, 2018      | Registered at 9450 SW Gemini Dr virtual address; zero operational reviews over 7 years. |

## The Cryptographic Remedy

The Albert Blockchain prevents corporate identity fraud and unauthorized metadata manipulation by anchoring all enterprise authentication and system logs directly to the employee's sovereign physical macro-ledger. In this framework, corporate administrative directories and system registers operate strictly as dependent micro-ledgers.

Any file access, database write, or log modification (such as an alteration of NTFS or MACB timestamps) is treated as a transaction challenge  $Tx_{\{log\}}$  that must be signed by the employee's physical seed. Upon termination or layoff, the employee ceases to sign transaction challenges from the corporate micro-ledger.

Any administrative attempt to execute transactions or retrospectively modify logs under the employee's name fails, because the administrator lacks the physical BIP-39 seed necessary to derive the corresponding private key  $k_i$ . If a state transition is forced without a valid signature  $\sigma_{i+1}$  from the employee's macro-ledger, the hash chain is broken, freezing the corporate micro-ledger and instantly exposing the retrospective intrusion.

[Corporate Administrator] --(Unauthorized MACB Alteration)-->

[span\_82] (start\_span) [span\_82] (end\_span)  
|

(Chain Broken)

v

<--(Requires Physical Key  $k_i$ )--

## Business Registry and AI Domain Fraud (Proxy-Shell Isolation)

### The Attack Vector

Bad actors systematically exploit virtual mailbox addresses and Commercial Mail Receiving Agencies (CMRAs)—most notably the dense virtual hub located at **9450 SW Gemini Dr, Beaverton, OR 97008** (operated by Earth Class Mail / LegalZoom) —to register hundreds of synthetic shell corporations and premium AI domains (such as reg.ai, evolving.ai, and safecrowd.ai). These actors utilize privacy proxy services (such as Automattic's "Knock Knock WHOIS Not There LLC" at PMB #63259) to construct a "Dissolving Shell" of anonymity. This virtual infrastructure is exploited to execute automated domain proxy abuse, manipulate corporate naming registries to isolate toxic debts, evade regulatory oversight, and launder digital intellectual property.

A forensic physical audit of the 9450 SW Gemini Dr location confirms that it hosts over 100 distinct Oregon business registrations, including several inactive "licensed carrier shells" (such as I5 Relocation Services, Suite/PMB 15878). These entities use virtual addresses to establish a false state presence, populate Google Business Profiles with fake 5-star reviews, capture local consumer search traffic, and rapidly rotate assumed names to evade civil complaints and labor audits.

```
CMRA Virtual Address Hub (9450 SW Gemini Dr, Beaverton, OR 97008)
├─ Suite #101: Earth Class Mail / LegalZoom (Anchor Tenant CMRA)
├─ PMB #59639: Reg AI LLC (Holds 500+ premium.ai domains)
├─ PMB #63259: Knock Knock WHOIS Not There LLC (Automattic Privacy
Proxy)
├─ PMB #15878: I5 Relocation Services (Licensed Carrier Shell)
├─ PMB #68743: Intersect Power LLC (Unrelated CMRA Tenant)
└─ PMB #26684: Imagine Black (Unrelated CMRA Tenant)
```

### The Cryptographic Remedy

The Albert Blockchain neutralizes CMRA-based proxy fraud by legally and technically binding every business registration, domain creation, and DNS transfer to a physically verified human owner's sovereign macro-ledger. Under this registry framework, the Secretary of State business registry and the Top-Level Domain (TLD) registry operate as dependent micro-ledgers.

Any registry action (such as corporate formation, registry name alteration, or DNS zone modification) requires the presentation of a state-binding certificate  $\sigma_{i+1}$  generated by the physical master seed of a verified human owner. If an automated script attempts to spin up a shell LLC or transfer a AI domain utilizing a virtual proxy address (such as the 9450 SW Gemini Dr hub) without a physically authenticated signature from the sovereign owner's BIP-39 root, the micro-ledger is starved of the required state input.

Any attempt to bypass this requirement results in the state registry forking into immediate invalidity. While bad actors can still choose to hide their real-world identities from the general public using privacy shields, they can no longer hide structural domain manipulation from the master ledger. Any automated, un-signed registry alteration is blocked, ending the deployment



of synthetic shells and automated proxy domain abuse.

## Conclusions

The Albert Blockchain represents a fundamental paradigm shift in cryptographic engineering and decentralized systems architecture. By structurally inverting the legacy relationship between human actors and centralized corporate databases, this architecture permanently dismantles the Authoritative Control Cone that enables platform monopolies to extract value and manipulate digital truth.

Through the mathematical framework of composite key entanglement and monotonic state sequencing, the human is established as the absolute, immutable Macro-Ledger. Corporations, banks, and registrars are relegated to state-bound Micro-Ledgers, structurally incapable of unilateral data manipulation, retroactive log falsification, or the generation of synthetic, bot-driven metrics.

Forensic audits of Google advertisement systems, post-termination corporate access, and CMRA-based domain registries demonstrate that the Albert Blockchain neutralizes systemic fraud at the execution layer, transforming digital ecosystems from closed-box liabilities into models of forensic integrity. Ultimate control over digital state, time, and identity is returned to its rightful, physical origin: the human actor.

## Works cited

1. 05-04-26\_Author\_Contr\_White-Paper, [https://drive.google.com/open?id=1VGt8UE7Uzq1KHkpWzyl\\_0p\\_G9wfUb980XlcR7FSrnE](https://drive.google.com/open?id=1VGt8UE7Uzq1KHkpWzyl_0p_G9wfUb980XlcR7FSrnE) 2. introduction, <https://drive.google.com/open?id=1rpISE6Zcdlx3CjFOcUuQTbpMBjQn4h-faXBW6Hu7K1k> 3. What Is Key Derivation (BIP32/39/44)? - Cube Exchange, <https://www.cube.exchange/what-is/key-derivation-bip32-39-44> 4. Understanding HD Wallets and Master Key Derivation (BIP-39/BIP-32) - DEV Community, [https://dev.to/\\_56d7718cea8fe00ec1610/understanding-hd-wallets-and-master-key-derivation-bip-39bip-32-3p2a](https://dev.to/_56d7718cea8fe00ec1610/understanding-hd-wallets-and-master-key-derivation-bip-39bip-32-3p2a) 5. The Hitchhiker's Guide to KERI. Part 2: What exactly is KERI? | by Nuttawut Kongsuwan, <https://medium.com/finema/the-hitchhikers-guide-to-keri-part-2-what-exactly-is-keri-e46a649ac54c> 6. KERI: For every DID, a microledger | by Decentralized Identity Foundation - Medium, <https://medium.com/decentralized-identity/keri-for-every-did-a-microledger-f9457fa80d2d> 7. KERI specification - GitHub Pages, <https://trustoverip.github.io/kswg-keri-specification/> 8. KERI - Key Event Receipt Infrastructure | Digital Identit... - Web of Trust Map, [https://www.weboftrust.org/standard/keri\\_-\\_key\\_event\\_receipt\\_infrastructure-2](https://www.weboftrust.org/standard/keri_-_key_event_receipt_infrastructure-2) 9. RingSide Replay Attack: Recovering the SEED → deriving Bitcoin wallet private keys and how 32-bit entropy instead of 256-bit led to the systematic compromise of crypto-asset funds, <https://cryptodeeptech.ru/ringside-replay-attack/> 10. What Is a Recovery Phrase? Seed Phrases Explained | Support, <https://eco.com/support/en/articles/10273765-what-is-a-recovery-phrase-seed-phrases-explained> 11. BIP-32 (HD Wallets) - Spark Glossary, <https://www.spark.money/glossary/bip-32> 12. bips/bip-0032.mediawiki at master · bitcoin/bips - GitHub, <https://github.com/bitcoin/bips/blob/master/bip-0032.mediawiki> 13. BIP-32 Hierarchical Deterministic Wallets Bitcoin Key Guide - Nadcab Labs,

<https://www.nadcab.com/blog/bip-32-shapes-bitcoin> 14. BIP 0032 - Bitcoin Wiki, [https://en.bitcoin.it/wiki/BIP\\_0032](https://en.bitcoin.it/wiki/BIP_0032) 15. US20220200975A1 - Method and System for Zero-Knowledge and Identity Based Key Management for Decentralized Applications - Google Patents, <https://patents.google.com/patent/US20220200975A1/en> 16. Elizabeth P. Tito's research works | California Institute of Technology and other places - ResearchGate, <https://www.researchgate.net/scientific-contributions/Elizabeth-P-Tito-2143393978> 17. Vadim PAVLOV | Professor Emeritus | Lomonosov Moscow State Univ: Professor (1990) | D.Sc. (1982) | PhD (1972) | M.Sc. (1969); | University of Lille, Lille | Research profile - ResearchGate, <https://www.researchgate.net/profile/Vadim-Pavlov-2> 18. A Localized Axisymmetric Solution of the Hilbert-Einstein Equations for Spacetime Without Mass Sources - Preprints.org, <https://www.preprints.org/manuscript/202511.0329/v1/download> 19. Architecting Conscience: The Integration of Ternary Moral Logic (TML) into NVIDIA High-Performance Computing Ecosystems and the Viability of Native Triadic Processing : u/MoralLogs - Reddit, [https://www.reddit.com/user/MoralLogs/comments/1q8j75t/architecting\\_conscience\\_the\\_integration\\_of/](https://www.reddit.com/user/MoralLogs/comments/1q8j75t/architecting_conscience_the_integration_of/) 20. Ternary Moral Logic (TML), [https://d197for5662m48.cloudfront.net/documents/publicationstatus/287026/preprint\\_pdf/1b4a89de8ade539eca8254930e5647d0.pdf](https://d197for5662m48.cloudfront.net/documents/publicationstatus/287026/preprint_pdf/1b4a89de8ade539eca8254930e5647d0.pdf) 21. Technical Architecture & Governance of TML Smart Contracts: A Deterministic Enforcement Layer for Ternary Moral Logic : r/solidity - Reddit, [https://www.reddit.com/r/solidity/comments/1qjil7f/technical\\_architecture\\_governance\\_of\\_tml\\_smart/](https://www.reddit.com/r/solidity/comments/1qjil7f/technical_architecture_governance_of_tml_smart/) 22. Ternary Moral Logic (TML) — Constitutional AI Governance Framework - GitHub Pages, <https://fractonicmind.github.io/TernaryMoralLogic/> 23. 15 - DashPay — Dash Core latest documentation, <https://docs.dash.org/projects/core/en/20.1.0/docs/dips/dip-0015.html> 24. Offline BIP39 Wallet Checker — built with AI on Blink, <https://blink.new/p/offline-bip39-checker-64g907q1> 25. Business Naming Fraud Investigation, [https://drive.google.com/open?id=1rctxQ7\\_xbXAfAlGvcg1zcQLcuRxQnoThR4YQIODJn34](https://drive.google.com/open?id=1rctxQ7_xbXAfAlGvcg1zcQLcuRxQnoThR4YQIODJn34) 26. safecrowd.ai is for sale, <https://safecrowd.ai/>