

01	INSERT	Insertar propietario	Agregar un nuevo propietario
----	--------	----------------------	------------------------------

```
INSERT INTO tourism.owners (  
    owner_id, first_name, last_name, company_name, email, phone, tax_id,  
    address_line1, address_line2, city, state, country, postal_code,  
    created_at, updated_at  
) VALUES (  
    21, 'Alis Alberto', 'Cruz Cruz', 'Mendoza Inversiones S.A.',  
    'carlos.mendoza@example.com',  
    '+503 2255-0000', 'NIT-0614-200190-101-5', 'Paseo General Escalón, No.  
    4500', 'Nivel 3, Local 12',  
    'San Salvador', 'San Salvador', 'El Salvador', '01101',  
    CURRENT_TIMESTAMP, CURRENT_TIMESTAMP  
);
```

```
SELECT * FROM tourism.owners;
```

	owner_id integer	first_name character varying (100)	last_name character varying (100)	company_name character varying (150)	email character varying (150)
13	13	Friedericke	Alberola	Gautier	luce72@example.com
14	14	Ismael	Jacquot	[null]	victoria95@example.com
15	15	Audrey	Voisin	Gonzalez	shelley71@example.org
16	16	Stéphane	Hall	Calisto Guillen Lamas S...	silviodrewes@example.net
17	17	Miguel Ángel	Hodge	Valbuena y Maldonado ...	de-sousaemmanuel@example.c...
18	18	Zacharie	Hethur	[null]	jessica99@example.net
19	19	Cynthia	Benavidez	Maillot	fseip@example.com
20	20	Rachel	Hervé	Briemer GmbH & Co. KG	feliciano64@example.com
21	21	Alis Alberto	Cruz Cruz	Cruz Inversiones S.A.	alis.cruz@example.com

02	INSERT	Insertar alojamiento	Crear alojamiento vinculado
----	--------	----------------------	-----------------------------

```
INSERT INTO tourism.accommodations (  
    owner_id,  
    accommodation_type_id,  
    location_id,  
    name,  
    description,  
    max_guests,  
    bedroom_count,  
    bathroom_count,  
    base_price_per_night,  
    currency_code,  
    check_in_time,  
    check_out_time,  
    is_active,  
    created_at,  
    updated_at  
)  
VALUES (  
    1,  
    2,  
    1,  
    'Hotel Vista del Lago',  
    'Alojamiento turístico con habitaciones cómodas y vista al lago.',  
    4,  
    2,  
    1,  
    95.00,  
    'USD',
```

```

        '14:00:00',
        '12:00:00',
        TRUE,
        CURRENT_TIMESTAMP,
        CURRENT_TIMESTAMP
    );

SELECT * FROM tourism.accommodations;

```

	accommodation_id [PK] bigint	owner_id bigint	accommodation_type integer	location_id bigint	name character varying (150)	description text
1	1	9	7	19	Rustic Lodge Ville	Asimismo mes principios peso joven.
2	2	14	2	13	Rustic Hideaway ...	Democratic change vote participant institution.
3	3	10	7	6	Boutique Retreat ...	Eran buenos natural. General victoria rey su.
4	4	10	4	5	Modern Escape Vi...	La m civil he existencia recursos. Donde próximo sociales vuelve palabra niños.
5	5	10	4	2	Panoramic Stay Vi...	Quinze exiger auquel déposer personne. Rejoindre puissant escalier approcher. Est p...

03	INSERT	Huésped y reserva	Registrar huésped y reserva
----	--------	-------------------	-----------------------------

```

INSERT INTO tourism.guests (
    guest_id, first_name, last_name, email, phone, date_of_birth,
    nationality, passport_number, emergency_contact_name,
    emergency_contact_phone,
    created_at, updated_at
) VALUES (
    101, 'Roberto', 'Gómez', 'roberto.gomez@example.com', '+1 555-897-4321',
    '1988-05-12',
    'Estados Unidos', 'A77491032', 'María de Gómez', '+1 555-897-4322',
    CURRENT_TIMESTAMP, CURRENT_TIMESTAMP
);

```

```

INSERT INTO tourism.bookings (
    booking_id, guest_id, accommodation_id, room_id, booking_status_id,
    check_in_date, check_out_date, adult_count, child_count, subtotal_amount,
    tax_amount, discount_amount, total_amount, special_requests,
    booking_reference,
    booked_at, created_at, updated_at
)

```

```

) VALUES (
    101, 101, 21, NULL, 2,
    '2026-07-10', '2026-07-15', 4, 2, 2250.00,
    292.50, 0.00, 2542.50, 'Requiere cuna para bebé y early check-in si es
    posible.', 'BK-ROB7761X',
    CURRENT_TIMESTAMP, CURRENT_TIMESTAMP, CURRENT_TIMESTAMP
);

```

```

SELECT * FROM tourism.bookings;

```

	booking_id [PK] bigint	guest_id bigint	accommodation_id bigint	room_id bigint	booking_status_id integer	check_in_date date	check_out_date date
98	98	14	5	[null]	4	2025-06-19	2025-06-23
99	99	42	5	[null]	2	2026-01-13	2026-01-19
100	100	100	8	[null]	4	2026-03-26	2026-03-31
101	101	101	21	[null]	2	2026-07-10	2026-07-15

04	INSERT	Insertar pago	Registrar pago
----	--------	---------------	----------------

```

INSERT INTO tourism.payments (
    payment_id, booking_id, payment_date, amount, payment_method,
    payment_status, transaction_reference, notes, created_at
) VALUES (
    91, 101, CURRENT_TIMESTAMP, 2542.50, 'CreditCard',
    'Completed', 'tx_94810248201-abc', 'Pago completo de la reserva BK-
    ROB7761X realizado exitosamente.', CURRENT_TIMESTAMP
);

SELECT * FROM tourism.payments;

```

Showing rows: 1 to 91   Page No: 1 of 1    

	payment_id [PK] bigint 	booking_id bigint 	payment_date timestamp without time zone 	amount numeric (10,2) 	payment_method character varying (50) 	payment_status character varying (50) 
88	88	98	2026-04-15 01:23:25.356206	1284.77	PayPal	Completed
89	89	99	2026-04-15 01:23:25.356206	2457.24	BankTransfer	Pending
90	90	100	2026-04-15 01:23:25.356206	1453.42	Crypto	Failed
91	91	101	2026-06-02 22:38:02.180239	2542.50	CreditCard	Completed

05	SELECT	Alojamientos activos	Filtrar activos
----	--------	----------------------	-----------------

```

SELECT accommodation_id, name, base_price_per_night, currency_code, is_active
FROM tourism.accommodations
WHERE is_active = true;

```

Showing rows: 1 to 19   Page No: 1 of 1    

	accommodation_id [PK] bigint 	name character varying (150) 	base_price_per_night numeric (10,2) 	currency_code character (3) 	is_active boolean 
1	1	Rustic Lodge Ville	354.37	USD	true
2	2	Rustic Hideaway Ville	129.59	USD	true
3	3	Boutique Retreat Ville	230.50	BRL	true
4	5	Panoramic Stay Ville	560.30	USD	true
5	6	Rustic Getaway de la Monta...	306.16	MXN	true
Total rows: 19		Query complete 00:00:00.088			CRLF

06	SELECT	Huéspedes por país	Filtrar por nacionalidad
----	--------	--------------------	--------------------------

```
SELECT guest_id, first_name, last_name, email, nationality
FROM tourism.guests
WHERE nationality IN ('Italia', 'Italien', 'Italia ');
```

Showing rows: 1 to 2   Page No: 1 of 1    

	guest_id [PK] bigint 	first_name character varying (100) 	last_name character varying (100) 	email character varying (150) 	nationality character varying (100) 
1	2	Ashley	Lee	astrid26@example.net	Italien
2	49	Delfina	Silva	obrown@example.net	Italia

07	SELECT	Reservas por fechas	Uso de BETWEEN
----	--------	---------------------	----------------

```
SELECT booking_id, booking_reference, check_in_date, check_out_date,
total_amount
FROM tourism.bookings
WHERE check_in_date BETWEEN '2025-06-01' AND '2025-06-30';
```

Showing rows: 1 to 9   Page No: 1 of 1    

	booking_id [PK] bigint 	booking_reference character varying (50) 	check_in_date date 	check_out_date date 	total_amount numeric (10,2) 
1	1	BK-NVQHW06X	2025-06-11	2025-06-23	266.00
2	2	BK-6LFEWVZN	2025-06-08	2025-06-16	2409.77
3	3	BK-5P50300L	2025-06-11	2025-06-25	2000.69
4	35	BK-B85P8637	2025-06-15	2025-06-20	1541.47
5	48	BK-S6ZLE6KW	2025-06-13	2025-06-21	1069.69
6	76	BK-8LNOEMQG	2025-06-11	2025-06-16	2272.00
7	80	BK-9QM3P91I	2025-06-05	2025-06-17	2649.78
8	82	BK-I40FWWNC	2025-06-20	2025-06-24	539.19
9	98	BK-O3LQI7E1	2025-06-19	2025-06-23	851.07

08	UPDATE	Actualizar precio	Modificar precio
----	--------	-------------------	------------------

	base_price_per_night numeric (10,2)
19	378.70
20	113.26
21	475.00

```
UPDATE tourism.accommodations
SET base_price_per_night = 490.00
WHERE accommodation_id = 21;
```

	room_count integer	base_price_per_night numeric (10,2)
19	4	378.70
20	2	113.26
21	1	490.00

09	UPDATE	Estado reserva	Actualizar estado
----	--------	----------------	-------------------

```
UPDATE tourism.bookings
SET booking_status_id = 3
WHERE booking_id = 101;
```

	booking_reference character varying (50)	booked_at timestamp without time zone	created_at timestamp without time zone	updated_at timestamp without time zone
99	BK-LJEFY3ZB	2026-04-15 01:23:25.356206	2026-04-15 01:23:25.356206	2026-04-15 01:23:25.356206
100	BK-OQ0IQ2FA	2026-04-15 01:23:25.356206	2026-04-15 01:23:25.356206	2026-04-15 01:23:25.356206
101	BK-ROB7761X	2026-06-02 21:59:02.799984	2026-06-02 21:59:02.799984	2026-06-02 21:59:02.799984

	booking_reference character varying (50)	booked_at timestamp without time zone	created_at timestamp without time zone	updated_at timestamp without time zone
99	BK-LJEFY3ZB	2026-04-15 01:23:25.356206	2026-04-15 01:23:25.356206	2026-04-15 01:23:25.356206
100	BK-OQ0IQ2FA	2026-04-15 01:23:25.356206	2026-04-15 01:23:25.356206	2026-04-15 01:23:25.356206
101	BK-ROB7761X	2026-06-02 21:59:02.799984	2026-06-02 21:59:02.799984	2026-06-02 23:02:24.886167

10	DELETE	Eliminar reseña	DELETE WHERE
----	--------	-----------------	--------------

SELECT * FROM tourism.reviews

Showing rows: 1 to 60   Page No: 1 of 1    

	review_id [PK] bigint 	booking_id bigint 	guest_id bigint 	accommodation_id bigint 	rating integer 	review_title character varying (150) 
58	58	30	80	10	3	Great location
59	59	19	91	6	5	Perfect for families
60	60	74	89	11	1	Very comfortable

DELETE FROM tourism.reviews

WHERE review_id = 60;

	review_id [PK] bigint 	booking_id bigint 	guest_id bigint 	accommodation_id bigint 	rating integer 	review_title character varying (150) 
57	57	83	81	7	2	Could be better
58	58	30	80	10	3	Great location
59	59	19	91	6	5	Perfect for families

11	JOIN	Reservas + huésped	INNER JOIN
----	------	--------------------	------------

SELECT b.booking_id, b.booking_reference, g.first_name, g.last_name, g.email,
b.total_amount

FROM tourism.bookings b

INNER JOIN tourism.guests g ON b.guest_id = g.guest_id;

        SQL Showing rows: 1 to 101   Page No: 1 of 1

	booking_id bigint 	booking_reference character varying (50) 	first_name character varying (100) 	last_name character varying (100) 	email character varying (150) 	total_amount numeric (10,2) 
92	92	BK-2ZGE2J51	Igor	Arteaga	fatimaheintze@example.org	3204.77
93	93	BK-MRUNJDU0	Berthold	Echevarría	zimmermanjacqueline@exampl...	310.64
94	94	BK-2ZXII6L3	Gerhild	Hörle	wohlgemutmariana@example.org	643.19
95	95	BK-QK4LTAHU	Ian	Giner	oestrovskyfriedbert@example.c...	3208.27
96	96	BK-7ATWYAM1	Delfina	Silva	obrown@example.net	2685.89
97	97	BK-76SZN9DD	Raimund	Sacristán	tcerdan@example.com	2407.29
98	98	BK-O3LQI7E1	Ingmar	Macías	davisnicholas@example.net	851.07
99	99	BK-LJEFY3ZB	Jorge	Bilbao	le-gallsabine@example.com	3243.15
100	100	BK-OQ0IQ2FA	Kayla	Conesa	jose-carlosavalos@example.com	910.51
101	101	BK-ROB7761X	Roberto	Gómez	roberto.gomez@example.com	2542.50

12	JOIN	Alojamiento completo	INNER JOIN múltiple
----	------	----------------------	---------------------

```

SELECT a.accommodation_id, a.name AS accommodation_name, t.type_name,
       CONCAT(o.first_name, ' ', o.last_name) AS owner_full_name, l.city,
       l.country
FROM tourism.accommodations a
INNER JOIN tourism.accommodation_types t ON a.accommodation_type_id =
t.accommodation_type_id
INNER JOIN tourism.owners o ON a.owner_id = o.owner_id
INNER JOIN tourism.locations l ON a.location_id = l.location_id;

```

	accommodation_id bigint	accommodation_name character varying (150)	type_name character varying (50)	owner_full_name text	city character varying (100)	country character varying (100)
12	12	Rustic Retreat Ville	Hotel	Friedericke Alber...	Blanchet	Botsuana
13	13	Panoramic Suite Ville	Guesthouse	Zacharie Hethur	Vieja Chipre	Fidschi
14	14	Luxury Escape de la Montaña	Apartment	Miguel Ángel Hod...	South Angel	República Popular Democrática de Corea
15	15	Luxury Nest Ville	Hotel	Cynthia Benavidez	Caronnec	Serbia
16	16	Boutique Lodge los bajos	Apartment	Friedericke Alber...	Vizcaya	Géorgie
17	17	Luxury Getaway los altos	Apartment	Anunciación Real	Bernburg	Canadá
18	18	Charming Stay los bajos	Hotel	Miguel Ángel Hod...	Vieja Brasil	Corée du Nord
19	19	Boutique Suite los bajos	House	Arnaude Clark	Augsburg	Frankreich
20	20	Rustic Retreat furt	Apartment	Anunciación Real	Meppen	Mauritius
21	21	Hotel Vista del Lago	Hostel	Angel Hierro	Eckernförde	Reino Unido de Gran Bretaña e Irlanda del No...

13	JOIN	Pagos + reservas	JOIN combinado
----	------	------------------	----------------

```

SELECT p.payment_id, b.booking_reference, p.amount AS amount_paid,
       p.payment_status, s.status_name AS booking_status
FROM tourism.payments p
INNER JOIN tourism.bookings b ON p.booking_id = b.booking_id
INNER JOIN tourism.booking_statuses s ON b.booking_status_id =
s.booking_status_id;

```

	payment_id bigint 🔒	booking_reference character varying (50) 🔒	amount_paid numeric (10,2) 🔒	payment_status character varying (50) 🔒	booking_status character varying (50) 🔒
82	82	BK-2ZGE2J51	2481.72	Completed	Cancelled
83	83	BK-MRUNJDU0	2901.13	Failed	Pending
84	84	BK-2ZXII6L3	238.32	Failed	NoShow
85	85	BK-QK4LTAHU	2147.73	Failed	CheckedIn
86	86	BK-7ATWYAM1	758.89	Refunded	Cancelled
87	87	BK-76SZN9DD	2177.79	Refunded	Cancelled
88	88	BK-03LQI7E1	1284.77	Completed	CheckedOut
89	89	BK-LJEFY3ZB	2457.24	Pending	Confirmed
90	90	BK-OQ0IQ2FA	1453.42	Failed	CheckedOut
91	91	BK-ROB7761X	2542.50	Completed	CheckedIn

14	LEFT JOIN	Sin reseñas	Incluye nulls
----	-----------	-------------	---------------

```
SELECT a.accommodation_id, a.name, r.review_id, r.rating
FROM tourism.accommodations a
LEFT JOIN tourism.reviews r ON a.accommodation_id = r.accommodation_id
WHERE r.review_id IS NULL;
```

Data Output Messages Notifications				
	accommodation_id bigint 🔒	name character varying (150) 🔒	review_id bigint 🔒	rating integer 🔒
1	21	Hotel Vista del Lago	[null]	[null]

15	LEFT JOIN	Sin reservas	Filtrar null
----	-----------	--------------	--------------

```
SELECT a.accommodation_id, a.name
FROM tourism.accommodations a
LEFT JOIN tourism.bookings b ON a.accommodation_id = b.accommodation_id
WHERE b.booking_id IS NULL;
```

	accommodation_id [PK] bigint	name character varying (150)
Total rows: 0 Query complete 00:00:00.125		

16	AGG	Total ingresos	SUM
----	-----	----------------	-----

```
SELECT SUM(amount) AS total_ingresos_completados
FROM tourism.payments
WHERE payment_status = 'Completed';
```

Data Output		Messages	Notifications
	total_ingresos_completados numeric		
1	34135.68		

17	AGG	Promedio rating	AVG
----	-----	-----------------	-----

```
SELECT ROUND(AVG(rating), 2) AS rating_promedio_global
FROM tourism.reviews;
```

Data Output		Messages	Notifications
	rating_promedio_global numeric		
1	3.19		

18	AGG	Top alojamientos	COUNT + LIMIT
----	-----	------------------	---------------

```

SELECT a.accommodation_id, a.name, COUNT(b.booking_id) AS total_reservas
FROM tourism.accommodations a
INNER JOIN tourism.bookings b ON a.accommodation_id = b.accommodation_id
GROUP BY a.accommodation_id, a.name
ORDER BY total_reservas DESC, a.accommodation_id ASC
LIMIT 3;

```

Data Output Messages Notifications			
	accommodation_id [PK] bigint	name character varying (150)	total_reservas bigint
1	18	Charming Stay los bajos	9
2	5	Panoramic Stay Ville	8
3	11	Boutique Stay Ville	6

19	HAVING	Más de 3 reservas	GROUP BY + HAVING
----	--------	-------------------	-------------------

```

SELECT guest_id, COUNT(booking_id) AS cantidad_reservas
FROM tourism.bookings
GROUP BY guest_id
HAVING COUNT(booking_id) > 3
ORDER BY cantidad_reservas DESC;

```

Data Output Messages Notification		
	guest_id bigint	cantidad_reservas bigint
1	89	4

20	Subconsulta	Alojamiento más caro	Subquery
----	-------------	----------------------	----------

```
SELECT accommodation_id, name, base_price_per_night, currency_code
FROM tourism.accommodations
WHERE base_price_per_night = (
    SELECT MAX(base_price_per_night)
    FROM tourism.accommodations
);
```

Showing rows: 1 to 1				
	accommodation_id [PK] bigint	name character varying (150)	base_price_per_night numeric (10,2)	currency_code character (3)
1	13	Panoramic Suite Ville	597.44	MXN