

## 📖 Redis streams consumer groups

### Appendix: Code walkthrough

The following section is *optional*. But you may find it useful if you'd like a more detailed explanation of the Python code.

You should take some time to look through the code in `consumer_group.py` so that you understand how it works. Also, feel free to try changing things such as the number of consumers in the consumer group. Then re-run the code to see what effect your changes make.

Let's take a look through the code, beginning with the entry point at line 111. First, the `setup` function is called - this establishes a connection to Redis, deletes any existing stream named "numbers" and re-creates it along with a consumer group called "primes".

The for loop at line 115 then creates a set of consumer processes, named `BOB-0`, `BOB-1`, etc., and keeps track of them in a list named "consumers".

At line 118, a thread is created for the chaos component, then the producer starts up at line 119. Let's look at each of these in turn.

[← Previous](#)

[Next →](#)

## Modules



### ▼ Course overview



Lesson

Course overview



Lesson

Environment setup

### ▼ Consumer groups



Lesson

The problem with slow consumers



Assessment

Quiz 1 | Redis streams consumer groups



Lesson

## Consumer groups



☒ Assessment

Quiz 2 | Redis streams consumer groups



☐ Lesson

Adding consumers to a group



☒ Assessment

Quiz 3 | Redis streams consumer groups

# Redis

Cloud

Software

Pricing

Support

University Feedback

University Help

Contact us

Legal notices



Trust

Terms of use

Privacy policy