📖 **Redis streams consumer groups**

Quiz 5 | Redis streams consumer groups

100%

You got 1 out of 1 point. Nice!

Submitted on December 30, 11:19 am CST
Graded on December 30, 11:19 am CST

✓ Correct!

1   What happens when you use the `NOACK` option with `XREADGROUP`?

Select all that apply.

✓ ☑ The message delivery semantics will change from at-least-once to at-most-once.

☐ Messages returned are added to the consumer's Pending Entries List (PEL).

☐ The consumer will need to acknowledge each message manually after processing it using the XACK command.

✓ ☑ Redis will consider all messages returned by XREADGROUP to be acknowledged.

← Previous   Next →

Modules   »

⌄   **Course overview**

☐   📋 Lesson

Course overview

- [ ] 📋 Lesson

  Environment setup

- 🔽 **Consumer groups**

- [ ] 📋 Lesson

  The problem with slow consumers

- [ ] ☑️ Assessment

  Quiz 1 | Redis streams consumer groups

- [ ] 📋 Lesson

  Consumer groups

- [ ] ☑️ Assessment

  Quiz 2 | Redis streams consumer groups

- [ ] 📋 Lesson

  Adding consumers to a group

Redis

Cloud

Software

Pricing

Support

University Feedback

University Help

Contact us

Legal notices

Trust   Terms of use   Privacy policy