



MINISTRY OF HEALTH UGANDA
NATIONAL AIDS CONTROL PROGRAM
CENTRAL PUBLIC HEALTH LABORATORIES
VIRAL LOAD TEST RESULTS

FACILITY DETAILS

Name: Busedde H/C III
District: Jinja | Hub: Jinja Hub

SAMPLE DETAILS

Form #: 0197208
Sample Type: ☒ DBS ☐ Plasma

PATIENT INFORMATION

ART Number: 5761 Date of Birth: 01-Jan-1979
Other ID: Phone Number: 0779385115
Gender: ☒ Female ☐ Male ☐ Left Blank

SAMPLE TEST INFORMATION

Sample Collection Date: 10-Nov-2015 If Repeat Test: ☐ Yes ☒ No
Reception Date: 16-Nov-2015 Sample Rejected: ☐ Yes ☒ No
Test Date: 06-Jan-2016 rejected Reason:

VIRAL LOAD RESULTS

Method Used: Abbott Real time HIV-1 PCR
Location ID: V1511-1252/08
Viral Load Testing #: 023171/1115
Result of Viral Load: Not detected



RECOMMENDATIONS

Suggested Clinical Action based on National Guidelines:
Below 5,000 copies/mL: Patient is suppressing their viral load.
Please continue adherence counseling. Do another viral load after 12 months.

Lab Technologist:

Lab Manager:





MINISTRY OF HEALTH UGANDA
NATIONAL AIDS CONTROL PROGRAM
CENTRAL PUBLIC HEALTH LABORATORIES
VIRAL LOAD TEST RESULTS

FACILITY DETAILS

Name: Busedde H/C III
District: Jinja | Hub: Jinja Hub

SAMPLE DETAILS

Form #: 0197209
Sample Type: ☒ DBS ☐ Plasma

PATIENT INFORMATION

ART Number: 163 Date of Birth: 01-Jan-1964
Other ID: Phone Number:
Gender: ☒ Female ☐ Male ☐ Left Blank

SAMPLE TEST INFORMATION

Sample Collection Date: 10-Nov-2015 If Repeat Test: ☐ Yes ☒ No
Reception Date: 16-Nov-2015 Sample Rejected: ☐ Yes ☒ No
Test Date: 06-Jan-2016 rejected Reason:

VIRAL LOAD RESULTS

Method Used: Abbott Real time HIV-1 PCR
Location ID: V1511-1252/09
Viral Load Testing #: 023176/1115
Result of Viral Load: Not detected



RECOMMENDATIONS

Suggested Clinical Action based on National Guidelines:
Below 5,000 copies/mL: Patient is suppressing their viral load.
Please continue adherence counseling. Do another viral load after 12 months.

Lab Technologist:

Lab Manager:





MINISTRY OF HEALTH UGANDA
NATIONAL AIDS CONTROL PROGRAM
CENTRAL PUBLIC HEALTH LABORATORIES
VIRAL LOAD TEST RESULTS

FACILITY DETAILS

Name: Busedde H/C III
District: Jinja | Hub: Jinja Hub

SAMPLE DETAILS

Form #: 0197210
Sample Type: ☒ DBS ☐ Plasma

PATIENT INFORMATION

ART Number: 0060 Date of Birth: 01-Jan-1967
Other ID: Phone Number: 0788608685
Gender: ☒ Female ☐ Male ☐ Left Blank

SAMPLE TEST INFORMATION

Sample Collection Date: 10-Nov-2015 If Repeat Test: ☐ Yes ☒ No
Reception Date: 16-Nov-2015 Sample Rejected: ☐ Yes ☒ No
Test Date: 06-Jan-2016 rejected Reason:

VIRAL LOAD RESULTS

Method Used: Abbott Real time HIV-1 PCR
Location ID: V1511-1252/17
Viral Load Testing #: 023239/1115
Result of Viral Load: Not detected



RECOMMENDATIONS

Suggested Clinical Action based on National Guidelines:
Below 5,000 copies/mL: Patient is suppressing their viral load.
Please continue adherence counseling. Do another viral load after 12 months.

Lab Technologist:

Lab Manager:

