

Massachusetts Institute of Technology

Media Lab

Projects | April 2015

MIT Media Lab
Buildings E14 / E15
75 Amherst Street
Cambridge, Massachusetts 02139-4307

communications@media.mit.edu
<http://www.media.mit.edu>
617 253-5960

Many of the MIT Media Lab research projects described in the following pages are conducted under the auspices of sponsor-supported, interdisciplinary Media Lab centers, joint research programs, and initiatives. They are:

Autism & Communication Technology Initiative

The Autism & Communication Technology Initiative utilizes the unique features of the Media Lab to foster the development of innovative technologies that can enhance and accelerate the pace of autism research and therapy. Researchers are especially invested in creating technologies that promote communication and independent living by enabling non-autistic people to understand the ways autistic people are trying to communicate; improving autistic people's ability to use receptive and expressive language along with other means of functional, non-verbal expression; and providing telemetric support that reduces reliance on caregivers' physical proximity, yet still enables enriching and natural connectivity as wanted and needed.

Center for Civic Media

Communities need information to make decisions and take action: to provide aid to neighbors in need, to purchase an environmentally sustainable product and shun a wasteful one, to choose leaders on local and global scales. Communities are also rich repositories of information and knowledge, and often develop their own innovative tools and practices for information sharing. Existing systems to inform communities are changing rapidly, and new ecosystems are emerging where old distinctions like writer/audience and journalist/amateur have collapsed. The Civic Media group is a partnership between the MIT Media Lab and Comparative Media Studies at MIT. Together, we work to understand these new ecosystems and to build tools and systems that help communities collect and share information and connect that information to action. We work closely with communities to understand their needs and strengths, and to develop useful tools together using collaborative design principles. We particularly focus on tools that can help amplify the voices of communities often excluded from the digital public sphere and connect them with new audiences, as well as on systems that help us understand media ecologies, augment civic participation, and foster digital inclusion.

Center for Extreme Bionics

Half of the world's population currently suffers from some form of physical or neurological disability. At some point in our lives, it is all too likely that a family member or friend will be struck by a limiting or incapacitating condition, from dementia, to the loss of a limb, to a debilitating disease such as Parkinson's. Today we acknowledge and even "accept" serious physical and mental impairments as inherent to the human condition. But must these conditions be accepted as "normal"? What if, instead, through the invention and deployment of novel technologies, we could control biological processes within the body in order to repair or even eradicate them? What if there were no such thing as human disability? These questions drive the work of Media Lab faculty members Hugh Herr and Ed Boyden, and MIT Institute Professor Robert Langer, and what has led them and the MIT Media Lab to propose the establishment of a new Center for Extreme Bionics. This dynamic new interdisciplinary organization will draw on the existing strengths of research in synthetic neurobiology, biomechatronics, and biomaterials, combined with enhanced capabilities for design development and prototyping.

Center for Mobile Learning

The Center for Mobile Learning invents and studies new mobile technologies to promote learning anywhere anytime for anyone. The Center focuses on mobile tools that empower learners to think creatively, collaborate broadly, and develop applications that are useful to themselves and others around them. The Center's work covers location-aware learning applications, mobile sensing and data collection, augmented reality gaming, and other educational uses of mobile technologies. The Center's first major activity will focus on App Inventor, a programming system that makes it easy for learners to create mobile apps by fitting together puzzle piece-shaped blocks in a web browser.

Center for Terrestrial Sensing

The deeply symbiotic relationship between our planet and ourselves is increasingly mediated by technology. Ubiquitous, networked sensing has provided the earth with an increasingly sophisticated electronic nervous system. How we connect with, interpret, visualize, and use the geoscience information shared and gathered is a deep challenge, with transformational potential. The Center for Terrestrial Sensing aims to address this challenge.

The most current information about our research is available on the MIT Media Lab Web site, at <http://www.media.mit.edu/research/>.

Communications Futures Program

The Communications Futures Program conducts research on industry dynamics, technology opportunities, and regulatory issues that form the basis for communications endeavors of all kinds, from telephony to RFID tags. The program operates through a series of working groups led jointly by MIT researchers and industry collaborators. It is highly participatory, and its agenda reflects the interests of member companies that include both traditional stakeholders and innovators. It is jointly directed by Dave Clark (CSAIL), Charles Fine (Sloan School of Management), and Andrew Lippman (Media Lab).

The Lab has also organized the following special interest groups (SIG), which deal with particular subject areas.

Advancing Wellbeing

In contributing to the digital revolution, the Media Lab helped fuel a society where increasing numbers of people are obese, sedentary, and glued to screens. Our online culture has promoted meaningfulness in terms of online fame and numbers of viewers, and converted time previously spent building face-to-face relationships into interactions online with people who may not be who they say they are. What we have helped to create, willingly or not, often diminishes the social-emotional relationships and activities that promote physical, mental, and social health. Moreover, our workplace culture escalates stress, provides unlimited caffeine, distributes nutrition-free food, holds back-to-back sedentary meetings, and encourages overnight hackathons and unhealthy sleep behavior. Without being dystopian about technology, this effort aims to spawn a series of projects that leverage the many talents and strengths in the Media Lab in order to reshape technology and our workplace to enhance health and wellbeing.

CE 2.0

Most of us are awash in consumer electronics (CE) devices: from cellphones, to TVs, to dishwashers. They provide us with information, entertainment, and communications, and assist us in accomplishing our daily tasks. Unfortunately, most are not as helpful as they could and should be; for the most part, they are dumb, unaware of us or our situations, and often difficult to use. In addition, most CE devices cannot communicate with our other devices, even when such communication and collaboration would be of great help. The Consumer Electronics 2.0 initiative (CE 2.0) is a collaboration between the Media Lab and its sponsor companies to formulate the principles for a new generation of consumer electronics that are highly connected, seamlessly interoperable, situation-aware, and radically simpler to use. Our goal is to show that as computing and communication capability seep into more of our everyday devices, these devices do not have to become more confusing and complex, but rather can become more intelligent in a cooperative and user-friendly way.

City Science

The world is experiencing a period of extreme urbanization. In China alone, 300 million rural inhabitants will move to urban areas over the next 15 years. This will require building an infrastructure equivalent to the one housing the entire population of the United States in a matter of a few decades. In the future, cities will account for nearly 90 percent of global population growth, 80 percent of wealth creation, and 60 percent of total energy consumption. Developing better strategies for the creation of new cities, is therefore, a global imperative. Our need to improve our understanding of cities, however, is pressed not only by the social relevance of urban environments, but also by the availability of new strategies for city-scale interventions that are enabled by emerging technologies. Leveraging advances in data analysis, sensor technologies, and urban experiments, City Science will provide new insights into creating a data-driven approach to urban design and planning. To build the cities that the world needs, we need a scientific understanding of cities that considers our built environments and the people who inhabit them. Our future cities will desperately need such understanding.

Connection Science

As more of our personal and public lives become infused and shaped by data from sensors and computing devices, the lines between the digital and the physical have become increasingly blurred. New possibilities arise, some promising, others alarming, but both with an inexorable momentum that is supplanting time honored practices and institutions. MIT Connection Science is a cross-disciplinary effort drawing on the strengths of faculty, departments and researchers across the Institute, to decode the meaning of this dynamic, at times chaotic, new environment. The initiative will help business executives, investors, entrepreneurs and policymakers capitalize on the multitude of opportunities unlocked by the new hyperconnected world we live in.

Future of News

The Future of News is designing, testing, and making creative tools that help newsrooms adapt in a time of rapid change. As traditional news models erode, we need new models and techniques to reach a world hungry for news, but whose reading and viewing habits are increasingly splintered. Newsrooms need to create new storytelling techniques, recognizing that the way users consume news continues to change. Readers and viewers expect personalized content, deeper context, and information that enables them to influence and change their world. At the same time, newsrooms are seeking new ways to extend their influence, to amplify their message by navigating new paths for readers and viewers, and to find new methods of delivery. To tackle these problems, we will work with Media Lab students and the broader MIT community to identify promising projects and find newsrooms across the country interested in beta-testing those projects.

Future Storytelling

The Future Storytelling working group at the Media Lab is rethinking storytelling for the 21st century. The group takes a new and dynamic approach to how we tell our stories, creating new methods, technologies, and learning programs that recognize and respond to the changing communications landscape. The group builds on the Media Lab's more than 25 years of experience in developing society-changing technologies for human expression and interactivity. By applying leading-edge technologies to make stories more interactive, improvisational, and social, researchers are working to transform audiences into active participants in the storytelling process, bridging the real and virtual worlds, and allowing everyone to make and share their own unique stories. Research also explores ways to revolutionize imaging and display technologies, including developing next-generation cameras and programmable studios, making movie production more versatile and economic.

Ultimate Media

Visual media has irretrievably lost its lock on the audience but has gained unprecedented opportunity to evolve the platform by which it is communicated and to become integrated with the social and data worlds in which we live. Ultimate Media is creating a platform for the invention, creation, and realization of new ways to explore and participate in the media universe. We apply extremes of access, processing, and interaction to build new media experiences and explorations that permit instant video blogging, exploration of the universe of news and narrative entertainment, and physical interfaces that allow people to collaborate around media.

V. Michael Bove Jr.: Object-Based Media	1
1. 3D Telepresence Chair	1
2. 4K Comics	1
3. Aerial Volumetric Light-Field Display	1
4. Ambi-Blinds	1
5. BigBarChart	1
6. Bottles&Boxes: Packaging with Sensors	1
7. Calliope	2
8. Consumer Holo-Video	2
9. Crystal Ball	2
10. Dressed in Data	2
11. DUSK	2
12. EmotiveModeler: An Emotive Form Design CAD Tool	3
13. EmotiveModeler: Tactile Allegory Design Framework	3
14. Everything Tells a Story	3
15. Guided-Wave Light Modulator	3
16. Holoshop	3
17. Infinity-by-Nine	4
18. ListenTree: Audio-Haptic Display in the Natural Environment	4
19. Live Objects	4
20. Narratarium	4
21. Networked Playscapes: Dig Deep	4
22. Pillow-Talk	4
23. ShAir: A Platform for Mobile Content Sharing	5
24. Slam Force Net	5
25. Smell Narratives	5
26. SurroundVision	5
Ed Boyden: Synthetic Neurobiology	5
27. Optogenetics and Synthetic Biology Tools	6
28. Prototype Strategies for Treating Brain Disorders	6
29. Tools for Mapping the Molecular Structure of the Brain	6
30. Tools for Recording High-Speed Brain Dynamics	6
31. Understanding Normal and Pathological Brain Computations	7
Cynthia Breazeal: Personal Robots	7
32. AIDA: Affective Intelligent Driving Agent	7
33. Animal-Robot Interaction	7
34. Cloud-HRI	7
35. Command Not Found	8
36. DragonBot: Android Phone Robots for Long-Term HRI	8
37. Global Literacy Tablets	8
38. Huggable: A Social Robot for Pediatric Care	8
39. Mind-Theoretic Planning for Robots	8
40. Robot Learning from Human-Generated Rewards	9
41. Robotic Language Learning Companions	9
42. Robotic Learning Companions	9
43. Socially Assistive Robotics: An NSF Expedition in Computing	10
44. Tega: A New Robot Platform for Long-Term Interaction	10
45. TinkRBook: Reinventing the Reading Primer	10
Hugh Herr: Biomechatronics	10
46. Artificial Gastrocnemius	10
47. Biomimetic Active Prosthesis for Above-Knee Amputees	11
48. Control of Muscle-Actuated Systems via Electrical Stimulation	11
49. Dancing Control System for Bionic Ankle Prosthesis	11
50. Effect of a Powered Ankle on Shock Absorption and Interfacial Pressure	11
51. FitSocket: A Better Way to Make Sockets	12
52. FlexSEA: Flexible, Scalable Electronics Architecture for Prosthetic and Robotic Applications	12
53. Human Walking Model Predicts Joint Mechanics, Electromyography, and Mechanical Economy	12

54.	Load-Bearing Exoskeleton for Augmentation of Human Running	12
55.	Neural Interface Technology for Advanced Prosthetic Limbs	12
56.	Powered Ankle-Foot Prosthesis	13
57.	Sensor-Fusions for an EMG Controlled Robotic Prosthesis	13
58.	Tethered Robotic System for Understanding Human Movements	13
59.	Variable-Impedance Prosthetic (VIPr) Socket Design	13
60.	Volitional Control of a Powered Ankle-Foot Prosthesis	13
Cesar Hidalgo: Macro Connections		14
61.	Collective Memory	14
62.	Data Visualization: The Pixel Factory	14
63.	DIVE	14
64.	Economic Complexity and Income Inequality	14
65.	FOLD	15
66.	GIFGIF	15
67.	Immersion	15
68.	Opus	15
69.	Pantheon	15
70.	Place Pulse	15
71.	StreetScore	16
72.	The Economic Complexity Observatory	16
73.	The Language Group Network	16
74.	The Network Impact in Success	16
75.	The Privacy Bounds of Human Mobility	16
Hiroshi Ishii: Tangible Media		17
76.	Andante	17
77.	inFORM	17
78.	jamSheets: Interacting with Thin Stiffness-Changing Material	17
79.	MirrorFugue	17
80.	MMODM: Massively Multiplayer Online Drum Machine	18
81.	Physical Telepresence	18
82.	Pneumatic Shape-Changing Interfaces	18
83.	Porobits: Conversations in the Clouds	18
84.	Radical Atoms	18
85.	Social Textiles	18
86.	TRANSFORM	19
87.	TRANSFORM: Adaptive and Dynamic Furniture	19
Joseph M. Jacobson: Molecular Machines		19
88.	Context-Aware Biology	19
89.	Context-Aware Pipette	19
90.	GeneFab	20
91.	NanoFab	20
92.	Scaling Up DNA Logic and Structures	20
93.	Synthetic Photosynthesis	20
Sepandar Kamvar: Social Computing		20
94.	Microculture	20
95.	Storyboards	21
96.	The Dog Programming Language	21
97.	Wildflower Montessori	21
98.	You Are Here	21
Kent Larson: Changing Places		21
99.	ARkits: Architectural Robotics Kits	21
100.	BoxLab	22
101.	CityFARM	22
102.	CityHOME: 200 SQ FT	22
103.	CityOffice	22

104.	CityScope BostonBRT	22
105.	CityScope Mark I: Real-Time Data Observatory	22
106.	CityScope Mark II: Scout	23
107.	CityScope Mark III: Dynamic 3D	23
108.	CityScope Mark IV: Playground	23
109.	CityScope Mark IVa: Riyadh	23
110.	CityScope Mark IVb: Land Use/Transportation	23
111.	Context-Aware Dynamic Lighting	23
112.	Measuring Urban Innovation	24
113.	Mobility on Demand Systems	24
114.	Persuasive Electric Vehicle	24
115.	Persuasive Urban Mobility	24
116.	ViewCube	24
Andy Lippman: Viral Communications		25
117.	Crystal Ball	25
118.	Ethos	25
119.	GIFGIF	25
120.	Glance	25
121.	Glue	26
122.	Glyph	26
123.	Helios	26
124.	Invisible Ink	26
125.	Me.TV	26
126.	NanoVideo	27
127.	NewsClouds	27
128.	QUANTIFY	27
129.	Recast	27
130.	Sphera	27
131.	The Glass Infrastructure (GI)	27
132.	VR Codes	28
133.	WorldLens	28
Tod Machover: Opera of the Future		28
134.	Ambisonic Surround-Sound Audio Compression	28
135.	City Symphonies: Massive Musical Collaboration	28
136.	Death and the Powers: Global Interactive Simulcast	29
137.	Death and the Powers: Redefining Opera	29
138.	Empathy and the Future of Experience	29
139.	Hi-Lo Conductor	29
140.	Hyperinstruments	30
141.	Hyperproduction: Advanced Production Systems	30
142.	Hyperscore	30
143.	Media Scores	31
144.	Remote Theatrical Immersion: Extending "Sleep No More"	31
145.	Using the Voice As a Tool for Self-Reflection	31
146.	Vocal Vibrations: Expressive Performance for Body-Mind Wellbeing	31
Pattie Maes: Fluid Interfaces		32
147.	Augmented Airbrush	32
148.	CarDio	32
149.	Enlight	32
150.	EyeRing: A Compact, Intelligent Vision System on a Ring	32
151.	FingerReader	32
152.	GlassProv Improv Comedy System	33
153.	HandsOn: A Gestural System for Remote Collaboration Using Augmented Reality	33
154.	JaJan!: Remote Language Learning in Shared Virtual Space	33
155.	LuminAR	33
156.	MARS: Manufacturing Augmented Reality System	33
157.	Move Your Glass	33
158.	Reality Editor: Programming Smarter Objects	34

159.	Scanner Grabber	34
160.	ScreenSpire	34
161.	ShowMe: Immersive Remote Collaboration System with 3D Hand Gestures	34
162.	SmileCatcher	34
163.	Social Textiles	35
164.	STEM Accessibility Tool	35
165.	TagMe	35
166.	The Challenge	35
Neri Oxman: Mediated Matter		35
167.	3D Printing of Functionally Graded Materials	36
168.	Additive Manufacturing in Glass: Electrosintering and Spark Gap Glass	36
169.	Anthozoa	36
170.	Beast	36
171.	Bots of Babel	36
172.	Building-Scale 3D Printing	37
173.	Carpal Skin	37
174.	CNSILK: Computer Numerically Controlled Silk Cocoon Construction	37
175.	Digital Construction Platform (DCP)	37
176.	Digitally Reconfigurable Surface	37
177.	FABRICOLOGY: Variable-Property 3D Printing as a Case for Sustainable Fabrication	38
178.	FitSocket: A Better Way to Make Sockets	38
179.	Functionally Graded Filament-Wound Carbon-Fiber Prosthetic Sockets	38
180.	Gemini	38
181.	Glass Printing	39
182.	Lichtenberg 3D Printing	39
183.	Meta-Mesh: Computational Model for Design and Fabrication of Biomimetic Scaled Body Armors	39
184.	Micro-Macro Fluidic Fabrication of a Mid-Sole Running Shoe	39
185.	Monocoque	39
186.	PCB Origami	40
187.	Printing Living Materials	40
188.	Printing Multi-Material 3D Microfluidics	40
189.	Rapid Craft	40
190.	Raycounting	40
191.	Silk Pavilion	41
192.	SpiderBot	41
193.	Swarm Construction	41
194.	Water-Based Additive Manufacturing	42
Sputniko!: Design Fiction		42
195.	(Im)possible Baby	42
196.	CremateBot: Transform, Reborn, Free	42
197.	Crowbot Jenny	42
198.	Menstruation Machine Takashi's Take	43
199.	Nostalgic Touch	43
200.	Pop Roach	43
201.	Virgin Birth Simulator	43
Joseph Paradiso: Responsive Environments		43
202.	#QL: Hashtag Query Language	43
203.	Chain API	44
204.	Circuit Stickers	44
205.	Circuit Stickers Activity Book	44
206.	Data-Driven Elevator Music	44
207.	DoppelLab: Experiencing Multimodal Sensor Data	44
208.	Experiential Lighting: New User-Interfaces for Lighting Control	45
209.	FingerSynth: Wearable Transducers for Exploring the Environment through Sound	45
210.	Hacking the Sketchbook	45
211.	HearThere: Ubiquitous Sonic Overlay	45
212.	ListenTree: Audio-Haptic Display in the Natural Environment	45
213.	Living Observatory: Sensor Networks for Documenting and Experiencing Ecology	46

214.	MMODM: Massively Multiplayer Online Drum Machine	46
215.	Mobile, Wearable Sensor Data Visualization	46
216.	NailO	46
217.	Prosthetic Sensor Networks: Factoring Attention, Proprioception, and Sensory Coding	47
218.	Sambaza Watts	47
Alex 'Sandy' Pentland: Human Dynamics		47
219.	bandicoot: A Python Toolbox for Mobile Phone Metadata	47
220.	Data-Pop Alliance	47
221.	Inducing Peer Pressure to Promote Cooperation	47
222.	Mobile Territorial Lab	48
223.	On the Reidentifiability of Credit Card Metadata	48
224.	openPDS/ SaferAnswers: Protecting the Privacy of Metadata	48
225.	Sensible Organizations	48
226.	The Privacy Bounds of Human Mobility	49
227.	What Can Your Phone Metadata Tell About You?	49
Rosalind W. Picard: Affective Computing		49
228.	An EEG and Motion-Capture Based Expressive Music Interface for Affective Neurofeedback	49
229.	Auditory Desensitization Games	49
230.	Automatic Stress Recognition in Real-Life Settings	50
231.	Autonomic Nervous System Activity in Epilepsy	50
232.	BioGlass: Physiological Parameter Estimation Using a Head-Mounted Wearable Device	50
233.	Building the Just-Right-Challenge in Games and Toys	50
234.	Cardiocam	50
235.	College Sleep	51
236.	Digging into Brand Perception with Psychophysiology	51
237.	Emotion Prototyping: Redesigning the Customer Experience	51
238.	Exploring Temporal Patterns of Smile	51
239.	Facial Expression Analysis Over the Web	52
240.	Fathom: Probabilistic Graphical Models to Help Mental Health Counselors	52
241.	FEEL: A Cloud System for Frequent Event and Biophysiological Signal Labeling	52
242.	Gesture Guitar	52
243.	Got Sleep?	52
244.	IDA: Inexpensive Networked Digital Stethoscope	52
245.	Lensing: Cardiolinguistics for Atypical Angina	52
246.	MACH: My Automated Conversation coach	53
247.	Making Engaging Concerts	53
248.	Mapping the Stress of Medical Visits	53
249.	Measuring Arousal During Therapy for Children with Autism and ADHD	53
250.	Mobile Health Interventions for Drug Addiction and PTSD	53
251.	Mobisensus: Predicting Your Stress/Mood from Mobile Sensor Data	54
252.	Multimodal Computational Behavior Analysis	54
253.	Objective Assessment of Depression and Its Improvement	54
254.	Panoply	54
255.	PongCam	55
256.	Real-Time Assessment of Suicidal Thoughts and Behaviors	55
257.	Reinventing the Retail Experience	55
258.	SenseGlass: Using Google Glass to Sense Daily Emotions	55
259.	SmileTracker	55
260.	StoryScape	55
261.	The Challenge	56
262.	Tributary	56
263.	Valinor: Mathematical Models to Understand and Predict Self-Harm	56
Ramesh Raskar: Camera Culture		56
264.	6D Display	56
265.	A Switchable Light Field Camera	56
266.	Bokode: Imperceptible Visual Tags for Camera-Based Interaction from a Distance	57
267.	CATRA: Mapping of Cataract Opacities Through an Interactive Approach	57
268.	Coded Computational Photography	57

269.	Coded Focal Stack Photography	57
270.	Compressive Light-Field Camera: Next Generation in 3D Photography	57
271.	Eyeglasses-Free Displays	58
272.	Imaging Through Scattering	58
273.	Imaging through Scattering Media Using Femtophotography	58
274.	Inverse Problems in Time-of-Flight Imaging	58
275.	Layered 3D: Glasses-Free 3D Printing	58
276.	LensChat: Sharing Photos with Strangers	58
277.	Looking Around Corners	59
278.	NETRA: Smartphone Add-On for Eye Tests	59
279.	New Methods in Time-of-Flight Imaging	59
280.	PhotoCloud: Personal to Shared Moments with Angled Graphs of Pictures	59
281.	Polarization Fields: Glasses-Free 3DTV	60
282.	Portable Retinal Imaging	60
283.	Reflectance Acquisition Using Ultrafast Imaging	60
284.	Second Skin: Motion Capture with Actuated Feedback for Motor Learning	60
285.	Shield Field Imaging	60
286.	Single Lens Off-Chip Cellphone Microscopy	60
287.	Skin Perfusion Photography	61
288.	Slow Display	61
289.	SpeckleSense	61
290.	SpecTrans: Classification of Transparent Materials and Interactions	61
291.	StreetScore	62
292.	Tensor Displays: High-Quality Glasses-Free 3D TV	62
293.	Theory Unifying Ray and Wavefront Lightfield Propagation	62
294.	Trillion Frames Per Second Camera	62
295.	Ultrasound Tomography	62
296.	Vision on Tap	63
297.	VisionBlocks	63
298.	Visual Lifelogging	63
Mitchel Resnick: Lifelong Kindergarten		63
299.	App Inventor	63
300.	Askii	64
301.	Build-in-Progress	64
302.	Computer Clubhouse	64
303.	Computer Clubhouse Village	64
304.	DIY Cellphone	64
305.	DressCode	65
306.	Duct Tape Network	65
307.	Family Creative Learning	65
308.	Learning Creative Learning	65
309.	Learning with Data	65
310.	Libranet	65
311.	MaKey MaKey	66
312.	Making Learning Work	66
313.	Making with Stories	66
314.	Map Scratch	66
315.	Media Lab Virtual Visit	66
316.	MelodyMorph	66
317.	Novice Design of Interactive Products	67
318.	Open Learning	67
319.	Para	67
320.	Read Out Loud	67
321.	Scratch	67
322.	Scratch Data Blocks	68
323.	Scratch Day	68
324.	Scratch Extensions	68
325.	ScratchJr	68
326.	Singing Fingers	68
327.	Start Making!	69
328.	Unhangout	69

Deb Roy: Social Machines	69
329. Journalism Mapping and Analytics Project (JMAP)	69
330. Responsive Communities: Pilot Project in Jun, Spain	69
331. Rumor Gauge: Automatic Detection and Verification of Rumors in Twitter	69
332. Social Literacy Learning	70
Chris Schmandt: Living Mobile	70
333. Activ8	70
334. JogCall: Persuasive System for Couples to Jog Together	70
335. Kaan: Wristband to Educate Deaf Children about Social Norms	70
336. MugShots	71
337. NailO	71
338. OnTheGo	71
339. Spotz	71
340. Variable Reality: Interaction with the Virtual Book	71
Kevin Slavin: Playful Systems	72
341. Tools for Super-Human Time Perception	72
342. 20 Day Stranger	72
343. 32,768 Times Per Second	72
344. Amino, A Tamagotchi for Synthetic Biology	72
345. beneath the chip	72
346. Case and Molly	73
347. Cordon Sanitaire	73
348. DeepView: Computational Tools for Chess Spectatorship	73
349. Designing Immersive Multi-Sensory Eating Experiences	73
350. Dice++	73
351. EyeWire	74
352. Homeostasis	74
353. MicroPsi: An Architecture for Motivated Cognition	74
354. radiO_o	74
355. Sneak: A Hybrid Digital-Physical Tabletop Game	74
356. Soft Exchange: Interaction Design with Biological Interfaces	75
357. Storyboards	75
Ethan Zuckerman: Civic Media	75
358. "Make the Breast Pump Not Suck!" Hackathon	75
359. Action Path	75
360. Civic Crowdfunding Research Project	75
361. Codesign Toolkit	76
362. Controversy Mapper	76
363. Data Therapy	76
364. Digital Humanitarian Marketplace	76
365. Erase the Border	76
366. FOLD	77
367. Framework for Consent Policies	77
368. Mapping the Globe	77
369. Media Cloud	77
370. Media Cloud Brazil	77
371. Media Meter	78
372. Media Meter Focus	78
373. Media Perspective	78
374. Mixed-Mode Systems in Disaster Response	78
375. NetStories	78
376. NewsPad	78
377. NewsPix	79
378. NGO2.0	79
379. Open Gender Tracker	79
380. Open Water Project	79
381. Out for Change: Transformative Media Organizing Project	79

382.	PageOneX	80
383.	Promise Tracker	80
384.	Readersourcing	80
385.	Sambaza Watts	80
386.	Scanner Grabber	80
387.	Student Legal Services for Innovation	80
388.	Terra Incognita: 1000 Cities of the World	81
389.	thanks.fm	81
390.	The Babbling Brook	81
391.	The Effect of Gratitude Online	81
392.	The People's Bot	81
393.	VoIP Drupal	81
394.	Vojo.co	81
395.	What We Watch	82
396.	Whose Voices? Twitter Citation in the Media	82
397.	ZL Vortice	82

V. Michael Bove Jr.: Object-Based Media

Changing storytelling, communication, and everyday life through sensing, understanding, and new interface technologies.

1. 3D Telepresence Chair

Daniel Novy

An autostereoscopic (no glasses) 3D display engine is combined with a "Pepper's Ghost" setup to create an office chair that appears to contain a remote meeting participant. The system geometry is also suitable for other applications such as tabletop or automotive heads-up displays.

2. 4K Comics

V. Michael Bove and Daniel Novy

4K Comics applies the affordances of ultra-high-resolution screens to traditional print media such as comic books, graphic novels, and other sequential art forms. The comic panel becomes the entry point to the corresponding moment in the film adaptation, while scenes from the film indicate the source frames of the graphic novel. The relationship between comics, films, parodies, and other support materials can be navigated using native touch screens, gestures, or novel wireless control devices. Big data techniques are used to sift, store, and explore vast catalogs of long-running titles, enabling sharing and remixing among friends, fans, and collectors.

3. Aerial Volumetric Light-Field Display

V. Michael Bove, Daniel Novy and Henry Holtzman - Samsung NExD Lab

An aerial volumetric light-field display via holographic light-shaping diffuser, projector array, and sparse phase conjugate reflection.

NEW LISTING

4. Ambi-Blinds

V. Michael Bove and Ermal Dreshaj

Ambi-blinds are solar-powered, sunlight-driven window blinds. A reinvention of a common household item, Ambi-blinds use the level of sunlight striking the window to automatically control the tilt of the blinds, effectively controlling how much sunlight is cast into a room depending on the time of day. Sleep studies dictate that waking up with the sunlight regularly promotes wellness and quality of sleep, regulating our circadian rhythm throughout the day. By automatically regulating the user's exposure to sunlight, Ambi-blinds promote the well-being of the user in a non-invasive way, and close at night to allow for privacy.

NEW LISTING

5. BigBarChart

V. Michael Bove and Laura Perovich

BigBarChart is an immersive 3D bar chart that provides a new physical way for people to interact with data. It takes data beyond visualizations to map out a new area data experiences that are multisensory, embodied, and aesthetic interactions. BigBarChart is made up of a number of bars that extend up to 10 feet to create an immersive experience. Bars change height and color in response to interactions that are direct (a person entering the room), tangible (pushing down on a bar to get meta information), or digital (controlling bars and performing statistical analyses through a tablet). BigBarChart helps both scientists and the general public understand information from a new perspective. Early prototypes are available.

6. Bottles&Boxes: Packaging with Sensors

Ermal Dreshaj and Daniel Novy

We have added inexpensive, low-power, wireless sensors to product packages to detect user interactions with products. Thus, a bottle can register when and how often its contents are dispensed (and generate side effects, like causing a music player to play music when the bottle is picked up, or generating an automatic refill order when near-emptiness is detected). A box can understand usage patterns of its contents. Consumers can vote for their favorites among several alternatives simply by handling them more often.

7. Calliope

V. Michael Bove Jr., Edwina Portocarrero and Ye Wang

Calliope is the follow-up to the NeverEnding Drawing Machine. A portable, paper-based platform for interactive story making, it allows physical editing of shared digital media at a distance. The system is composed of a network of creation stations that seamlessly blend analog and digital media. Calliope documents and displays the creative process with no need to interact directly with a computer. By using human-readable tags and allowing any object to be used as material for creation, it offers opportunities for cross-cultural and cross-generational collaboration among peers with expertise in different media.

8. Consumer Holo-Video

V. Michael Bove Jr., Bianca Datta, Eral Dreshaj and Sundeep Jolly

The goal of this project, building upon work begun by Stephen Benton and the Spatial Imaging group, is to create an inexpensive desktop monitor for a PC or game console that displays holographic video images in real time, suitable for entertainment, engineering, or medical imaging. To date, we have demonstrated the fast rendering of holo-video images (including stereographic images, which, unlike ordinary stereograms, have focusing consistent with depth information) from OpenGL databases on off-the-shelf PC graphics cards; current research addresses new optoelectronic architectures to reduce the size and manufacturing cost of the display system.

Alumni Contributors: James D. Barabas, Daniel Smalley and Quinn Y J Smithwick

9. Crystal Ball

Amir Lazarovich, Dan Novy, Andy Lippman, Michael Bove

A physical interface designed for simultaneous social interaction with visual material. We built a hemispherical, multi-person, interactive touch display that allows a small group of people in the same place or in equivalently equipped ones to jointly interact on the same surface. We created an application that runs on this platform and presents a selection of visual media and offers recommendations for common viewing.

10. Dressed in Data

V. Michael Bove and Laura Perovich

This project steps beyond data visualizations to create data experiences. It aims to engage not only the analytic mind, but also the artistic and emotional self. In this project, chemicals found in people's bodies and homes are turned into a series of fashions. Quantities, properties, and sources of chemicals are represented through various parameters of the fashion, such as fabric color, textures, and sizes. Wearing these outfits allows people to live the data to experience tangibly the findings from their homes and bodies. This is the first project in a series of works that seek to create aesthetic data experiences that prompt researchers and laypeople to engage with information in new ways.

11. DUSK

V. Michael Bove, Bianca Datta and Eral Dreshaj

NEW LISTING

DUSK was created as part of the Media Lab's Advancing Wellbeing Initiative (supported by the Robert Wood Johnson Foundation) to create private, restful spaces for people in the workplace. DUSK promotes a vision of a new type of "nap pod," where workers are encouraged to use the structure on a daily basis for regular breaks and meditation. The user is provided with the much-needed privacy to take a phone call, focus, or rest inside the pod for short periods during the day. The inside can be silent, or filled by binaural beats audio; pitch black, or illuminated by a sunlamp whatever works for users to get the rest and relaxation needed to continue to be healthy and productive. DUSK is created with a parametric press-fit design, making it scalable and suitable for fabrication customizable on a per-user basis.

12. EmotiveModeler: An Emotive Form Design CAD Tool

V. Michael Bove and Philippa Mothersill

We associate different tastes to specific emotions and shapes. EmotiveModeler uses the tactile allegory emotive design framework to generate designs for spice bottles whose forms express the character of the flavor contained within. The framework is integrated into a 3D modeling software into which users can input higher-level emotive descriptions of the flavors to modify the design of a bottle to express the character of the flavor through its form.

13. EmotiveModeler: Tactile Allegory Design Framework

V. Michael Bove and Philippa Mothersill

We have an unconscious understanding of the meaning of different physical objects through our extensive interactions with them. Designers can extend and adapt the existing symbolic meanings through the design of these objects, adding a layer of emotive expression by manipulating their forms. Tactile Allegory explores the physical design language encoded into objects and asks: how can objects be computationally designed to communicate specific information through their very forms? This research explores the underlying design "grammar" of the form of objects, particularly how objects can communicate information to us through their form. This framework is used to create a computational design tool to help people design expressively shaped objects that can express higher-level sentiments of their ideas via aesthetic forms.

14. Everything Tells a Story

V. Michael Bove Jr., David Cranor and Edwina Portocarrero

Following upon work begun in the Graspables project, we are exploring what happens when a wide range of everyday consumer products can sense, interpret into human terms (using pattern recognition methods), and retain memories, such that users can construct a narrative with the aid of the recollections of the "diaries" of their sporting equipment, luggage, furniture, toys, and other items with which they interact.

15. Guided-Wave Light Modulator

V. Michael Bove Jr., Bianca Datta and Sunny Jolly

We are developing inexpensive, efficient, high-bandwidth light modulators based on lithium niobate guided-wave technology. These modulators are suitable for demanding, specialized applications such as holographic video displays, as well as other light modulation uses such as compact video projectors.

Alumni Contributors: Daniel Smalley and Quinn Smithwick

16. Holoshop

Paula Dawson, Masa Takatsuka, Hiroshi Yoshikawa, Brian Rogers, V. Michael Bove Jr.

This project aims to make it easy to create 3D drawings that have the highly nuanced qualities of handmade drawings. Typically, 2D drawing relies on the conjunction of the friction and pressure of the medium (pencil and paper) to enable a sensitive registration of the gesture. However, when drawing in 3D there is not necessarily a "support." Holoshop software uses forces and magnetism of open and closed fields to enable the user to locate fixed and semipermeable "supports" within the 3D environment. Holoshop is being developed for use in conjunction with a haptic device, the Phantom, enabling the user to navigate 3D space through both touch and vision. Also, the real-time modulation of lines from velocity and pressure enable responsive drawings which can be exported for holograms, 3D prints, and other 3D displays. This research is supported under Australian Research Council's Discovery Projects funding scheme (DP1094613).

17. Infinity-by-Nine

V. Michael Bove Jr. and Daniel Novy

We are expanding the home-video viewing experience by generating imagery to extend the TV screen and give the impression that the scene wraps completely around the viewer. Optical flow, color analysis, and heuristics extrapolate beyond the screen edge, where projectors provide the viewer's perceptual vision with

low-detail dynamic patterns that are perceptually consistent with the video imagery and increase the sense of immersive presence and participation. We perform this processing in real time using standard microprocessors and GPUs.

**18. ListenTree:
Audio-Haptic Display
in the Natural
Environment**

V. Michael Bove, Joseph A. Paradiso, Gershon Dublon and Edwina Portocarrero

ListenTree is an audio-haptic display embedded in the natural environment. Visitors to our installation notice a faint sound emerging from a tree. By resting their heads against the tree, they are able to hear sound through bone conduction. To create this effect, an audio exciter transducer is weatherproofed and attached to the tree's roots, transforming it into a living speaker, channeling audio through its branches, and providing vibrotactile feedback. In one deployment, we used ListenTree to display live sound from an outdoor ecological monitoring sensor network, bringing a faraway wetland into the urban landscape. Our intervention is motivated by a need for forms of display that fade into the background, inviting attention rather than requiring it. We consume most digital information through devices that alienate us from our surroundings; ListenTree points to a future where digital information might become enmeshed in material.

19. Live Objects

NEW LISTING

V. Michael Bove, Arata Miyamoto and Valerio Panzica La Manna

A Live Object consists of a new small device that can stream media content wirelessly to nearby mobile devices without an Internet connection. Live Objects are associated with real objects in the environment, such as an art piece in a museum, a statue in a public space, or a product in a store. Users exploring a space can discover nearby Live Objects and view content associated with them, as well as leave comments for future visitors. The mobile device retains a record of the media viewed (and links to additional content), while the objects can retain a record of who viewed them. Future extensions will look into making the system more social, exploring game applications such as media scavenger hunts built on top of the platform, and incorporating other types of media such as live and historical data from sensors associated with the objects.

20. Narratarium

V. Michael Bove Jr., Fransheska Colon, Catherine Havasi, Katherine (Kasia) Hayden, Daniel Novy, Jie Qi and Robert H. Speer

Narratarium augments printed and oral stories and creative play by projecting immersive images and sounds. We are using natural language processing to listen to and understand stories being told, and analysis tools to recognize activity among sensor-equipped objects such as toys, then thematically augmenting the environment using video and sound. New work addresses the creation and representation of audiovisual content for immersive story experiences and the association of such content with viewer context.

**21. Networked
Playscapes: Dig Deep**

V. Michael Bove and Edwina Portocarrero

Networked Playscapes re-imagine outdoor play by merging the flexibility and fantastical of the digital world with the tangible, sensorial properties of physical play to create hybrid interactions for the urban environment. Dig Deep takes the classic sandbox found in children's playgrounds and merges it with the common fantasy of "digging your way to the other side of the world" to create a networked interaction in tune with child cosmogony.

22. Pillow-Talk

V. Michael Bove Jr., Edwina Portocarrero and David Cranor

Pillow-Talk is the first of a series of objects designed to aid creative endeavors through the unobtrusive acquisition of unconscious, self-generated content to permit reflexive self-knowledge. Composed of a seamless recording device embedded in a pillow, and a playback and visualization system in a jar, Pillow-Talk crystallizes that which we normally forget. This allows users to capture their dreams in a less mediated way, aiding recollection by priming the experience and providing no distraction for recall and capture through embodied interaction.

23. ShAir: A Platform for Mobile Content Sharing

Yosuke Bando, Daniel Dubois, Konosuke Watanabe, Arata Miyamoto, Henry Holtzman, and V. Michael Bove

ShAir is a platform for instantly and easily creating local content-shareable spaces without requiring an Internet connection or location information. ShAir-enabled devices can opportunistically communicate with other mobile devices and optional pervasive storage devices such as WiFi SD cards whenever they enter radio range of one another. Digital content can hop through devices in the background without user intervention. Applications that can be built on top of the platform include ad-hoc photo/video/music sharing and distribution, opportunistic social networking and games, digital business card exchange during meetings and conferences, and local news article-sharing on trains and buses.

24. Slam Force Net

V. Michael Bove Jr., Santiago Alfaro and Daniel Novy

A basketball net incorporates segments of conductive fiber whose resistance changes with degree of stretch. By measuring this resistance over time, hardware associated with this net can calculate force and speed of a basketball traveling through the net. Applications include training, toys that indicate the force and speed on a display, dunk competitions, and augmented-reality effects on television broadcasts. This net is far less expensive and more robust than other approaches to measuring data about the ball (e.g., photosensors or ultrasonic sensors) and the only physical change required for the hoop or backboard is electrical connections to the net. Another application of the material is a flat net that can measure velocity of a ball hit or pitched into it (as in baseball or tennis); it can measure position as well (e.g., for determining whether a practice baseball pitch would have been a strike).

25. Smell Narratives

Carol Rozendo and V. Michael Bove

NEW LISTING

We are adding an olfactory dimension to storytelling in order to create more immersive and evocative experiences. Smell Narratives allows the authoring of a "smell track" involving individual or proportionally mixed fragrance components.

Alumni Contributor: Santiago Eloy Alfaro

26. SurroundVision

V. Michael Bove Jr. and Santiago Alfaro

Adding augmented reality to the living-room TV, we are exploring the technical and creative implications of using a mobile phone or tablet (and possibly also dedicated devices like toys) as a controllable "second screen" for enhancing television viewing. Thus, a viewer could use the phone to look beyond the edges of the television to see the audience for a studio-based program, to pan around a sporting event, to take snapshots for a scavenger hunt, or to simulate binoculars to zoom in on a part of the scene. Recent developments include the creation of a mobile device app for Apple products and user studies involving several genres of broadcast television programming.

Ed Boyden: Synthetic Neurobiology

Revealing insights into the human condition and repairing brain disorders via novel tools for mapping and fixing brain computations.

27. Optogenetics and Synthetic Biology Tools

Amy Chuong, Daniel Martin-Alarcon, Kate Adamala, Or Shemesh, Guangyu Xu, Katriona Guthrie-Honea, Aimei Yang, Deniz Aksel, Ellena Popova

We have pioneered the development of fully genetically encoded reagents that, when targeted to specific cells, enable their physiology to be controlled via light, as well as other specific manipulations of cellular biological processes. Optogenetic tools enable temporally precise control of neural electrical activity, cellular signaling,

and other high-speed physiological processes using light. Other tools we are developing enable the control and monitoring of protein translation and other key cell biological processes. Such tools are being explored throughout neuroscience and bioengineering, for the study and repair of brain circuits. Derived from the natural world, these tools highlight the power of ecological diversity, in yielding technologies for analyzing biological complexity and addressing human health. We distribute these tools as freely as possible.

28. Prototype Strategies for Treating Brain Disorders

Karen Buch, Stephanie Ku, Changyang Linghu, Giovanni Talei Franzesi, Christian Wentz, Nir Grossman, Harbaljit Sohal, Bara Badwan

New technologies for recording neural activity, controlling neural activity, or building brain circuits, may be capable some day of serving in therapeutic roles for improving the health of human patients: enabling the restoration of lost senses, the control of aberrant or pathological neural dynamics, and the augmentation of neural circuit computation, through prosthetic means. High throughput molecular and physiological analysis methods may also open up new diagnostic possibilities. We are assessing, often in collaborations with other groups, the translational possibilities opened up by our technologies, exploring the safety and efficacy of our technologies in multiple animal models, in order to discover potential applications of our tools to various clinically relevant scenarios. New kinds of "brain co-processor" may be possible which can work efficaciously with the brain to augment its computational abilities, e.g., in the context of cognitive, emotional, sensory, or motor disability.

29. Tools for Mapping the Molecular Structure of the Brain

Daniel Oran, Pablo Valdes, Alex Wissner-Gross, Fei Chen, Linyi Gao, Sam Rodrigues, Paul Tillberg, Asmamaw "Oz" Wassie, Shahar Alon, Jae-Byum Chang, Ru Wang, Yongxin Zhao, Manos Karagiannis, Adam Marblestone, Alexander Clifton, Jeremy Wohlwend, Andrew Payn

Brain circuits are large, 3D structures. However, the building blocks proteins, signaling complexes, synapses are organized with nanoscale precision. This presents a fundamental tension in neuroscience to understand a neural circuit, you might need to map a large diversity of nanoscale building blocks, across an extended spatial expanse. We are developing a new suite of tools that enable the mapping of the location and identity of the molecular building blocks of the brain, so that comprehensive taxonomies of cells, circuits, and computations might someday become possible, even in entire brains. One of the technologies we are developing enables large, 3D objects to be imaged with nanoscale precision, by physically expanding the sample a tool we call expansion microscopy (ExM). We are working to improve expansion microscopy further, and are working, often in interdisciplinary collaborations, on a suite of new labeling and analysis techniques to enable multiplexed readout.

30. Tools for Recording High-Speed Brain Dynamics

Moshe Ben-Ezra, Jun Deguchi, Caroline Moore-Kochlacs, Jake Bernstein, Ishan Gupta, Mike Henninger, Nikita Pak, Young Gyu Yoon, Justin Kinney, Suhasa Kodandaramaiah, Kiryl Piatkevich, Jorg Scholvin, Nickolaos Savidis, Semon Rezhikov

The brain is a three-dimensional, densely wired circuit that computes via large sets of widely distributed neurons interacting at fast timescales. Ideally it would be possible to observe the activity of many neurons with as great a degree of precision as possible, so as to understand the neural codes and dynamics that are produced by the circuits of the brain. Our lab and our collaborators are developing a number of innovations to enable such analyses. These tools will hopefully enable pictures of how neurons work together to implement brain computations, and how these computations go awry in brain disorders. Such neural observation strategies may also serve as detailed biomarkers of brain disorders or indicators of potential drug side effects. These technologies may, in conjunction with optogenetics, enable closed-loop neural control technologies, which can introduce information into the brain as a function of brain state ("brain co-processors").

31. Understanding Normal and Pathological Brain Computations

Brian Allen, Ho-Jun Suk, Jay Yu, Limor Freifeld, Erica (Eunjung) Jung, Annabelle Singer, Demian Park, Ingrid Van Welie, Bettina Arkhurst, Eunice Wu

We are providing our tools to the community, and also using them within our lab, to analyze how specific brain mechanisms (molecular, cellular, circuit-level) give rise to behaviors and pathological states. These studies may yield fundamental insights into how best to go about treating brain disorders.

Cynthia Breazeal: Personal Robots

Building socially engaging robots and interactive technologies to help people live healthier lives, connect with others, and learn better.

32. AIDA: Affective Intelligent Driving Agent

Cynthia Breazeal and Kenton Williams

Drivers spend a significant amount of time multi-tasking while they are behind the wheel. These dangerous behaviors, particularly texting while driving, can lead to distractions and ultimately to accidents. Many in-car interfaces designed to address this issue still neither take a proactive role to assist the driver nor leverage aspects of the driver's daily life to make the driving experience more seamless. In collaboration with Volkswagen/Audi and the SENSEable City Lab, we are developing AIDA (Affective Intelligent Driving Agent), a robotic driver-vehicle interface that acts as a sociable partner. AIDA elicits facial expressions and strong non-verbal cues for engaging social interaction with the driver. AIDA also leverages the driver's mobile device as its face, which promotes safety, offers proactive driver support, and fosters deeper personalization to the driver.

33. Animal-Robot Interaction

Brad Knox, Patrick McCabe and Cynthia Breazeal

Like people, dogs and cats live among technologies that affect their lives. Yet little of this technology has been designed with pets in mind. We are developing systems that interact intelligently with animals to entertain, exercise, and empower them. Currently, we are developing a laser-chasing game, in which dogs or cats are tracked by a ceiling-mounted webcam, and a computer-controlled laser is moved with knowledge of the pet's position and movement. Machine learning will be applied to optimize the specific laser strategy. We envision enabling owners to initiate and view the interaction remotely through a web interface, providing stimulation and exercise to pets when the owners are at work or otherwise cannot be present.

34. Cloud-HRI

Cynthia Breazeal, Nicholas DePalma, Adam Setapen and Sonia Chernova

Imagine opening your eyes and being awake for only half an hour at a time. This is the life that robots traditionally live. This is due to a number of factors such as battery life and wear on prototype joints. Roboticians have typically muddled through this challenge by crafting handmade perception and planning models of the world, or by using machine learning with synthetic and real-world data, but cloud-based robotics aims to marry large distributed systems with machine learning techniques to understand how to build robots that interpret the world in a richer way. This movement aims to build large-scale machine learning algorithms that use experiences from large groups of people, whether sourced from a large number of tabletop robots or a large number of experiences with virtual agents. Large-scale robotics aims to change embodied AI as it changed non-embodied AI.

35. Command Not Found

David Nunez, Tod Machover, Cynthia Breazeal

A performance between a human and a robot tells the story of growing older and trying to maintain friendships with those we meet along the way. This project explores live-coding with a robot, in which the actor creates and executes software on a robot in real time; the audience can watch the program evolve on screen and the code, itself, is part of the narrative.

36. DragonBot: Android Phone Robots for Long-Term HRI

Adam Setapen, Natalie Freed, and Cynthia Breazeal

DragonBot is a new platform built to support long-term interactions between children and robots. The robot runs entirely on an Android cell phone, which displays an animated virtual face. Additionally, the phone provides sensory input (camera and microphone) and fully controls the actuation of the robot (motors and speakers). Most importantly, the phone always has an Internet connection, so a robot can harness cloud-computing paradigms to learn from the collective interactions of multiple robots. To support long-term interactions, DragonBot is a "blended-reality" character if you remove the phone from the robot, a virtual avatar appears on the screen and the user can still interact with the virtual character on the go. Costing less than \$1,000, DragonBot was specifically designed to be a low-cost platform that can support longitudinal human-robot interactions "in the wild."

37. Global Literacy Tablets

Cynthia Breazeal, David Nunez, Tinsley Galyean, Maryanne Wolf (Tufts), and Robin Morris (GSU)

We are developing a system of early literacy apps, games, toys, and robots that will triage how children are learning, diagnose literacy deficits, and deploy dosages of content to encourage app play using a mentoring algorithm that recommends an appropriate activity given a child's progress. Currently, over 200 Android-based tablets have been sent to children around the world; these devices are instrumented to provide a very detailed picture of how kids are using these technologies. We are using this big data to discover usage and learning models that will inform future educational development.

38. Huggable: A Social Robot for Pediatric Care

Boston Children's Hospital, Northeastern University, Cynthia Breazeal, Sooyeon Jeong, Fardad Faridi and Jetta Company

Children and their parents may undergo challenging experiences when admitted for inpatient care at pediatric hospitals. While most hospitals make efforts to provide socio-emotional support for patients and their families during care, gaps still exist between human resource supply and demand. The Huggable project aims to close this gap by creating a social robot able to mitigate stress, anxiety, and pain in pediatric patients by engaging them in playful interactions. In collaboration with Boston Children's Hospital and Northeastern University, we are currently running an experimental study to compare the effects of the Huggable robot to a virtual character on a screen and a plush teddy bear. We demonstrated preliminarily that children are more eager to emotionally connect with and be physically activated by a robot than a virtual character, illustrating the potential of social robots to provide socio-emotional support during inpatient pediatric care.

Alumni Contributors: Sigurdur Orn Adalgeirsson, Kristopher Bernardo Dos Santos and Walter Dan Stiehl

39. Mind-Theoretic Planning for Robots

Cynthia Breazeal and Sigurdur Orn Adalgeirsson

Mind-Theoretic Planning (MTP) is a technique for robots to plan in social domains. This system takes into account probability distributions over the initial beliefs and goals of people in the environment that are relevant to the task, and creates a prediction of how they will rationally act on their beliefs to achieve their goals. The MTP system then proceeds to create an action plan for the robot that simultaneously takes advantage of the effects of anticipated actions of others and also avoids interfering with them.

40. Robot Learning from Human-Generated Rewards

Brad Knox, Robert Radway, Tom Walsh, and Cynthia Breazeal

To serve us well, robots and other agents must understand our needs and how to fulfill them. To that end, our research develops robots that empower humans by interactively learning from them. Interactive learning methods enable technically unskilled end-users to designate correct behavior and communicate their task knowledge to improve a robot's task performance. This research on interactive learning focuses on algorithms that facilitate teaching by signals of approval and disapproval from a live human trainer. We operationalize these feedback signals as numeric rewards within the machine-learning framework of reinforcement learning. In comparison to the complementary form of teaching by demonstration, this feedback-based teaching may require less task expertise and place less cognitive load on the trainer. Envisioned applications include human-robot collaboration and assistive robotic devices for handicapped users, such as myoelectrically controlled prosthetics.

41. Robotic Language Learning Companions

Cynthia Breazeal, Jacqueline Kory Westlund, Sooyeon Jeong, Paul Harris, Dave DeSteno, and Leah Dickens

Young children learn language not through listening alone, but through active communication with a social actor. Cultural immersion and context are also key in long-term language development. We are developing robotic conversational partners and hybrid physical/digital environments for language learning. For example, the robot Sophie helped young children learn French through a food-sharing game. The game was situated on a digital tablet embedded in a café table. Sophie modeled how to order food and as the child practiced the new vocabulary, the food was delivered via digital assets onto the table's surface. A teacher or parent can observe and shape the interaction remotely via a digital tablet interface to adjust the robot's conversation and behavior to support the learner. More recently, we have been examining how social nonverbal behaviors impact children's perceptions of the robot as an informant and social companion.

Alumni Contributors: Natalie Anne Freed and Adam Michael Setapen

42. Robotic Learning Companions

Cynthia Breazeal, Jacqueline Kory Westlund, and Samuel Spaulding

The language and literacy skills of young children entering school are highly predictive of their long-term academic success. Children from low-income families are particularly at risk. Parents often work multiple jobs, giving them less time to talk to and read with their children. The parents might be illiterate or not speak the language taught in local schools, and these parents may not have been read to as children, providing less experience of good co-reading practice to draw upon. We are currently developing a robotic reading companion for young children, trained by interactive demonstrations from parents and/or educational experts. We intend for this robot to complement parental interaction and emulate some of their best practices in co-reading, building language and literacy through asking comprehension questions, prompting exploration, and simply being emotionally involved in the child's reading experience.

Alumni Contributors: Brad Knox and David Nunez

43. Socially Assistive Robotics: An NSF Expedition in Computing

Tufts University, University of Southern California, Kasia Hayden with Stanford University, Cynthia Breazeal, Edith Ackermann, Goren Gordon, Michal Gordon, Sooyeon Jeong, Jacqueline Kory, Jin Joo Lee, Luke Plummer, Samuel Spaulding, Willow Garage and Yale University

Our mission is to develop the computational techniques that will enable the design, implementation, and evaluation of "relational" robots, in order to encourage social, emotional, and cognitive growth in children, including those with social or cognitive deficits. Funding for the project comes from the NSF Expeditions in Computing program. This expedition has the potential to substantially impact the effectiveness of education and healthcare, and to enhance the lives of children and other groups that require specialized support and intervention. In particular, the MIT effort is

focusing on developing second-language learning companions for pre-school aged children, ultimately for ESL (English as a Second Language).

Alumni Contributors: Catherine Havasi and Brad Knox

44. Tega: A New Robot Platform for Long-Term Interaction

NEW LISTING

Cooper Perkins Inc., Fardad Faridi, Cynthia Breazeal, Jin Joo Lee, Luke Plummer, IFRobots and Stacey Dyer

Tega is a new robot platform for long-term interactions with children. The robot leverages smart phones to graphically display facial expressions. Smart phones are also used for computational needs including behavioral control, sensor processing, and motor control to drive its five degrees of freedom. To withstand long-term continual use, we have designed an efficient battery-powered system that can potentially run for up to six hours before needing to be charged. We also designed for more robust and reliable actuator movements so that the robot can express consistent and expressive behaviors over long periods of time. Through its small size and furry exterior, the robot is aesthetically designed for children. We aim to field test the robot's ability to work reliably in out-of-lab environments and engage young children in educational activities.

Alumni Contributor: Kris Dos Santos

45. TinkRBook: Reinventing the Reading Primer

Cynthia Breazeal, Angela Chang, and David Nunez

TinkRBook is a storytelling system that introduces a new concept of reading, called textual tinkerability. Textual tinkerability uses storytelling gestures to expose the text-concept relationships within a scene. Tinkerability prompts readers to become more physically active and expressive as they explore concepts in reading together. TinkRBooks are interactive storybooks that prompt interactivity in a subtle way, enhancing communication between parents and children during shared picture-book reading. TinkRBooks encourage positive reading behaviors in emergent literacy: parents act out the story to control the words onscreen, demonstrating print referencing and dialogic questioning techniques. Young children actively explore the abstract relationship between printed words and their meanings, even before this relationship is properly understood. By making story elements alterable within a narrative, readers can learn to read by playing with how word choices impact the storytelling experience. Recently, this research has been applied in developing countries.

Alumni Contributor: Angela Chang

Hugh Herr: Biomechatronics
Enhancing human physical capability.

46. Artificial Gastrocnemius

Hugh Herr and Ken Endo

Human walking neuromechanical models show how each muscle works during normal, level-ground walking. They are mainly modeled with clutches and linear springs, and are able to capture dominant normal walking behavior. This suggests to us to use a series-elastic clutch at the knee joint for below-knee amputees. We have developed the powered ankle prosthesis, which generates enough force to enable a user to walk "normally." However, amputees still have problems at the knee joint due to the lack of gastrocnemius, which works as an ankle-knee flexor and a plantar flexor. We hypothesize that metabolic cost and EMG patterns of an amputee with our powered ankle and virtual gastrocnemius will dramatically improve.

47. Biomimetic Active Prosthesis for Above-Knee Amputees

Hugh Herr, Elliott Rouse and Luke Mooney

Using biologically inspired design principles, a biomimetic robotic knee prosthesis is proposed that uses a clutchable series-elastic actuator. In this design, a clutch is placed in parallel to a combined motor and spring. This architecture permits the mechanism to provide biomimetic walking dynamics while requiring minimal electromechanical energy from the prosthesis. The overarching goal for this project is to design a new generation of robotic knee prostheses capable of generating significant energy during level-ground walking, that can be stored in a battery and used to power a robotic ankle prosthesis and other net-positive locomotion modes (i.e., stair ascent).

Alumni Contributor: Ernesto C. Martinez-Villalpando

48. Control of Muscle-Actuated Systems via Electrical Stimulation

Hugh Herr

Motivated by applications in rehabilitation and robotics, we are developing methodologies to control muscle-actuated systems via electrical stimulation. As a demonstration of such potential, we are developing centimeter-scale robotic systems that utilize muscle for actuation and glucose as a primary source of fuel. This is an interesting control problem because muscles: a) are mechanical state-dependent actuators; b) exhibit strong nonlinearities; and c) have slow time-varying properties due to fatigue-recuperation, growth-atrophy, and damage-healing cycles. We are investigating a variety of adaptive and robust control techniques to enable us to achieve trajectory tracking, as well as mechanical power-output control under sustained oscillatory conditions. To implement and test our algorithms, we developed an experimental capability that allows us to characterize and control muscle in real time, while imposing a wide variety of dynamical boundary conditions.

Alumni Contributor: Waleed A. Farahat

49. Dancing Control System for Bionic Ankle Prosthesis

Hugh Herr, Bevin Lin, Elliott Rouse, Nathan Villagaray-Carski and Robert Emerson

Professional ballroom dancer Adrienne Haslet-Davis lost her natural ability to dance when her left leg was amputated below the knee following the Boston Marathon bombings in April 2013. Hugh Herr was introduced to Adrienne while meeting with bombing survivors at Boston's Spaulding Rehabilitation Hospital. For Professor Herr, this meeting generated a research challenge: build Adrienne a bionic ankle prosthesis, and restore her ability to dance. The research team for this project spent some 200 days studying the biomechanics of dancing and designing the bionic technology based on their investigations. The control system for Adrienne was implemented on a customized BiOM bionic ankle prosthesis.

50. Effect of a Powered Ankle on Shock Absorption and Interfacial Pressure

Hugh Herr and David Hill

Lower-extremity amputees face a series of potentially serious post-operative complications. Among these are increased risk of further amputations, excessive stress on the unaffected and residual limbs, and discomfort at the human-prosthesis interface. Currently, conventional, passive prostheses have made strides towards alleviating the risk of experiencing complications, but we believe that the limit of "dumb" elastic prostheses has been reached; in order to make further strides we must integrate "smart" technology in the form of sensors and actuators into lower-limb prostheses. This project compares the elements of shock absorption and socket pressure between passive and active ankle-foot prostheses. It is an attempt to quantitatively evaluate the patient's comfort.

51. FitSocket: A Better Way to Make Sockets

Arthur Petron, Hugh Herr, Roy Kornbluh (SRI), and Neri Oxman

Sockets the cup-shaped devices that attach an amputated limb to a lower-limb prosthesis are made through unscientific, artisanal methods that do not have repeatable quality and comfort from one individual to the next. The FitSocket project

aims to identify the correlation between leg tissue properties and the design of a comfortable socket. The FitSocket is a robotic socket measurement device that directly measures tissue properties. With this data, we can rapid-prototype test sockets and socket molds in order to make rigid, spatially variable stiffness, and spatially/temporally variable stiffness sockets.

Alumni Contributor: Elizabeth Tsai

52. FlexSEA: Flexible, Scalable Electronics Architecture for Prosthetic and Robotic Applications

Hugh Herr and Jean-Francois Duval

This project aims to enable fast prototyping of a multi-axis and multi-joint active prosthesis by developing a new modular electronics system. This system provides the required hardware and software to do precise motion control, data acquisition, and networking. Scalability is obtained by the use of a fast industrial communication protocol between the modules, and by a standardization of the peripherals' interfaces: it is possible to add functionalities to the system simply by plugging additional cards. Hardware and software encapsulation is used to provide high-performance, real-time control of the actuators while keeping the high-level algorithmic development and prototyping simple, fast, and easy.

53. Human Walking Model Predicts Joint Mechanics, Electromyography, and Mechanical Economy

Hugh Herr, Matthew Furtney and Stanford Research Institute

We are studying the mechanical behavior of leg muscles and tendons during human walking in order to motivate the design of power-efficient robotic legs. The Endo-Herr walking model uses only three actuators (leg muscles) to power locomotion. It uses springs and clutches in place of other essential tendons and muscles to store energy and transfer energy from one joint to another during walking. Since mechanical clutches require much less energy than electric motors, this model can be used to design highly efficient robotic legs and exoskeletons. Current work includes analysis of the model at variable walking speeds and informing design specifications for a collaborative "SuperFlex" exosuit project.

Alumni Contributor: Ken Endo

54. Load-Bearing Exoskeleton for Augmentation of Human Running

Hugh Herr, Grant Elliott and Andrew Marecki

Augmentation of human locomotion has proved an elusive goal. Natural human walking is extremely efficient, and the complex articulation of the human leg poses significant engineering difficulties. We present a wearable exoskeleton designed to reduce the metabolic cost of jogging. The exoskeleton places a stiff fiberglass spring in parallel with the complete leg during stance phase, then removes it so that the knee may bend during leg swing. The result is a bouncing gait with reduced reliance on the musculature of the knee and ankle.

55. Neural Interface Technology for Advanced Prosthetic Limbs

Edward Boyden, Hugh Herr, Ron Riso and Katherine Song

Recent advances in artificial limbs have resulted in the provision of powered ankle and knee function for lower extremity amputees and powered elbow, wrist, and finger joints for upper extremity prostheses. Researchers still struggle, however, with how to provide prosthesis users with full volitional and simultaneous control of the powered joints. This project seeks to develop means to allow amputees to control their powered prostheses by activating the peripheral nerves present in their residual limb. Such neural control can be more natural than currently used myoelectric control since the same functions previously served by particular motor fascicles can be directed to the corresponding prosthesis actuators for simultaneous joint control, as in normal limbs. Future plans include the capability to electrically activate the sensory components of residual limb nerves to provide amputees with tactile feedback and an awareness of joint position from their prostheses.

56. Powered Ankle-Foot Prosthesis

Hugh Herr

The human ankle provides a significant amount of net positive work during the stance period of walking, especially at moderate to fast walking speeds. Conversely, conventional ankle-foot prostheses are completely passive during stance, and consequently, cannot provide net positive work. Clinical studies indicate that transtibial amputees using conventional prostheses experience many problems during locomotion, including a high gait metabolism, a low gait speed, and gait asymmetry. Researchers believe the main cause for the observed locomotion is due to the inability of conventional prostheses to provide net positive work during stance. The objective of this project is to develop a powered ankle-foot prosthesis that is capable of providing net positive work during the stance period of walking. To this end, we are investigating the mechanical design and control system architectures for the prosthesis. We are also conducting a clinical evaluation of the proposed prosthesis on different amputee participants.

Alumni Contributor: Samuel Au

57. Sensor-Fusions for an EMG Controlled Robotic Prosthesis

Matthew Todd Farrell and Hugh Herr

Current unmotorized prostheses do not provide adequate energy return during late stance to improve level-ground locomotion. Robotic prostheses can provide power during late-stance to improve metabolic economy in an amputee during level-ground walking. This project seeks to improve the types of terrain a robotic ankle can successfully navigate by using command signals taken from the intact and residual limbs of an amputee. By combining these command signals with sensors attached to the robotic ankle, it might be possible to further understand the role of physiological signals in the terrain adaptation of robotic ankles.

58. Tethered Robotic System for Understanding Human Movements

Hugh Herr and Jiun-Yih Kuan

The goal of this project is to build a powerful system as a scientific tool for bridging the gap in the literature by determining the dynamic biomechanics of the lower-limb joints and metabolic effects of physical interventions during natural locomotion. This system is meant for use in applying forces to the human body and measuring the force, displacement, and other physiological properties simultaneously, helping investigate controllability and efficacy of mechanical devices physically interacting with a human subject.

59. Variable-Impedance Prosthetic (VIPr) Socket Design

Hugh Herr, Arthur J Petron, Bryan Ranger and David Sengeh

Today, 100 percent of amputees experience some form of prosthetic socket discomfort. This project involves the design and production of a comfortable, variable impedance prosthetic (VIPr) socket using digital anatomical data for a transtibial amputee using computer-aided design and manufacturing (CAD/CAM). The VIPr socket uses multiple materials to achieve compliance, thereby increasing socket comfort for amputees, while maintaining structural integrity. The compliant features are seamlessly integrated into the 3D-printed socket to achieve lower interface peak pressures over bony protuberances and other anatomical points in comparison to a conventional socket. This lower peak pressure is achieved through a design that uses anthropomorphic data acquired through surface scan and Magnetic Resonance Imaging techniques. A mathematical transformation maps the quantitative measurements of the human residual limb to the corresponding socket shape and impedance characteristics, spatially.

60. Volitional Control of a Powered Ankle-Foot Prosthesis

Hugh Herr and Oliver Kannape

This project focuses on giving transtibial amputees volitional control over their prostheses by combining electromyographic (EMG) activity from the amputees' residual limb muscles with intrinsic controllers on the prosthesis. The aim is to generalize biomimetic behavior of the prosthesis, making it independent of walking terrains and transitions.

Cesar Hidalgo: Macro Connections

Transforming data into knowledge.

61. Collective Memory

NEW LISTING

Cesar A. Hidalgo, C. Jara-Figueroa, and Amy Yu

Collective memory is formed from the information that our species imbues in both humans and objects. We encode this information as order within physical systems such as media technologies, which allows us to transmit and preserve collective memory to our posterity. We use the biographies of 11,341 memorable people that comprise the Pantheon dataset to study how changes in the systems used to store information affect the quantity and composition of our species' collective memory. We find that changes in media technology such as the printing press, the industrial revolution, the telegraph, and television mark milestones within the evolution of the composition of our collective memory; composition that is directly affected by the predominant communication technology of the time. We also find that these milestones mark changes in the quantity of information from each period that makes up our collective memory.

62. Data Visualization: The Pixel Factory

Cesar A. Hidalgo and Macro Connections group

The rise of computational methods has generated a new natural resource: data. While it's unclear if big data will open up trillion-dollar markets, it is clear that making sense of data isn't easy, and that data visualizations are essential to squeeze meaning out of data. But the capacity to create data visualizations is not widespread; to help develop it we introduce the Pixel Factory, a new initiative focusing on the creation of data-visualization resources and tools in collaboration with corporate members. Our goals are to create software resources for development of online data-visualization platforms that work with any type of data; and to create these resources as a means to learn. The most valuable outcome of this work will not be the software resources produced incredible as these could be but the generation of people with the capacity to make these resources.

63. DIVE

Cesar A. Hidalgo and Kevin Zeng Hu

The Data Integration and Visualization Engine (DIVE) is a platform for semi-automatically generating web-based, interactive visualizations of structured data sets. DIVE will allow users to quickly and efficiently create visualization engines like the Observatory of Economic Complexity, DataViva, and Pantheon. Three components lie at the core of DIVE: inferring the properties and models underlying arbitrary datasets, mapping these properties to visualizations, and programmatically creating scalable, customizable websites integrating these visualizations.

64. Economic Complexity and Income Inequality

NEW LISTING

Cesar A. Hidalgo, Manuel Aristaran, Dominik Hartmann, Cristian Ignacio Jara Figueroa and Miguel Guevara

The mix of products that a country exports is a known predictor of income and economic growth, but does this product mix also predict income inequality? Here we apply methods from statistics, network science, and economic complexity to a dataset combining more than 50 years of international trade data and income inequality. Our results document a robust and stable relationship between income inequality and the mix of products that a country exports. In addition, we present the PINI index: a measure that relates 773 different types of products to the levels of income inequality in their producer countries. Combining the PINI information with the network of related products allows us to illustrate how changes in a country's industrial structure are accompanied by changes in its level of income inequality.

65. FOLD

Alexis Hope, Kevin Hu, Joe Goldbeck, Nathalie Huynh, Matthew Carroll, Cesar A. Hidalgo, Ethan Zuckerman

FOLD is an authoring and publishing platform for creating modular, multimedia stories. Some readers require greater context to understand complex stories. Using FOLD, authors can search for and add "context cards" to their stories. Context cards can contain videos, maps, tweets, music, interactive visualizations, and more. FOLD also allows authors to link stories together by remixing context cards created by other writers.

66. GIFGIF

Cesar A. Hidalgo, Andrew Lippman, Kevin Zeng Hu and Travis Rich

An animated GIF is a magical thing. It has the power to compactly convey emotion, empathy, and context in a subtle way that text or emoticons often miss. GIFGIF is a project to combine that magic with quantitative methods. Our goal is to create a tool that lets people explore the world of GIFs by the emotions they evoke, rather than by manually entered tags. A web site with 200,000 users maps the GIFs to an emotion space and lets you peruse them interactively.

67. Immersion

Deepak Jagdish, Daniel Smilkov and Cesar Hidalgo

Immersion is a visual data experiment that delivers a fresh perspective of your email inbox. Focusing on a people-centric approach rather than the content of the emails, Immersion brings into view an important personal insight the network of people you are connected to via email, and how it evolves over the course of many years. Given that this experiment deals with data that is extremely private, it is worthwhile to note that when given secure access to your Gmail inbox (which you can revoke any time), Immersion only uses data from email headers and not a single word of any email's subject or body content.

68. Opus

Cesar A. Hidalgo and Miguel Guevara

Opus is an online tool exploring the work and trajectory of scholars. Through a suite of interactive visualizations, Opus help users explore the academic impact of a scholar's publications, discover her network of collaborators, and identify her peers.

69. Pantheon

Ali Almosawi, Andrew Mao, Defne Gurel, Cesar A. Hidalgo, Kevin Zeng Hu, Deepak Jagdish, Amy Yu, Shahar Ronen and Tiffany Lu

We were not born with the ability to fly, cure disease, or communicate at long distances, but we were born in a society that endows us with these capacities. These capacities are the result of information that has been generated by humans and that humans have been able to embed in tangible and digital objects. This information is all around us: it's the way in which the atoms in an airplane are arranged or the way in which our cellphones whisper dance instructions to electromagnetic waves. Pantheon is a project celebrating the cultural information that endows our species with these fantastic capacities. To celebrate our global cultural heritage, we are compiling, analyzing, and visualizing datasets that can help us understand the process of global cultural development.

70. Place Pulse

Phil Salesses, Anthony DeVincenzi, and César A. Hidalgo

Place Pulse is a website that allows anybody to quickly run a crowdsourced study and interactively visualize the results. It works by taking a complex question, such as "Which place in Boston looks the safest?" and breaking it down into easier-to-answer binary pairs. Internet participants are given two images and asked "Which place looks safer?" From the responses, directed graphs are generated and can be mined, allowing the experimenter to identify interesting patterns in the data and form new hypothesis based on their observations. It works with any city or question and is highly scalable. With an increased understanding of human perception, it should be possible for calculated policy decisions to have a disproportionate impact on public opinion.

71. StreetScore

Nikhil Naik, Jade Philipoom, Ramesh Raskar, Cesar Hidalgo

StreetScore is a machine learning algorithm that predicts the perceived safety of a streetscape. StreetScore was trained using 2,920 images of streetscapes from New York and Boston and their rankings for perceived safety obtained from a crowdsourced survey. To predict an image's score, StreetScore decomposes this image into features and assigns the image a score based on the associations between features and scores learned from the training dataset. We use StreetScore to create a collection of map visualizations of perceived safety of street views from cities in the United States. StreetScore allows us to scale up the evaluation of streetscapes by several orders of magnitude when compared to a crowdsourced survey. StreetScore can empower research groups working on connecting urban perception with social and economic outcomes by providing high resolution data on urban perception.

72. The Economic Complexity Observatory

Alex Simoes and César A. Hidalgo

With more than six billion people and 15 billion products, the world economy is anything but simple. The Economic Complexity Observatory is an online tool that helps people explore this complexity by providing tools that can allow decision makers to understand the connections that exist between countries and the myriad of products they produce and/or export. The Economic Complexity Observatory puts at everyone's fingertips the latest analytical tools developed to visualize and quantify the productive structure of countries and their evolution.

73. The Language Group Network

Shahar Ronen, Kevin Hu, Michael Xu, and César A. Hidalgo

Most interactions between cultures require overcoming a language barrier, which is why multilingual speakers play an important role in facilitating such interactions. In addition, certain languages not necessarily the most spoken ones are more likely than others to serve as intermediary languages. We present the Language Group Network, a new approach for studying global networks using data generated by tens of millions of speakers from all over the world: a billion tweets, Wikipedia edits in all languages, and translations of two million printed books. Our network spans over eighty languages, and can be used to identify the most connected languages and the potential paths through which information diffuses from one culture to another. Applications include promotion of cultural interactions, prediction of trends, and marketing.

74. The Network Impact in Success

Cesar A. Hidalgo and Miguel Guevara

Diverse teams of authors are known to generate higher-impact research papers, as measured by their number of citations. But is this because cognitively diverse teams produce higher quality work, which is more likely to get cited and adopted? Or is it because they possess a larger number of social connections through which to distribute their findings? In this project we are mapping the co-authorship networks and the academic diversity of the authors in a large volume of scientific publications to test whether the adoption of papers is explained by cognitive diversity or the size of the network associated with each of these authors. This project will help us understand whether the larger levels of adoption of work generated by diverse groups is the result of higher quality, or better connections.

75. The Privacy Bounds of Human Mobility

Cesar A. Hidalgo and Yves-Alexandre DeMontjoye

We used 15 months of data from 1.5 million people to show that four points approximate places and times are enough to identify 95 percent of individuals in a mobility database. Our work shows that human behavior puts fundamental natural constraints on the privacy of individuals, and these constraints hold even when the resolution of the dataset is low. These results demonstrate that even coarse datasets provide little anonymity. We further developed a formula to estimate the uniqueness of human mobility traces. These findings have important implications for the design of frameworks and institutions dedicated to protecting the privacy of individuals.

Hiroshi Ishii: Tangible Media

Seamlessly coupling the worlds of bits and atoms by giving dynamic physical form to digital information and computation.

76. Andante

Xiao Xiao and Hiroshi Ishii

Andante is a representation of music as animated characters walking along the piano keyboard that appear to play the physical keys with each step. Based on a view of music pedagogy that emphasizes expressive, full-body communication early in the learning process, Andante promotes an understanding of the music rooted in the body, taking advantage of walking as one of the most fundamental human rhythms.

77. inFORM

Hiroshi Ishii, Alex Olwal, Daniel Leithinger and Sean Follmer

Shape displays can be used to render both 3D physical content and user interface elements. We propose to use shape displays in three different ways to mediate interaction: facilitate, providing dynamic physical affordances through shape change; restrict, guiding users through dynamic physical constraints; and manipulate, actuating passive physical objects on the interface surface. We demonstrate this on a new, high-resolution shape display.

78. jamSheets: Interacting with Thin Stiffness-Changing Material

Jifei Ou, Lining Yao, Daniel Tauber, Juergen Steimle, Ryuma Niiyama, Hiroshi Ishii

This project introduces layer jamming as an enabling technology for designing deformable, stiffness-tunable, thin sheet interfaces. Interfaces that exhibit tunable stiffness properties can yield dynamic haptic feedback and shape deformation capabilities. In contrast to particle jamming, layer jamming allows for constructing thin and lightweight form factors of an interface. We propose five-layer structure designs and an approach that composites multiple materials to control the deformability of the interfaces. We also present methods to embed different types of sensing and pneumatic actuation layers on the layer-jamming unit. Through three application prototypes we demonstrate the benefits of using layer jamming in interface design. Finally, we provide a survey of materials that have proven successful for layer jamming.

79. MirrorFugue

Xiao Xiao and Hiroshi Ishii

MirrorFugue is an installation for a player piano that evokes the impression that the "reflection" of a disembodied pianist is playing the physically moving keys. Live music emanates from a grand piano, whose keys move under the supple touch of a pianist's hands reflected on the lacquered surface of the instrument. The pianist's face is displayed on the music stand, with subtle expressions projecting the emotions of the music. MirrorFugue recreates the feeling of a live performance, but no one is actually there. The pianist is an illusion of light and mirrors, a ghost both present and absent. Viewing MirrorFugue evokes the sense of walking into a memory, where the pianist plays without awareness of the viewer's presence; or, it is as if viewers were ghosts in another's dream, able to sit down in place of the performing pianist and play along.

80. MMODM: Massively Multiplayer Online Drum Machine

NEW LISTING

Joseph A. Paradiso, Tod Machover, Donald Derek H. and Basheer Tome

MMODM is an online drum machine based on the Twitter streaming API, using tweets from around the world to create and perform musical sequences together in real time. Users anywhere can express 16-beat note sequences across 26 different instruments, using plain-text tweets from any device. Meanwhile, users on the site itself can use the graphical interface to locally DJ the rhythm, filters, and sequence

blending. By harnessing this duo of website and Twitter network, MMODM enables a whole new scale of synchronous musical collaboration between users locally, remotely, across a wide variety of computing devices, and across a variety of cultures.

**81. Physical
Telepresence**

Daniel Leithinger, Sean Follmer, Alex Olwal and Hiroshi Ishii

We propose a new approach to physical telepresence, based on shared workspaces with the ability to capture and remotely render the shapes of people and objects. In the research paper, we describe the concept of shape transmission, and propose interaction techniques to manipulate remote physical objects and physical renderings of shared digital content. We investigate how the representation of users' body parts can be altered to amplify their capabilities for teleoperation. A preliminary evaluation found that users were able to manipulate simple objects remotely, and found many different techniques for manipulation that highlight the expressive nature of our system.

Alumni Contributor: Alex Olwal

**82. Pneumatic
Shape-Changing
Interfaces**

Jifei Ou, Lining Yao, Ryuma Niiyama, Sean Follmer and Hiroshi Ishii

An enabling technology to build shape-changing interfaces through pneumatically driven, soft-composite materials. The composite materials integrate the capabilities of both input sensing and active shape output. We explore four applications: a multi-shape mobile device, table-top shape-changing tangibles, dynamically programmable texture for gaming, and a shape-shifting lighting apparatus.

**83. Porobits:
Conversations in the
Clouds**

NEW LISTING

Hiroshi Ishii, Dhruv Jain and Viirj Kan

A Porobit is a murmuring interactive block that enables construction of 3D semi-permeable structures. "Conversations in the Clouds" utilizes Porobits to create an interactive art installation that evokes a physical articulation of data and cloud computing. The installation invites individuals to utter their queries into the structures to inflate the Porobits, contributing data by breathing life into the cloud.

84. Radical Atoms

Hiroshi Ishii

Radical Atoms is our vision of interactions with future material. Radical Atoms takes a leap beyond Tangible Bits by assuming a hypothetical generation of materials that can change form and appearance dynamically, becoming as reconfigurable as pixels on a screen. Radical Atoms is a computationally transformable and reconfigurable material that is bidirectionally coupled with an underlying digital model (bits) so that dynamic changes of physical form can be reflected in digital states in real time, and vice versa.

Alumni Contributors: Keywon Chung, Adam Kumpf, Amanda Parkes, Hayes Raffle and Jamie B Zigelbaum

85. Social Textiles

NEW LISTING

Hiroshi Ishii, Pattie Maes, Judith Amores Fernandez, Katsuya Fujii, Viirj Kan and Chang Long Zhu Jin

Social Textiles embodies who you are and dynamically reflects your shared interests with people nearby. It enables you to gain access to communities of people in the physical world and enhances social affordances and icebreaking interactions through wearable social messaging. Social Textiles can serve to connect community members with niche interests, philosophical beliefs, personalities, emotional statuses, and ethical views. It has the potential to enable members to bypass superficial or generic interests through filtering individuals, to tune social experiences toward people who are more compatible.

86. TRANSFORM

Hiroshi Ishii, Sean Follmer, Daniel Leithinger, Philipp Schoessler, Amit Zoran and LEXUS International

TRANSFORM fuses technology and design to celebrate its transformation from still furniture to a dynamic machine driven by a stream of data and energy. TRANSFORM aims to inspire viewers with unexpected transformations and the aesthetics of the complex machine in motion. First exhibited at LEXUS DESIGN AMAZING MILAN (April 2014), the work comprises three dynamic shape displays that move over one thousand pins up and down in real time to transform the tabletop into a dynamic tangible display. The kinetic energy of the viewers, captured by a sensor, drives the wave motion represented by the dynamic pins. The motion design is inspired by dynamic interactions among wind, water, and sand in nature, Escher's representations of perpetual motion, and the attributes of sand castles built at the seashore. TRANSFORM tells of the conflict between nature and machine, and its reconciliation, through the ever-changing tabletop landscape.

87. TRANSFORM: Adaptive and Dynamic Furniture

NEW LISTING

Luke Vink, Viirj Kan, Ken Nakagaki, Daniel Leithinger, Sean Follmer, Philipp Schoessler, Amit Zoran, Hiroshi Ishii

Introducing TRANSFORM, a shape-changing desk. TRANSFORM is an exploration of how shape display technology can be integrated into our everyday lives as interactive, transforming furniture. These interfaces not only serve as traditional computing devices, but also support a variety of physical activities. By creating shapes on demand or by moving objects around, TRANSFORM changes the ergonomics and aesthetic dimensions of furniture, supporting a variety of use cases at home and work: it holds and moves objects like fruits, game tokens, office supplies, and tablets, creates dividers on demand, and generates interactive sculptures to convey messages and audio.

Joseph M. Jacobson: Molecular Machines

Engineering at the limits of complexity with molecular-scale parts.

88. Context-Aware Biology

Joseph M. Jacobson and Charles Fracchia

Current biological research workflows make use of disparate, poorly integrated systems that impose a large mental burden on the scientist, leading to mistakes, often on long, complex, and costly experimental procedures. The lack of open tools to assist in the collection of distributed experimental conditions and data is largely responsible for making protocols difficult to debug and laboratory practice hard to learn. In this work, we describe an open Protocol Descriptor Language (PDL) and system to enable a context-rich, quantitative approach to biological research. We detail the development of a closed-loop pipetting technology and a wireless sample-temperature sensor that integrate with our Protocol Description platform, enabling novel, real-time experimental feedback to the researcher, thereby reducing mistakes and increasing overall scientific reproducibility.

89. Context-Aware Pipette

NEW LISTING

Charles Fracchia and Jason Fischman, Matt Carney, and Joseph M. Jacobson

Pipettes are the equivalent in biology of the keyboard for computer science: a key tool that enables interface with the subject matter. In the case of the pipette, it enables the scientist to move precise amounts of liquids. Pipette design hasn't changed in over 30 years. We've designed a new type of pipette that allows wireless, context-aware operation.

90. GeneFab

Bram Sterling, Kelly Chang, Joseph M. Jacobson, Peter Carr, Brian Chow, David Sun Kong, Michael Oh and Sam Hwang

What would you like to "build with biology"? The goal of the GeneFab project is to develop technology for the rapid fabrication of large DNA molecules, with composition specified directly by the user. Our intent is to facilitate the field of synthetic biology as it moves from a focus on single genes to designing complete biochemical pathways, genetic networks, and more complex systems. Sub-projects include: DNA error correction, microfluidics for high throughput gene synthesis, and genome-scale engineering (rE. coli).

Alumni Contributor: Chris Emig

91. NanoFab

Kimin Jun, Jaebum Joo, and Joseph M. Jacobson

We are developing techniques to use a focused ion beam to program the fabrication of nanowires-based nanostructures and logic devices.

**92. Scaling Up DNA
Logic and Structures**

Joseph M. Jacobson and Noah Jakimo

Our goals include novel gene logic and data logging systems, as well as DNA scaffolds that can be produced on commercial scales. State of the art in the former is limited by finding analogous and orthogonal proteins for those used in current single-layer gates and two-layered circuits. State of the art in the latter is constrained in size and efficiency by kinetic limits on self-assembly. We have designed and plan to demonstrate cascaded logic on chromosomes and DNA scaffolds that exhibit exponential growth.

**93. Synthetic
Photosynthesis**

Joseph M. Jacobson and Kimin Jun

We are using nanowires to build structures for synthetic photosynthesis for the solar generation of liquid fuels.

Sepandar Kamvar: Social Computing

Creating sociotechnical systems that shape our urban environments.

94. Microculture

Sep Kamvar, Yonatan Cohen, Lisa DePiano, Kathryn Grantham, and Josh Sarantitis

Microculture gardens are a network of small-scale permaculture gardens that are aimed at reimagining our urban food systems, remediating our air supply, and making our streets more amenable to human-scale mobility. Microculture combines micro-gardening with the principles of permaculture, creatively occupying viable space throughout our communities for small-scale self-sustaining food forests. Micro-gardens have proven to be successful for the production of a broad range of species, including leafy vegetables, fruit, root vegetables, herbs, and more. Traditionally, container-based micro-gardens occupy approximately one meter of space or less and are made from found, up-cycled materials. Our innovations involve the combining of permaculture and micro gardening principles, developing materials and designs that allow for modularity, mobility, easy replicability, and placement in parking spots, and software that supports the placement, creation, and maintenance of these gardens.

95. Storyboards

Sepandar Kamvar, Kevin Slavin, Jonathan Bobrow and Shantell Martin

Giving opaque technology a glass house. Storyboards present the tinkerers or owners of electronic devices with stories of how their devices work. Just as the circuit board is a story of star-crossed lovers Anode and Cathode with its cast of characters (resistor, capacitor, transistor), Storyboards have their own characters driving a parallel visual narrative.

96. The Dog Programming Language

Salman Ahmad and Sep Kamvar

Dog is a new programming language that makes it easy and intuitive to create social applications. A key feature of Dog is built-in support for interacting with people. Dog provides a natural framework in which both people and computers can be sent requests and return results. It can perform a long-running computation while also displaying messages, requesting information, or sending operations to particular individuals or groups. By switching between machine and human computation, developers can create powerful workflows and model complex social processes without worrying about low-level technical details.

97. Wildflower Montessori

Sep Kamvar, Katelyn Ryan, Mary Rockett, Yonatan Cohen, Kim Holleman, Kim Smith, Misse Carolan, Marcia Hubelbank, Angelina Hawley-Dolan, Castle O'Neill, Katie Tremblay, Catherine McTamane

Wildflower Montessori School is a pilot Lab School and the first in a new network of learning centers. Its aim is to be an experiment in a new learning environment, blurring the boundaries between coffee shops and schools, between home-schooling and institutional schooling, between tactile, multisensory methods and abstract thinking. Wildflower will serve as a research platform to test new ideas in advancing the Montessori Method in the context of modern fluencies, as well as to test how to direct the organic growth of a social system that fosters the growth and connection of such schools.

98. You Are Here

Sep Kamvar, Yonatan Cohen, Wesam Manassra, Pranav Ramkrishnan, Stephen Rife, Jia Zhang, Edward Faulkner, Kim Smith, Asa Oines, Jake Sanchez, and Jennifer Jang

You Are Here is an experiment in microubanism. In this project, we are creating 100 maps each of 100 different cities. Each map gives a collective portrait of one aspect of life in the city, and is designed to give communities meaningful micro-suggestions of what they might do to improve their city. The interplay between the visualizations and the community work they induce creates a collective, dynamic, urban-scale project.

Kent Larson: Changing Places

Enabling dynamic, evolving places that respond to the complexities of life.

99. ARkits: Architectural Robotics Kits

Kent Larson, Luis Alberto Alonso Pastor, Ivan Fernandez, Hasier Larrea and Carlos Rubio

NEW LISTING

In an urbanized world, where space is too valuable to be static and unresponsive, ARkits provide a robotic kit of parts to empower real estate developers, furniture manufacturers, architects, and "space makers" in general, to create a new generation of transformable and intelligent spaces.

100. BoxLab

Kent Larson and Jason Nawyn

The PlaceLab was a highly instrumented, apartment-scale, shared research facility where new technologies and design concepts were tested and evaluated in the context of everyday living. It was used by researchers until 2008 to collect fine-grained human behavior and environmental data, and to systematically test and evaluate strategies and technologies for the home in a natural setting with volunteer occupants. BoxLab is a portable version with many of the data collection capabilities of PlaceLab. BoxLab can be deployed in any home or workplace.

Alumni Contributors: Jennifer Suzanne Beaudin, Edward Burns, Manu Gupta, Pallavi Kaushik, Aydin Oztoprak, Randy Rockinson and Emmanuel Munguia Tapia

101. CityFARM

Camillee Richman, Elaine Kung, Emma Feshbach, Jordan Rogoff, Mathew Daiter, Kent Larson, Caleb Harper, Edward Platt, Preethi Vaidyanathan and Sophia Jaffee

By 2030, nine billion people will populate the globe and six out of every 10 will live in cities. The future of global food production will mandate a paradigm shift to resource-leveraged and environmentally sound urban food-growing solutions. The CityFARM project explores building-integrated agriculture and environmentally optimized growing. We are exploring what it means technologically, environmentally, and socially to design industrially scalable agricultural systems in the heart of urban areas. Through innovative research, and through development of hydroponic and aeroponic systems, diagnostic and networked sensing, building integration, and reductive energy design, CityFARM methodology reduces water consumption by 90 percent, eliminates chemical pesticides, and reduces embodied energy in produce by a factor of four. By fundamentally rethinking "grow it THERE and eat it HERE," we can eliminate environmental contaminants and increase access to nutrient-dense produce in our future cities.

102. CityHOME: 200 SQ FT

Kent Larson, Hasier Larrea, Daniel Goodman, Oier Ariño, Phillip Ewing

Live large in 200 square feet! An all-in-one disentangled robotic furniture piece makes it possible to live comfortably in a tiny footprint not only by magically reconfiguring the space, but also by serving as a platform for technology integration and experience augmentation. Two hundred square feet has never seemed so large.

103. CityOffice

Kent Larson, Hasier Larrea, Luis Alonso, Carlos Rubio

NEW LISTING

Architectural robotics enable a hyper-efficient, dynamically reconfigurable co-working space that accommodates a wide range of activities in a small area.

104. CityScope BostonBRT

Kent Larson, Ryan C. C. Chin and James Winder

NEW LISTING

CityScope is working with the Barr Foundation of Boston to develop a tangible-interactive participatory environment for planning bus rapid transit (BRT).

105. CityScope Mark I: Real-Time Data Observatory

Ira Winder, Mohammad Hadhrawi, Carson Smuts, and Kent Larson

Real-time geospatial data is visualized on an exhibition-scale 3D city model. The model is built of LEGO bricks, and visualization is performed by an array of calibrated projectors. Through computation, GIS data is "LEGO-tized" to create a LEGO abstraction of existing urban areas. Data layers include mobility systems, land use, social media, business activity, windflow simulations, and more.

- 106. CityScope Mark II: Scout**
NEW LISTING
- Kent Larson and James Winder*
- The CityScope "Scout" prototype integrates augmented reality with real-time mathematical modeling of geospatial systems. In practice, the technology transforms any tabletop into a canvas for land-use planning and walkability optimization. Users perform rapid prototyping with LEGO bricks and receive real-time simulation and evaluation feedback.
- 107. CityScope Mark III: Dynamic 3D**
NEW LISTING
- Kent Larson and James Winder*
- The Dynamic 3D prototype allows users to edit a digital model by moving physical 3D abstractions of building typologies. Movements are automatically detected, scanned, and digitized so as to generate inputs for computational analysis. 3D information is also projected back onto the model to give the user feedback while edits are made.
- 108. CityScope Mark IV: Playground**
NEW LISTING
- Kent Larson, James Winder and Ariel Noyman (SA+P)*
- Playground is a full-sized, tangible 3D environment for rapid prototyping of building interventions in Kendall Square in Cambridge, Massachusetts. Through projection mapping and onscreen displays, users can receive feedback about the impacts of their interventions.
- 109. CityScope Mark IVa: Riyadh**
NEW LISTING
- Kent Larson and James Winder*
- We recently led a workshop in Saudi Arabia, with staff from the Riyadh Development Authority, to test a new version of our CityScope platform. With only an hour to work, four teams of five professionals competed to develop a redevelopment proposal for a neighborhood near the city center. The platform evaluated their designs according to energy, daylighting, and walkability.
- 110. CityScope Mark IVb: Land Use/Transportation**
NEW LISTING
- Kent Larson and James Winder*
- CityScope MarkIVb is programmed to demonstrate/model the relationship between land use (live and work), population density, parking supply and demand, and traffic congestion.
- 111. Context-Aware Dynamic Lighting**
- Ronan Lonergan, Shaun Salzberg, Harrison Hall, and Kent Larson*
- The robotic façade is conceived as a mass-customizable module that combines solar control, heating, cooling, ventilation, and other functions to serve an urban apartment. It attaches to the building "chassis" with standardized power, data, and mechanical attachments to simplify field installation and dramatically increase energy performance. The design makes use of an articulating mirror to direct shafts of sunlight to precise points in the apartment interior. Tiny, low-cost, easily installed wireless sensors and activity recognition algorithms allow occupants to use a mobile phone interface to map activities of daily living to personalized sunlight positions. We are also developing strategies to control LED luminaires to turn off, dim, or tune the lighting to more energy-efficient spectra in response to the location, activities, and paths of the occupants.
- 112. Measuring Urban Innovation**
NEW LISTING
- Talia Kaufmann, Kent Larson, Dan Harple and Victor Kashirin*
- Cities are hubs for innovation, characterized by densely populated areas where people and firms cluster together, share resources, and collaborate. In turn, dense cities show higher rates of economic growth and viability. Yet, where specifically innovation takes place in urban areas, and what the socioeconomic conditions are that encourage it, are still elusive for both researchers and policymakers. Understanding the social and spatial settings that enable innovation to accrue will equip policymakers and developers with the metrics to promote and sustain innovation in cities. This research will measure the attributes of innovation districts across the US in terms of their land-use configurations and population characteristics and behaviors. These measurements will be used to identify the

factors that enable innovation, with the goal of developing a methodological approach for producing quantitative planning guidelines to support decision-making processes.

113. Mobility on Demand Systems

Kent Larson, Ryan C.C. Chin, Chih-Chao Chuang, William Lark, Jr., Brandon Phillip Martin-Anderson and SiZhi Zhou

Mobility on Demand (MoD) systems are fleets of lightweight electric vehicles at strategically distributed electrical charging stations throughout a city. MoD systems solve the "first and last mile" problem of public transit, providing mobility between transit station and home/workplace. Users swipe a membership card at the MoD station and drive a vehicle to any other station (one-way rental). The Vélib' system of 20,000+ shared bicycles in Paris is the largest and most popular one-way rental system in the world. MoD systems incorporate intelligent fleet management through sensor networks, pattern recognition, and dynamic pricing, and the benefits of Smart Grid technologies include intelligent electrical charging (including rapid charging), vehicle-to-grid (V2G), and surplus energy storage for renewable power generation and peak sharing for the local utility. We have designed three MoD vehicles: CityCar, RoboScooter, and GreenWheel bicycle. (Continuing the vision of William J. Mitchell.)

114. Persuasive Electric Vehicle

Kent Larson, Michael Lin and Agnis Stibe

The Persuasive Electric Vehicle for City Bike Lanes (PEV) addresses sedentary lifestyles, provides energy-efficient mobility, and takes advantage of existing bicycle lanes. Designed as a three-wheeler for stability, with a cover to protect from rain and the option for electric assist, makes biking compelling for various demographics. The persuasive interface is displayed on the user's mobile phone. Various persuasive applications can be integrated. Spike, a social cycling application is the first use case, making the PEV a social and fun mode of transportation to get around in the city.

115. Persuasive Urban Mobility

Agnis Stibe, Matthias Wunsch, Alexandra Millonig, Chengzhen Dai, Felipe Lozano-Landinez, Stefan Seer, Katja Schechtner, Ryan C. C. Chin and Kent Larson

NEW LISTING

The effects of global climate change in combination with rapid urbanization have forced cities to seek low-energy and less carbon-intensive modes of transport. Cities have adopted policies like congestion pricing to encourage its citizens to give up private automobiles and to use mass transit or bicycling and walking. In this research study, we examine how persuasion technologies can be utilized to encourage positive modal shifts in mobility behavior in cities. We are particularly interested in studying the key persuasive strategies that enable, motivate, and trigger users to shift from high-energy to low-energy modes. This project is a collaboration between the MIT Media Lab and the Austrian Institute of Technology (AIT).

Alumni Contributors: Sandra Richter and Katja Schechtner

116. ViewCube

Kent Larson and Carson Smuts

NEW LISTING

A tangible device for real-time spatial movement and perspectival orientation between physical and digital 3D models.

Andy Lippman: Viral Communications

Creating scalable technologies that evolve with user inventiveness.

117. Crystal Ball

Amir Lazarovich, Dan Novy, Andy Lippman, Michael Bove

A physical interface designed for simultaneous social interaction with visual material. We built a hemispherical, multi-person, interactive touch display that allows a small group of people in the same place or in equivalently equipped ones to jointly interact on the same surface. We created an application that runs on this platform and presents a selection of visual media and offers recommendations for common viewing.

118. Ethos

Collaboration as part of the MIT Bitcoin contest: Oz Nathan, Guy Ziskind, and Amir Lazarovich

Ethos is a decentralized, Bitcoin-like network for storing and sharing valuable information. We provide transparency, control, and ownership over personal data and its distribution. Validation and maintenance is distributed throughout the data community and automatically maintained without needing a safe deposit box or a commercial site. What Bitcoin has done for currency and BitTorrent for media, Ethos does for personal data. Nodes in the network are incentivized by collecting transaction fees, coinbase transactions ("finding blocks"), and proof-of-storage fees to sustain the distribution of personal data. Fees are paid with the underlying cryptocurrency represented by the network, also known as "PrivacyCoin." The role of nodes, besides the usual proof-of-work, which protects against "double spending," is to maintain shredded pieces of information and present them to the network on-demand.

119. GIFGIF

Cesar A. Hidalgo, Andrew Lippman, Kevin Zeng Hu and Travis Rich

An animated GIF is a magical thing. It has the power to compactly convey emotion, empathy, and context in a subtle way that text or emoticons often miss. GIFGIF is a project to combine that magic with quantitative methods. Our goal is to create a tool that lets people explore the world of GIFs by the emotions they evoke, rather than by manually entered tags. A web site with 200,000 users maps the GIFs to an emotion space and lets you peruse them interactively.

120. Glance

Andrew Lippman and Vivian Diep

We address two critical elements of news: that it informs, and that it is trustworthy. Glance creates dynamic, real-time, semantic control over news presentation that reveals the inherent slant that underlies coverage of an event. The goal is to empower readers to understand their news intake through a visualization of metadata that empowers readers to choose their news source based on computed metrics rather than sensationalized headlines. Relevant additional information, such as sentiment of text and public reaction, is gathered on each topic to further give readers a richer news-scape.

121. Glue

Robert Hemsley, Jonathan Speiser, Dan Sawada, Savannah Niles, Eric Dahlseng, and Andrew Lippman

Glue is a prototyping engine to support news and narrative analysis. The system works by coordinating the flow of media among an extensible set of asynchronous Python processing modules. The growing set of existing modules analyzes web pages, video, and exogenous data such as tweets and creates fine-grained metadata, including frame-by-frame analysis for video. We use this to organize material for presentation, analysis, and summarization. Currently, the system provides named-entity extraction, audio expression markers, face detectors,

scene/edit point locators, excitement trackers, and thumbnail summarization. Glue includes a video recorder and processes 14 DirecTV feeds as well as video content crawled from the web. Video is retained dependent on storage capacity and the database is permanent. Glue is the metadata driver for most Ultimate Media projects a digestion system for mass media.

122. Glyph

Andrew Lippman and Savannah L Niles

Wearable devices and ambient displays need to atomize video to evocative excerpts as glanceable as a still image. Glyph is a web-based tool for generating expressive GIFs from video. The tool integrates scene detection, video stabilization, video manipulation, and loop detection into a simple, web-based authoring interface. Glyph allows for creating GIFs from video with more editorial control than just choosing a clip's start and end time diminishing some regions of movement in the clip, and highlighting others; erasing a jarring jump between the start and end of the GIF; imbuing a still image with just enough dynamism to hold our eyes and pique our interest. The result is a subtle, dynamic moving image that's lightweight, transmissible, and immediately engaging.

123. Helios

Eric Dahlseng

Helios provides an automatic way of socializing one's video interactions. It is a Chrome browser plug-in that records user's encounters with embedded videos on the web. This data is contributed to a group collection so that one can readily see what is trending among friends and where the outliers are. In addition the data is processed by Glue for metadata tagging.

Alumni Contributors: Dan Sawada and Jonathan Speiser and Robert Hemsley

124. Invisible Ink

Amir Lazarovich, Andrew Lippman

NEW LISTING

Invisible Ink is a certified mail application that demonstrates the utility of the blockchain for maintaining a public ledger of transactions while keeping the content of those transactions private. In this case, the idea is a method for guaranteeing the delivery and receipt of email messages. It archives the transaction in the Bitcoin blockchain and uses secure off-chain storage for the other details. Invisible Ink demonstrates the extensibility of this distributed technology for contracts, audits, and recovery of sensitive information. It is an evolution of work begun as the Ethos project. Since Bitcoin has shown that a distributed system of trust can be workable for irreversibly storing time-stamped, information, these extensions and applications are potentially important for a wide variety of cases from finance to personal information.

125. Me.TV

Andrew Lippman and Vivian Diep

Me.TV is an exploration into programming that can automatically, personally, and extensibly build everything from a newspaper into an evening's entertainment. The programming is graphical, akin to Scratch, and consists of organizing ideas and formats that are analyzed as they are created. The language operates by position blocks that select, test, loop, and interrogate friends as well as intrinsic data to present an ever-varying, personalized, and communicated window into events and entertainment. This interface teaches analytical thinking while applying it to content. It replaces the tag-based search paradigm with a real-time interaction that hones the user's analytic skills while it builds a personal and sharable information resource.

126. NanoVideo

Andrew Lippman and Savannah L Niles

NEW LISTING

High-bandwidth media is no longer tethered to televisions and computers, as pixels increasingly occupy our peripheries via mobile devices, wearables, and ambient displays. NanoVideo is a series of small, screen-equipped objects that demonstrates how images created by the tool Glyph can integrate video subtly, meaningfully, and socially into the background of our working and living

environments. NanoVideo thus explores opportunities for designing new objects with new affordances that are integrated with and responsive to high-bandwidth visual media.

127. NewsClouds

Andrew Lippman and Thariq Shhipar

Here we tackle the problem of social information overload. We call it the "Kish Problem" after a colleague who articulated it: people want to know everything, but presenting everything in real time is a meaningless blur a signal to noise problem. Here we present a simple graphical aid for separating reportage from rumor, the tweets from the roots, and a way to explore who is saying what. NewsClouds uses the Glue engine to parse web and video and organizes it by source, emphasizing the exclusive of the two. NewsClouds allows interactive exploration of how topics evolve and migrate between diverse media.

128. QUANTIFY

Cesar A. Hidalgo, Andrew Lippman, Kevin Zeng Hu and Travis Rich

QUANTIFY is a generalized framework and JavaScript library to allow rapid multi-dimensional "measurement" of subjective qualities of media. The goal is to make qualitative metrics quantized. For everything from measuring emotional responses of content to the cultural importance of world landmarks, QUANTIFY helps to elicit the raw human subjectivity that fills much of our lives, and makes it programmatically actionable.

129. Recast

Dan Sawada, Robert Hemsley, Andrew Lippman

Recast is a media curation and distribution platform that enables anyone to create and distribute "news programs" that represent their views of the world from their own perspective. Recast provides a visual scripting interface similar to Scratch, where users can combine a series of logical blocks to query specific scene elements that present their views by drawing from arbitrary video contents, and constructing a story sequence. Recast uses the Constellation system as a backend for querying video content, and uses the Media Matrix as a content distribution platform.

Alumni Contributors: Robert Hemsley and Dan Sawada

130. Sphera

Amir Lazarovich, Andrew Lippman

One future of media experience lies within a socially connected virtual world. VR started almost 30 years ago and is now wearable, real-time, integrated with sensing, and becoming transparent. Sphera realizes a socially driven 360-degree media space that includes ambient scenery, visual exploration, and integration with friends. By combining an Oculus Rift (VR heads-on display), Microsoft Kinect (depth sensor), and a natural voice command interface, we created a socially connected, 360-degree immersive virtual world for media exploration and selection, as well as big-data manipulation and visualization.

131. The Glass Infrastructure (GI)

Andy Lippman, Jon Ferguson and Henry Holtzman

This project builds a social, place-based information window into the Media Lab using 30 touch-sensitive screens strategically placed throughout the physical complex and at sponsor sites. The idea is get people to talk among themselves about the work that they jointly explore in a public place. We present Lab projects as dynamically connected sets of "charms" that visitors can save, trade, and explore. The GI demonstrates a framework for an open, integrated IT system and shows new uses for it.

Alumni Contributors: Matt Blackshaw, Rick Borovoy, Greg Elliott, Catherine Havasi, Boris Grigory Kizelshteyn, Julia Ma, Daniel E Schultz and Polychronis Ypodimatopoulos

132. VR Codes

Andy Lippman and Grace Woo

VR Codes are dynamic data invisibly hidden in television and graphic displays. They allow the display to present simultaneously visual information in an unimpeded way, and real-time data to a camera. Our intention is to make social displays that many can use at once; using VR codes, users can draw data from a display and control its use on a mobile device. We think of VR Codes as analogous to QR codes for video, and envision a future where every display in the environment contains latent information embedded in VR codes.

133. WorldLens

Jonathan Speiser, Robert Hemsley, Dan Sawada, and Andy Lippman

World Lens informs users about newsworthy events that are both popular and obscure. It is a front page that is both navigable and scalable, allowing one to discover as well as track ongoing events. We array in-depth news information across a large multitouch display organized by time, coverage, and geography. Elements are drawn from blogs, the web, newspapers, magazines, and television. Each is presented by a front page that tells the literal story. Readers can fly through the news space, mark items for interest, and activate each. News data is gathered and analyzed by our Glue system, which generates frame-by-frame metadata for video and page analysis for other online material.

Alumni Contributors: Robert Hemsley, Dan Sawada and Jonathan Speiser

Tod Machover: Opera of the Future

Extending expression, learning, and health through innovations in musical composition, performance, and participation.

134. Ambisonic Surround-Sound Audio Compression

NEW LISTING

Tod Machover and Charles Holbrow

Traditional music production and studio engineering depends on dynamic range compression audio signal processors that precisely and dynamically control the gain of an audio signal in the time domain. This project expands on the traditional dynamic range compression model by adding a spatial dimension. Ambisonic Compression allows audio engineers to dynamically control the spatial properties of a three-dimensional sound field, opening new possibilities for surround-sound design and spatial music performance.

135. City Symphonies: Massive Musical Collaboration

Tod Machover, Akito Van Troyer, Benjamin Bloomberg, Charles Holbrow, David Nunez, Simone Ovsey, Sarah Platte, Bryn Bliska, Rébecca Kleinberger, Peter Alexander Torpey and Garrett Parrish

Until now, the impact of crowdsourced and interactive music projects has been limited: the public contributes a small part of the final result, and is often disconnected from the artist leading the project. We believe that a new musical ecology is needed for true creative collaboration between experts and amateurs. Toward this goal, we have been creating "city symphonies," each collaboratively composed with an entire city. We have designed the infrastructure needed to bring together an unprecedented number of people, including a variety of web-based music composition applications, a social media framework, and real-world community-building activities. We premiered city symphonies in Toronto, Edinburgh, and Perth, and are now developing symphonies with Lucerne, Switzerland and with the support of the Knight foundation Detroit, Michigan, our first US city. We are also working on scaling this process by mentoring independent groups, beginning with the city of Akron, Ohio.

136. Death and the Powers: Global Interactive Simulcast

Tod Machover, Peter Torpey, Ben Bloomberg, Elena Jessop, Charles Holbrow, Simone Ovsey, Garrett Parrish, Justin Martinez, and Kevin Nattinger

The live global interactive simulcast of the final February 2014 performance of "Death and the Powers" in Dallas made innovative use of satellite broadcast and Internet technologies to expand the boundaries of second-screen experience and interactivity during a live remote performance. In the opera, Simon Powers uploads his mind, memories, and emotions into The System, represented onstage through reactive robotic, visual, and sonic elements. Remote audiences, via simulcast, were treated as part of The System alongside Powers and the operabots. Audiences had an omniscient view of the action of the opera, as presented through the augmented, multi-camera video and surround sound. Multimedia content delivered to mobile devices, through the Powers Live app, privileged remote audiences with perspectives from within The System. Mobile devices also allowed audiences to influence The System by affecting the illumination of the Winspear Opera House's Moody Foundation Chandelier.

137. Death and the Powers: Redefining Opera

Tod Machover, Ben Bloomberg, Peter Torpey, Elena Jessop, Bob Hsiung, Akito van Troyer

"Death and the Powers" is a groundbreaking opera that brings a variety of technological, conceptual, and aesthetic innovations to the theatrical world. Created by Tod Machover (composer), Diane Paulus (director), and Alex McDowell (production designer), the opera uses the techniques of tomorrow to address age-old human concerns of life and legacy. The unique performance environment, including autonomous robots, expressive scenery, new Hyperinstruments, and human actors, blurs the line between animate and inanimate. The opera premiered in Monte Carlo in fall 2010, with additional performances in Boston and Chicago in 2011 and a new production with a global, interactive simulcast in Dallas in February 2014. The DVD of the Dallas performance of Powers was released in April 2015.

138. Empathy and the Future of Experience

Tod Machover, Akito Van Troyer, Benjamin Bloomberg, Bryn Bliska, Charles Holbrow, David Nunez, Rébecca Kleinberger, Simone Ovsey, Sarah Platte, Peter Torpey, Kelly Donovan, Meejin Yoon and the Empathy and Experience class

NEW LISTING

Nothing is more important in today's troubled world as the process of eliminating prejudice and misunderstanding, and replacing them with communication and empathy. We explore the possibility of creating public experiences to dramatically increase individual and community awareness of the power of empathy on an unprecedented scale. We draw on numerous precedents from the Opera of the Future group that have proposed concepts and technologies to inspire and intensify human connectedness (such as Sleep No More, Death and the Powers, Vocal Vibrations, City Symphonies, and Hyperinstruments) and from worldwide instances of transformative shared human experience (such as the Overview Effect, Human Libraries, Immersive Theatre, and non-sectarian spiritual traditions). The objective is to create a model of a multisensory, participatory, spatially radical installation that will break down barriers between people of immensely different backgrounds, providing instantaneous understanding of as well as long-term commitment to empathic communication.

139. Hi-Lo Conductor

Tod Machover, Sarah Platte and David Nunez

NEW LISTING

We designed a system in which a novice, with limited musical background, can perform alongside an experienced conductor to create an interpretation of a classical piece of music. A practiced conductor will use precise, nuanced movements to drive tempo and articulation of the performance, while the novice uses a more intuitive gestural vocabulary to change the expressive properties of solo instrumentation. Using readily available and inexpensive technology, we can capture and decode both experienced and novice gestures to establish a unique kind of musical collaboration.

140. Hyperinstruments

Tod Machover

The Hyperinstruments project creates expanded musical instruments and uses technology to give extra power and finesse to virtuosic performers. They were designed to augment a wide range of traditional musical instruments and have been used by some of the world's foremost performers (Yo-Yo Ma, the Los Angeles Philharmonic, Peter Gabriel, and Penn & Teller). Research focuses on designing computer systems that measure and interpret human expression and feeling, exploring appropriate modalities and content of interactive art and entertainment environments, and building sophisticated interactive musical instruments for non-professional musicians, students, music lovers, and the general public. Recent projects involve the production a new version of the "classic" Hyperstring Trilogy for the Lucerne Festival, and the design of a new generation of Hyperinstruments, for Fensadense and other projects, that emphasizes measurement and interpretation of inter-player expression and communication, rather than simply the enhancement of solo performance.

Alumni Contributors: Roberto M. Aimi, Mary Farbood, Ed Hammond, Tristan Jehan, Margaret Orth, Dan Overholt, Egon Pasztor, Joshua Strickon, Gili Weinberg and Diana Young

141. Hyperproduction: Advanced Production Systems

Tod Machover and Benjamin Bloomberg

Hyperproduction is a conceptual framework and a software toolkit that allows producers to specify a descriptive computational model and consequently an abstract state for a live experience through traditional operating paradigms, such as mixing audio or operation of lighting, sound, and video systems. The hyperproduction system is able to interpret this universal state and automatically utilize additional production systems, allowing for a small number of producers to cohesively guide the attention and perspective of an audience using many or very complex production systems simultaneously. We focus on exploring the relationship of conventional production systems and techniques to computational abstract models of live performance, with attention and perspective as the cornerstones of this exploration.

142. Hyperscore

Tod Machover

Hyperscore is an application to introduce children and non-musicians to musical composition and creativity in an intuitive and dynamic way. The "narrative" of a composition is expressed as a line-gesture, and the texture and shape of this line are analyzed to derive a pattern of tension-release, simplicity-complexity, and variable harmonization. The child creates or selects individual musical fragments in the form of chords or melodic motives, and layers them onto the narrative-line with expressive brushstrokes. The Hyperscore system automatically realizes a full composition from a graphical representation. Currently, Hyperscore uses a mouse-based interface; the final version will support freehand drawing, and integration with the Music Shapers and Beatbugs to provide a rich array of tactile tools for manipulation of the graphical score.

Alumni Contributors: Mary Farbood, Ed Hammond, Tristan Jehan, Margaret Orth, Dan Overholt, Egon Pasztor, Joshua Strickon, Gili Weinberg and Diana Young

143. Media Scores

Tod Machover and Peter Torpey

Media Scores extends the concept of a musical score to other modalities, facilitating the process of authoring and performing multimedia compositions and providing a medium through which to realize a modern-day Gesamtkunstwerk. The web-based Media Scores environment and related show control systems leverage research into multimodal representation and encoding of expressive intent. Using such a tool, the composer will be able to shape an artistic work that may be performed through a variety of media and modalities. Media Scores offer the potential for authoring content using live performance data as well as audience participation and interaction. This paradigm bridges the extremes of the continuum from composition

to performance, allowing for improvisation. The Media Score also provides a common point of reference in collaborative productions, as well as the infrastructure for real-time control of technologies used during live performance.

144. Remote Theatrical Immersion: Extending "Sleep No More"

Tod Machover, Punchdrunk, Akito Van Troyer, Ben Bloomberg, Gershon Dublon, Jason Haas, Elena Jessop, Brian Mayton, Eyal Shahar, Jie Qi, Nicholas Joliat, and Peter Torpey

We have collaborated with London-based theater group Punchdrunk to create an online platform connected to their NYC show, Sleep No More. In the live show, masked audience members explore and interact with a rich environment, discovering their own narrative pathways. We have developed an online companion world to this real-life experience, through which online participants partner with live audience members to explore the interactive, immersive show together. Pushing the current capabilities of web standards and wireless communications technologies, the system delivers personalized multimedia content, allowing each online participant to have a unique experience co-created in real time by his own actions and those of his onsite partner. This project explores original ways of fostering meaningful relationships between online and onsite audience members, enhancing the experiences of both through the affordances that exist only at the intersection of the real and the virtual worlds.

145. Using the Voice As a Tool for Self-Reflection

Tod Machover and Rebecca Kleinberger

Our voice is an important part of our individuality. From the voices of others, we understand a wealth of non-linguistic information, such as identity, social-cultural clues, and emotional state. But the relationship we have with our own voice is less obvious. We don't hear it the way others do, and our brain treats it differently from any other sound. Yet its sonority is deeply connected with how we are perceived by society and how we see ourselves body and mind. This project is composed of software, devices, installations, and thoughts used to challenge us to gain new insights on our voices. To increase self-awareness, we propose different ways to extend, project, and visualize the voice. We show how our voices sometimes escape our control, and we explore the consequences in terms of self-reflection, cognitive processes, therapy, affective features visualization, and communication improvement.

146. Vocal Vibrations: Expressive Performance for Body-Mind Wellbeing

Tod Machover, Charles Holbrow, Elena Jessop, Rebecca Kleinberger, Le Laboratoire, and the Dalai Lama Center at MIT

Vocal Vibrations explores relationships between human physiology and the vibrations of the voice. The voice is an expressive instrument that everyone possesses and that is intimately linked to the physical form. In collaboration with Le Laboratoire and the MIT Dalai Lama Center, we examine the hypothesis that voices can influence mental and physical health through psychophysiological phenomena. The first Vocal Vibrations installation premiered in Paris, France, in March 2014. The public "Chapel" space of the installation encouraged careful meditative listening. A private "Cocoon" environment guided an individual to explore his/her voice, augmented by tactile and acoustic stimuli. Vocal Vibrations then had a successful showing as the inaugural installation at the new Le Laboratoire Cambridge from November 2014 through March 2015. The installation will be combined with a "scent exhibition," scheduled to open in May, 2015. The installation is expected to travel to Buenos Aires and other destinations worldwide.

Alumni Contributor: Eyal Shahar

Pattie Maes: Fluid Interfaces

Integrating digital interfaces more naturally into our physical lives, enabling insight, inspiration, and interpersonal connections.

147. Augmented Airbrush

Roy Shilkrot, Amit Zoran, Pattie Maes and Joseph A. Paradiso

We present an augmented handheld airbrush that allows unskilled painters to experience the art of spray painting. Inspired by similar smart tools for fabrication, our handheld device uses 6DOF tracking, mechanical augmentation of the airbrush trigger, and a specialized algorithm to let the painter apply color only where indicated by a reference image. It acts both as a physical spraying device and as an intelligent digital guiding tool that provides manual and computerized control. Using an inverse rendering approach allows for a new augmented painting experience with unique results. We present our novel hardware design, control software, and a discussion of the implications of human-computer collaborative painting.

148. CarDio

NEW LISTING

Chang Long Zhu Jin, Judith Amores Fernandez, Xavier Benavides Palos, Roger Boldu Busquets and Pattie Maes

We are designing interfaces to enhance driver self-awareness through subliminal visual feedback and shape-changing materials. Advancements in sensing technologies make it possible to measure physiological data in the car environment, opening up the possibility of harnessing such data for just-in-time feedback to drivers.

149. Enlight

Tal Achituv, Natan Linder, Rony Kubat, Pattie Maes and Yihui Saw,

In physics education, virtual simulations have given us the ability to show and explain phenomena that are otherwise invisible to the naked eye. However, experiments with analog devices still play an important role. They allow us to verify theories and discover ideas through experiments that are not constrained by software. What if we could combine the best of both worlds? We achieve that by building our applications on a projected augmented reality system. By projecting onto physical objects, we can paint the phenomena that are invisible. With our system, we have built "physical playgrounds" simulations that are projected onto the physical world and that respond to detected objects in the space. Thus, we can draw virtual field lines on real magnets, track and provide history on the location of a pendulum, or even build circuits with both physical and virtual components.

150. EyeRing: A Compact, Intelligent Vision System on a Ring

Roy Shilkrot and Suranga Nanayakkara

EyeRing is a wearable, intuitive interface that allows a person to point at an object to see or hear more information about it. We came up with the idea of a micro-camera worn as a ring on the index finger with a button on the side, which can be pushed with the thumb to take a picture or a video that is then sent wirelessly to a mobile phone to be analyzed. The user tells the system what information they are interested in and receives the answer in either auditory or visual form. The device also provides some simple haptic feedback. This finger-worn configuration of sensors and actuators opens up a myriad of possible applications for the visually impaired as well as for sighted people.

151. FingerReader

Roy Shilkrot, Jochen Huber, Pattie Maes and Suranga Nanayakkara

FingerReader is a finger-worn device that helps the visually impaired to effectively and efficiently read paper-printed text. It works in a local-sequential manner for scanning text that enables reading of single lines or blocks of text, or skimming the text for important sections while providing auditory and haptic feedback.

152. GlassProv Improv Comedy System

Pattie Maes, Scott Greenwald, Baratunde Thurston and Cultivated Wit

As part of a Google-sponsored Glass developer event, we created a Glass-enabled improv comedy show together with noted comedians from ImprovBoston and Big Bang Improv. The actors, all wearing Glass, received cues in real time in the course of their improvisation. In contrast with the traditional model for improv comedy punctuated by "freezing" and audience members shouting suggestions using Glass allowed actors to seamlessly integrate audience suggestions. Actors and audience members agreed that this was a fresh take on improv comedy. It was a powerful demonstration that cues on Glass are suitable for performance: actors could become aware of the cues without having their concentration or flow interrupted, and then view them at an appropriate time thereafter.

153. HandsOn: A Gestural System for Remote Collaboration Using Augmented Reality

Kevin Wong and Pattie Maes

2D screens, even stereoscopic ones, limit our ability to interact with and collaborate on 3D data. We believe that an augmented reality solution, where 3D data is seamlessly integrated in the real world, is promising. We are exploring a collaborative augmented reality system for visualizing and manipulating 3D data using a head-mounted, see-through display, that allows for communication and data manipulation using simple hand gestures.

154. JaJan!: Remote Language Learning in Shared Virtual Space

Kevin Wong, Takako Aikawa and Pattie Maes

JaJan! is a telepresence system wherein remote users can learn a second language together while sharing the same virtual environment. JaJan! can support five aspects of language learning: learning in context; personalization of learning materials; learning with cultural information; enacting language-learning scenarios; and supporting creativity and collaboration. Although JaJan! is still in an early stage, we are confident that it will bring profound changes to the ways in which we experience language learning and can make a great contribution to the field of second language education.

155. LuminAR

Natan Linder, Pattie Maes and Rony Kubat

LuminAR reinvents the traditional incandescent bulb and desk lamp, evolving them into a new category of robotic, digital information devices. The LuminAR Bulb combines a Pico-projector, camera, and wireless computer in a compact form factor. This self-contained system enables users with just-in-time projected information and a gestural user interface, and it can be screwed into standard light fixtures everywhere. The LuminAR Lamp is an articulated robotic arm, designed to interface with the LuminAR Bulb. Both LuminAR form factors dynamically augment their environments with media and information, while seamlessly connecting with laptops, mobile phones, and other electronic devices. LuminAR transforms surfaces and objects into interactive spaces that blend digital media and information with the physical space. The project radically rethinks the design of traditional lighting objects, and explores how we can endow them with novel augmented-reality interfaces.

156. MARS: Manufacturing Augmented Reality System

Rony Daniel Kubat, Natan Linder, Ben Weissmann, Niaja Farve, Yihui Saw and Pattie Maes

Projected augmented reality in the manufacturing plant can increase worker productivity, reduce errors, gamify the workspace to increase worker satisfaction, and collect detailed metrics. We have built new LuminAR hardware customized for the needs of the manufacturing plant and software for a specific manufacturing use case.

157. Move Your Glass

Niaja Farve and Pattie Maes

Move Your Glass is an activity and behavior tracker that also tries to increase wellness by nudging the wearer to engage in positive behaviors.

**158. Reality Editor:
Programming
Smarter Objects**

Valentin Heun, James Hobin, Pattie Maes

The Reality Editor system supports editing the behavior and interfaces of so-called "smart objects": objects or devices that have an embedded processor and communication capability. Using augmented reality techniques, the Reality Editor maps graphical elements directly on top of the tangible interfaces found on physical objects, such as push buttons or knobs. The Reality Editor allows flexible reprogramming of the interfaces and behavior of the objects, as well as defining relationships between smart objects in order to easily create new functionalities.

159. Scanner Grabber

Tal Achituv

NEW LISTING

Scanner Grabber is a digital police scanner that enables reporters to record, playback, and export audio, as well as archive public safety radio (scanner) conversations. Like a TiVo for scanners, it's an update on technology that has been stuck in the last century. It's a great tool for newsrooms. For instance, a problem for reporters is missing the beginning of an important police incident because they have stepped away from their desk at the wrong time. Scanner Grabber solves this because conversations can be played back. Also, snippets of exciting audio, for instance a police chase, can be exported and embedded online. Reporters can listen to files while writing stories, or listen to older conversations to get a more nuanced grasp of police practices or long-term trouble spots. Editors and reporters can use the tool for collaborating, or crowdsourcing/public collaboration.

160. ScreenSpire

Pattie Maes, Tal Achituv, Chang Long Zhu Jin and Isa Sobrinho

NEW LISTING

Screen interactions have been shown to contribute to increases in stress, anxiety, and deficiencies in breathing patterns. Since better respiration patterns can have a positive impact on wellbeing, ScreenSpire improves respiration patterns during information work using subliminal biofeedback. By using subtle graphical variations that are tuned to attempt to influence the user subconsciously user distraction and cognitive load are minimized. To enable a true seamless interaction we have adapted an RF based sensor (ResMed S+ sleep sensor) to serve as a screen-mounted contact-free and respiration sensor. Traditionally, respiration sensing is achieved with either invasive or on-skin sensors (such as a chest belt), having a contact-free sensor contributes to increased ease, comfort, and user compliance, since no special actions are required from the user.

**161. ShowMe: Immersive
Remote Collaboration
System with 3D Hand
Gestures**

Pattie Maes, Judith Amores Fernandez and Xavier Benavides Palos

ShowMe is an immersive mobile collaboration system that allows remote users to communicate with peers using video, audio, and gestures. With this research, we explore the use of head-mounted displays and depth sensor cameras to create a system that (1) enables remote users to be immersed in another person's view, and (2) offer a new way of sending and receiving the guidance of an expert through 3D hand gestures. With our system, both users are surrounded in the same physical environment and can perceive real-time inputs from each other.

162. SmileCatcher

Niaja Farve and Pattie Maes

SmileCatcher is a game to be played solely or in groups that attempts to increase happiness. Research has shown that smiling correlates directly to happiness and can even produce happiness in a person. A user playing the game tries to collect as many smiles as they can from real people they interact with throughout the day. In single-player mode the user compares scores over multiple days, while multiple players compare their scores to one another. The objective of the tool is to encourage positive social interactions through gamification.

163. Social Textiles

NEW LISTING

Hiroshi Ishii, Pattie Maes, Judith Amores Fernandez, Katsuya Fujii, Viirj Kan and Chang Long Zhu Jin

Social Textiles embodies who you are and dynamically reflects your shared interests with people nearby. It enables you to gain access to communities of people in the physical world and enhances social affordances and icebreaking interactions through wearable social messaging. Social Textiles can serve to connect community members with niche interests, philosophical beliefs, personalities, emotional statuses, and ethical views. It has the potential to enable members to bypass superficial or generic interests through filtering individuals, to tune social experiences toward people who are more compatible.

164. STEM Accessibility Tool

Pattie Maes and Rahul Namdev

We are developing a very intuitive and interactive platform to make complex information especially science, technology, engineering, and mathematics (STEM) material truly accessible to blind and visually impaired students by using a tactile device with no loss of information compared with printed materials. A key goal of this project is to develop tactile information-mapping protocols through which the tactile interface can best convey educational and other graphical materials.

165. TagMe

Pattie Maes, Judith Amores Fernandez and Xavier Benavides Palos

TagMe is an end-user toolkit for easy creation of responsive objects and environments. It consists of a wearable device that recognizes the object or surface the user is touching. The user can make everyday objects come to life through the use of RFID tag stickers, which are read by an RFID bracelet whenever the user touches the object. We present a novel approach to create simple and customizable rules based on emotional attachment to objects and social interactions of people. Using this simple technology, the user can extend their application interfaces to include physical objects and surfaces into their personal environment, allowing people to communicate through everyday objects in very low-effort ways.

166. The Challenge

NEW LISTING

Natasha Jaques, Niaja Farve, Pattie Maes and Rosalind W. Picard

Individuals who work in sedentary occupations are at increased risk of a number of serious health consequences. This project involves both a tool and an experiment aimed at decreasing sedentary activity and promoting social connections among members of the MIT Media Lab. Our system will ask participants to sign up for short physical challenges (ping pong, foosball, walking) and pair them with a partner to perform the activity. Participants' overall activity levels will be monitored with an activity tracker during the course of the study to assess the effectiveness of the system.

Neri Oxman: Mediated Matter

Designing for, with, and by nature.

167. 3D Printing of Functionally Graded Materials

Neri Oxman and Steven Keating

Functionally graded materials materials with spatially varying composition or microstructure are omnipresent in nature. From palm trees with radial density gradients, to the spongy trabeculae structure of bone, to the hardness gradient found in many types of beaks, graded materials offer material and structural efficiency. But in man-made structures such as concrete pillars, materials are typically volumetrically homogenous. While using homogenous materials allows for ease of production, improvements in strength, weight, and material usage can be obtained by designing with functionally graded materials. To achieve graded material objects, we are working to construct a 3D printer capable of dynamic

mixing of composition material. Starting with concrete and UV-curable polymers, we aim to create structures, such as a bone-inspired beam, which have functionally graded materials. This research was sponsored by the NSF EAGER award: Bio-Beams: FGM Digital Design & Fabrication.

**168. Additive
Manufacturing in
Glass:
Electrosintering and
Spark Gap Glass**

Neri Oxman, Steven Keating, John Klein

Our initial experiments in spark electrosintering fabrication have demonstrated a capacity to solidify granular materials (35-88 micron soda ash glass powder) rapidly using high voltages and power in excess of 1 kW. The testbed high-voltage setup comprises a 220V 60A variable autotransformer and a 14,400V line transformer. There are two methods to form members using electrosintering: the one-electrode drag (1ED) and two-electrode drag (2ED) techniques. The 1ED leaves the first electrode static while dragging the second through the granular mixture. This maintains a live current through the drag path and increases the thickness of the member due to the dissipation of heat. Large member elements have been produced with a tube diameter of around 0.75". The 2ED method pulls both electrodes through the granular mixture together, sintering the material between the electrodes in a more controlled manner.

169. Anthozoa

Neri Oxman

A 3D-printed dress was debuted during Paris Fashion Week Spring 2013 as part of collaboration with fashion designer Iris Van Herpen for her show "Voltage." The 3D-printed skirt and cape were produced using Stratasys' unique Objet Connex multi-material 3D printing technology, which allows a variety of material properties to be printed in a single build. This allowed both hard and soft materials to be incorporated within the design, crucial to the movement and texture of the piece. Core contributors include: Iris Van Herpen, fashion designer (Amsterdam); Keren Oxman, artist and designer (NY); and W. Craig Carter (Department of Materials Science and Engineering, MIT). Fabricated by Stratasys.

170. Beast

Neri Oxman

Beast is an organic-like entity created synthetically by the incorporation of physical parameters into digital form-generation protocols. A single continuous surface, acting both as structure and as skin, is locally modulated for both structural support and corporeal aid. Beast combines structural, environmental, and corporeal performance by adapting its thickness, pattern density, stiffness, flexibility, and translucency to load, curvature, and skin-pressured areas respectively.

171. Bots of Babel

Neri Oxman, Jorge Duro-Royo, Markus Kayser, Jared Laucks and Laia Mogas-Soldevila

The Biblical story of the Tower of Babel involved a deliberate plan hatched by mankind to construct a platform from which man could fight God. The tower represented the first documented attempt at constructing a vertical city. The divine response to the master plan was to sever communication by instilling a different language in each builder. Tragically, the building's ultimate destruction came about through the breakdown of communications between its fabricators. In this installation we redeem the Tower of Babel by creating its antithesis. We will construct a virtuous, decentralized, yet highly communicative building environment of cable-suspended fabrication bots that together build structures bigger than themselves. We explore themes of asynchronous motion, multi-nodal fabrication, lightweight additive manufacturing, and the emergence of form through fabrication. (With contributions from Carlos Gonzalez Uribe and Dr. James Weaver (WYSS Institute and Harvard University))

**172. Building-Scale 3D
Printing**

Neri Oxman, Steven Keating and John Klein

How can additive fabrication technologies be scaled to building-sized construction? We introduce a novel method of mobile swarm printing that allows small robotic agents to construct large structures. The robotic agents extrude a fast-curing

material which doubles as both a concrete mold for structural walls and as a thermal insulation layer. This technique offers many benefits over traditional construction methods, such as speed, custom geometry, and cost. As well, direct integration of building utilities such as wiring and plumbing can be incorporated into the printing process. This research was sponsored by the NSF EAGER award: Bio-Beams: FGM Digital Design & Fabrication.

173. Carpal Skin

Neri Oxman

Carpal Skin is a prototype for a protective glove to protect against Carpal Tunnel Syndrome, a medical condition in which the median nerve is compressed at the wrist, leading to numbness, muscle atrophy, and weakness in the hand. Night-time wrist splinting is the recommended treatment for most patients before going into carpal tunnel release surgery. Carpal Skin is a process by which to map the pain-profile of a particular patient its intensity and duration and to distribute hard and soft materials to fit the patient's anatomical and physiological requirements, limiting movement in a customized fashion. The form-generation process is inspired by animal coating patterns in the control of stiffness variation.

174. CNSILK: Computer Numerically Controlled Silk Cocoon Construction

Neri Oxman

CNSILK explores the design and fabrication potential of silk fibers inspired by silkworm cocoons for the construction of woven habitats. It explores a novel approach to the design and fabrication of silk-based building skins by controlling the mechanical and physical properties of spatial structures inherent in their microstructures using multi-axis fabrication. The method offers construction without assembly such that material properties vary locally to accommodate for structural and environmental requirements. This approach stands in contrast to functional assemblies and kinetically actuated facades which require a great deal of energy to operate, and are typically maintained by global control. Such material architectures could simultaneously bear structural load, change their transparency so as to control light levels within a spatial compartment (building or vehicle), and open and close embedded pores so as to ventilate a space.

175. Digital Construction Platform (DCP)

Altec, BASF, Neri Oxman, Steven Keating, John Klein and Nathan Spielberg

The DCP is an in-progress research project consisting of a compound robotic arm system. The system comprises a 5-axis Altec hydraulic mobile boom arm attached to a 6-axis KUKA robotic arm. Akin to the biological model of the human shoulder and hand, this compound system utilizes the large boom arm for gross positioning and the small robotic arm for fine positioning and oscillation correction, respectively. The platform is based on a fully mobile truck vehicle with a working reach diameter of over 80 feet. It can handle a 1,500lb lift capacity and a 20lb manipulation capacity. Potential applications include fabrication of non-standard architectural forms, integration of real-time on-site sensing data, improvements in construction efficiency, enhanced resolution, lower error rates, and increased safety.

176. Digitally Reconfigurable Surface

Neri Oxman and Benjamin Peters

The digitally reconfigurable surface is a pin matrix apparatus for directly creating rigid 3D surfaces from a computer-aided design (CAD) input. A digital design is uploaded into the device, and a grid of thousands of tiny pins much like the popular pin-art toy are actuated to form the desired surface. A rubber sheet is held by vacuum pressure onto the tops of the pins to smooth out the surface they form; this strong surface can then be used for industrial forming operations, simple resin casting, and many other applications. The novel phase-changing electronic clutch array allows the device to have independent position control over thousands of discrete pins with only a single motorized "push plate," lowering the complexity and manufacturing cost of this type of device. Research is ongoing into new actuation techniques to further lower the cost and increase the surface resolution of this technology.

**177. FABRICOLOGY:
Variable-Property 3D
Printing as a Case for
Sustainable
Fabrication**

Neri Oxman

Rapid prototyping technologies speed product design by facilitating visualization and testing of prototypes. However, such machines are limited to using one material at a time; even high-end 3D printers, which accommodate the deposition of multiple materials, must do so discretely and not in mixtures. This project aims to build a proof-of-concept of a 3D printer able to dynamically mix and vary the ratios of different materials in order to produce a continuous gradient of material properties with real-time correspondence to structural and environmental constraints.

Alumni Contributors: Mindy Eng, William J. Mitchell and Rachel Fong

**178. FitSocket: A Better
Way to Make Sockets**

Arthur Petron, Hugh Herr, Roy Kornbluh (SRI), and Neri Oxman

Sockets the cup-shaped devices that attach an amputated limb to a lower-limb prosthesis are made through unscientific, artisanal methods that do not have repeatable quality and comfort from one individual to the next. The FitSocket project aims to identify the correlation between leg tissue properties and the design of a comfortable socket. The FitSocket is a robotic socket measurement device that directly measures tissue properties. With this data, we can rapid-prototype test sockets and socket molds in order to make rigid, spatially variable stiffness, and spatially/temporally variable stiffness sockets.

Alumni Contributor: Elizabeth Tsai

**179. Functionally Graded
Filament-Wound
Carbon-Fiber
Prosthetic Sockets**

Neri Oxman, Carlos Gonzalez Uribe and Hugh Herr and the Biomechatronics group

Prosthetic Sockets belong to a family of orthotic devices designed for amputee rehabilitation and performance augmentation. Although such products are fabricated out of lightweight composite materials and designed for optimal shape and size, they are limited in their capacity to offer local control of material properties for optimizing load distribution and ergonomic fit over surface and volume areas. Our research offers a novel workflow to enable the digital design and fabrication of customized prosthetic sockets with variable impedance informed by MRI data. We implement parametric environments to enable the controlled distribution of functional gradients of a filament-wound carbon fiber socket.

180. Gemini

Neri Oxman with Le Laboratoire (David Edwards, Founder), Stratasys, and SITU Fabrication

Gemini is an acoustical "twin chaise" spanning multiple scales of human existence from the womb to the stretches of the Gemini zodiac. We are exploring interactions between pairs: sonic and solar environments, natural and synthetic materials, hard and soft sensations, and subtractive and additive fabrication. Made of two material elements a solid wood milled shell housing and an intricate cellular skin made of sound-absorbing material the chaise forms a semi-enclosed space surrounding the human with a stimulation-free environment, recapitulating the ultimate quiet of the womb. It is the first design to implement Stratasys' Connex3 technology using 44 materials with different pre-set mechanical combinations varying in rigidity, opacity, and color as a function of geometrical, structural, and acoustical constraints. This calming and still experience of being inside the chaise is an antidote to the stimuli-rich world in which we live.

181. Glass Printing

Neri Oxman, Markus Kayser, John Klein, Chikara Inamura

Digital design and construction technologies for product and building scale are generally limited in their capacity to deliver multi-functional building skins. Recent advancements in additive manufacturing and digital fabrication at large are today enabling the fabrication of multiple materials with combinations of mechanical, electrical, and optical properties; however, most of these materials are non-structural and cannot scale to architectural applications. Operating at the intersection of additive manufacturing, biology, and architectural design, the Glass

Printing project is an enabling technology for optical glass 3D printing at architectural scale designed to manufacture multi-functional glass structures and facade elements. The platform deposits molten glass in a layer-by-layer (FDM) fashion, implementing numerical control of tool paths, and it allows for controlled optical variation across surface and volume areas.

182. Lichtenberg 3D Printing

Neri Oxman and Steven Keating

Using electricity to generate 3D Lichtenberg structures in sintered media (i.e. glass) offers a new approach to digital fabrication. By robotically controlling the electrodes, a digital form can be rapidly fabricated with the benefits of a fine fractal structure. There are numerous applications, ranging from chemical catalysts, to fractal antennas, to product design.

183. Meta-Mesh: Computational Model for Design and Fabrication of Biomimetic Scaled Body Armors

Neri Oxman, Jorge Duro-Royo, and Laia Mogas-Soldevila

A collaboration between Professor Christine Ortiz (project lead), Professor Mary C. Boyce, Katia Zolotovskiy, and Swati Varshney (MIT). Operating at the intersection of biomimetic design and additive manufacturing, this research proposes a computational approach for designing multifunctional scaled-armors that offer structural protection and flexibility in movement. Inspired by the segmented exoskeleton of *Polypterus senegalus*, an ancient fish, we have developed a hierarchical computational model that emulates structure-function relationships found in the biological exoskeleton. Our research provides a methodology for the generation of biomimetic protective surfaces using segmented, articulated components that maintain user mobility alongside full body coverage of doubly curved surfaces typical of the human body. The research is supported by the MIT Institute for Soldier Nanotechnologies, the Institute for Collaborative Biotechnologies, and the National Security Science and Engineering Faculty Fellowship Program.

184. Micro-Macro Fluidic Fabrication of a Mid-Sole Running Shoe

Neri Oxman and Carlos Gonzalez Uribe

Micro-Macro Fluidic Fabrication (MMFF) enables the control of mechanical properties through the design of non-linear lattices embedded within multi-material matrices. At its core it is a hybrid technique that integrates molding, casting, and macro-fluidics. Its workflow allows for the fabrication of complex matrices with geometrical channels injected with polymers of different pre-set mechanical combinations. This novel fabrication technique is implemented in the design and fabrication of a midsole running shoe. The goal is to passively tune material stiffness across surface area in order to absorb the impact force of the user's body weight relative to the ground, and enhance the direction of the foot-strike impulse force relative to the center of body mass.

185. Monocoque

Neri Oxman

French for "single shell," Monocoque stands for a construction technique that supports structural load using an object's external skin. Contrary to the traditional design of building skins that distinguish between internal structural frameworks and non-bearing skin elements, this approach promotes heterogeneity and differentiation of material properties. The project demonstrates the notion of a structural skin using a Voronoi pattern, the density of which corresponds to multi-scalar loading conditions. The distribution of shear-stress lines and surface pressure is embodied in the allocation and relative thickness of the vein-like elements built into the skin. Its innovative 3D printing technology provides for the ability to print parts and assemblies made of multiple materials within a single build, as well as to create composite materials that present preset combinations of mechanical properties.

186. PCB Origami

Neri Oxman and Yoav Sterman

The PCB Origami project is an innovative concept for printing digital materials and creating 3D objects with Rigid-flex PCBs and pick and place machines. These machines allow printing of digital electronic materials, while controlling the location and property of each of the components printed. By combining this technology with Rigid-flex PCB and computational origami, it is possible to create from a single sheet of PCB almost any 3D shape that is already embedded with electronics, to produce a finished product with that will be both structural and functional.

187. Printing Living Materials

Neri Oxman, Will Patrick, Sunanda Sharma, Steven Keating, Steph Hays, Eléonore Tham, Professor Pam Silver, and Professor Tim Lu

How can biological organisms be incorporated into product, fashion, and architectural design to enable the generation of multi-functional, responsive, and highly adaptable objects? This research pursues the intersection of synthetic biology, digital fabrication, and design. Our goal is to incorporate engineered biological organisms into inorganic and organic materials to vary material properties in space and time. We aim to use synthetic biology to engineer organisms with varied output functionalities and digital fabrication tools to pattern these organisms and induce their specific capabilities with spatiotemporal precision.

188. Printing Multi-Material 3D Microfluidics

Neri Oxman, Steven Keating, Will Patrick and David Sun Kong (MIT Lincoln Laboratory)

Computation and fabrication in biology occur in aqueous environments. Through on-chip mixing, analysis, and fabrication, microfluidic chips have introduced new possibilities in biology for over two decades. Existing construction processes for microfluidics use complex, cumbersome, and expensive lithography methods that produce single-material, multi-layered 2D chips. Multi-material 3D printing presents a promising alternative to existing methods that would allow microfluidics to be fabricated in a single step with functionally graded material properties. We aim to create multi-material microfluidic devices using additive manufacturing to replicate current devices, such as valves and ring mixers, and to explore new possibilities enabled by 3D geometries and functionally graded materials. Applications range from medicine to genetic engineering to product design.

189. Rapid Craft

Neri Oxman

The values endorsed by vernacular architecture have traditionally promoted designs constructed and informed by and for the environment while using local knowledge and indigenous materials. Under the imperatives and growing recognition of sustainable design, Rapid Craft seeks integration between local construction techniques and globally available digital design technologies to preserve, revive, and reshape these cultural traditions.

190. Raycounting

Neri Oxman

Raycounting is a method for generating customized light-shading constructions by registering the intensity and orientation of light rays within a given environment. 3D surfaces of double curvature are the result of assigning light parameters to flat planes. The algorithm calculates the intensity, position, and direction of one or multiple light sources placed in a given environment and assigns local curvature values to each point in space corresponding to the reference plane and the light dimension. Light performance analysis tools are reconstructed programmatically to allow for morphological synthesis based on intensity, frequency, and polarization of light parameters as defined by the user.

191. Silk Pavilion

Neri Oxman, Jorge Duro-Royo, Carlos Gonzalez, Markus Kayser, and Jared Laucks, with James Weaver (Wyss Institute, Harvard University) and Fiorenzo Omenetto (Tufts University)

The Silk Pavilion explores the relationship between digital and biological fabrication. The primary structure was created from 26 polygonal panels made of silk threads laid down by a CNC (Computer-Numerically Controlled) machine. Inspired by the silkworm's ability to generate a 3D cocoon out of a single multi-property silk thread, the pavilion's overall geometry was created using an algorithm that assigns a single continuous thread across patches, providing various degrees of density. Overall density variation was informed by deploying the silkworm as a biological "printer" in the creation of a secondary structure. Positioned at the bottom rim of the scaffold, 6,500 silkworms spun flat, non-woven silk patches as they locally reinforced the gaps across CNC-deposited silk fibers. Affected by spatial and environmental conditions (geometrical density, variation in natural light and heat), the silkworms were found to migrate to darker and denser areas.

192. SpiderBot

Neri Oxman and Benjamin Peters

The SpiderBot is a suspended robotic gantry system that provides an easily deployable platform from which to print large structures. The body is composed of a deposition nozzle, a reservoir of material, and parallel linear actuators. The robot is connected to stable points high in the environment, such as large trees or buildings. This arrangement is capable of moving large distances without the need for more conventional linear guides, much like a spider does. The system is easy to set up for mobile projects, and will afford sufficient printing resolution and build volume. Expanding foam can be deposited to create a building-scale printed object rapidly. Another material type of interest is the extrusion or spinning of tension elements, like rope or cable. With tension elements, unique structures such as bridges or webs can be wrapped, woven, or strung around environmental features or previously printed materials.

193. Swarm Construction

Neri Oxman and Markus Kayser

The robotic swarm construction project aims to build architectural structures autonomously. In nature swarm behavior can be found in many species, most notable in termite mounds. Termites use highly sophisticated hierarchical behaviors to construct their habitat in a globally coordinated fashion with only local communication. The aim of this robotic swarm of individual robots is to build a self-supporting architectural structure collaboratively from fibers. Fibers as a construction material can achieve high degrees of variation in terms of structural performance, as well as the ability to imbed various functionalities through the use of different fibers such as fluidic channels for heating and cooling of the structure, light guides for illumination, and data transfer and conductive fibers for electrical applications, as well as the potential for embedding a network of sensors. Here the building material becomes a fabric of various materials and functionalities in a single construction process. The robots are building and climbing tubular structures which become single threads within the larger construction network of the emerging architecture. Communication of the individual robots within the swarm is key for the construction of a large-scale structure, embedding hierarchies in the communication protocols and algorithmic decision-making informed by onboard sensors. The robots are energy independent using photovoltaic, and curing of resin shall be provided by UV spectrum of solar radiation (direct and scattered light). These robots shall become organism-like entities, 'living' in accordance to the circadian rhythm.

194. Water-Based Additive Manufacturing

Neri Oxman, Jorge Duro-Royo, and Laia Mogas-Soldevila, in collaboration with Dr. Javier G. Fernandez (Wyss Institute, Harvard University)

This research presents water-based robotic fabrication as a design approach and enabling technology for additive manufacturing (AM) of biodegradable hydrogel composites. We focus on expanding the dimensions of the fabrication envelope, developing structural materials for additive deposition, incorporating material-property gradients, and manufacturing architectural-scale biodegradable

systems. The technology includes a robotically controlled AM system to produce biodegradable composite objects, combining natural hydrogels with other organic aggregates. It demonstrates the approach by designing, building, and evaluating the mechanics and controls of a multi-chamber extrusion system. Finally, it provides evidence of large-scale composite objects fabricated by our technology that display graded properties and feature sizes ranging from micro- to macro-scale. Fabricated objects may be chemically stabilized or dissolved in water and recycled within minutes. Applications include the fabrication of fully recyclable products or temporary architectural components, such as tent structures with graded mechanical and optical properties.

Sputniko!: Design Fiction

Sparking imagination and discussion about the social, cultural, and ethical implications of new technologies through design and storytelling.

195. (Im)possible Baby

Ai Hasegawa, Sputniko! and Asako Makimura

Delivering a baby from same-sex parents is not a sci-fi dream anymore recent developments in genetics and stem cell research have made this dream much closer to reality. Is creating a baby from same-sex parents the right thing to do? Who has the right to decide this, and how? This project explores the bioethics of producing babies for same-sex couples. In the first phase, DNA data will be simulated to visualize the "potential baby." The project will then explore creating partial organs of the "potential baby" over the next few years. You have the right to know, think, and raise your voice about whether this dream becomes a reality not just the authorities and researchers.

196. CremateBot: Transform, Reborn, Free

Sputniko! and Dan Chen

CremateBot is an apparatus that takes in human-body samples such as fingernails, hair, or dead skin and turns them into ashes through the cremation process. The process of converting human remains to ashes becomes a critical experience for observers, causing witnesses to question their sense of existence and physical self through the conversion process. CremateBot transforms our physical self and celebrates our rebirth through self-regeneration. The transformation and rebirth open our imagination to go beyond our physical self and cross the span of time. Similar to Theseus' paradox, the dead human cells which at one point were considered part of our physical selves and helped to define our sense of existence are continually replaced with newly generated cells. With recent advancements in implants, biomechatronics, and bioengineered organs, how we define ourselves is increasingly blurred.

197. Crowbot Jenny

Sputniko! (Hiromi Ozaki)

Crowbot Jenny, inspired by Donna Haraway's philosophical memoir *When Species Meet* (2007), is a solitary girl who, despite her generation's tendency toward communication overload, has trouble relating to her peers. In fact, Crowbot Jenny prefers to talk with animals and develops the Crowbot, an instrument that replicates a range of crow calls, to commune with her army of birds. Sputniko! talked with various crow specialists from University of Cambridge (UK), University of Utsunomiya (Japan), and University of Tokyo (Japan) who also provided her with sample crow calls such as "Hello," "I'm in danger," "I love you!" or "Where is my Child!?" which she installed inside Crowbot.

**198. Menstruation
Machine Takashi's
Take**

Sputniko! (Hiromi Ozaki)

What does menstruation mean, biologically, culturally, and historically, to humans? Who might choose to have it, and how might they have it? The Menstruation Machine fitted with a blood dispensing mechanism and electrodes simulating the lower abdomen simulates the pain and bleeding of a five-day menstruation process. The project video features a transvestite male, Takashi, who one day chooses to wear "Menstruation" in an attempt to biologically dress up as a female, being unsatisfied by just aesthetically appearing female. He builds and wears the machine to fulfill his desire to understand what the period feels like for his female friends.

199. Nostalgic Touch

Sputniko! and Dan Chen

NEW LISTING

Nostalgic Touch proposes a new ritual for remembering the deceased in the digital and multicultural age. It is an apparatus that captures hand motions and attempts to replicate the sensation of intimacy or affection by playing back the comforting gestures. It stores gesture data of the people who you cared for, then plays them back after they are gone. Similar to rituals in all religions, it gives us a sense of comfort to deal with the death. People in Japan, Singapore, and China live with high standards of technology but many embrace religious rituals and superstitions as an important part of their wellbeing and decision-making. Nostalgic Touch explores how emerging technologies could be used to enrich the experience of these rituals. How could we augment these rituals to give an even better sense of comfort and intimacy?

200. Pop Roach

Ai Hasegawa and Sputniko!

NEW LISTING

Facing issues of food crisis by overpopulation, this project explores a possible future where a small community of activists arises to design an "edible" cockroach that can survive in harsh environments. These genetically modified roaches are designed to pass their genes to the next generations; thus the awful black and brown roaches will be pushed to extinction by the newly designed, cute, colorful, tasty, and highly nutritional "pop roach." The color of these "pop roaches" corresponds to a different flavor, nutrition, and function, while the original ones remain black or brown, and not recommended to be eaten. How will genetic engineering shift our perception of food and eating habits? "Pop Roach" explores how we can expand our perception of cuisine to solve some of the world's most pressing problems.

201. Virgin Birth Simulator

Ai Hasegawa and Sputniko!

NEW LISTING

This project proposes a possible future where people could choose to create a baby without a partner, solely on their own, by exploring the implications of recent research advancements such as the induced pluripotent stem cells (iPS Cells).

Joseph Paradiso: Responsive Environments

Augmenting and mediating human experience, interaction, and perception with sensor networks.

**202. #QL: Hashtag Query
Language**

Donald Derek H.

NEW LISTING

#QL is a manifestation of the convergence of social platforms and sensor networks. Nodes are queried by including special hashtags in a user's status update. In return, #QL's social bot, which is constantly listening to these hashtags, parses the sensor data from Chain-API and replies back to the user via the same social medium.

203. Chain API

Joseph A. Paradiso, Gershon Dublon, Brian Mayton and Spencer Russell

RESTful services and the Web provide a framework and structure for content delivery that is scalable, not only in size but, more importantly, in use cases. As we in Responsive Environments build systems to collect, process, and deliver sensor data, this project serves as a research platform that can be shared between a variety of projects both inside and outside the group. By leveraging hyperlinks between sensor data clients can browse, explore and discover their relationships and interactions in ways that can grow over time.

204. Circuit Stickers

Joseph A. Paradiso, Jie Qi, Nan-wei Gong and Leah Buechley

Circuit Stickers is a toolkit for crafting electronics using flexible and sticky electronic pieces. These stickers are created by printing traces on flexible substrates and adding conductive adhesive. These lightweight, flexible, and sticky circuit boards allow us to begin sticking interactivity onto new spaces and interfaces such as clothing, instruments, buildings, and even our bodies.

205. Circuit Stickers Activity Book

Leah Buechley and Jie Qi

The Circuit Sticker Activity Book is a primer for using circuit stickers to create expressive electronics. Inside are explanations of the stickers, and circuits and templates for building functional electronics directly on the pages of the book. The book covers five topics, from simple LED circuits to crafting switches and sensors. As users complete the circuits, they are also prompted with craft and drawing activities to ensure an expressive and artistic approach to learning and building circuits. Once completed, the book serves as an encyclopedia of techniques to apply to future projects.

206. Data-Driven Elevator Music

Joe Paradiso, Gershon Dublon, Brian Dean Mayton and Spencer Russell

Our glass building lets us see across spaces through the walls that enclose us and beyond. Yet invisibly, networks of sensors inside and out capture the often imperceivable dimensions of the built and natural environment. Our project uses multi-channel spatial sound to bring that data into the utilitarian experience of riding the glass elevator. In the past, we've mixed live sound from microphones throughout the building with sonification of sensor data, using a pressure sensor to provide fine-grained altitude for control. In its present form, the elevator is displaying data from the Living Observatory, a wetland restoration site 60 miles away. Each string pluck represents a new data point streaming in; its pitch corresponds to the temperature at the sensor and its timbre reflects the humidity. Live and recorded sound reflect the real ambience of the remote wetland.

Alumni Contributor: Nicholas Joliat

207. DoppelLab: Experiencing Multimodal Sensor Data

Joe Paradiso, Gershon Dublon and Brian Dean Mayton

Homes and offices are being filled with sensor networks to answer specific queries and solve pre-determined problems, but no comprehensive visualization tools exist for fusing these disparate data to examine relationships across spaces and sensing modalities. DoppelLab is a cross-reality virtual environment that represents the multimodal sensor data produced by a building and its inhabitants. Our system encompasses a set of tools for parsing, databasing, visualizing, and sonifying these data; by organizing data by the space from which they originate, DoppelLab provides a platform to make both broad and specific queries about the activities, systems, and relationships in a complex, sensor-rich environment.

208. Experiential Lighting: New User-Interfaces for Lighting Control

Joseph A. Paradiso, Matthew Aldrich and Nan Zhao

We are evaluating new methods of interacting and controlling solid-state lighting based on our findings of how participants experience and perceive architectural lighting in our new lighting laboratory (E14-548S). This work, aptly named "Experiential Lighting," reduces the complexity of modern lighting controls

(intensity/color/space) into a simple mapping, aided by both human input and sensor measurement. We believe our approach extends beyond general lighting control and is applicable in situations where human-based rankings and preference are critical requirements for control and actuation. We expect our foundational studies to guide future camera-based systems that will inevitably incorporate context in their operation (e.g., Google Glass).

**209. FingerSynth:
Wearable
Transducers for
Exploring the
Environment through
Sound**

Joseph A. Paradiso and Gershon Dublon

The FingerSynth is a wearable musical instrument made up of a bracelet and set of rings that enables its players to produce sound by touching nearly any surface in their environments. Each ring contains a small, independently controlled audio exciter transducer. The rings sound loudly when they touch a hard object, and are silent otherwise. When a wearer touches their own (or someone else's) head, the contacted person hears sound through bone conduction, inaudible to others. A microcontroller generates a separate audio signal for each ring, and can take user input through an accelerometer in the form of taps, flicks, and other gestures. The player controls the envelope and timbre of the sound by varying the physical pressure and the angle of their finger on the surface, or by touching differently resonant surfaces. The FingerSynth encourages players to experiment with the materials around them and with one another.

**210. Hacking the
Sketchbook**

Joseph A. Paradiso and Jie Qi

In this project we investigate how the process of building a circuit can be made more organic, like sketching in a sketchbook. We integrate a rechargeable power supply into the spine of a traditional sketchbook, so that each page of the sketchbook has power connections. This enables users to begin creating functioning circuits directly onto the pages of the book and to annotate as they would in a regular notebook. The sequential nature of the sketchbook allows creators to document their process for circuit design. The book also serves as a single physical archive of various hardware designs. Finally, the portable and rechargeable nature of the book allows users to take their electronic prototypes off of the lab bench and share their creations with people outside of the lab environment.

**211. HearThere:
Ubiquitous Sonic
Overlay**

Joseph A. Paradiso, Gershon Dublon and Spencer Russell

With our Ubiquitous Sonic Overlay, we are working to place virtual sounds in the user's environment, fixing them in space even as the user moves. We are working toward creating a seamless auditory display, indistinguishable from the user's actual surroundings. Between bone-conduction headphones, small and cheap orientation sensors, and ubiquitous GPS, a confluence of fundamental technologies is in place. However, existing head-tracking systems either limit the motion space to a small area (e.g., Oculus Rift), or sacrifice precision for scale using technologies like GPS. We are seeking to bridge the gap to create large outdoor spaces of sonic objects.

**212. ListenTree:
Audio-Haptic Display
in the Natural
Environment**

V. Michael Bove, Joseph A. Paradiso, Gershon Dublon and Edwina Portocarrero

ListenTree is an audio-haptic display embedded in the natural environment. Visitors to our installation notice a faint sound emerging from a tree. By resting their heads against the tree, they are able to hear sound through bone conduction. To create this effect, an audio exciter transducer is weatherproofed and attached to the tree's roots, transforming it into a living speaker, channeling audio through its branches, and providing vibrotactile feedback. In one deployment, we used ListenTree to display live sound from an outdoor ecological monitoring sensor network, bringing a faraway wetland into the urban landscape. Our intervention is motivated by a need for forms of display that fade into the background, inviting attention rather than requiring it. We consume most digital information through devices that alienate us from our surroundings; ListenTree points to a future where digital information might become enmeshed in material.

**213. Living Observatory:
Sensor Networks for
Documenting and
Experiencing Ecology**

Glorianna Davenport, Joe Paradiso, Gershon Dublon, Pragun Goyal and Brian Dean Mayton

Living Observatory is an initiative for documenting and interpreting ecological change that will allow people, individually and collectively, to better understand relationships between ecological processes, human lifestyle choices, and climate change adaptation. As part of this initiative, we are developing sensor networks that document ecological processes and allow people to experience the data at different spatial and temporal scales. Low-power sensor nodes capture climate and other data at a high spatiotemporal resolution, while others stream audio. Sensors on trees measure transpiration and other cycles, while fiber-optic cables in streams capture high-resolution temperature data. At the same time, we are developing tools that allow people to explore this data, both remotely and onsite. The remote interface allows for immersive 3D exploration of the terrain, while visitors to the site will be able to access data from the network around them directly from wearable devices.

**214. MMODM: Massively
Multiplayer Online
Drum Machine**

NEW LISTING

Joseph A. Paradiso, Tod Machover, Donald Derek H. and Basheer Tome

MMODM is an online drum machine based on the Twitter streaming API, using tweets from around the world to create and perform musical sequences together in real time. Users anywhere can express 16-beat note sequences across 26 different instruments, using plain-text tweets from any device. Meanwhile, users on the site itself can use the graphical interface to locally DJ the rhythm, filters, and sequence blending. By harnessing this duo of website and Twitter network, MMODM enables a whole new scale of synchronous musical collaboration between users locally, remotely, across a wide variety of computing devices, and across a variety of cultures.

**215. Mobile, Wearable
Sensor Data
Visualization**

Joseph A. Paradiso, Gershon Dublon, Brian Mayton, Spencer Russell and Donald Derek H.

As part of the Living Observatory ecological sensing initiative, we've been developing new approaches to mobile, wearable sensor data visualization. The Tidmarsh app for Google Glass visualizes real-time sensor network data based on the wearer's location and gaze. A user can approach a sensor node to see 2D plots of its real-time data stream, and look across an expanse to see 3D plots encompassing multiple devices. On the back-end, the app showcases our Chain API, crawling linked data resources to build a dynamic picture of the sensor network. Besides development of new visualizations, we are building in support for voice queries, and exploring ways to encourage distributed data collection by users.

216. NailO

Cindy Hsin-Liu Kao, Artem Dementyev, Chris Schmandt

NailO is a nail-mounted gestural input surface. Using capacitive sensing on printed electrodes, the interface can distinguish on-nail finger swipe gestures with high accuracy. NailO works in real time: we miniaturized the system to fit on the fingernail, while wirelessly transmitting the sensor data to a mobile phone or PC. NailO allows for one-handed and always-available input, while being unobtrusive and discreet. Inspired by commercial nail stickers, the device blends into the user's body, is customizable, fashionable, and even removable. We show example applications of using the device as a remote controller when hands are busy and using the system to increase the input space of mobile phones.

**217. Prosthetic Sensor
Networks: Factoring
Attention,
Proprioception, and
Sensory Coding**

Joseph A. Paradiso and Gershon Dublon

Sensor networks permeate our built and natural environments, but our means for interfacing to the resultant data streams have not evolved much beyond HCI and information visualization. Researchers have long experimented with wearable sensors and actuators on the body as assistive devices. A user's neuroplasticity can, under certain conditions, transcend sensory substitution to enable perceptual-level cognition of "extrasensory" stimuli delivered through existing sensory channels. But there remains a huge gap between data and human sensory

experience. We are exploring the space between sensor networks and human augmentation, in which distributed sensors become sensory prostheses. In contrast, user interfaces are substantially unincorporated by the body our relationship to them never fully pre-attentive. Attention and proprioception are key, not only to moderate and direct stimuli, but also to enable users to move through the world naturally, attending to the sensory modalities relevant to their specific contexts.

218. Sambaza Watts

Joe Paradiso, Ethan Zuckerman, Rahul Bhargava, Pragun Goyal, Alexis Hope and Nathan Matias

We want to help people in nations where electric power is scarce to sell power to their neighbors. We're designing a piece of prototype hardware that plugs into a diesel generator or other power source, distributes the power to multiple outlets, monitors how much power is used, and uses mobile payments to charge the customer for the power consumed.

Alex 'Sandy' Pentland: Human Dynamics

Exploring how social networks can influence our lives in business, health, governance, and technology adoption and diffusion.

219. bandicoot: A Python Toolbox for Mobile Phone Metadata

NEW LISTING

Yves-Alexandre de Montjoye, Lur Rocher, and Alex "Sandy" Pentland

bandicoot provides a complete, easy-to-use environment for researchers using mobile phone metadata. It allows them to easily load their data, perform analysis, and export their results with a few lines of code. It computes 100+ standardized metrics in three categories: individual (number of calls, text response rate), spatial (radius of gyration, entropy of places), and social network (clustering coefficient, assortativity). The toolbox is easy to extend and contains extensive documentation with guides and examples.

220. Data-Pop Alliance

Alex 'Sandy' Pentland, Harvard Humanitarian Initiative and Overseas Development Institute

Data-Pop Alliance is a joint initiative on Big Data and development with a goal of helping to craft and leverage the new ecosystem of Big Data new personal data, new tools, new actors to improve decisions and empower people in a way that avoids the pitfalls of a new digital divide, de-humanization, and de-democratization. Data-Pop Alliance aims to serve as a designer, broker, and implementer of ideas and activities, bringing together institutions and individuals around common principles and objectives through collaborative research, training and capacity building, technical assistance, convening, knowledge curation, and advocacy. Our thematic areas of focus include official statistics, socio-economic and demographic methods, conflict and crime, climate change and environment, literacy, and ethics.

221. Inducing Peer Pressure to Promote Cooperation

Erez Shmueli, Alex 'Sandy' Pentland, Dhaval Adjodah and David Shrier

Cooperation in a large society of self-interested individuals is notoriously difficult to achieve when the externality of one individual's action is spread thin and wide. This leads to the "tragedy of the commons," with rational action ultimately making everyone worse off. Traditional policies to promote cooperation involve Pigouvian taxation or subsidies that make individuals internalize the externality they incur. We introduce a new approach to achieving global cooperation by localizing externalities to one's peers in a social network, thus leveraging the power of peer pressure to regulate behavior. The mechanism relies on a joint model of externalities and peer-pressure. Surprisingly, this mechanism can require a lower budget to operate than the Pigouvian mechanism, even when accounting for the social cost of peer pressure. Even when the available budget is very low, the social mechanisms achieve greater improvement in the outcome.

222. Mobile Territorial Lab

Alex 'Sandy' Pentland, Bruno Lepri and David Shrier

The Mobile Territorial Lab (MTL) aims at creating a living laboratory integrated in the real life of the Trento territory in Italy, open to manifold kinds of experimentations. In particular, the MTL is focused on exploiting the sensing capabilities of mobile phones to track and understand human behaviors (e.g., families' spending behaviors, lifestyles, mood, and stress patterns); on designing and testing social strategies aimed at empowering individual and collective lifestyles through attitude and behavior change; and on investigating new paradigms in personal data management and sharing. This project is a collaboration with Telecom Italia SKIL Lab, Foundation Bruno Kessler, and Telefonica I+D.

223. On the Reidentifiability of Credit Card Metadata

Yves-Alexandre de Montjoye, Laura Radaelli, Vivek Kumar Singh, Alex "Sandy" Pentland

NEW LISTING

Even when real names and other personal information are stripped from metadata datasets, it is often possible to use just a few pieces of information to identify a specific person. Here, we study three months of credit card records for 1.1 million people and show that four spatiotemporal points are enough to uniquely reidentify 90 percent of individuals. We show that knowing the price of a transaction increases the risk of reidentification by 22 percent, on average. Finally, we show that even data sets that provide coarse information at any or all of the dimensions provide little anonymity and that women are more reidentifiable than men in credit card metadata.

224. openPDS/ SaferAnswers: Protecting the Privacy of Metadata

Alex 'Sandy' Pentland, Brian Sweatt, Erez Shmueli, and Yves-Alexandre de Montjoye

In a world where sensors, data storage, and processing power are too cheap to meter, how do you ensure that users can realize the full value of their data while protecting their privacy? openPDS is a field-tested, personal metadata management framework which allows individuals to collect, store, and give fine-grained access to their metadata to third parties. SafeAnswers is a new and practical way of protecting the privacy of metadata at an individual level. SafeAnswers turns a hard anonymization problem into a more tractable security one. It allows services to ask questions whose answers are calculated against the metadata instead of trying to anonymize individuals' metadata. Together, openPDS and SafeAnswers provide a new way of dynamically protecting personal metadata.

225. Sensible Organizations

Alex 'Sandy' Pentland, Benjamin Waber and Daniel Olguin Olguin

Data mining of email has provided important insights into how organizations function and what management practices lead to greater productivity. But important communications are almost always face-to-face, so we are missing the greater part of the picture. Today, however, people carry cell phones and wear RFID badges. These body-worn sensor networks mean that we can potentially know who talks to whom, and even how they talk to each other. Sensible Organizations investigates how these new technologies for sensing human interaction can be used to reinvent organizations and management.

226. The Privacy Bounds of Human Mobility

Cesar A. Hidalgo and Yves-Alexandre DeMontjoye

We used 15 months of data from 1.5 million people to show that four points approximate places and times are enough to identify 95 percent of individuals in a mobility database. Our work shows that human behavior puts fundamental natural constraints on the privacy of individuals, and these constraints hold even when the resolution of the dataset is low. These results demonstrate that even coarse datasets provide little anonymity. We further developed a formula to estimate the uniqueness of human mobility traces. These findings have important implications for the design of frameworks and institutions dedicated to protecting the privacy of individuals.

227. What Can Your Phone Metadata Tell About You?

Yves-Alexandre de Montjoye, Jordi Quoidbach, Florent Robic, and Sandy Pentland

How much can others learn about your personality just by looking at the way you use your phone? We provide the first evidence that personality types (for example, neurotism, extraversion, openness) can be predicted from standard mobile phone metadata. We have developed a set of novel psychology-informed indicators that can be computed from any set of mobile phone metadata. These fall into five categories, and range from the time it took you to answer a text, the entropy of your contacts, your daily distance traveled, or the percentage of text conversations you started. Using these 36 indicators, we were able to predict people's personalities correctly up to 63 percent, 1.7 times better than random, using only metadata.

Rosalind W. Picard: Affective Computing

Advancing wellbeing using new ways to communicate, understand, and respond to emotion.

228. An EEG and Motion-Capture Based Expressive Music Interface for Affective Neurofeedback

NEW LISTING

Grace Leslie, Rosalind Picard, and Simon Lui

This project examines how the expression granted by new musical interfaces can be harnessed to create positive changes in health and wellbeing. We are conducting experiments to measure EEG dynamics and physical movements performed by participants who are using software designed to invite physical and musical expression of the basic emotions. The present demonstration of this system incorporates an expressive gesture sonification system using a Leap Motion device, paired with an ambient music engine controlled by EEG-based affective indices. Our intention is to better understand affective engagement, by creating both a new musical interface to invite it, and a method to measure and monitor it. We are exploring the use of this device and protocol in therapeutic settings in which mood recognition and regulation is a primary goal.

229. Auditory Desensitization Games

Rosalind W. Picard, Matthew Goodwin and Rob Morris

Persons on the autism spectrum often report hypersensitivity to sound. Efforts have been made to manage this condition, but there is wide room for improvement. One approach exposure therapy has promise, and a recent study showed that it helped several individuals diagnosed with autism overcome their sound sensitivities. In this project, we borrow principles from exposure therapy, and use fun, engaging games to help individuals gradually get used to sounds that they might ordinarily find frightening or painful.

230. Automatic Stress Recognition in Real-Life Settings

Rosalind W. Picard, Robert Randall Morris and Javier Hernandez Rivera

Technologies to automatically recognize stress are extremely important to prevent chronic psychological stress and pathophysiological risks associated with it. The introduction of comfortable and wearable biosensors has created new opportunities to measure stress in real-life environments, but there is often great variability in how people experience stress and how they express it physiologically. In this project, we modify the loss function of Support Vector Machines to encode a person's tendency to feel more or less stressed, and give more importance to the training samples of the most similar subjects. These changes are validated in a case study where skin conductance was monitored in nine call center employees during one week of their regular work. Employees working in this type of setting usually handle high volumes of calls every day, and they frequently interact with angry and frustrated customers that lead to high stress levels.

231. Autonomic Nervous System Activity in Epilepsy

Rosalind W. Picard and Ming-Zher Poh

We are performing long-term measurements of autonomic nervous system (ANS) activity on patients with epilepsy. In certain cases, autonomic symptoms are known to precede seizures. Usually in our data, the autonomic changes start when the seizure shows in the EEG, and can be measured with a wristband (much easier to wear every day than wearing an EEG). We found that the larger the signal we measure on the wrist, the longer the duration of cortical brain-wave suppression following the seizure. The duration of the latter is a strong candidate for a biomarker for SUDEP (Sudden Unexpected Death in Epilepsy), and we are working with scientists and doctors to better understand this. In addition, bilateral changes in ANS activity may provide valuable information regarding seizure focus localization and semiology.

232. BioGlass: Physiological Parameter Estimation Using a Head-Mounted Wearable Device

Rosalind W. Picard, Javier Hernandez Rivera, James M. Rehg (Georgia Tech) and Yin Li (Georgia Tech)

What if you could see what calms you down or increases your stress as you go through your day? What if you could see clearly what is causing these changes for your child or another loved one? People could become better at accurately interpreting and communicating their feelings, and better at understanding the needs of those they love. This work explores the possibility of using sensors embedded in Google Glass, a head-mounted-wearable device, to robustly measure physiological signals of the wearer.

233. Building the Just-Right-Challenge in Games and Toys

Rosalind W. Picard and Elliott Hedman

Working with the LEGO Group and Hasbro, we looked at the emotional experience of playing with games and LEGO bricks. We measured participants' skin conductance as they learned to play with these new toys. By marking the stressful moments we were able to see what moments in learning should be redesigned. Our findings suggest that framing is key: how can we help children recognize their achievements? We also saw how children are excited to take on new responsibilities but are then quickly discouraged when they aren't given the resources to succeed. Our hope for this work is that by using skin conductance sensors, we can help companies better understand the unique perspective of children and build experiences fit for them.

234. Cardiocam

Ming-Zher Poh, Daniel McDuff and Rosalind W. Picard

Cardiocam is a low-cost, non-contact technology for measurement of physiological signals such as heart rate and breathing rate using a basic digital imaging device such as a webcam. The ability to perform remote measurements of vital signs is promising for enhancing the delivery of primary healthcare.

235. College Sleep

Akane Sano, Amy Yu, Sara Taylor, Cesar Hidalgo and Rosalind Picard

Sleep is critical to a wide range of biological functions; inadequate sleep results in impaired cognitive performance and mood, as well as adverse health outcomes including obesity, diabetes, and cardiovascular disease. Recent studies have shown that healthy and unhealthy sleep behaviors can be transmitted by social interactions between individuals within social networks. We investigate how social connectivity and light exposure influence sleep patterns, health, and outcomes such as mood, stress, and academic performance. Using multimodal data collected from closely connected MIT/Harvard undergraduates with wearable sensors and mobile phones, we are developing statistical and multiscale mathematical models of sleep dynamics within social networks based on sleep and circadian physiology. These models will provide insights into the emergent dynamics of sleep behaviors within social networks, and allow us to test the effects of candidate strategies for intervening in populations with unhealthy sleep behaviors.

236. Digging into Brand Perception with Psychophysiology

Rosalind W. Picard and Elliott Hedman

What do customers really think about your company or brand? Using skin conductance sensors, we measure what excites and frustrates customers when discussing topics relevant to your brand. For example, with the National Campaign to Prevent Teenage Pregnancy, we saw conversations about empowerment and abortion upset conservative families. However, talking about the importance of strong families excited and engaged them. Rather than rely on self-reports, physiological measurements allow us to pinpoint what words and concepts affect your customers. We hope work like this will help companies better reflect on how their actions and messaging affect their customer's opinion in more detailed and accurate ways.

237. Emotion Prototyping: Redesigning the Customer Experience

Rosalind W. Picard and Elliott Hedman

You can test whether a website is usable by making wire frames, but how do you know if that site, product, or store is emotionally engaging? We build quick, iterative environments where emotions can be tested and improved. Emphasis is on setting up the right motivation (users always have to buy what they pick), pressures (can you buy the laptop in 10 minutes?), and environment (competitors' products better be on the shelf too). Once we see where customers are stressed or miss the fun part, we change the space on a daily, iterative cycle. Within two to three weeks, we can tell how to structure a new offering for a great experience. Seldom do the emotions we hope to create happen on the first try; emotion prototyping delivers the experience we want. We hope to better understand the benefits of emotion prototyping, especially while using the skin conductance sensor.

238. Exploring Temporal Patterns of Smile

Rosalind W. Picard and Mohammed Ehasanul Hoque

A smile is a multi-purpose expression. We smile to express rapport, polite disagreement, delight, sarcasm, and often, even frustration. Is it possible to develop computational models to distinguish among smiling instances when delighted, frustrated, or just being polite? In our ongoing work, we demonstrate that it is useful to explore how the patterns of smile evolve through time, and that while a smile may occur in positive and in negative situations, its dynamics may help to disambiguate the underlying state.

239. Facial Expression Analysis Over the Web

Rosalind W. Picard, Daniel Jonathan McDuff, and formerly: Affectiva and Forbes

This work builds on our earlier work with FaceSense, created to help automate the understanding of facial expressions, both cognitive and affective. The FaceSense system has now been made available commercially by Media Lab spinoff Affectiva as Affdex. In this work we present the first project analyzing facial expressions at scale over the Internet. The interface analyzes the participants' smile intensity as they watch popular commercials. They can compare their responses to an aggregate from the larger population. The system also allows us to crowd-source

data for training expression recognition systems and to gain better understanding of facial expressions under natural at-home viewing conditions instead of in traditional lab settings.

Alumni Contributor: Rana El Kaliouby

240. Fathom: Probabilistic Graphical Models to Help Mental Health Counselors

Karthik Dinakar, Jackie Chen, Henry A. Lieberman, and Rosalind W. Picard

We explore advanced machine learning and reflective user interfaces to scale the national Crisis Text Line. We are using state-of-the-art probabilistic graphical topic models and visualizations to help a mental health counselor, extract patterns of mental health issues experienced by participants, and bring large scale data science to understanding the distribution of mental health issues in the United States.

241. FEEL: A Cloud System for Frequent Event and Biophysiological Signal Labeling

Yadid Ayzenberg and Rosalind W. Picard

The wide availability of low-cost, wearable, biophysiological sensors enables us to measure how the environment and our experiences impact our physiology. This creates a new challenge: in order to interpret the collected longitudinal data, we require the matching contextual information as well. Collecting weeks, months, and years of continuous biophysiological data makes it unfeasible to rely solely on our memory for providing the contextual information. Many view maintaining journals as burdensome, which may result in low compliance levels and unusable data. We present an architecture and implementation of a system for the acquisition, processing, and visualization of biophysiological signals and contextual information.

242. Gesture Guitar

Rosalind W. Picard, Rob Morris and Tod Machover

Emotions are often conveyed through gesture. Instruments that respond to gestures offer musicians new, exciting modes of musical expression. This project gives musicians wireless, gestural-based control over guitar effects parameters.

243. Got Sleep?

Akane Sano, Rosalind W. Picard

Got Sleep? is an Android application to help people to be aware of their sleep-related behavioral patterns and tips about how they should change their behaviors to improve their sleep. The application evaluates people's sleep habits before they start using the app, tracks day and night behaviors, and provides feedback about what kinds of behavior changes they should make and whether the improvement is achieved or not.

244. IDA: Inexpensive Networked Digital Stethoscope

Yadid Ayzenberg

Complex and expensive medical devices are mainly used in medical facilities by health professionals. IDA is an attempt to disrupt this paradigm and introduce a new type of device: easy to use, low cost, and open source. It is a digital stethoscope that can be connected to the Internet for streaming physiological data to remote clinicians. Designed to be fabricated anywhere in the world with minimal equipment, it can be operated by individuals without medical training.

245. Lensing: Cardiolinguistics for Atypical Angina

Catherine Kreatsoulas (Harvard), Rosalind W. Picard, Karthik Dinakar, David Blei (Columbia) and Matthew Nock (Harvard)

Conversations between two individuals whether between doctor and patient, mental health therapist and client, or between two people romantically involved with each other are complex. Each participant contributes to the conversation using her or his own "lens." This project involves advanced probabilistic graphical models to statistically extract and model these dual lenses across large datasets of real-world conversations, with applications that can improve crisis and psychotherapy counseling and patient-cardiologist consultations. We're working with top psychologists, cardiologists, and crisis counseling centers in the United States.

246. MACH: My Automated Conversation coach

M. Ehsan Hoque, Rosalind Picard

MACH, My Automated Conversation coach, is a system for people to practice social interactions in face-to-face scenarios. MACH consists of a 3D character that can "see," "hear," and make its own decisions in real time. The system was validated in the context of job interviews with 90 MIT undergraduate students. Students who interacted with MACH demonstrated significant performance improvement compared to the students in the control group. We are currently expanding this technology to open up new possibilities in behavioral health (e.g., treating people with Asperger syndrome, social phobia, PTSD) as well as designing new interaction paradigms in human-computer interaction and robotics.

247. Making Engaging Concerts

Rosalind W. Picard and Elliott Hedman

Working with the New World Symphony, we measured participant skin conductance as they attended a classical concert for the first time. With the sensor technology, we noted times when the audience reacted or engaged with the music and other times when they became bored and drifted away. Our overall findings suggest that transitions, familiarity, and visual supplements can make concerts accessible and exciting for new concert goers. We hope this work can help entertainment industries better connect with their customers and refine the presentation of their work so that it can best be received by a more diverse audience.

248. Mapping the Stress of Medical Visits

Rosalind W. Picard and Elliott Hedman

Receiving a shot or discussing health problems can be stressful, but does not always have to be. We measure participants' skin conductance as they use medical devices or visit hospitals and note times when stress occurs. We then prototype possible solutions and record how the emotional experience changes. We hope work like this helps bring the medical community closer to their customers.

249. Measuring Arousal During Therapy for Children with Autism and ADHD

Rosalind W. Picard and Elliott Hedman

Physiological arousal is an important part of occupational therapy for children with autism and ADHD, but therapists do not have a way to objectively measure how therapy affects arousal. We hypothesize that when children participate in guided activities within an occupational therapy setting, informative changes in electrodermal activity (EDA) can be detected using iCalm. iCalm is a small, wireless sensor that measures EDA and motion, worn on the wrist or above the ankle. Statistical analysis describing how equipment affects EDA was inconclusive, suggesting that many factors play a role in how a child's EDA changes. Case studies provided examples of how occupational therapy affected children's EDA. This is the first study of the effects of occupational therapy's in situ activities using continuous physiologic measures. The results suggest that careful case study analyses of the relation between therapeutic activities and physiological arousal may inform clinical practice.

250. Mobile Health Interventions for Drug Addiction and PTSD

Rich Fletcher and Rosalind W. Picard

We are developing a mobile phone-based platform to assist people with chronic diseases, panic-anxiety disorders, or addictions. Making use of wearable, wireless biosensors, the mobile phone uses pattern analysis and machine learning algorithms to detect specific physiological states and perform automatic interventions in the form of text/images plus sound files and social networking elements. We are currently working with the Veterans Administration drug rehabilitation program involving veterans with PTSD.

**251. Mobisensus:
Predicting Your
Stress/Mood from
Mobile Sensor Data**

Akane Sano and Rosalind Picard

Can we recognize stress, mood, and health conditions from wearable sensors and mobile-phone usage data? We analyze long-term, multi-modal physiological, behavioral, and social data (electrodermal activity, skin temperature, accelerometer, phone usage, social network patterns) in daily lives with wearable sensors and mobile phones to extract bio-markers related to health conditions, interpret inter-individual differences, and develop systems to keep people healthy.

**252. Multimodal
Computational
Behavior Analysis**

David Forsyth (UIUC), Gregory Abowd (GA Tech), Jim Rehg (GA Tech), Shri Narayanan (USC), Matthew Goodwin (NEU), Rosalind W. Picard, Javier Hernandez Rivera, Micah Eckhardt, Stan Scarloff (BU) and Takeo Kanade (CMU)

This project will define and explore a new research area we call Computational Behavior Science: integrated technologies for multimodal computational sensing and modeling to capture, measure, analyze, and understand human behaviors. Our motivating goal is to revolutionize diagnosis and treatment of behavioral and developmental disorders. Our thesis is that emerging sensing and interpretation capabilities in vision, audition, and wearable computing technologies, when further developed and properly integrated, will transform this vision into reality. More specifically, we hope to: (1) enable widespread autism screening by allowing non-experts to easily collect high-quality behavioral data and perform initial assessment of risk status; (2) improve behavioral therapy through increased availability and improved quality, by making it easier to track the progress of an intervention and follow guidelines for maximizing learning progress; and (3) enable longitudinal analysis of a child's development based on quantitative behavioral data, using new tools for visualization.

Alumni Contributor: Rana El Kaliouby

**253. Objective Assessment
of Depression and Its
Improvement**

Rosalind W. Picard, Szymon Fedor, Brigham and Women's Hospital and Massachusetts General Hospital

Current methods to assess depression and then ultimately select appropriate treatment have many limitations. They are usually based on having a clinician rate scales, which were developed in the 1960s. Their main drawbacks are lack of objectivity, being symptom-based and not preventative, and requiring accurate communication. This work explores new technology to assess depression, including its increase or decrease, in an automatic, more objective, pre-symptomatic, and cost-effective way using wearable sensors and smart phones for 24/7 monitoring of different personal parameters such as physiological data, voice characteristics, sleep, social interaction. We aim to enable early diagnosis of depression, prevention of depression, assessment of depression for people who cannot communicate, better assignment of a treatment, early detection of treatment remission and response, and anticipation of post-treatment relapse or recovery.

254. Panoply

Rosalind W. Picard and Robert Morris

Panoply is a crowdsourcing application for mental health and emotional wellbeing. The platform offers a novel approach to computer-based psychotherapy, one that is optimized for accessibility, engagement, and therapeutic efficacy. A three-week randomized controlled trial with 166 participants compared Panoply to an active control task (online expressive writing). Panoply conferred greater or equal benefits for nearly every therapeutic outcome measure. Panoply also significantly outperformed the control task on all measures of engagement.

255. PongCam

NEW LISTING

Rosalind Picard, Juliana Cherston, and Natasha Jaques

PongCam is a wellbeing project that enables Media Lab ping pong players to save videos of their best ping pong shots on Youtube. The device is constantly capturing footage of the ping pong table, storing the most recent footage in a buffer. After a good shot, a player can hit a big red button and the last 30 seconds of footage will be uploaded to the Media Lab highlights reel on YouTube. We observe how devices of this sort promote mental and physical wellbeing in the Lab.

256. Real-Time Assessment of Suicidal Thoughts and Behaviors

NEW LISTING

Rosalind W. Picard, Szymon Fedor, Harvard and Massachusetts General Hospital

Depression correlated with anxiety is one of the key factors leading to suicidal behavior, and is among the leading causes of death worldwide. Despite the scope and seriousness of suicidal thoughts and behaviors, we know surprisingly little about what suicidal thoughts look like in nature (e.g., How frequent, intense, and persistent are they among those who have them? What cognitive, affective/physiological, behavioral, and social factors trigger their occurrence?). The reason for this lack of information is that historically researchers have used retrospective self-report to measure suicidal thoughts, and have lacked the tools to measure them as they naturally occur. In this work we explore use of wearable devices and smartphones to identify behavioral, affective, and physiological predictors of suicidal thoughts and behaviors.

257. Reinventing the Retail Experience

Elliott Hedman and Rosalind W. Picard

With skin conductance sensors, we map out what frustrates and excites customers as they shop from layout to wanting to touch the product. Our work has helped a variety of large retailers innovate on what it means to shop. Findings have focused on reducing the stress of choices and learning while surprising customers in new ways. With the sensor technology we can pinpoint moments when customers are overwhelmed and then build out new ways to make retail engaging again.

258. SenseGlass: Using Google Glass to Sense Daily Emotions

Rosalind W. Picard and Javier Hernandez Rivera

For over a century, scientists have studied human emotions in laboratory settings. However, these emotions have been largely contrived elicited by movies or fake lab stimuli, which tend not to matter to the participants in the studies, at least not compared with events in their real lives. This work explores the utility of Google Glass, a head-mounted wearable device, to enable fundamental advances in the creation of affect-based user interfaces in natural settings.

259. SmileTracker

NEW LISTING

Natasha Jaques, Weixuan 'Vincent' Chen and Rosalind Picard

SmileTracker is a system designed to capture naturally occurring instances of positive emotion during the course of normal interaction with a computer. A facial expression recognition algorithm is applied to images captured with the user's webcam. When the user smiles, both a photo and a screenshot are recorded and saved to the user's profile for later review. Based on positive psychology research, we hypothesize that the act of reviewing content that led to smiles will improve positive affect, and consequently, overall wellbeing.

260. StoryScape

Rosalind W. Picard and Micah Eckhardt

Stories, language, and art are at the heart StoryScape. While StoryScape began as a tool to meet the challenging language learning needs of children diagnosed with autism, it has become much more. StoryScape was created to be the first truly open and customizable platform for creating animated, interactive storybooks that can interact with the physical world. Download the android app: <https://play.google.com/store/apps/details?id=edu.mit.media.storyscape> and make your own amazing stories at <https://storyscape.io/>.

261. The Challenge

NEW LISTING

Natasha Jaques, Niaja Farve, Pattie Maes and Rosalind W. Picard

Individuals who work in sedentary occupations are at increased risk of a number of serious health consequences. This project involves both a tool and an experiment aimed at decreasing sedentary activity and promoting social connections among members of the MIT Media Lab. Our system will ask participants to sign up for short physical challenges (ping pong, foosball, walking) and pair them with a partner to perform the activity. Participants' overall activity levels will be monitored with an activity tracker during the course of the study to assess the effectiveness of the system.

262. Tributary

Yadid Ayzenberg

Rosalind Picard

The proliferation of smartphones and wearable sensors is creating very large data sets that may contain useful information. However, the magnitude of generated data creates new challenges as well. Processing and analyzing these large data sets in an efficient manner requires computational tools. Many of the traditional analytics tools are not optimized for dealing with large datasets. Tributary is a parallel engine for searching and analyzing sensor data. The system utilizes large clusters of commodity machines to enable in-memory processing of sensor time series signals, making it possible to search through billions of samples in seconds. Users can access a rich library of statistics and digital signal processing functions or write their own in a variety of languages.

263. Valinor: Mathematical Models to Understand and Predict Self-Harm

Rosalind W. Picard, Karthik Dinakar, Eric Horvitz (Microsoft Research) and Matthew Nock (Harvard)

We are developing statistical tools for understanding, modeling, and predicting self-harm by using advanced probabilistic graphical models and fail-soft machine learning in collaboration with Harvard University and Microsoft Research.

Ramesh Raskar: Camera Culture

Making the invisible visible inside our bodies, around us, and beyond for health, work, and connection.

264. 6D Display

Ramesh Raskar, Martin Fuchs, Hans-Peter Seidel, and Hendrik P. A. Lensch

Is it possible to create passive displays that respond to changes in viewpoint and incident light conditions? Holograms and 4D displays respond to changes in viewpoint. 6D displays respond to changes in viewpoint as well as surrounding light. We encode the 6D reflectance field into an ordinary 2D film. These displays are completely passive and do not require any power. Applications include novel instruction manuals and mood lights.

265. A Switchable Light Field Camera

Matthew Hirsch, Sriram Sivaramakrishnan, Suren Jayasuriya, Albert Wang, Aloysha Molnar, Ramesh Raskar, and Gordon Wetzstein

We propose a flexible light-field camera architecture that represents a convergence of optics, sensor electronics, and applied mathematics. Through the co-design of a sensor that comprises tailored, angle-sensitive pixels and advanced reconstruction algorithms, we show that contrary to light-field cameras today our system can use the same measurements captured in a single sensor image to recover either a high-resolution 2D image, a low-resolution 4D light field using fast, linear processing, or a high-resolution light field using sparsity-constrained optimization.

**266. Bokode:
Imperceptible Visual
Tags for
Camera-Based
Interaction from a
Distance**

Ramesh Raskar, Ankit Mohan, Grace Woo, Shinsaku Hiura and Quinn Smithwick

With over a billion people carrying camera-phones worldwide, we have a new opportunity to upgrade the classic bar code to encourage a flexible interface between the machine world and the human world. Current bar codes must be read within a short range and the codes occupy valuable space on products. We present a new, low-cost, passive optical design so that bar codes can be shrunk to fewer than 3mm and can be read by unmodified ordinary cameras several meters away.

**267. CATRA: Mapping of
Cataract Opacities
Through an
Interactive Approach**

Ramesh Raskar, Vitor Pamplona, Erick Passos, Jan Zizka, Jason Boggess, David Schafran, Manuel M. Oliveira, Everett Lawson, and Esteban Clua

We introduce a novel interactive method to assess cataracts in the human eye by crafting an optical solution that measures the perceptual impact of forward scattering on the foveal region. Current solutions rely on highly trained clinicians to check the back scattering in the crystallin lens and test their predictions on visual acuity tests. Close-range parallax barriers create collimated beams of light to scan through sub-apertures scattering light as it strikes a cataract. User feedback generates maps for opacity, attenuation, contrast, and local point-spread functions. The goal is to allow a general audience to operate a portable, high-contrast, light-field display to gain a meaningful understanding of their own visual conditions. The compiled maps are used to reconstruct the cataract-affected view of an individual, offering a unique approach for capturing information for screening, diagnostic, and clinical analysis.

**268. Coded Computational
Photography**

Jaewon Kim, Ahmed Kirmani, Ankit Mohan and Ramesh Raskar

Computational photography is an emerging multi-disciplinary field at the intersection of optics, signal processing, computer graphics and vision, electronics, art, and online sharing in social networks. The first phase of computational photography was about building a super-camera that has enhanced performance in terms of the traditional parameters, such as dynamic range, field of view, or depth of field. We call this Epsilon Photography. The next phase of computational photography is building tools that go beyond the capabilities of this super-camera. We call this Coded Photography. We can code exposure, aperture, motion, wavelength, and illumination. By blocking light over time or space, we can preserve more details about the scene in the recorded single photograph.

**269. Coded Focal Stack
Photography**

Ramesh Raskar, Gordon Wetzstein, Xing Lin and Tsinghua University

We present coded focal stack photography as a computational photography paradigm that combines a focal sweep and a coded sensor readout with novel computational algorithms. We demonstrate various applications of coded focal stacks, including photography with programmable non-planar focal surfaces and multiplexed focal stack acquisition. By leveraging sparse coding techniques, coded focal stacks can also be used to recover a full-resolution depth and all-in-focus (AIF) image from a single photograph. Coded focal stack photography is a significant step towards a computational camera architecture that facilitates high-resolution post-capture refocusing, flexible depth of field, and 3D imaging.

**270. Compressive
Light-Field Camera:
Next Generation in 3D
Photography**

Kshitij Marwah, Gordon Wetzstein, Yosuke Bando and Ramesh Raskar

Consumer photography is undergoing a paradigm shift with the development of light field cameras. Commercial products such as those by Lytro and Raytrix have begun to appear in the marketplace with features such as post-capture refocus, 3D capture, and viewpoint changes. These cameras suffer from two major drawbacks: major drop in resolution (converting a 20 MP sensor to a 1 MP image) and large form factor. We have developed a new light-field camera that circumvents traditional resolution losses (a 20 MP sensor turns into a full sensor resolution refocused image) in a thin form factor that can fit into traditional DSLRs and mobile phones.

271. Eyeglasses-Free Displays

Ramesh Raskar and Gordon Wetzstein

Millions of people worldwide need glasses or contact lenses to see or read properly. We introduce a computational display technology that predistorts the presented content for an observer, so that the target image is perceived without the need for eyewear. We demonstrate a low-cost prototype that can correct myopia, hyperopia, astigmatism, and even higher-order aberrations that are difficult to correct with glasses.

272. Imaging Through Scattering

NEW LISTING

Guy Satat, Barmak Heshmat, Dan Raviv and Ramesh Raskar

The use of fluorescent probes and the recovery of their lifetimes allow for significant advances in many imaging systems, in particular medical imaging systems. Here, we propose and experimentally demonstrate reconstructing the locations and lifetimes of fluorescent markers hidden behind a turbid layer. This opens the door to various applications for non-invasive diagnosis, analysis, flowmetry, and inspection.

Alumni Contributor: Christopher Barsi

273. Imaging through Scattering Media Using Femtophotography

Ramesh Raskar, Christopher Barsi and Nikhil Naik

We use time-resolved information in an iterative optimization algorithm to recover reflectance of a three-dimensional scene hidden behind a diffuser. We demonstrate reconstruction of large images without relying on knowledge of diffuser properties.

274. Inverse Problems in Time-of-Flight Imaging

Ayush Bhandari and Ramesh Raskar

We are exploring mathematical modeling of time-of-flight imaging problems and solutions.

275. Layered 3D: Glasses-Free 3D Printing

Gordon Wetzstein, Douglas Lanman, Matthew Hirsch, Wolfgang Heidrich, and Ramesh Raskar

We are developing tomographic techniques for image synthesis on displays composed of compact volumes of light-attenuating material. Such volumetric attenuators recreate a 4D light field or high-contrast 2D image when illuminated by a uniform backlight. Since arbitrary views may be inconsistent with any single attenuator, iterative tomographic reconstruction minimizes the difference between the emitted and target light fields, subject to physical constraints on attenuation. For 3D displays, spatial resolution, depth of field, and brightness are increased, compared to parallax barriers. We conclude by demonstrating the benefits and limitations of attenuation-based light field displays using an inexpensive fabrication method: separating multiple printed transparencies with acrylic sheets.

276. LensChat: Sharing Photos with Strangers

Ramesh Raskar, Rob Gens and Wei-Chao Chen

With networked cameras in everyone's pockets, we are exploring the practical and creative possibilities of public imaging. LensChat allows cameras to communicate with each other using trusted optical communications, allowing users to share photos with a friend by taking pictures of each other, or borrow the perspective and abilities of many cameras.

**277. Looking Around
Corners**

Andreas Velten, Di Wu, Christopher Barsi, Ayush Bhandari, Achuta Kadambi, Nikhil Naik, Micha Feigin, Daniel Raviv, Thomas Willwacher, Otkrist Gupta, Ashok Veeraraghavan, Mounji G. Bawendi, and Ramesh Raskar

Using a femtosecond laser and a camera with a time resolution of about one trillion frames per second, we recover objects hidden out of sight. We measure speed-of-light timing information of light scattered by the hidden objects via diffuse surfaces in the scene. The object data are mixed up and are difficult to decode using traditional cameras. We combine this "time-resolved" information with novel reconstruction algorithms to untangle image information and demonstrate the ability to look around corners.

Alumni Contributors: Andreas Velten, Otkrist Gupta and Di Wu

**278. NETRA: Smartphone
Add-On for Eye Tests**

Vitor Pamplona, Manuel Oliveira, Erick Passos, Ankit Mohan, David Schafran, Jason Boggess and Ramesh Raskar

Can a person look at a portable display, click on a few buttons, and recover his refractive condition? Our optometry solution combines inexpensive optical elements and interactive software components to create a new optometry device suitable for developing countries. The technology allows for early, extremely low-cost, mobile, fast, and automated diagnosis of the most common refractive eye disorders: myopia (nearsightedness), hypermetropia (farsightedness), astigmatism, and presbyopia (age-related visual impairment). The patient overlaps lines in up to eight meridians and the Android app computes the prescription. The average accuracy is comparable to the prior art and in some cases, even better. We propose the use of our technology as a self-evaluation tool for use in homes, schools, and at health centers in developing countries, and in places where an optometrist is not available or is too expensive.

**279. New Methods in
Time-of-Flight
Imaging**

Ramesh Raskar, Christopher Barsi, Ayush Bhandari, Anshuman Das, Micha Feigin-Almon and Achuta Kadambi

Time-of-flight (ToF) cameras are commercialized consumer cameras that provide a depth map of a scene, with many applications in computer vision and quality assurance. Currently, we are exploring novel ways of integrating the camera illumination and detection circuits with computational methods to handle challenging environments, including multiple scattering and fluorescence emission.

Alumni Contributor: Refael Whyte

**280. PhotoCloud:
Personal to Shared
Moments with Angled
Graphs of Pictures**

Ramesh Raskar, Aydin Arpa, Otkrist Gupta and Gabriel Taubin

We present a near real-time system for interactively exploring a collectively captured moment without explicit 3D reconstruction. Our system favors immediacy and local coherency to global consistency. It is common to represent photos as vertices of a weighted graph. The weighted angled graphs of photos used in this work can be regarded as the result of discretizing the Riemannian geometry of the high dimensional manifold of all possible photos. Ultimately, our system enables everyday people to take advantage of each others' perspectives in order to create on-the-spot spatiotemporal visual experiences similar to the popular bullet-time sequence. We believe that this type of application will greatly enhance shared human experiences spanning from events as personal as parents watching their children's football game to highly publicized red-carpet galas.

**281. Polarization Fields:
Glasses-Free 3DTV**

Douglas Lanman, Gordon Wetzstein, Matthew Hirsch, Wolfgang Heidrich, and Ramesh Raskar

We introduce polarization field displays as an optically efficient design for dynamic light field display using multi-layered LCDs. Such displays consist of a stacked set of liquid crystal panels with a single pair of crossed linear polarizers. Each layer is modeled as a spatially controllable polarization rotator, as opposed to a conventional spatial light modulator that directly attenuates light. We demonstrate

that such displays can be controlled, at interactive refresh rates, by adopting the SART algorithm to tomographically solve for the optimal spatially varying polarization state rotations applied by each layer. We validate our design by constructing a prototype using modified off-the-shelf panels. We demonstrate interactive display using a GPU-based SART implementation supporting both polarization-based and attenuation-based architectures.

282. Portable Retinal Imaging

Everett Lawson, Jason Boggess, Alex Olwal, Gordon Wetzstein, and Siddharth Khullar

The major challenge in preventing blindness is identifying patients and bringing them to specialty care. Diseases that affect the retina, the image sensor in the human eye, are particularly challenging to address, because they require highly trained eye specialists (ophthalmologists) who use expensive equipment to visualize the inner parts of the eye. Diabetic retinopathy, HIV/AIDS related retinitis, and age-related macular degeneration are three conditions that can be screened and diagnosed to prevent blindness caused by damage to retina. We exploit a combination of two novel ideas which simplify the constraints of traditional devices, with simplified optics and cleaver illumination in order to capture and visualize images of the retina in a standalone device easily operated by the user. Prototypes are conveniently embedded in either a mobile hand-held retinal camera, or wearable eyeglasses.

283. Reflectance Acquisition Using Ultrafast Imaging

Ramesh Raskar and Nikhil Naik

We demonstrate a new technique that allows a camera to rapidly acquire reflectance properties of objects "in the wild" from a single viewpoint, over relatively long distances and without encircling equipment. This project has a wide variety of applications in computer graphics including image relighting, material identification, and image editing.

Alumni Contributor: Andreas Velten

284. Second Skin: Motion Capture with Actuated Feedback for Motor Learning

Ramesh Raskar, Kenichiro Fukushi, Christopher Schonauer and Jan Zizka

We have created a 3D motion-tracking system with automatic, real-time vibrotactile feedback and an assembly of photo-sensors, infrared projector pairs, vibration motors, and wearable suit. This system allows us to enhance and quicken the motor learning process in a variety of fields such as healthcare (physiotherapy), entertainment (dance), and sports (martial arts).

Alumni Contributor: Dennis Ryan Miaw

285. Shield Field Imaging

Jaewon Kim

We present a new method for scanning 3D objects in a single-shot, shadow-based method. We decouple 3D occluders from 4D illumination using shield fields: the 4D attenuation function which acts on any light field incident on an occluder. We then analyze occluder reconstruction from cast shadows, leading to a single-shot light field camera for visual hull reconstruction.

286. Single Lens Off-Chip Cellphone Microscopy

Ramesh Raskar and Aydin Arpa

Within the last few years, cellphone subscriptions have spread widely and now cover even the remotest parts of the planet. Adequate access to healthcare, however, is not widely available, especially in developing countries. We propose a new approach to converting cellphones into low-cost scientific devices for microscopy. Cellphone microscopes have the potential to revolutionize health-related screening and analysis for a variety of applications, including blood and water tests. Our optical system is more flexible than previously proposed mobile microscopes, and allows for wide field of view panoramic imaging, the acquisition of parallax, and coded background illumination, which optically enhances the contrast of transparent and refractive specimens.

287. Skin Perfusion Photography

Guy Satat and Ramesh Raskar

Skin and tissue perfusion measurements are important parameters for diagnosis of wounds and burns, and for monitoring plastic and reconstructive surgeries. In this project, we use a standard camera and a laser source in order to image blood flow speed in skin tissue. We show results of blood flow maps of hands, arms, and fingers. We combine the complex scattering of laser light from blood with computational techniques found in computer science.

Alumni Contributor: Christopher Barsi

288. Slow Display

Daniel Saakes, Kevin Chiu, Tyler Hutchison, Biyeun Buczyk, Naoya Koizumi and Masahiko Inami

How can we show our 16-megapixel photos from our latest trip on a digital display? How can we create screens that are visible in direct sunlight as well as complete darkness? How can we create large displays that consume less than 2W of power? How can we create design tools for digital decal application and intuitive-computer aided modeling? We introduce a display that is high resolution but updates at a low frame rate, a slow display. We use lasers and monostable light-reactive materials to provide programmable space-time resolution. This refreshable, high resolution display exploits the time decay of monostable materials, making it attractive in terms of cost and power requirements. Our effort to repurpose these materials involves solving underlying problems in color reproduction, day-night visibility, and optimal time sequences for updating content.

289. SpeckleSense

Alex Olwal, Andrew Bardagjy, Jan Zizka and Ramesh Raskar

Motion sensing is of fundamental importance for user interfaces and input devices. In applications where optical sensing is preferred, traditional camera-based approaches can be prohibitive due to limited resolution, low frame rates, and the required computational power for image processing. We introduce a novel set of motion-sensing configurations based on laser speckle sensing that are particularly suitable for human-computer interaction. The underlying principles allow these configurations to be fast, precise, extremely compact, and low cost.

290. SpecTrans: Classification of Transparent Materials and Interactions

NEW LISTING

Ramesh Raskar, Alex Olwal, Munehiko Sato, Boxin Shi, Shigeo Yoshida, Tatsushi Hiyama, Michitaka Hirose and Tomohiro Tanikawa

Surface and object recognition is of significant importance in ubiquitous and wearable computing. While various techniques exist to infer context from material properties and appearance, they are typically neither designed for real-time applications nor for optically complex surfaces that may be specular, textureless, and even transparent. These materials are, however, becoming increasingly relevant in HCI for transparent displays, interactive surfaces, and ubiquitous computing. We present SpecTrans, a new sensing technology for surface classification of exotic materials, such as glass, transparent plastic, and metal. The proposed technique extracts optical features by employing laser and multi-directional, multi-spectral LED illumination that leverages the material's optical properties. The sensor hardware is small in size, and the proposed classification method requires significantly lower computational cost than conventional image-based methods, which use texture features or reflectance analysis, thereby providing real-time performance for ubiquitous computing.

291. StreetScore

Nikhil Naik, Jade Philipoom, Ramesh Raskar, Cesar Hidalgo

StreetScore is a machine learning algorithm that predicts the perceived safety of a streetscape. StreetScore was trained using 2,920 images of streetscapes from New York and Boston and their rankings for perceived safety obtained from a crowdsourced survey. To predict an image's score, StreetScore decomposes this image into features and assigns the image a score based on the associations between features and scores learned from the training dataset. We use StreetScore to create a collection of map visualizations of perceived safety of street views from

cities in the United States. StreetScore allows us to scale up the evaluation of streetscapes by several orders of magnitude when compared to a crowdsourced survey. StreetScore can empower research groups working on connecting urban perception with social and economic outcomes by providing high resolution data on urban perception.

**292. Tensor Displays:
High-Quality
Glasses-Free 3D TV**

Gordon Wetzstein, Douglas Lanman, Matthew Hirsch and Ramesh Raskar

Tensor displays are a family of glasses-free 3D displays comprising all architectures employing (a stack of) time-multiplexed LCDs illuminated by uniform or directional backlighting. We introduce a unified optimization framework that encompasses all tensor display architectures and allows for optimal glasses-free 3D display. We demonstrate the benefits of tensor displays by constructing a reconfigurable prototype using modified LCD panels and a custom integral imaging backlight. Our efficient, GPU-based NTF implementation enables interactive applications. In our experiments we show that tensor displays reveal practical architectures with greater depths of field, wider fields of view, and thinner form factors, compared to prior automultiscopic displays.

**293. Theory Unifying Ray
and Wavefront
Lightfield
Propagation**

George Barbastathis, Ramesh Raskar, Belen Masia, Se Baek Oh and Tom Cuypers

This work focuses on bringing powerful concepts from wave optics to the creation of new algorithms and applications for computer vision and graphics. Specifically, ray-based, 4D lightfield representation, based on simple 3D geometric principles, has led to a range of new applications that include digital refocusing, depth estimation, synthetic aperture, and glare reduction within a camera or using an array of cameras. The lightfield representation, however, is inadequate to describe interactions with diffractive or phase-sensitive optical elements. Therefore we use Fourier optics principles to represent wavefronts with additional phase information. We introduce a key modification to the ray-based model to support modeling of wave phenomena. The two key ideas are "negative radiance" and a "virtual light projector." This involves exploiting higher dimensional representation of light transport.

**294. Trillion Frames Per
Second Camera**

Andreas Velten, Di Wu, Adrián Jarabo, Belen Masia, Christopher Barsi, Chinmaya Joshi, Everett Lawson, Mounji Bawendi, Diego Gutierrez, and Ramesh Raskar

We have developed a camera system that captures movies at an effective rate of approximately one trillion frames per second. In one frame of our movie, light moves only about 0.6 mm. We can observe pulses of light as they propagate through a scene. We use this information to understand how light propagation affects image formation and to learn things about a scene that are invisible to a regular camera.

**295. Ultrasound
Tomography**

Ramesh Raskar, Micha Feigin-Almon and Brian Anthony

Traditional medical ultrasound assumes that we are imaging ideal liquids. We are interested in imaging muscle and bone as well as measuring elastic properties of tissues, all of which are places where this assumption fails quite miserably. Interested in cancer detections, Duchenne muscular dystrophy and prosthetic fitting, we use tomographic techniques as well as ideas from seismic imaging to deal with these issues.

296. Vision on Tap

Ramesh Raskar

Computer vision is a class of technologies that lets computers use cameras to automatically stitch together panoramas, reconstruct 3D geometry from multiple photographs, and even tell you when the water's boiling. For decades, this technology has been advancing mostly within the confines of academic institutions and research labs. Vision on Tap is our attempt to bring computer vision to the masses.

Alumni Contributor: Kevin Chiu

297. VisionBlocks

Chunglin Wen and Ramesh Raskar

VisionBlocks is an on-demand, in-browser, customizable, computer-vision application-building platform for the masses. Even without any prior programming experience, users can create and share computer vision applications. End-users drag and drop computer vision processing blocks to create their apps. The input feed could be either from a user's webcam or a video from the Internet. VisionBlocks is a community effort where researchers obtain fast feedback, developers monetize their vision applications, and consumers can use state-of-the-art computer vision techniques. We envision a Vision-as-a-Service (VaaS) over-the-web model, with easy-to-use interfaces for application creation for everyone.

Alumni Contributors: Abhijit Bendale, Kshitij Marwah and Jason Boggess and Kevin Chiu

298. Visual Lifelogging

Hyowon Lee, Nikhil Naik, Lubos Omelina, Daniel Tokunaga, Tiago Lucena and Ramesh Raskar

We are creating a novel visual lifelogging framework for applications in personal life and workplaces.

Mitchel Resnick: Lifelong Kindergarten

Engaging people in creative learning experiences.

299. App Inventor

Hal Abelson, Eric Klopfer, Mitchel Resnick, Andrew McKinney, CSAIL and Scheller Teacher Education Program

App Inventor is an open-source tool that democratizes app creation. By combining LEGO-like blocks onscreen, even users with no prior programming experience can use App Inventor to create their own mobile applications. Currently, App Inventor has over 2,000,000 users and is being taught by universities, schools, and community centers worldwide. In those initiatives, students not only acquire important technology skills such as computer programming, but also have the opportunity to apply computational thinking concepts to many fields including science, health, education, business, social action, entertainment, and the arts. Work on App Inventor was initiated in Google Research by Hal Abelson and is continuing at the MIT Media Lab as part of its Center for Mobile Learning, a collaboration with the MIT Computer Science and Artificial Intelligence Laboratory (CSAIL) and the Scheller Teacher Education Program (STEP).

300. Askii

NEW LISTING

J. Philipp Schmidt, Juliana Nazaré

Askii is an SMS-based system that allows adult learners to study for a certification exam while on their commute. When learners have a spare five minutes, they can simply text Askii to begin their customized lessons. Askii will respond with a curated set of questions and links to content that learners can study on the go. We have

begun building this prototype for learners to study for the US Naturalization Exam and plan to expand to other certification courses. Askii is a prototype within the large Making Learning Work project.

301. Build-in-Progress

Tiffany Tseng and Mitchel Resnick

Build-in-Progress is a platform for sharing the story of your design process. With Build-in-Progress, makers document as they develop their design process, incorporating iterations and failures along the way and getting feedback as they develop their projects.

302. Computer Clubhouse

Mitchel Resnick, Natalie Rusk, Chris Garrity, Alisha Panjwani

At Computer Clubhouse after-school centers, young people (ages 10-18) from low-income communities learn to express themselves creatively with new technologies. Clubhouse members work on projects based on their own interests, with support from adult mentors. By creating their own animations, interactive stories, music videos, and robotic constructions, Clubhouse members become more capable, confident, and creative learners. The first Computer Clubhouse was established in 1993, as a collaboration between the Lifelong Kindergarten group and The Computer Museum (now part of the Boston Museum of Science). With financial support from Intel Corporation, the network has expanded to more than 100 centers in 20 countries, serving more than 20,000 young people. The Lifelong Kindergarten group continues to develop new technologies, introduce new educational approaches, and lead professional-development workshops for Clubhouses around the world.

Alumni Contributors: rberg, Leo Burd, Robbin Chapman, Rachel Garber, Tim Gorton, Michelle Hlubinka, Elisabeth Sylvan and Claudia Urrea

303. Computer Clubhouse Village

Chris Garrity, Natalie Rusk, and Mitchel Resnick

The Computer Clubhouse Village is an online community that connects people at Computer Clubhouse after-school centers around the world. Through the Village, Clubhouse members and staff at more than 100 Clubhouses in 20 countries can share ideas with one another, get feedback and advice on their projects, and work together on collaborative design activities.

Alumni Contributors: Robbin Chapman, Rachel Garber and Elisabeth Sylvan

304. DIY Cellphone

David A. Mellis and Leah Buechley

An exploration into the possibilities for individual construction and customization of the most ubiquitous of electronic devices, the cellphone. By creating and sharing open-source designs for the phone's circuit board and case, we hope to encourage a proliferation of personalized and diverse mobile phones. Freed from the constraints of mass production, we plan to explore diverse materials, shapes, and functions. We hope that the project will help us explore and expand the limits of do-it-yourself (DIY) practice. How close can a homemade project come to the design of a cutting-edge device? What are the economics of building a high-tech device in small quantities? Which parts are even available to individual consumers? What's required for people to customize and build their own devices?

305. DressCode

Jennifer Jacobs, Leah Buechley, and Mitchel Resnick

DressCode is a computer-aided design and fabrication tool that combines programming with graphic drawing and manipulation, allowing novice programmers to create computationally-generated, physical artifacts. The software consists of a programming environment and a graphic-user interface design tool, as well as a custom programming language. The GUI tools allow for a unique combination of graphic drawing and computational manipulation, because the software automatically generates editable code in the programming environment that reflects the designer's drawing actions. DressCode exports designs that are compatible with

digital fabrication machines, allowing for the creation of physical artifacts. We have introduced DressCode to amateur programmers with a series of craft activities that allow them to produce functional, beautiful, and unique objects including t-shirts, jewelry, and personal accessories.

306. Duct Tape Network

NEW LISTING

Mitchel Resnick, Leo Burd, Alisha Panjwani and Rachel Garber

The Duct Tape Network (DTN) is a series of fun, hands-on maker workshops that encourage young children (ages 8-11) to use cardboard, tape, wood, fabric, LED lights, motors, and more to bring their stories and inventions to life. We are designing an educational framework and toolkit to engage kids in the creation of things that they care about before they lose their curiosity or get pulled in by more consumer-oriented technology. DTN workshops include team challenges and tinkering time. Come check them out!

307. Family Creative Learning

Ricarose Roque, Natalie Rusk, and Mitchel Resnick

In Family Creative Learning, we engage parents and children in workshops to design and learn together with creative technologies, like the Scratch programming language and the MaKey MaKey invention kit. Just as children's literacy can be supported by parents reading with them, children's creativity can be supported by parents creating with them. In these workshops, we especially target families with limited access to resources and social support around technology. By promoting participation across generations, these workshops engage parents in supporting their children in becoming creators and full participants in today's digital society.

308. Learning Creative Learning

Mitchel Resnick, Philipp Schmidt, Natalie Rusk, Grif Peterson, Katherine McConachie, Srishti Sethi, Alisha Panjwani

Learning Creative Learning (<http://learn.media.mit.edu/lcl>) is an online course that introduces ideas and strategies for supporting creative learning. The course engages educators, designers, and technologists from around the world in applying creative learning tools and approaches from the MIT Media Lab. We view the course as an experimental alternative to traditional Massive Open Online Courses (MOOCs), putting greater emphasis on peer-to-peer learning, hands-on projects, and sustainable communities.

309. Learning with Data

Sayamindu Dasgupta and Mitchel Resnick

More and more computational activities revolve around collecting, accessing, and manipulating large sets of data, but introductory approaches for learning programming typically are centered around algorithmic concepts and flow of control, not around data. Computational exploration of data, especially data-sets, has been usually restricted to predefined operations in spreadsheet software like Microsoft Excel. This project builds on the Scratch programming language and environment to allow children to explore data and datasets. With the extensions provided by this project, children can build Scratch programs to not only manipulate and analyze data from online sources, but also to collect data through various means such as surveys and crowd-sourcing. This toolkit will support many different types of projects like online polls, turn-based multiplayer games, crowd-sourced stories, visualizations, information widgets, and quiz-type games.

310. Libranet

NEW LISTING

Philipp Schmidt, Katherine McConachie

Libranet is a model for facilitating in-person study groups at community libraries. Aimed at adult learners, Libranet seeks to take advantage of libraries as a free, open community spaces for learning. This model utilizes open, online course material and pairs it with a study group format to foster deeper, more meaningful adult basic educational experiences.

311. MaKey MaKey

Eric Rosenbaum, Jay Silver, and Mitchel Resnick

MaKey MaKey lets you transform everyday objects into computer interfaces. Make a game pad out of Play-Doh, a musical instrument out of bananas, or any other invention you can imagine. It's a little USB device you plug into your computer, and you use it to make your own switches that act like keys on the keyboard: Make + Key = MaKey MaKey! It's plug and play. No need for any electronics or programming skills. Since MaKey MaKey looks to your computer like a regular mouse and keyboard, it's automatically compatible with any piece of software you can think of. It's great for beginners tinkering and exploring, for experts prototyping and inventing, and for everybody who wants to playfully transform their world.

312. Making Learning Work

J. Philipp Schmidt, Juliana Nazare, Srishti Sethi

Improving adult learning, especially for adults who are unemployed or unable to financially support their families, is a challenge that affects the future wellbeing of millions of individuals in the US. We are working with the Joyce Foundation, employers, learning researchers, and the Media Lab community to prototype three to five new models for adult learning that involve technology innovation and behavioral insights.

313. Making with Stories

Alisha Panjwani, Natalie Rusk, Mitchel Resnick

We are developing a set of participatory "maker" activities to engage youth in creating tangible projects that depict stories about themselves and their worlds. These activities introduce electronics and computational tools as a medium to create, connect, express, and derive meaning from personal narratives. For example, we are offering workshops where participants design sewable circuits and bring them together to create a collaborative Story Quilt. Through the Making with Stories project we are exploring how story-based pedagogy can inspire youth participation in arts and engineering within formal and informal learning environments.

314. Map Scratch

Sayamindu Dasgupta, Brian Silverman, and Mitchel Resnick

Map Scratch is an extension of Scratch that enables kids to program with maps within their Scratch projects. With Map Scratch, kids can create interactive tours, games, and data visualizations with real-world geographical data and maps.

315. Media Lab Virtual Visit

Srishti Sethi and J. Philipp Schmidt

Media Lab Virtual Visit is intended to open up the doors of the Media Lab to people from all around the world. The visit is hosted on the Unhangout platform, a new way of running large-scale unconferences on the web that was developed at the Media Lab. It is an opportunity for students or potential collaborators to talk with current researchers at the Lab, learn about their work, and share ideas.

316. MelodyMorph

Eric Rosenbaum and Mitchel Resnick

MelodyMorph is an interface for constructing melodies and making improvised music. It removes a constraint of traditional musical instruments: a fixed mapping between space and pitch. What if you blew up the piano so you could put the keys anywhere you want? With MelodyMorph you can create a customized musical instrument, unique to the piece of music, the player, or the moment.

317. Novice Design of Interactive Products

David A. Mellis and Mitchel Resnick

Despite recent widespread interest in hobbyist electronics and the maker movement, the design of printed circuit boards (PCBs) remains an obscure and often intimidating activity. This project attempts to introduce PCB design and production to new audiences by creating examples, activities, and other resources that provide context and motivation for those practices. We've developed a series of interactive lights that demonstrate the creation of useable products with simple

circuits. These examples introduce novices to the space of possibilities and provide them with a starting point for creating their own designs. In workshops, novices design, produce, assemble, and program their own electronic circuits. These workshops provide an entry point to understanding the way that electronic products are made and an opportunity for discussion and reflection about how more people might get involved in their production.

318. Open Learning

Philipp Schmidt and Mitchel Resnick

Learning for everyone, by everyone. The Open Learning project builds online learning communities that work like the web: peer-to-peer, loosely joined, open. And it works with Media Lab faculty and students to open up the magic of the Lab through online learning. Our first experiment was Learning Creative Learning, a course taught at the Media Lab, which attracted 24,000 participants. We are currently developing ideas for massive citizen science projects, engineering competitions for kids, and new physical infrastructures for learning that reclaim the library.

319. Para

Jennifer Jacobs, Mitchel Resnick, Joel Brandt, and Radomir Mech

Procedural representations, enabled through programming, are a powerful tool for digital illustration but writing code conflicts with the intuitiveness and immediacy of direct manipulation. Para is a digital illustration tool that uses direct manipulation to define and edit procedural artwork. Through creating and altering vector paths, artists can define iterative distributions, parametric constraints, and conditional behaviors. Para makes it easier for people to create generative artwork, and creates a intuitive workflow between manual and procedural drawing methods.

320. Read Out Loud

NEW LISTING

J. Philipp Schmidt and Juliana Nazare

Read Out Loud is an application that empowers adults learning English to turn almost any reading material into an experience to help them learn English. Learners can take a picture of a page of text; the app then scans in the page and presents the learner with a host of additional tools to facilitate reading. They can read the text aloud, which helps learners who are more comfortable with spoken English understand what is written. They can also select words to translate them into their native language. With this prototype, we want to give adult learners more agency to learn from material that focuses on subjects they care about, as well as increase access to English language learning material. Any book from the public library could become learning material with support in their native language. Read Out Loud is a prototype within the large Making Learning Work project.

321. Scratch

Mitchel Resnick, Natalie Rusk, Eric Schilling, Amos Blanton, Champika Fernando, Sayamindu Dasgupta, Ricarose Roque, Kasia Chmielinski, Shane Clements, Carl Bowman, Matt Taylor, Ray Schamp, Chris Willis-Ford, Brian Silverman, Paula Bonta

Scratch is a programming language and online community (<http://scratch.mit.edu>) that makes it easy to create your own interactive stories, games, animations, and simulations and share your creations online. As young people create and share Scratch projects, they learn to think creatively, reason systematically, and work collaboratively, while also learning important mathematical and computational ideas. Young people around the world have shared more than six million projects on the Scratch website, with thousands of new projects every day. (For information on who has contributed to Scratch, see the Scratch Credits page: <http://scratch.mit.edu/info/credits/>)

Alumni Contributors: Karen Brennan, Gaia Carini, Michelle Chung, Margarita Dekoli, Evelyn Eastmond, John H. Maloney, Amon Millner, Andres Monroy-Hernandez, Eric Rosenbaum, Jay Saul Silver and Tamara Stern

322. Scratch Data Blocks

Sayamindu Dasgupta, Mitchel Resnick, Natalie Rusk, and Benjamin Mako Hill

Scratch Data Blocks is an NSF-funded project that extends the Scratch programming language to enable youth to analyze and visualize their own learning and participation in the Scratch online community. With Scratch Data Blocks, youth in the Scratch community can easily access, analyze, and represent data about the ways they program, share, and discuss Scratch projects.

323. Scratch Day

Lisa O'Brien, Kasia Chmielinski, Carl Bowman, and Mitchel Resnick

Scratch Day (day.scratch.mit.edu) is a network of face-to-face local gatherings, on the same day in all parts of the world, where people can meet, share, and learn more about Scratch, a programming environment that enables people to create their own interactive stories, games, animations, and simulations. We believe that these types of face-to-face interactions remain essential for ensuring the accessibility and sustainability of initiatives such as Scratch. In-person interactions enable richer forms of communication among individuals, more rapid iteration of ideas, and a deeper sense of belonging and participation in a community. The first Scratch Day took place in 2009. In 2014, there were 260 events in 56 countries.

Alumni Contributor: Karen Brennan

324. Scratch Extensions

Shane Clements, Chris Willis-Ford, Sayamindu Dasgupta, Amos Blanton, Mitchel Resnick

The Scratch extension system enables anyone to extend the Scratch programming language through custom programming blocks written in JavaScript. The extension system is designed to enable innovating on the Scratch programming language itself, in addition to innovating with it through projects. With the extension system, anyone can write custom Scratch blocks that enable others to use Scratch to program hardware devices such as the LEGO WeDo, get data from online web-services such as weather.com, and use advanced web-browser capabilities such as speech recognition.

Alumni Contributors: Abdulrahman Y. idlbi and John H. Maloney

325. ScratchJr

Mitchel Resnick, Marina Bers, Paula Bonta, Champika Fernando, Tim Mickel, Sayamindu Dasgupta, and Brian Silverman

The ScratchJr project brings the ideas and spirit of Scratch programming activities to younger children, enabling children ages five to seven to program their own interactive stories, games, and animations. To make ScratchJr developmentally appropriate for younger children, we are revising the interface and providing new structures to help young children learn core math concepts and problem-solving strategies. ScratchJr is now available as a free app for iPads (and will be available for Android soon). ScratchJr is a collaboration between the MIT Media Lab, Tufts University, and Playful Invention Company.

326. Singing Fingers

Eric Rosenbaum, Jay Silver, and Mitchel Resnick

Singing Fingers allows children to fingerpaint with sound. Users paint by touching a screen with a finger, but color only emerges if a sound is made at the same time. By touching the painting again, users can play back the sound. This creates a new level of accessibility for recording, playback, and remixing of sound.

327. Start Making!

Alisha Panjwani, Jennifer Jacobs, Tiffany Tseng, Jie Qi, David Mellis, Chris Garrity, Ricarose Roque, Natalie Rusk, Mitchel Resnick

The Lifelong Kindergarten group is collaborating with the Museum of Science in Boston to develop materials and workshops that engage young people in "maker" activities in Computer Clubhouses around the world, with support from Intel. The activities introduce youth to the basics of circuitry, coding, crafting, and engineering. In addition, graduate students are testing new maker technologies and workshops

for Clubhouse staff and youth. The goal of the initiative is to help young people from under-served communities gain experience and confidence in their ability to design, create, and invent with new technologies.

328. Unhangout

Philipp Schmidt, Drew Harry, Charlie DeTar, and Srishti Sethi

Unhangout is an open-source platform for running large-scale unconferences online. We use Google Hangouts to create as many small sessions as needed, and help users find others with shared interests. Think of it as a classroom with an infinite number of breakout sessions. Each event has a landing page, which we call the lobby. When participants arrive, they can see who else is there and chat with each other. The hosts can do a video welcome and introduction that gets streamed into the lobby. Participants then break out into smaller sessions (up to 10 people per session) for in-depth conversations, peer-to-peer learning, and collaboration on projects. Unhangouts are community-based learning instead of top-down information transfer.

Deb Roy: Social Machines

Building systems solutions for social change.

329. Journalism Mapping and Analytics Project (JMAP)

NEW LISTING

Deb Roy, Sophie Chou, Pau Kung, Neo Mohsenvand, William Powers

Over the last two decades, digital technologies have flattened old hierarchies in the news business and opened the conversation to a multitude of new voices. To help comprehend this promising but chaotic new public sphere, we're building a "social news machine" that will provide a structured view of the place where journalism meets social media. The basis of our project is a two-headed data ingest. On one side, all the news published online 24/7 by a sample group of influential US media outlets. On the other, all Twitter comments of the journalists who produced the stories. The two streams will be joined through network analysis and algorithmic inference. In future work we plan to expand the analysis to include all the journalism produced by major news outlets and the overall public response on Twitter, shedding new light on such issues as bias, originality, credibility, and impact.

330. Responsive Communities: Pilot Project in Jun, Spain

NEW LISTING

Deb Roy, Martin Saveski, William Powers

To gain insights into how digital technologies can make local governments more responsive and deepen citizen engagement, we are studying the Spanish town of Jun (population 3,500). For the last four years, Jun has been using Twitter as its principal medium for citizen-government communication. We are mapping the resulting social networks and analyzing the dynamics of the Twitter interactions, in order to better understand the initiative's impact on the town. Our long-term goal is to determine if the system can be replicated at scale in larger communities, perhaps even major cities.

331. Rumor Gauge: Automatic Detection and Verification of Rumors in Twitter

Soroush Vosoughi and Deb Roy

The spread of malicious or accidental misinformation in social media, especially in time-sensitive situations such as real-world emergencies, can have harmful effects on individuals and society. Motivated by this, we are creating computational models of false and true information on Twitter to investigate the nature of rumors surrounding real-world events. These models take into account the content, characteristics of the people involved, and virality of information to predict veracity. The models have been trained and evaluated on several real-world events, such as the 2013 Boston Marathon bombings, the 2014 Ferguson riots, and the Ebola epidemic, with promising results. We believe our system will have immediate real-world applications for consumers of news, journalists, and emergency services, and that it can help minimize and dampen the impact of misinformation.

332. Social Literacy Learning

NEW LISTING

Deb Roy, Ivan Sysoev, Prashanth Lavanya, Preeta Bansal

The ability to read and write is a gateway into modern society and an important enabler of personal development. While there are a number of educational technology solutions being developed for individuals, the role of social machines or social literacy learning is less explored. We believe that the gateway to literacy is best passed by a child aided by a supportive community network comprising peers, teachers, parents, and other members. By creating social learning machine technology, we hope to empower human learning networks in order to establish a nutrient medium for literacy growth while enhancing personal, creative, and autonomous interactions within communities. We are planning to pilot and deploy our solution in rural India, where the need for literacy solutions is particularly acute. India currently accounts for 37 percent of world's illiterate population (282 million Indians).

Chris Schmandt: Living Mobile

Enhancing mobile life through improved user interactions.

333. Activ8

Misha Sra and Chris Schmandt

Activ8 is a system of three short games: See-Saw, a balancing game for Glass; Jump Beat, a music beat matching game for Glass; and Learning to Fly, a Kinect game where users keep a virtual bird in the air by flapping their arms. Recent epidemiological evidence points at sitting as being the most common contributor to an inactive lifestyle. We aim to offer a starting point towards designing and building an understanding about how "physical casual games" can contribute to helping address the perils of sitting.

334. JogCall: Persuasive System for Couples to Jog Together

NEW LISTING

Chris Schmandt and Dhruv Jain

Due to wide adoption of smartphones and computers, many co-located couples rarely engage in a collaborative physical activity. JogCall is a cooperative and aesthetic system that persuades the couple to jog together, which is not only good for their physical exercise, but also for their emotional health. The system consists of i) a series of sensors deployed in the home, which sense the position of the partner getting ready for the morning jog, and cause pleasing alarms to wake up the snoozing partner, and ii) a wooden bird nest containing two movable 3D printed birds, which move closer together as the couple progresses.

335. Kaan: Wristband to Educate Deaf Children about Social Norms

NEW LISTING

Dhruv Jain and Chris Schmandt

For young children with hearing loss, learning is difficult and their social development is often at risk. This physical impairment causes changes in their social behavior, and they may be deemed "socially awkward" from a task as simple as setting down an object. It is hard for them to sense the sound distinction to know if an object was set down in a polite manner or if it was disruptive to others. Kaan is a wearable wristband to signal and alert a person with hearing loss if the sound emitted from setting down an object is disruptive. The long-term goal is to educate children on acceptable ranges of motions of objects in their everyday lives. The current device consists of a wearable wristband that vibrates and emits light if the loudness of the sound around it goes beyond a certain threshold.

336. MugShots

Cindy Hsin-Liu Kao and Chris Schmandt

MugShots enables visual communication through everyday objects. We embed a small display into a coffee mug, an object with frequent daily use. Targeted for the workplace, the mug transitions between different communication modes in public and private spaces. In the private office space, the mug is an object for intimate

communication between remote friends; users receive emoticon stickers via the display. When brought to a public area, the mug switches to a pre-selected image of the user's choice, serving as a social catalyst to trigger conversations in public spaces.

337. NailO

Cindy Hsin-Liu Kao, Artem Dementyev, Chris Schmandt

NailO is a nail-mounted gestural input surface. Using capacitive sensing on printed electrodes, the interface can distinguish on-nail finger swipe gestures with high accuracy. NailO works in real time: we miniaturized the system to fit on the fingernail, while wirelessly transmitting the sensor data to a mobile phone or PC. NailO allows for one-handed and always-available input, while being unobtrusive and discreet. Inspired by commercial nail stickers, the device blends into the user's body, is customizable, fashionable, and even removable. We show example applications of using the device as a remote controller when hands are busy and using the system to increase the input space of mobile phones.

338. OnTheGo

Misha Sra, Chris Schmandt

As mobile device screens continue to get smaller (smartwatches, head-mounted devices like Google Glass), touch-based interactions with them become harder. With OnTheGo, our goal is to complement touch- and voice-based input on these devices by adding interactions through in-air gestures around the devices. Gestural interactions are not only intuitive for certain situations where touch may be cumbersome like running, skiing, or cooking, but are also convenient for things like quick application and task management, certain types of navigation and interaction, and simple inputs to applications.

339. Spotz

Chris Schmandt and Misha Sra

Exploring your city is a great way to make friends, discover new places, find new interests, and invent yourself. Spotz is an Android app where everyone collectively defines the places they visit and the places in turn define them. Spotz allows you to discover yourself by discovering places. You tag a spot and create some buzz for it; if everyone agrees the spot is fun this bolsters your "fun" quotient. If everyone agrees the spot is geeky it pushes up your "geeky" score. Thus emerges your personal tag cloud. Follow tags to chance upon new places. Find people with similar tag clouds as your own and experience new places together. Create buzz for your favorite spots and track other buzz to find who has the #bestchocolatecake in town!

340. Variable Reality: Interaction with the Virtual Book

Hye Soo Yang and Chris Schmandt

Variable Reality is an augmented reality system designed for reading digital and physical books more intuitively and efficiently. Through a head-worn display device such as Oculus Rift, the user is able to instantly access and display any desired book contents onto either a real book or a hand, depending on the need and affordability. Quick hand gestures integrated with the system further facilitate natural user interactions.

Kevin Slavin: Playful Systems

Designing systems that become experiences to transcend utility and usability.

341. Tools for Super-Human Time Perception

Kevin Slavin and Che-Wei Wang

Time perception is a fundamental component in our ability to build mental models of our world. Without accurate and precise time perception, we might have trouble understanding speech, fumble social interactions, have poor motor control, hallucinate, or remember events incorrectly. Slight distortions in time perception are commonplace and may lead to slight dyslexia, memory shifts, poor eye-hand coordination and other relatively benign symptoms, but could a diminishing sense of time signal the onset of a serious brain disorder? Could time perception training help prevent or reverse brain disorders? This project is a series of experimental tools built to assist and increase human time perception. By approaching time-perception training from various perspectives, we hope to find a tool or collection of tools to increase time perception, and in turn discover what an increase in time perception might afford us.

342. 20 Day Stranger

Kevin Slavin, Julie Legault, Taylor Levy, Che-Wei Wang, Dalai Lama Center for Ethics and Transformative Values and Tinsley Galyean

20 Day Stranger is a mobile app that creates an intimate and anonymous connection between you and another person. For 20 days, you get continuous updates about where they are, what they are doing, and eventually even how they are feeling, and them likewise about you. But you will never know who this person is. Does this change the way you think about other people you see throughout your day, any one of which could be your stranger?

343. 32,768 Times Per Second

Kevin Slavin and Taylor Levy

The crystal oscillator inside a quartz wristwatch vibrates at 32,768 times per second. This is too fast for a human to perceive, and even more difficult to imagine its interaction with the mechanical circulation of a clock. 32,768 Times Per Second is a diagrammatic, procedural, and fully functional sculpture of the electro-mechanical landscape inside a common wristwatch. Through a series of electronic transformations, the signal from a crystal is broken down over and over, and then built back up to the human sense of time.

344. Amino, A Tamagotchi for Synthetic Biology

Kevin Slavin and Julie Legault

Amino is a design-driven mini-lab that allows users to carry out a bacterial transformation and enables the subsequent care and feeding of the cells that are grown. Inspired by Tamagotchis, the genetic transformation of an organism's DNA is performed by the user through guided interactions, resulting in a synthetic organism for which can be cared for like a pet. Amino is developed using low-cost ways of carrying out lab-like procedures in the home, and is packaged in a suitcase-sized continuous bioreactor for cells.

345. beneath the chip

Kevin Slavin and Taylor Levy

Sculptural artifacts that model and reveal the embedded history of human thought and scientific principles hidden inside banal digital technologies. These artifacts provide alternative ways to engage and understand the deepest interior of our everyday devices, below the circuit, below the chip. They build a sense of the machines within the machine, the material, the grit of computation.

346. Case and Molly

Gregory Borenstein

Case and Molly is a prototype for a game inspired by (and in homage to) William Gibson's novel *Neuromancer*. It's about the coordination between virtual and physical, "cyberspace" and "meat." We navigate the tension between our physical surroundings and our digital networks in a state of continuous partial attention; Case and Molly uses the mechanics and aesthetics of *Neuromancer* to explore this quintessential contemporary dynamic. The game is played by two people mediated by smartphones and an Oculus Rift VR headset. Together, and under time pressure, they must navigate Molly through physical space using information that is only available to Case. In the game, Case sees Molly's point of view in immersive 3D, but he can only communicate a single bit of information to her. Meanwhile, Molly traverses physical obstacles hoping Case can solve abstract puzzles in order to gain access to the information she needs.

347. Cordon Sanitaire

Kevin Slavin

Named for, and inspired by, the medieval practice of erecting barriers to prevent the spread of disease, Cordon Sanitaire is a collaborative, location-based mobile game in which players seek to isolate an infectious "patient zero" from the larger population. Every day, the game starts abruptly synchronizing all players at once and lasts for two minutes. In 60 seconds, players must choose either to help form the front line of a quarantine, or remain passive. Under pressure, the "uninfected" attempt to collaborate without communication, seeking to find the best solution for the group. When those 60 seconds end, a certain number of players are trapped inside with patient zero, and the score reflects the group's ability to cooperate under duress.

348. DeepView: Computational Tools for Chess Spectatorship

Gregory Borenstein, Kevin Slavin, and Maurice Ashley

Competitive chess is an exciting spectator sport. It is fast-paced, dynamic, and deeply psychological. Unfortunately, most of the game's drama is only visible to spectators who are themselves expert chess players. DeepView seeks to use computational tools to make the drama of high-level chess accessible to novice viewers. There is a long tradition of software trying to beat human players at chess; DeepView takes advantage of algorithmic tools created in the development of advanced chess engines such as Deep Blue, but instead uses them to understand and explain the styles of individual players and the dynamics of a given match. It puts into the hands of chess commentators powerful data science tools that can calculate player position preferences and likely game outcomes, helping commentators to better explain the exciting human story inside every match.

349. Designing Immersive Multi-Sensory Eating Experiences

Kevin Slavin and Janice Wang

Food offers a rich multi-modal experience that can deeply affect emotion and memory. We're interested in exploring the artistic and expressive potential of food beyond mere nourishment, as a means of creating memorable experiences that involve multiple senses. For instance, music can change our eating experience by altering our emotions during the meal, or by evoking a specific time and place. Similarly, sight, smell, and temperature can all be manipulated to combine with food for expressive effect. In addition, by drawing upon people's physiology and upbringing, we seek to create individual, meaningful sensory experiences. Specifically, we are exploring the connection between music and flavor perception.

350. Dice++

Kevin Slavin and Jonathan Bobrow

Today, algorithms drive our cars, our economy, what we read, and how we play. Modern-day computer games utilize weighted probabilities to make games more competitive, fun, and addicting. In casinos, slot machines once a product of simple probability employ similar algorithms to keep players playing. Dice++ takes the seemingly straight probability of rolling a die and determines an outcome with algorithms of its own.

351. EyeWire

Sebastian Seung, Kevin Slavin, Gregory Borenstein, Taylor Levy, David Robert, Che-Wei Wang and Seung Lab (MIT BCS)

The Seung Lab at MIT's Brain + Cognitive Sciences Department has developed EyeWire, a game to map the brain. To date, it has attracted an online community of over 50,000 "citizen neuroscientists" who are mapping the 3D structure of neurons and discovering neural connections. Playful Systems is collaborating with the Seung Lab to reconsider EyeWire as a large scale mass-appeal mobile game to attract 1MM players or more. We are currently developing mobile, collaborative game mechanics, and shifting the focus to short-burst gameplay.

352. Homeostasis

Kevin Slavin, Kamal Farah, Julie Legault and Denis Bozic

A large-scale art installation that investigates the biological systems that represent and embody human life, and their relationship to the built environment. This synthetic organism built from interconnected microbiological systems will be sustained in part through its own feedback and feedforward loops, but also through interactions with the architectural systems (like HVAC). As the different systems react and exchange material inputs and outputs, they move towards homeostasis. In the process, Homeostasis creates a new landscape of the human body, in which we can experience the wonder and vulnerability of its interconnected systems.

353. MicroPsi: An Architecture for Motivated Cognition

Joscha Bach

The MicroPsi project explores broad models of cognition, built on a motivational system that gives rise to autonomous social and cognitive behaviors. MicroPsi agents are grounded AI agents, with neuro-symbolic representations, affect, top-down/bottom-up perception, and autonomous decision making. We are interested in finding out how motivation informs social interaction (cooperation and competition, communication and deception), learning, and playing; shapes personality; and influences perception and creative problem-solving.

354. radiO_o

Kevin Slavin, Mark Feldmeier, Taylor Levy, Daniel Novy and Che-Wei Wang

radiO_o is a battery-powered speaker worn by hundreds of party guests, turning each person into a local mobile sound system. The radiO_o broadcast system allows the DJ to transmit sounds over several pirate radio channels to mix sounds between hundreds of speakers roaming around the space and the venue's existing sound system.

355. Sneak: A Hybrid Digital-Physical Tabletop Game

NEW LISTING

Greg Borenstein and Kevin Slavin

Sneak is a hybrid digital tabletop game for two-to-four players about deception, stealth, and social intuition. Each player secretly controls one agent in a procedurally generated supervillain lair. Their mission is to find the secret plans and escape without getting discovered, shot, or poisoned by another player. To accomplish this, players must interact and blend in with a series of computer-controlled henchmen while keeping a close eye on their human opponents for any social cues that might reveal their identity. Sneak introduces a number of systems which are common in video games, but were impractical in tabletop games that did not deeply integrate a smartphone app. These include procedural map generation, NPC pathfinding, dynamic game balancing, and the use of sound.

356. Soft Exchange: Interaction Design with Biological Interfaces

Kevin Slavin and Kamal Farah

The boundaries and fabric of human experience are continuously redefined by microorganisms, interacting at an imperceptible scale. Though hidden, these systems condition our bodies, environment, and even sensibilities and desires. The proposed works introduce a model of interaction in which the microbiome is an extension of the human sensory system, accessed through a series of biological interfaces that enable exchange. Biological Interfaces transfer discrete behaviors of microbes into information across scales, where it may be manipulated, even if

unseen. In the same way the field of HCI has articulated our exchanges with electronic signals, Soft Exchange opens up the question of how to design for this other invisible, though present, and vital material.

357. Storyboards

Sepandar Kamvar, Kevin Slavin, Jonathan Bobrow and Shantell Martin

Giving opaque technology a glass house. Storyboards present the tinkerers or owners of electronic devices with stories of how their devices work. Just as the circuit board is a story of star-crossed lovers Anode and Cathode with its cast of characters (resistor, capacitor, transistor), Storyboards have their own characters driving a parallel visual narrative.

Ethan Zuckerman: Civic Media

Creating, deploying, and evaluating tools and practices that foster civic participation and the flow of information within and between communities.

358. "Make the Breast Pump Not Suck!" Hackathon

Tal Achituv, Catherine D'Ignazio, Alexis Hope, Taylor Levy, Alexandra Metral, Che-Wei Wang

In September 2014, 150 parents, engineers, designers, and healthcare practitioners gathered at the MIT Media Lab for the "Make the Breast Pump Not Suck" Hackathon. As one of the midwives at our first hackathon said, "Maternal health lags behind other sectors for innovation." We are bringing together people from diverse fields, sectors, and backgrounds to take a crack at making life better for moms, babies, and new families.

359. Action Path

Erhardt Graeff, Kimberly Leon, Ed Platt, and Ethan Zuckerman

Action Path is location-based survey platform for Android smartphones that crowdsources feedback from citizens in a way that fosters civic learning through reflective political practice. Existing platforms for civic engagement, whether online or offline, are inconvenient and disconnected from the source of issues they are meant to address. They require that citizens leave the places they normally inhabit physically or virtually and commit to a separate space and set of processes. Action Path is designed to answer the challenge: How do you address barriers to effective engagement in community projects, and ensure all citizens can have their voice heard on how to improve their local communities? It does so by converting individual actions into collective action and by providing context and a sense of efficacy, which may help citizens become more effective through regular practice and feedback.

360. Civic Crowdfunding Research Project

Ethan Zuckerman and Rodrigo Davies

The Civic Crowdfunding project is an initiative to collect data and advance social research into the emerging field of civic crowdfunding the use of online crowdfunding platforms to provide services to communities. The project aims to bring together folks from across disciplines and professions from research and government to the tech sector and community organizations to talk about civic crowdfunding and its benefits, challenges, and opportunities. It combines qualitative and quantitative research methods, from analysis of the theory and history of crowdfunding to fieldwork-based case studies and geographic analysis of the field.

361. Codesign Toolkit

Sasha Costanza-Chock and Becky Hurwitz

Involving communities in the design process results in products that are more responsive to a community's needs, more suited to accessibility and usability concerns, and easier to adopt. Civic media tools, platforms, and research work best when practitioners involve target communities at all stages of the process iterative

ideation, prototyping, testing, and evaluation. In the codesign process, communities act as codesigners and participants, rather than mere consumers, end-users, test subjects, or objects of study. In the Codesign Studio, students practice these methods in a service learning project-based studio, focusing on collaborative design of civic media with local partners. The Toolkit will enable more designers and researchers to utilize the co-design process in their work by presenting current theory and practices in a comprehensive, accessible manner.

Alumni Contributor: Molly Sauter

362. Controversy Mapper

Hal Roberts, Ethan Zuckerman, Rahul Bhargava, Sands Fish, Erhardt Graeff, Harvard's Berkman Center for Internet & Society and Yochai Benkler

How does a media controversy become the only thing any of us talk about? Using the Media Cloud platform, we're reverse-engineering major news stories to visualize how ideas spread and media frames change over time, and whose voices dominate a discussion. We've started with a case study of Trayvon Martin, a teenager shot and killed in Florida. His story became major national news several weeks after his death. We looked at attention paid through multiple media sources talking about Trayvon: news and blog articles, broadcast television, tweets, Google search trends, and petition signatures calling for his killer's arrest. Then, we dove into the networks of interlinked articles, tracing how the framing of Trayvon's story changed and identifying the most influential sources according to network structure. Analysis of stories like Trayvon's provide a revealing portrait of today's complicated media ecosystems.

Alumni Contributor: Matthew Stempeck

363. Data Therapy

Ethan Zuckerman and Rahul Bhargava

As part of our larger effort to build out a suite of tools for community organizers, we are helping to build their capacity to do their own creative data visualization and presentation. New computer-based tools are lowering the barriers of entry for making engaging and creative presentations of data. Rather than encouraging partnerships with epidemiologists, statisticians, or programmers, we see an opportunity to build capacity within small community organizations by using these new tools. This work involves workshops, webinars, and writing about how to pick more creative ways to present their data stories.

364. Digital Humanitarian Marketplace

Matthew Stempeck

The Internet has disrupted the aid sector like so many other industries before it. In times of crisis, donors are increasingly connecting directly with affected populations to provide participatory aid. The Digital Humanitarian Marketplace aggregates these digital volunteering projects, organizing them by crisis and skills required to help coordinate this promising new space.

365. Erase the Border

Catherine D'Ignazio

Erase the Border is a web campaign and voice petition platform. It tells the story of the Tohono O'odham people, whose community has been divided along 75 miles of the US-Mexico border by a fence. The border fence divides the community, prevents tribe members from receiving critical health services, and subjects O'odham to racism and discrimination. This platform is a pilot that we are using to research the potential of voice and media petitions for civic discourse.

366. FOLD

Alexis Hope, Kevin Hu, Joe Goldbeck, Nathalie Huynh, Matthew Carroll, Cesar A. Hidalgo, Ethan Zuckerman

FOLD is an authoring and publishing platform for creating modular, multimedia stories. Some readers require greater context to understand complex stories. Using FOLD, authors can search for and add "context cards" to their stories. Context cards can contain videos, maps, tweets, music, interactive visualizations, and more. FOLD also allows authors to link stories together by remixing context cards created by other writers.

367. Framework for Consent Policies

Willow Brugh

This checklist is designed to help projects that include an element of data collection to develop appropriate consent policies and practices. The checklist can be especially useful for projects using digital or mobile tools to collect, store, or publish data, yet understand the importance of seeking the informed consent of individuals involved (the data subjects). This checklist does not address the additional considerations necessary when obtaining the consent of groups or communities, nor how to approach consent in situations where there is no connection to the data subject. This checklist is intended for use by project coordinators, and can ground conversations with management and project staff in order to identify risks and mitigation strategies during project design or implementation. It should ideally be used with the input of data subjects.

368. Mapping the Globe

Catherine D'Ignazio, Ethan Zuckerman and Ali Hashmi

Mapping the Globe is an interactive tool and map that helps us understand where the Boston Globe directs its attention. Media attention matters in quantity and quality. It helps determine what we talk about as a public and how we talk about it. Mapping the Globe tracks where the paper's attention goes and what that attention looks like across different regional geographies in combination with diverse data sets like population and income. Produced in partnership with the Boston Globe.

369. Media Cloud

Hal Roberts, Ethan Zuckerman and David LaRochelle

Media Cloud is a platform for studying media ecosystems the relationships between professional and citizen media, between online and offline sources. By tracking millions of stories published online or broadcast via television, the system allows researchers to track the spread of memes, media framings, and the tone of coverage of different stories. The platform is open source and open data, designed to be a substrate for a wide range of communications research efforts. Media Cloud is a collaboration between Civic Media and the Berkman Center for Internet and Society at Harvard Law School.

370. Media Cloud Brazil

Ethan Zuckerman, Alexandre Gonçalves, Ronaldo Lemos, Carlos Affonso Pereira de Souza, Hal Roberts, David Larochelle, Renato Souza, and Flavio Coelho

Media Cloud is a system that facilitates massive content analysis of news on the Web. Developed by the Berkman Center for Internet and Society at Harvard University, Media Cloud already analyzes content in English and Russian. During the last months, we have been working on support for Portuguese content. We intend to analyze the online debate on the most controversial and politically hot topics of the Brazilian Civil Rights Framework for the Internet, namely network neutrality and copyright reform. At the same time, we are writing a step-by-step guide to Media Cloud localization. In the near future, we will be able to compare different media ecosystems around the world.

371. Media Meter

Ethan Zuckerman, J. Nathan Matias, Matt Stempeck, Rahul Bhargava and Dan Schultz

What have you seen in the news this week? And what did you miss? Are you getting the blend of local, international, political, and sports stories you desire? We're building a media-tracking platform to empower you, the individual, and news providers themselves, to see what you're getting and what you're missing in your daily consumption and production of media. The first round of modules developed for the platform allow you to compare the breakdown of news topics and byline gender across multiple news sources.

372. Media Meter Focus

Muhammad Ali Hashmi

Media Meter Focus shows focus mapping of global media attention. What was covered in the news this week? Did the issues you care about get the attention you think they deserved? Did the media talk about these topics in the way you want them to? The tool-set also shows news topics mapped against country locations.

Alumni Contributor: Catherine D'Ignazio

373. Media Perspective

Edward L. Platt

NEW LISTING

Media Perspective brings a data visualization into 3D space. This data sculpture represents mainstream media coverage of Net Neutrality over 15 months, during the debate over the FCC's classification of broadband services. Each transparent pane shows a slice in time, allowing users to physically move and look through the timeline. The topics cutting through the panes show how attention shifted between aspects of the debate over time.

374. Mixed-Mode Systems in Disaster Response

Ethan Zuckerman and Willow Brugh

NEW LISTING

Pure networks and pure hierarchies both have distinct strengths and weaknesses. These become glaringly apparent during disaster response. By combining these modes, their strengths (predictability, accountability, appropriateness, adaptability) can be optimized, and their weaknesses (fragility, inadequate resources) can be compensated for. Bridging these two worlds is not merely a technical challenge, but also a social issue.

375. NetStories

Ethan Zuckerman, Heather Craig, Adrienne Debigare and Dalia Othman

Recent years have witnessed a surge in online digital storytelling tools, enabling users to more easily create engaging multimedia narratives. Increasing internet access and powerful in-browser functionality have laid the foundation for the proliferation of new online storytelling technologies, ranging from tools for creating interactive online videos to tools for data visualization. While these tools may contribute to diversification of online storytelling capacity, sifting through tools and understanding their respective limitations and affordances poses a challenge to storytellers. The NetStories research initiative explores emergent online storytelling tools and strategies through a combination of analyzing tools, facilitating story-hack days, and creating an online database of storytelling tools.

376. NewsPad

J. Nathan Matias, Andrés Monroy-Hernández

NewsPad is a collaborative article editor that empowers small communities to write articles collaboratively through community sourcing, structured stories, and distributed syndication.

377. NewsPix

Catherine D'Ignazio, Ethan Zuckerman, Matthew Carroll, Emerson College Engagement Lab and Jay Vachon

NEW LISTING

NewsPix is a simple news-engagement application that helps users encounter breaking news in the form of high-impact photos. It is currently a Chrome browser extension (mobile app to come) that is customizable for small and large news

organizations. Currently, when users open a new, blank page in Chrome, they get a new tab with tiles that show recently visited pages. NewsPix replaces that view with a high-quality picture from a news site. Users interested in more information about the photo can click through to the news site. News organizations can upload photos ranging from breaking news to historic sporting events, with photos changing every time a new tab is clicked.

378. NGO2.0

Jing Wang, Wang Yu

NGO2.0 is a project grown out of the work of MIT's New Media Action Lab. The goal of NGO2.0 is to strengthen the digital and social media literacy of Chinese grassroots NGOs. Since 2009, the project has established collaborative relationships with IT corporations, universities, and city-based software developers' communities to advocate the development of a new brand of public interest sector that utilizes new media and nonprofit technology to build a better society. NGO2.0 addresses three major need categories of grassroots NGOs: communication, resources, and technology. Within each category, NGO2.0 developed and implemented online and offline projects. These include: Web 2.0 training workshops, Web 2.0 toolbox, a crowdsourced philanthropy map, news stories and videos for NGOs, crowd funding project design, NGO-CSR Partnership Forum, database of Chinese NGOs, and online survey of Chinese NGOs' internet usage.

379. Open Gender Tracker

Irene Ros, Adam Hyland, J. Nathan Matias and Ethan Zuckerman

Open Gender Tracker is a suite of open source tools and APIs that make it easy for newsrooms and media monitors to collect metrics and gain a better understanding of gender diversity in their publications and audiences. This project has been created in partnership with Irene Ros of Bocoup, with funding from the Knight Foundation.

380. Open Water Project

Adrienne Debigare, Ethan Zuckerman, Heather Craig, Catherine D'Ignazio, Don Blair and Public Lab Community

The Open Water Project aims to develop and curate a set of low-cost, open source tools enabling communities everywhere to collect, interpret, and share their water quality data. Traditional water monitoring uses expensive, proprietary technology, severely limiting the scope and accessibility of water quality data. Homeowners interested in testing well water, watershed managers concerned about fish migration and health, and other groups could benefit from an open source, inexpensive, accessible approach to water quality monitoring. We're developing low-cost, open source hardware devices that will measure some of the most common water quality parameters, using designs that makes it possible for anyone to build, modify, and deploy water quality sensors in their own neighborhood.

381. Out for Change: Transformative Media Organizing Project

Sasha Costanza-Chock, Becky Hurwitz, Heather Craig, Royal Morris, with support from Rahul Bhargava, Ed Platt, Yu Wang

The Out for Change Transformative Media Organizing Project (OCTOP) links LGBTQ, Two-Spirit, and allied media makers, online organizers, and tech-activists across the United States. In 2013-2014, we are conducting a strengths/needs assessment of the media and organizing capacity of the movement, as well as offering a series of workshops and skillshares around transmedia organizing. The project is guided by a core group of project partners and advisers who work with LGBTQ and Two-Spirit folks. The project is supported by faculty and staff at the MIT Center for Civic Media, Research Action Design and by the Ford Foundation's Advancing LGBT Rights Initiative.

382. PageOneX

Ethan Zuckerman, Edward Platt, Rahul Bhargava and Pablo Rey Mazon

Newspaper front pages are a key source of data about our media ecology. Newsrooms spend massive time and effort deciding what stories make it to the front page. PageOneX makes coding and visualizing newspaper front page content much easier, democratizing access to newspaper attention data. Communication

researchers have analyzed newspaper front pages for decades, using slow, laborious methods. PageOneX simplifies, digitizes, and distributes the process across the net and makes it available for researchers, citizens, and activists.

383. Promise Tracker

Ethan Zuckerman, Rahul Bhargava, Alexis Hope, Jude Mwenda Ntabathia, Chelsea Barabas, Heather Craig and Yu Wang

After an election, how can citizens hold leaders accountable for promises made during the campaign season? We are exploring the role citizen monitoring can play in holding elected leaders accountable for promises they make about infrastructure. We are designing and piloting a tool called Promise Tracker in both the United States and Brazil. Promise Tracker will allow citizens to see evidence documenting the origin of a promise, collect data about the status of a promise for example, going to the location of a proposed health clinic and taking a photo of the site and then take action if the promise is not fulfilled. Actions can take many forms: citizens can notify civic leaders of their concerns, approve of progress being made, join a recall effort, or amplify a story about unfulfilled promises to journalists.

384. Readersourcing

Ethan Zuckerman, Rahul Bhargava, Nathan Matias and Sophie Diehl

The Passing On project uses data from 20 years of New York Times stories about society's heroes, leaders, and visionaries to "Reader-source" improvements to Wikipedia. As readers explore compelling stories about notable women, content is generated to create new content and inspire the public to contribute those stories to Wikipedia.

385. Sambaza Watts

Joe Paradiso, Ethan Zuckerman, Rahul Bhargava, Pragun Goyal, Alexis Hope and Nathan Matias

We want to help people in nations where electric power is scarce to sell power to their neighbors. We're designing a piece of prototype hardware that plugs into a diesel generator or other power source, distributes the power to multiple outlets, monitors how much power is used, and uses mobile payments to charge the customer for the power consumed.

386. Scanner Grabber

Tal Achituv

NEW LISTING

Scanner Grabber is a digital police scanner that enables reporters to record, playback, and export audio, as well as archive public safety radio (scanner) conversations. Like a TiVo for scanners, it's an update on technology that has been stuck in the last century. It's a great tool for newsrooms. For instance, a problem for reporters is missing the beginning of an important police incident because they have stepped away from their desk at the wrong time. Scanner Grabber solves this because conversations can be played back. Also, snippets of exciting audio, for instance a police chase, can be exported and embedded online. Reporters can listen to files while writing stories, or listen to older conversations to get a more nuanced grasp of police practices or long-term trouble spots. Editors and reporters can use the tool for collaborating, or crowdsourcing/public collaboration.

387. Student Legal Services for Innovation

Ethan Zuckerman and J Nathan Matias

Should students be prosecuted for innovative projects at hackathons? In December, four undergraduates associated with the Media Lab were subpoenaed by the New Jersey Attorney General after winning a programming competition with a bitcoin-related proof of concept. We're working with MIT administration and the Electronic Frontier Foundation to support the students and establish legal support for informal innovation and hackathons.

388. Terra Incognita: 1000 Cities of the World

Catherine D'Ignazio, Ethan Zuckerman and Rahul Bhargava

Terra Incognita is a global news game and recommendation system. Terra Incognita helps you discover interesting news and personal connections to cities that you haven't read about. Whereas many recommendation systems connect you

on the basis of "similarity," Terra Incognita connects you to information on the basis of "serendipity." Each time you open the application, Terra Incognita shows you a city that you have not yet read about and gives you options for reading about it. Chelyabinsk (Russia), Hiroshima (Japan), Hagåtña (Guam), and Dhaka (Bangladesh) are a few of the places where you might end up.

389. thanks.fm

J. Nathan Matias and Mitchel Resnick

Thanks.fm is a web platform for thanking and acknowledging your creative collaborators. Add a project, acknowledge individuals, and embed acknowledgments throughout the social web.

390. The Babbling Brook

Catherine D'Ignazio and Ethan Zuckerman

The Babbling Brook is an unnamed neighborhood creek in Waltham, MA, that winds its way to the Charles River. With the help of networked sensors and real-time processing, the brook constantly tweets about the status of its water quality, including thoughts and bad jokes about its own environmental and ontological condition. Currently, the Babbling Brook senses temperature and depth and cross-references that information with real-time weather data to come up with extremely bad comedy. Thanks to Brian Mayton, the Responsive Environments group, and Tidmarsh Farms Living Observatory for their support.

**391. The Effect of
Gratitude Online**

J Nathan Matias, Erhardt Graeff, Emily Harburg

What is the effect of receiving appreciation or public recognition for your work? In this cross-language, cross-cultural study, we test if receiving formal appreciation on Wikipedia affects the quality of a contributor's subsequent edits on Wikipedia. Our initial report of over 600,000 messages of appreciation on the English Wikipedia differentiates different groups of contributors for whom appreciation has a significant effect.

392. The People's Bot

Ethan Zuckerman, J. Nathan Matias, Chelsea Barabas

Telepresent robots are often pitched as a technology to extend the influence of those who already have money and power. We want to use robotic telepresence for the public good broadening access, supporting public interest reporting, and funding access initiatives.

393. VoIP Drupal

Leo Burd

VoIP Drupal is an innovative framework that brings the power of voice and Internet-telephony to Drupal sites. It can be used to build hybrid applications that combine regular touchtone phones, web, SMS, Twitter, IM, and other communication tools in a variety of ways, facilitating community outreach and providing an online presence to those who are illiterate or do not have regular access to computers. VoIP Drupal will change the way you interact with Drupal, your phone, and the web.

394. Vojo.co

Alex Goncalves, Denise Cheng, Ethan Zuckerman, Rahul Bhargava, Sasha Costanza-Chock, Rebecca Hurwitz, Edward Platt, Rodrigo Davies and Rogelio Lopez

Vojo.co is a hosted mobile blogging platform that makes it easy for people to share content to the web from mobile phones via voice calls, SMS, or MMS. Our goal is to make it easier for people in low-income communities to participate in the digital public sphere. You don't need a smart phone or an app to post blog entries or digital stories to Vojo any phone will do. You don't even need Internet access: Vojo lets you create an account via SMS and start posting right away. Vojo is powered by the VozMob Drupal Distribution, a customized version of the popular free and open-source content management system that is being developed through an ongoing codesign process by day laborers, household workers, and a diverse team from the Institute of Popular Education of Southern California (IDEPSCA).

395. What We Watch

Ethan Zuckerman, Rahul Bhargava and Edward Platt

More than a billion people a month visit YouTube to watch videos. Sometimes, those billion people watch the same video. What We Watch is a browser for trending YouTube videos. Some videos trend in a single country, and some find regional audiences. Others spread across borders of language, culture, and nation to reach a global audience. What We Watch lets us visualize and explore the connections between countries based on their video viewing habits.

396. Whose Voices? Twitter Citation in the Media

Ethan Zuckerman, Nathan Matias, Diyang Tang

Mainstream media increasingly quote social media sources for breaking news. "Whose Voices" tracks who's getting quoted across topics, showing just how citizen media sources are influencing international news reporting.

397. ZL Vortice

NEW LISTING

Daniel Paz de Araujo (UNICAMP), Ethan Zuckerman, Adeline Gabriela Silva Gil, Hermes Renato Hildebrand (PUC-SP/UNICAMP) and Nelson Brissac Peixoto (PUC-SP)

The project is currently promoting a survey of data from the East Side (Zona Leste) of the city of Sao Paulo, Brazil. The aim is to detect the landscape dynamics: infrastructure and urban planning, critical landscapes, housing, productive territory, recycling, and public space. The material will be made available on a digital platform, accessible by computers and mobile devices a tool specially developed to enable local communities to disseminate productive and creative practices that occur in the area, as well as to enable a greater participation in the formulation of public policies. An instrument that will serve to strengthen social, productive, and cultural networks of the region.