

Improving Mechanical Performance for Extreme Environments

Final Report

WSU Mechanics and Materials



Daniel Book;

Daniel Lee;

Douglas Takada;

CptS 423 Software Design Project II

Fall 2024

Instructor: Ananth Jillepalli

TABLE OF CONTENTS

I. Introduction

II. Team Members & Bios	4
III. Project Requirements Specification	5
III.1. Project Stakeholders	5
III.2. Use Cases	5
III.3. Functional Requirements	7
III.3.1. Graphical User Interface	7
III.3.2. Pore Identification	8
III.3.3. Statistical Analysis	8
III.4. Non-Functional Requirements	9
IV. Software Design - From Solution Approach	10
IV.1. Architecture Design	10
IV.1.1. Overview	10
IV.1.2. Subsystem Decomposition	10
IV.1.2.1. Image Segmentation	10
IV.1.2.1.1. Description	10
IV.1.2.1.2. Concepts and Algorithms Generated	10
IV.1.2.1.3. Interface Description	11
IV.1.2.2. Data Analysis.....	11
IV.1.2.2.1. Description.....	11
IV.1.2.2.2. Concepts and Algorithms	11
IV.1.2.2.3. Interface Description	12
IV.1.2.3. View/Controller	12
IV.1.2.3.1. Description.....	12
IV.1.2.3.2. Concepts and Algorithms	12
IV.1.2.3.3. Interface Description	12
IV.2. Data design	13
IV.3. User Interface Design.....	14
V. Test Case Specifications and Results	14
V.1. Testing Overview	14
V.2. Environment Requirements	16
V.3. Test Results	16
VI. Projects and Tools used	16
VII. Description of Final Prototype	17
VIII. Product Delivery Status	18

IX. Conclusions and Future Work	18
IX.1. Limitations and Recommendations	18
IX.2. Future Work	18
X. Acknowledgements	18
XI. Glossary	19
XII. References	19
XIII. Appendix A – Team Information	20
XIV. Appendix B - Example Testing Strategy Reporting	20
XV. Appendix C - Project Management	20
XVI. Appendix D	23
XVII. Appendix E	23
XVIII. Appendix D	23
XIX. Appendix E	24

I. Introduction

One of the many vital components to the space industry and defense is the protection against high velocity impact threats. It is crucial to know precisely how much damage manufactured protective shields can withstand before they break. Being able to accurately determine when a protective shield will fail will help these ultrahard ceramics and refractory alloys to be used safely and effectively to protect humans and equipment from impact threats.

Our team's aim is to develop a program that will analyze images of protective shields that have been damaged due to circumstances found in extreme environments, and then gather information about the shields. The main technique that we will be using is image segmentation.[1] This will allow us to format the images in a way such that we will then be able to efficiently analyze them. By analyzing the damage and imperfections in the materials, we will learn which circumstances allow for the best performance. This information will also be used in the development of stronger and more durable materials.

This project is for the WSU Mechanics and Materials lab. Our client is Dr. Arezoo Zare, and our mentor is Dr. Ananth Jallepalli. Dr. Zare is a professor at WSU and a Mechanics and Materials researcher and leads the lab at WSU. Dr. AJ is a professor at WSU and is instructing our cohort of capstone projects. Contact information for Dr. AJ is ananth.jillepalli@wsu.edu and for Dr. Zare it is arezoo.zare@wsu.edu.

II. Team Members & Bios

Daniel Book is a computer science student interested in app design, data analysis, and microcontroller projects. His prior projects have included creating controllers for custom hardware and designing and implementing desktop applications for monitoring and controlling fuel-cell testing environments. For this project, his responsibilities include researching image segmentation methods for pore analysis, and designing the UI implementation for the app. The most notable segmentation methods that he researched and tested are watershed, edge-based segmentation, and Mask R-CNN segmentation.

Douglas Takada is a computer science student interested in cyber security, data science, and web development projects. His prior projects have included created building an ad-blocking service for his home network and working a mobile app for cougar safe rides. Douglas's skills include C/C++, Python, and R. For this project, his responsibilities include researching and implementing deep learning models for images of pores within materials. Douglas has investigated the METAAI Segment Anything model (SAM) as well as Fast SAM. [2][3] In addition to the models, he has investigated services that allow these models to run such as Google Colab, Kaggle, and Kamiak.

Daniel Lee is a computer science student interested in software programming, game design, and mathematics. His prior projects include a spreadsheet application and library manager application. His skills include C/C++, C#, Python and HTML. For this project, his responsibilities

include developing an image segmentation program for impurity analysis and drawing comparisons to the client's previous research.

III. Project Requirements Specification

From your revised "Project Requirements Specification" document include the following:

III.1. Project Stakeholders

Our project stakeholders include Dr. Aj, Dr. Zare, Daniel Lee, Daniel Book, and Douglas Takada. Dr. Aj's needs include ensuring the WSUM team satisfies the requirements outlined in the course syllabus and ensure that we pass the capstone class. Dr. Zare's need is to have a completed or a prototype of this project at the end of the project timeline to have accessible materials and mechanical scientists to use. Finally, for Daniel Lee, Daniel Book, and Douglas Takada, their needs include satisfying the capstone class's requirements and contributing to the project for the project's duration.

III.2. Use Cases

Change Parameters

Pre-Condition	- On main menu of User Interface
Post-Condition	- Updated parameters of the image segmentation (pore identification) algorithm - Updated parameters of statistical analysis - Updated parameters of machine learning algorithm - Display new changes
Purpose	- Achieve accurate pore identification - Achieve accurate pore measurements - Achieve accurate correlation coefficient
Related Requirements	- Downloaded python executable

Import Images from Specified Folder

Pre-Condition	- On main menu of the User Interface
Post-Condition	- Imported image files into the current runtime - Display uploaded photos within folder

	- Display photos that were unable to be uploaded
Purpose	- Allows for images to be grouped for analysis - Gives analytic components of the app access to all necessary resources
Related Requirements	- Downloaded python executable - Images are locally downloaded in a folder on user's computer

Specify Groups of Imported Images for Analysis

Pre-Condition	- On main menu of the User Interface - Images have already been imported
Post-Condition	- Groups of images have been created - Display uploaded photos - Display photos that were selected but unable to be uploaded
Purpose	- Allows for images to be grouped for analysis - Gives analytic components of the app access to all necessary resources
Related Requirements	- Downloaded python executable - Images are locally downloaded on user's computer

Run Analysis on Groups

Pre-Condition	- On main menu of the User Interface - Images have been successfully imported into Python program - Valid parameters were set for the group of images - Image groups have been created
Post-Condition	- Display image segmentation results - Display statistical analysis results - Display parameters used for calculations - Display calculated results
Purpose	- Check if correct parameters were applied - Check if the image segmentation correctly identified pores

	- Identify patterns and relationships between pore structure and breakage patterns
Related Requirements	- Downloaded python executable - Images are locally downloaded on user's computer

Download Analytics to Computer

Pre-Condition	- On main menu of the User Interface - Images have been successfully imported into Python program - Valid parameters were set for group of images - Ran analysis on selected photos
Post-Condition	- File of image segmentation, statistical and calculated results along with parameters is downloaded onto computer
Purpose	- Having a simple file to easily share with others and analyze results further - Document that shows information to replicate previous analysis on images
Related Requirements	- Downloaded python executable - Images are locally downloaded on user's computer

III.3. Functional Requirements

III.3.1. Graphical User Interface

Parameter Interface

Description	This interface will allow users to change parameters for the analysis of the images. This interface will allow parameters to be changed for the image segmentation, and statistical analysis.
Source	Internal requirements among members of the team.
Priority	Priority level is medium. The ability to change parameters will increase the breadth of the applications use cases, but it is not a necessity. A

	further, and lower priority, development to this requirement would be to incorporate this ability into a GUI.
--	---

Select Images

Description	The ability to select images that the user would like to analyze. This will import and allow access for the python program to analyze
Source	External requirements requested by our client Dr. Zare.
Priority	Priority level is high. The ability to select which images will be analyzed is essential to the functionality of this application. A fully integrated UI pop-up, however, is a low priority requirement that will make the application more user friendly but is not a necessity.

Download Results

Description	A button that will allow the user to download a file of the analysis.
Source	External requirements requested by our client Dr. Zare.
Priority	Priority level is medium for this functional requirement. It is a desired functionality that will provide exceptional use for the application; however, it is not an absolute necessity as some of the other requirements are.

III.3.2. Pore Identification

Description	Being able to identify and correctly label the pores of the material is crucial to calculating measurements and running statistical analysis on the data. Our approach is to use image segmentation to find these pores. Segmented images will be available to the user for further use if needed.
Source	External requirements requested by our client Dr. Zare.
Priority	Priority level is high. This is essential and required functionality.

III.3.3. Statistical Analysis

Description	Once we can accurately identify and measure the pores, we will run statistical analysis on the data to find any relationships between the pore structure and the failure point. Results will be visualized if possible.
--------------------	---

Source	External requirements requested by our client Dr. Zare.
Priority	Priority level is high. This is essential and required functionality.

III.4. Non-Functional Requirements

Ease-of-Use

The system shall be simple enough for unfamiliar researchers to operate the program by selecting images for processing to obtain statistical feedback they want, without the need for any detailed instructions or tutorials

Self-Contained

The system shall be an enclosed program where there should be no need for the user to access or be redirected to outside resources or tools

Efficient

The system shall be an efficient alternative to manual calculations that relieves some of the burden off researchers to reduce the time and cost of the process, while compiling the data into a convenient and extensive resource

IV. Software Design - From Solution Approach

IV.1. Architecture Design

Revise and include Section II from your Solution Approach report here. Provide the block diagram of your architecture and give a brief description of it.

IV.1.1. Overview

The WSUM team has chosen to use a sub-style of the Call and Return architecture, namely the Object-Oriented architecture Model (Pranathi) for this project. Since the project is implemented in python and MATLAB, the architecture model that conformed the most with python was the Object-Oriented model. Below is a component diagram that illustrates the overarching architecture of our program. This diagram's purpose is to first have a clear diagram that allows our team to neatly implement each component of our system. In addition, it provides a representation of the component architecture that is decomposed in the next section. As seen in the diagram below, the Python UI will communicate with select system handlers. Some handler that the Python UI element would communicate with are the UI handler to set up the page layout, icons, and any other dynamic and static elements.

IV.1.2. Subsystem Decomposition

IV.1.2.1. Image Segmentation

IV.1.2.1.1. Description

The image segmentation component of this application will be responsible for all the image processing that this application will handle. Loaded images will all be segmented to allow efficient analysis of the individual pores [6]. Once segmented, labels will be applied to the segmented portions and data regarding the dimensions and aspects of the pores will be collected and stored with respect to their labels.

IV.1.2.1.2. Concepts and Algorithms Generated

The methods of image segmentation that we will be using are watershed and adaptive thresholding. Since we have two different use cases, segmenting pores and segmenting imperfections, we plan on using those two methods to segment the use cases respectively. For the pores, since each pore is likely to be sharing a border with another one, thresholding would not work as well. Once the threshold is applied many of the pores will meld together and the segments will be inaccurate. To account for this, we will be using the watershed approach. This algorithm will find peaks and valleys throughout the image based on the coloring, and once the valleys are determined they will begin to fill up with different colors of “water.” By using different colors to fill each valley, it will be easy to differentiate separate pores regardless of how close they are to one another. When it comes to more general imperfections in the images, thresholding will work much better than watershed. For imperfections, they very rarely share borders with each other, so by thresholding the image it will efficiently segment the individual imperfections without the risk of overlap. Furthermore, the use of adaptive thresholding will base the thresholds off the local variance in color around the imperfections, so even if there is a large range in intensity throughout the image the individual segments will still be properly applied.

IV.1.2.1.3. Interface Description

Services provided

Service Name	Service Provided To	Description
Information Gathering	Data Analysis Component	When the images are segmented data regarding the dimensions and other aspects of the segments are acquired. This information will be used in the data analysis component.
Segmented Images	Data Analysis Component	The images will be segmented and supplied to the data analysis component for the user to view the images pre and post segmentation.

Services Required

Service Name	Service Provided From
Image Importing	View/Controller

IV.1.2.2. Data Analysis

IV.1.2.2.1. Description

The data analysis component is responsible for analyzing the data collected from the image segmentation. Once data is collected, it will be formatted and manipulated to visualize what has been found and provide insightful meaning.

IV.1.2.2.2. Concepts and Algorithms

The analysis will use pandas, NumPy, and Matplotlib, three powerful for mathematical calculations, statistical analysis, and data visualization. The data will be primarily formatted using Pandas DataFrames[7]. This data structure allows the data to be put into a table that can be easily manipulated using a variety of operations. NumPy will be used for the mathematical portion of the analysis. We plan on using it to find the variance in the data and any other insight requested by the client. Once all the information is formatted and computed, Matplotlib will be used to display it such that it can be easily understood by the application user.

IV.1.2.2.3. Interface Description

Services Provided

Service Name	Service Provided To	Description
Data Visualization	View/Controller	Generates plots for each image that show the image pre and post segmentation, as well as the visualizations of the analyzed data corresponding to each image.

Services Required

Service Name	Service Provided From
Information Gathering	Image Segmentation Component
Segmented Images	Image Segmentation Component

IV.1.2.3. View/Controller

IV.1.2.3.1. Description

The View/Controller component will be the main interface between the user and the application. On top of being the UI, this component will also control the flow of the application, bridging together the data analysis and image segmentation components.

IV.1.2.3.2. Concepts and Algorithms

Both the application's view and controller will be powered by PyQt5, a Python library based on the popular C library Qt. PyQt5 will display any relevant graphics to the user and provide user interaction with the controller. The controller will use PyQt5's event and execution system to keep the application running and responsive to user inputs. It will also handle the flow of data throughout the runtime of the application. This includes importing images, storing data in models for global use, and exporting data and processed images. The view will handle displaying any relevant information to the user. This will include the current state of the program as it processes images and data and visualizations of the results.

IV.1.2.3.3. Interface Description

Services Provided

Service Name	Service Provided To	Description
Image Importing	Image Segmentation Component	The user can select a folder of images that will be imported into the program. These images will be processed and analyzed by the other components of the application.
Image Exporting	User	Once processed images and data visualizations are available from the data analysis component, the user can download these files for further use.
Image and Data Visualization	User	Once the processed images and data visualizations are available from the data analysis component, the controller will display these elements along with the rest of the view for quick insight to the user.

Services Required

Service Name	Service Provided From
Data Visualization	Data Analysis Component

IV.2. Data design

Our program utilizes a data structure called a DataFrame from the pandas Python library, which is a 2-dimensional data structure that can act as an array or table like Excel, set with rows and columns. This allows us to store the data measurements obtained from image segmentation (such as size and shape) and tabulate it in a visual and organized way. The filled DataFrame is then used for data manipulation purposes such as creating histograms that illustrate the distributions of each measurement type regarding the pores in each segmented image.

However, its further use case can also extend to other features depending on the future needs of the client and our own design choices.

IV.3. User Interface Design

Our current user interface will be a simple design with a focus on ease-of-use and accessibility for the researchers. For now, it will be a simple command line with a menu screen (Image 2) which will list four options: parameters, select images, view results, and close. The parameters button will let the user adjust certain settings and thresholds of the image segmentation process to produce different or more desired results. The select images button will prompt the user to submit a file of images from their local file system to be processed for segmentation. The view results button will display each segmented image and histogram pair on the screen, allowing the user to go through each set individually with buttons. Finally, the close button will shut down the program.

This is more of a placeholder user interface and is not the immediate focus of our team for the program, but instead a task whose attention is relegated more to the second semester of this project. In the future, we plan to implement a more visual and detailed GUI that better resembles a more intuitive application for researchers.

V. Test Case Specifications and Results

V.1. Testing Overview

Our team's goal is to develop a program that will analyze images of materials that have been damaged due to circumstances found in extreme environments. Our team's aim is to design this program to help automate the process of manual calculations that Material Scientists and Mechanical Engineers previously had endured. The program's final state is a Graphical User Interface (GUI) that allows Scientists and Engineers alike to easily input images, change parameters for analysis, and receive the calculated outputs. Our program's analysis will be at the micron level where we can analyze the materials' pores and impurities. Our program will have four primary functionalities that are crucial for testing. The first is the proper identification of each pore and impurity of the material. Our second functionality will be the proper measurement of the pore/impurity. The third functionality will be the correct identification of a pore or an impurity image input. Finally, the fourth and final functionality is a properly working GUI.

Since our program is written in Python, we will be using a combination of automated and manual tests to verify that key deliverables are being met. In addition, since this project has a component of Machine Learning (ML) we will also be testing these ML models for accuracy.

The objective of the tests in the project is for our team to gain confidence that the code we've written will consistently compile and run. In addition to the reliability of our code, these tests verify that our program will meet the desired behavior based on its respective inputs and fulfill the expected program deliverables. These tests will also ensure the longevity of our program by

making sure that any future updates to the program will not diminish the quality of the program or its deliverables. Automated and manual testing will accomplish all these objectives.

Since Python has a vast resource of libraires and frameworks for testing, we will be using these for our automated tests. For our manual tests, we will need to create and document extensive manual testing procedures. Although most of our testing will be automated, some components of our program where automation testing will be incredibly difficult, we will be doing manual testing.

As described in the introduction project overview, our four primary functionalities we will be testing pore/impurity identification, pore/impurity measurement, accuracy of pore or impurity identification for correct analysis, and finally, the GUI functionality. Our testing process will deliver 3 major deliverables. The first are the automated tests such as unit tests, integration tests, and system tests that cover most of the functionalities described. The second is a document containing the testing procedure including environment setup, operational instructions and expected results for all manual functional tests. The final deliverable is the Continuous Integration (CI) and Continuous Delivery (CD) using CircleCI[8][9].

Although we do not have a clear timeline for our tests, we would like to start with the simplest tests such as unit tests and make our way up to more higher-level tests until we complete all necessary tests to verify our program requirements.

The purpose of this section is to have a clear outline of how we intend to integrate tests into our application. It will cover general testing, deployment process, and our testing plans for each core functionality of our application. While this section covers our plans for how we will implement our tests, our timeline for this is undetermined. Our timeline is not yet clear due to our project still being in the research and building phase.

Our application will be tested using both CI and CD pipelines. The CI pipeline will focus more on the technical and research aspects of our algorithms, while the CD pipeline will focus on the front-end of the application where the users will interact. Since we are using a variety of image segmentation techniques in our application, we will be consistently testing and evaluating the performance of these algorithms as we integrate new code and updates. This process will involve updating a segmentation algorithm, running the algorithm on a set of testing images, and comparing the results with previous segmentation results. Since the comparisons must be done by humans to ensure the segmentation is done correctly, this testing process will not be automated. The front-end portion of the application will involve improving the user interface with the image segmentation algorithms. Once users start using these services, their feedback will be used to improve and redeploy the UI.

Backend Testing Process

1. **Research Segmentation Algorithms:** This process will begin by researching various segmentation algorithms and choosing one to evaluate. The algorithms we currently plan to test are watershed segmentation, edge-based segmentation [10], and Mask R-CNN [11].

2. **Initial Implementation:** Once an algorithm is chosen, a simple implementation of that algorithm will be developed.
3. **Tune and Run:** In order to produce the most accurate results, the algorithm's parameters will be modified to better fit the use case.
4. **Evaluate and Repeat:** Once the results have been collected, the developer will evaluate the results and pinpoint the parameters that make the biggest difference. Once the results are evaluated, step 3 and 4 will be repeated until the algorithm is tuned to achieve its best performance.

Frontend Testing Process

1. **Initial Prototype:** When the backend of the application is ready for use, an initial prototype of the application's UI will be made and available for users. This prototype will be made to the best of the developer's ability, but it will also have a lot of room for improvement.
2. **User Feedback:** Once the UI has been used consistently, users will provide feedback on what improvements can be made to increase the usability of the application.
3. **Improve and Repeat:** With the feedback kept in mind, the developers will improve the user-friendliness of the UI and make a new update. From there, users will continue to provide feedback to the developers, and the UI will continue to improve.

V.2. Environment Requirements

Our testing environment will consist of computers that can support Python code and image processing. The image processing is not too CPU intensive, but it is the bottleneck that determines which computers can test. The only absolute necessity for testing is the ability to run Python. For front-end testing, the ability to run image segmentation algorithms without significantly slowing down the operating system is also required. The need to run Python will not be the case for frontend testing since the application will be compiled to an exe file for easier use and access.

V.3. Test Results

There are not yet test results due to not running any test cases yet.

VI. Projects and Tools used

Tool/library/framework	Quick note on what it was for
Git	Software version control
Visual Studio Code	Used as an Integrated Developer Environment
Scikit-image	A python library used for image processing
matplotlib	A python library used to plot data

Numpy	A python library used for calculations
Pandas	A python library used for data manipulation and calculations
OpenCV	A python library used for computer vision tasks
Scipy	A python library used for statistical modeling of data
Fitter	A python library used for statistical modeling of data
PyQt5	A python library used for the GUI component of application

Languages Used in Project
Python

VII. Description of Final Prototype

There is not yet a final prototype. We are currently developing it.

In this section provide a **detailed** description of your final prototype.

(If applicable) Include a brief user manual for your final software where you provide step by step instructions for using your system. Explain the major use case scenarios. You may include screenshots of the user interface.

This is the first section that is somewhat really new for this document

Describe your final prototype implementation. Please format this section according to what you think is the best way to describe your prototype. The following is just a suggestion.

I recommend to include plenty of images and pictures of the following where appropriate:

- any diagrams/figures that visualize various features of your prototype;
- the screenshots of your user interfaces;
- the screenshots of your test programs;
- pictures of your team testing and debugging the devices, programs, etc.

A well-thought and clear diagram is better than long and descriptive text.

If your document starts to be very long due to screenshots and diagrams, please put at least some of them into an appendix to this document.

VIII. Product Delivery Status

The project will be delivered to our client at the end of this class on December 6th, 2024. We have not gotten to the point of creating a demonstration or to hand off to someone.

Project location information:

- 1) Source repositories
 - a) [WSUCptSCapstone-S24-F24/-wsum-pythonapps \(github.com\)](https://github.com/WSUCptSCapstone-S24-F24/-wsum-pythonapps)
- 2) Equipment storage location
 - a) N/A
- 3) Any other materials needed to rebuild your project from the ground up
 - a) In the source Repository there is a page titled README.md that has instructions on how to set up the application from the ground up.

IX. Conclusions and Future Work

IX.1. Limitations and Recommendations

Current problems may not be a good representative of the limitations and problems we may have later near the end of the project timeline. However, here are some current challenges and limitations we are encountering. A primary problem we are trying to resolve is determining how to aggregate data in a way we can map features to the target features in the data set.

IX.2. Future Work

Apart from continuing our work on impurity/pore analysis and ML integration, our main goal for the second semester is to implement a Graphical User Interface for our combined image analysis program. Our plan is to create an application that is easily navigable by researchers to upload a set of images, process them based on their image type (impurity or pore), adjust segmentation parameters to their liking, and receive a set of segmented images/data. We will continue to talk with our client about any new developments or features as the project goes forward.

X. Acknowledgements

We would like to express our deepest gratitude to Washington State University, whose resources and support made this research possible. We are particularly thankful to Dr. Arezoo Zare and Dr. Ananth Jallepalli for their insightful feedback and invaluable guidance throughout this work.

We are also grateful to our families and friends for their patience and encouragement throughout the research process.

Finally, we acknowledge the contributions of all participants who took part in this study, as their involvement was essential to its success.

XI. Glossary

Define technical terms, acronyms, and anything else the reader might need to look up as they go through your document

XII. References

- [1] “Image Segmentation,” MathWorks. <https://www.mathworks.com/discovery/image-segmentation.html#image-segmentation-with-matlab> (accessed Jan. 25, 2024).
- [2] P. S. Apr 12 and Read 2023 5 M., “How to Use the Segment Anything Model (SAM),” Roboflow Blog, Apr. 12, 2023. <https://blog.roboflow.com/how-to-use-segment-anything-model-sam/>
- [3] “segment-anything-fast/amg_example at main · pytorch-labs/segment-anything-fast,” GitHub. https://github.com/pytorch-labs/segment-anything-fast/tree/main/amg_example (accessed Apr. 19, 2024).
- [4] “Software Engineering | Architectural Design - GeeksforGeeks,” GeeksforGeeks, Jul. 23, 2018. <https://www.geeksforgeeks.org/software-engineering-architectural-design/>
- [5] Analytics Vidhya, “Step-by-Step Tutorial on Image Segmentation Techniques in Python,” *Analytics Vidhya*, May 06, 2019. <https://www.analyticsvidhya.com/blog/2019/04/introduction-image-segmentation-techniques-python/>
- [6] “OpenCV: Image Segmentation with Watershed Algorithm,” *docs.opencv.org*. https://docs.opencv.org/4.x/d3/db4/tutorial_py_watershed.html
- [7] “pandas.DataFrame — pandas 1.2.4 documentation,” *pandas.pydata.org*, 2023. <https://pandas.pydata.org/docs/reference/api/pandas.DataFrame.html> (accessed Mar. 20, 2024).
- [8] “Configure a Python application on CircleCI - CircleCI,” *circleci.com*. <https://circleci.com/docs/language-python/> (accessed Mar. 22, 2024).
- [9] “CI vs CD: Difference between Continuous Integration and Continuous Delivery?,” BrowserStack. <https://www.browserstack.com/guide/difference-between-continuous-integration-and-continuous-delivery#:~:text=CI%20can%20be%20considered%20as> (accessed Mar. 22, 2024).
- [10] “Edge-Based Segmentation,” *Cloudinary*. <https://cloudinary.com/glossary/edge-based-segmentation>

[11] E. Odemakinde, “Mask R-CNN: A Beginner’s Guide,” *viso.ai*, Mar. 19, 2021.
<https://viso.ai/deep-learning/mask-r-cnn/>

[12]OpenCV, “OpenCV: Image Thresholding,” *docs.opencv.org*.
https://docs.opencv.org/4.x/d7/d4d/tutorial_py_thresholding.html

[13]“skimage.measure — skimage 0.22.0 documentation,” *scikit-image.org*. <https://scikit-image.org/docs/stable/api/skimage.measure.html> (accessed Mar. 15, 2024).

[14] “Watershed Segmentation - an overview | ScienceDirect Topics,” *Sciencedirect.com*, 2013.
<https://www.sciencedirect.com/topics/computer-science/watershed-segmentation>

[15]“Cluster Resources | High Performance Computing | Washington State University.”
<https://hpc.wsu.edu/kamiak-hpc/queue-list/> (accessed Apr. 19, 2024).

XIII. Appendix A – Team Information

Team members:

Daniel Lee

Daniel Book

Douglas Takada

- We have not taken a team photo yet

XIV. Appendix B - Example Testing Strategy Reporting

- 1) Identify the requirements being tested
 - a) GUI can select file or a set of images
 - b) GUI can receive input on different parameters and change dynamically
 - c) Statistical mode can find relationships between the impurity size and spacing to the material compressive strength
- 2) links to available online test results and/or take screenshots of the various system testing results
 - a) No testing has been completed yet
- 3) User testing can be demonstrated via survey results or quotes and a discussion of the feedback received
 - a) No survey or feedback have been sent out or received

XV. Appendix C - Project Management

- Weekly meetings with the Client
 - o Purpose: Go over next steps and resolve any misunderstandings or confusion


Improving Mechanical Performance for Extreme Environments – Final Report

- Routine Agenda: Each team member goes over what they did for the week and the client gives input into what they should like to do next or change.
- Bi-weekly meetings with Advisor
 - Purpose: Ensure we do not fall behind on our deadlines and GitHub commits
 - Routine Agenda: Dr. AJ will give us feedback on what we are doing well and what we need to focus on. The rest of the time is for questions.
- Weekly meetings only with the team members
 - Purpose: Ensure we are all on the same page, so we do not repeat each others work or have unnecessary merge conflicts
 - Routine Agenda: We all talk about what the next steps are for the project and who will work on what.

The Weekly client meeting was the most beneficial because it kept us on track to complete what our given tasks were.


Planning documents:

- GitHub projects



GitHub Project board page. Used for prioritizing issues for each sprint.


- GitHub issues




Github issue tab. Used to keeping track of what we need to complete in each sprint.

- Notes on team tools used:
 - Email
 - SMS/IM
 - Team Message
 - Zoom
 - Outlook


XVI. Appendix D



XVII. Appendix E



XVIII. Appendix D



XIX. Appendix E

