Add-on
Entwicklerecke

Entwicklerdokumentation durc…

MEINE ADD-ONS   DOKUMENTATION   WERKZEUGE   GEMEINSCHAFT & UNTERSTÜTZUNG

Überprüfungsergebnisse für quicktext.xpi

Überprüft am: April 18, 2018

Allgemeine Tests	Sicherheitstests	Erweiterungstests	Übersetzungstest	Kompatibilitätstests
0 Fehler, 1 Warnung, 1 Nachricht	0 Fehler, 0 Warnungen, 0 Nachrichten	0 Fehler, 20 Warnungen, 0 Nachrichten	0 Fehler, 0 Warnungen, 0 Nachrichten	0 Fehler, 0 Warnungen, 0 Nachrichten

Add-on hat die Überprüfung bestanden.

Allgemeine Tests

0 Fehler, 1 Warnung, 1 Nachricht

Add-on should set <em:unpack> to true

Warnung: The add-on meets criteria indicating that it will not work correctly in Gecko 4 and above. Set <em:unpack> to 'true' in the install.rdf file to fix this.

install.rdf

No <em:type> element found in install.rdf

Warnung: It isn't always required, but it is the most reliable method for determining add-on type.

install.rdf

Sicherheitstests

0 Fehler, 0 Warnungen, 0 Nachrichten

Alle Tests wurden erfolgreich durchgeführt.

Erweiterungstests

0 Fehler, 20 Warnungen, 0 Nachrichten

JS prototype extension

Warnung: It appears that an extension of a built-in JS type was made. This is not allowed for security and compatibility reasons.

```
components/wzQuicktextVar.js
833  {
834    Array.prototype.indexOf = function(item)
835    {
```

Global variable overwrite

Warnung: An attempt was made to overwrite a global variable in some JavaScript code.

```
components/wzQuicktextVar.js
833  {
834    Array.prototype.indexOf = function(item)
835    {
```

Global variable overwrite

Warnung: An attempt was made to overwrite a global variable in some JavaScript code.

```
components/wzQuicktextVar.js
807
808   Components.returnCode = Components.results.NS_ERROR_NO_INTERFACE;
809   return null;
```

`pref` called in potentially dangerous manner

Warnung: Extensions should not alter preferences outside of the 'extensions.' preference branch. Please make sure that all of your extension's preferences are prefixed with 'extensions.add-on-name.', where 'add-on-name' is a distinct string unique to and indicative of your add-on.

```
defaults/preferences/quicktext.js
1   pref("quicktext.defaultImport", "");
2   pref("quicktext.menuCollapse", true);
```

`pref` called in potentially dangerous manner

Warnung: Extensions should not alter preferences outside of the 'extensions.' preference branch. Please make sure that all of your extension's preferences are prefixed with 'extensions.add-on-name.', where 'add-on-name' is a distinct string unique to and indicative of your add-on.

```
defaults/preferences/quicktext.js
1   pref("quicktext.defaultImport", "");
2   pref("quicktext.menuCollapse", true);
3   pref("quicktext.toolbar", true);
```

`pref` called in potentially dangerous manner

Warnung: Extensions should not alter preferences outside of the 'extensions.' preference branch. Please make sure that all of your extension's preferences are prefixed with 'extensions.add-on-name.', where 'add-on-name' is a distinct string unique to and indicative of your add-on.

```
defaults/preferences/quicktext.js
2   pref("quicktext.menuCollapse", true);
3   pref("quicktext.toolbar", true);
4   pref("quicktext.popup", false);
```

`pref` called in potentially dangerous manner

Warnung: Extensions should not alter preferences outside of the 'extensions.' preference branch. Please make sure that all of your extension's preferences are prefixed with 'extensions.add-on-name.', where 'add-on-name' is a distinct string unique to and indicative of your add-on.

```
defaults/preferences/quicktext.js
3   pref("quicktext.toolbar", true);
4   pref("quicktext.popup", false);
5   pref("quicktext.keywordKey", 9);
```

`pref` called in potentially dangerous manner

Warnung: Extensions should not alter preferences outside of the 'extensions.' preference branch. Please make sure that all of your extension's preferences are prefixed with 'extensions.add-on-name.', where 'add-on-name' is a distinct string unique to and indicative of your add-on.

```
defaults/preferences/quicktext.js
4   pref("quicktext.popup", false);
5   pref("quicktext.keywordKey", 9);
6   pref("quicktext.shortcutModifier", "alt");
```

`pref` called in potentially dangerous manner

Warnung: Extensions should not alter preferences outside of the 'extensions.' preference branch. Please make sure that all of your extension's preferences are prefixed with 'extensions.add-on-name.', where 'add-on-name' is a distinct string unique to and indicative of your add-on.

```
defaults/preferences/quicktext.js
5   pref("quicktext.keywordKey", 9);
6   pref("quicktext.shortcutModifier", "alt");
7   pref("quicktext.shortcutTypeAdv", false);
```

`pref` called in potentially dangerous manner

Warnung: Extensions should not alter preferences outside of the 'extensions.' preference branch. Please make sure that all of your extension's preferences are prefixed with 'extensions.add-on-name.', where 'add-on-name' is a distinct string unique to and indicative of your add-on.

```
defaults/preferences/quicktext.js
6   pref("quicktext.shortcutModifier", "alt");
```

```
7  pref("quicktext.shortcutTypeAdv", false);
8  pref("quicktext.firstTime", true);
```

`pref` called in potentially dangerous manner

Warnung: Extensions should not alter preferences outside of the 'extensions.' preference branch. Please make sure that all of your extension's preferences are prefixed with 'extensions.add-on-name.', where 'add-on-name' is a distinct string unique to and indicative of your add-on.

```
defaults/preferences/quicktext.js
7  pref("quicktext.shortcutTypeAdv", false);
8  pref("quicktext.firstTime", true);
9
```

on* attribute being set using setAttribute

Warnung: To prevent vulnerabilities, event handlers (like 'onclick' and 'onhover') should always be defined using addEventListener.

```
chrome/content/settings.js
455  textElem.setAttribute('label', text.name);
456  textElem.setAttribute('oncommand', "quicktext.insertVariable('TEXT="+ group.name +"|"+ text.na
457  textElem = groupParent.appendChild(textElem);
```

DOM mutation event use prohibited

Warnung: DOM mutation events are flagged because of their deprecated status as well as their extreme inefficiency. Consider using a different event.

```
chrome/content/quicktext.js
55   if (composeToolbar)
56     composeToolbar.addEventListener("DOMNodeInserted", function(e) { quicktext.toolbarButtonA
57   }
```

DOM mutation event use prohibited

Warnung: DOM mutation events are flagged because of their deprecated status as well as their extreme inefficiency. Consider using a different event.

```
chrome/content/quicktext.js
84   if (composeToolbar)
85     composeToolbar.removeEventListener("DOMNodeInserted", function(e) { quicktext.toolbarButt
86   }
```

JS prototype extension

Warnung: It appears that an extension of a built-in JS type was made. This is not allowed for security and compatibility reasons.

```
chrome/content/quicktext.js
683  {
684    Array.prototype.indexOf = function(item)
685    {
```

Global variable overwrite

Warnung: An attempt was made to overwrite a global variable in some JavaScript code.

```
chrome/content/quicktext.js
683  {
684    Array.prototype.indexOf = function(item)
685    {
```

on* attribute being set using setAttribute

Warnung: To prevent vulnerabilities, event handlers (like 'onclick' and 'onhover') should always be defined using addEventListener.

```
chrome/content/quicktext.js
178  var toolbarbutton = document.createElement("menuitem");
179  toolbarbutton.setAttribute("oncommand", "quicktext.insertTemplate(\"" + i + "\",\"" + j + "\");");  //
180  toolbarbutton.setAttribute("label", text.name);
```

on* attribute being set using setAttribute

Warnung: To prevent vulnerabilities, event handlers (like 'onclick' and 'onhover') should always be defined using addEventListener.

```
chrome/content/quicktext.js
164  {
165    toolbarbuttonGroup.setAttribute("oncommand", "quicktext.insertTemplate(\"" + i + "\",\"0\");");
166    toolbarbuttonGroup.setAttribute("label", gQuicktext.getText(i, 0, false).name);
```

on* attribute being set using setAttribute

Warnung: To prevent vulnerabilities, event handlers (like 'onclick' and 'onhover') should always be defined using addEventListener.

```
chrome/content/quicktext.js
240    menu.setAttribute("label", node.getAttribute("label"));
241    menu.setAttribute("oncommand", node.getAttribute("oncommand"));
242  }
```

on* attribute being set using setAttribute

Warnung: To prevent vulnerabilities, event handlers (like 'onclick' and 'onhover') should always be defined using addEventListener.

```
chrome/content/quicktext.js
277    menu.setAttribute("label", node.getAttribute("label"));
278    menu.setAttribute("oncommand", node.getAttribute("oncommand"));
279  }
```

Übersetzungstest   0 Fehler, 0 Warnungen, 0 Nachrichten   Vorherige Seite | Nach oben | Nächste Seite

Alle Tests wurden erfolgreich durchgeführt.

Kompatibilitätstests   0 Fehler, 0 Warnungen, 0 Nachrichten   Vorherige Seite | Nach oben | Nächste Seite

Alle Tests wurden erfolgreich durchgeführt.

Lernen Sie Add-ons kennen   *Über Mozilla Add-ons » Blog »   Entwickler-Zentrum »   Häufige Fragen » Forum »*

Firefox   Firefox herunterladen   Für Android   Für iOS   Firefox Klar   Für den Desktop   Beta, Nightly, Developer Edition

Datenschutzerklärung | Rechtliche Hinweise | Markenrechtsverletzung melden | Status der Website | Fehler melden

Andere Sprachen

Deutsch ▼