

Step 1

When you click the link it will take you to the AWS CloudFormation Stack creation page.

- If you are not logged in it will take you to the log-in screen
- If you are logged in on multiple accounts it will ask you to select the desired account

Step 2

Once you are on the page it will look something like this.

IMPORTANT: do not modify any fields! They have been pre-filled with their necessary values.

CloudFormation > Stacks > Quick create stack

Quick create stack

Template

Template URL
https://clutter-templates-us-west-2-f5f2ec7c.s3.us-west-2.amazonaws.com/templates/cloudformation/client_side_terraform_deployer_role.yaml

Stack description
IAM Role for YourApp Terraform deployments

View template

Provide a stack name

Stack name
Clutter-MaltrasOrganization7886-DemoAccount7-TerraformDeployerRoleStack-46vjykk

Stack name can include letters (A-Z and a-z), numbers (0-9), and hyphens.

Parameters

Parameters are defined in your template and allow you to input custom values when you create or update a stack.

Accountid
AWS Account ID of the Clutter host account
570082719430

Externalid
A shared secret generated by Clutter to securely authorize cross-account role access for each client

Uniquelid
8 character unique identifier to append to stack and role name
46vjykk

Tags - optional

Tags (key-value pairs) are used to apply metadata to AWS resources, which can help in organizing, identifying, and categorizing those resources. You can add up to 50 unique tags for each stack.

No tags associated with the stack.

Add new tag

You can add 50 more tags

Permissions - optional

Specify an existing AWS Identity and Access Management (IAM) service role that CloudFormation can assume.

IAM role - optional
Choose the IAM role for CloudFormation to use for all operations performed on the stack.

IAM role name
Sample-role-name

Remove

Create new role

Stack failure options

Additional settings

You can set additional options for your stack, like notification options and a stack policy. [Learn more](#)

Stack policy - optional

Defines the resources that you want to protect from unintentional updates during a stack update.

Rollback configuration - optional

Specify alarms for CloudFormation to monitor when creating and updating the stack. If the operation breaches an alarm threshold, CloudFormation rolls it back.

Notification options - optional

Specify a new or existing Amazon Simple Notification Service topic where notifications about stack events are sent.

Stack creation options - optional

Specify the timeout and termination protection options for stack creation.

Capabilities

The following resource(s) require capabilities: [AWS::IAM::Role]
This template contains Identity and Access Management (IAM) resources. Check that you want to create each of these resources and that they have the minimum required permissions. In addition, they have custom names. Check that the custom names are unique within your AWS account. [Learn more](#)

☒ I acknowledge that AWS CloudFormation might create IAM resources with custom names.


Cancel

Create change set

Create stack


Step 3

Scroll to the bottom and select the "I acknowledge that AWS CloudFormation might create IAM resources with custom names." check box.




Step 4

Click the orange "Create stack" button.



Step 5

Now you will have to wait for the stack creation to complete (usually takes ~45 seconds). You will know it is complete when the "Latest deployment timeline" progress bar has a green tip.



Step 6

Once the stack is created, go to the "Resources" tab.

The screenshot shows the AWS CloudFormation console interface. On the left, a list of stacks is displayed, with the selected stack being 'Clutter-MaitrasOrganization7886-DemoAccount7-TerraformDeployerRoleStack-46v8jvkk'. The main panel shows the 'Resources' tab for this stack. At the top, there are buttons for 'Delete stack', 'Update stack', 'Stack actions', and 'Create stack'. Below these are tabs for 'Stack info', 'Events', 'Resources' (which is highlighted with a red circle), 'Outputs', 'Parameters', 'Template', 'Change sets', and 'Git sync'. The 'Resources' tab displays a 'Latest deployment timeline - new' section, which is a horizontal bar chart showing the deployment progress of resources over time. The chart indicates that the 'TerraformDeployerRole' resource is in progress, while other resources are complete.

Step 7

In the "Resources" tab, select the "Physical ID" column which should be a link to the IAM Role that was created.

The screenshot shows the AWS CloudFormation console interface, specifically the 'Resources' tab for the stack 'Clutter-MaitrasOrganization7886-DemoAccount7-TerraformDeployerRoleStack-46v8jvkk'. The 'Resources' tab is selected, and the 'Physical ID' column is highlighted with a red circle. The table lists the resources created by the stack, including the 'TerraformDeployerRole' resource, which is an 'AWS::IAM::Role' and has a status of 'CREATE_COMPLETE'. The 'Physical ID' for this resource is 'AllowClutterToDeployTerraformRole-46v8jvkk', which is a link to the IAM Role in the IAM console.

Step 8

On the IAM Role page, copy the Role ARN by pressing the copy icon to the left of the Role ARN.

AllowClutterToDeployTerraformRole-46v8jykk [Info](#)

[Delete](#)

Summary

Creation date
March 31, 2026, 21:47 (UTC-06:00)

Last activity
-

ARN
 arn:aws:iam::522257406177:role/AllowClutterToDeployTerraformRole-46v8jykk

Maximum session duration
1 hour

Link to switch roles in console
 <https://signin.aws.amazon.com/switchrole?roleName=AllowClutterToDeployTerraformRole-46v8jykk&account=522257406177>

[Permissions](#) |
 [Trust relationships](#) |
 [Tags](#) |
 [Last Accessed](#) |
 [Revoke sessions](#)

Permissions policies (1) [Info](#)

You can attach up to 10 managed policies.

[Simulate ↗](#) |
 [Remove](#) |
 [Add permissions ▼](#)

Filter by Type
All types ▼

< 1 > ⚙️

	Policy name ↗	Type	Attached entities
☐	TerraformDeployerRequiredPermissions	Customer inline	0

Step 9

Go back to Clutter and paste the Role ARN you just copied into the "Paste role details and submit" form. This will save the Role ARN and allow Clutter to deploy resources to your account.

3. Paste role details and submit

Once the CloudFormation link has been generated and completed in AWS, paste the Role ARN here. The first button only validates format in the browser.

AWS account name

This comes from the setup-link step and is sent to the backend before the ARN step is unlocked.

Role ARN

Validate format first, then save to send `role\_arn` to the backend account endpoint.

Default region

us-west-2

▼

Implementation notes

Validate ARN format →

Submit ARN and save account link

You have completed the account linking process!