



Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

SCHEMAS

Filter objects

- phpmyadmin
- test

Information

No object selected

Administration - Data Import/Res... x



Local Instance MySQL

Data Import

Import from Disk Import Progress

Import Options

☐ Import from Dump Project Folder

C:\Users\ALBERTO\Documents\dumps



Select the Dump Project Folder to import. You can do a selective restore.

Load Folder Contents

☒ Import from Self-Contained File

C:\Users\ALBERTO\Downloads\icoFes2807.sql



Select the SQL/dump file to import. Please note that the whole file will be imported.

Default Schema to be Imported To

Default Target Schema:

New...

The default schema to import the dump into.
NOTE: this is only used if the dump file doesn't contain its schema,
otherwise it is ignored.

Select Database Objects to Import (only available for Project Folders)

Imp...

Schema

Imp...



Schema Objects

Dump Structure and Dat

Select Views

Select Tables

Unselect All





ator:.....

Administration - Data Import/Res... x

AGEMENT

Server Status

Client Connections

Users and Privileges

Status and System Variables

Data Export

Data Import/Restore

NCE

Startup / Shutdown

Server Logs

Options File

ORMANCE

Dashboard

nation

ject selected



Local Instance MySQL

Data Import

Import from Disk

Import Progress

Import Completed

Status:

1 of 1 imported.

Log:

00:38:05 Import of C:\Users\ALBERTO\Desktop\Base_datos.sql has finished with 1 errors

00:38:41 Restoring C:\Users\ALBERTO\Desktop\Base_datos.sql

Running: mysql.exe --defaults-file="c:\users\alberto\appdata\local\temp\tmpjdrkq.cnf" --protocol=tcp --host=127.0.0.1 --user=root --port=3306 --default-character-set=utf8 --comments < "C:\\Users\\ALBERTO\\Desktop\\Base_datos.sql"

ERROR 1064 (42000) at line 31: You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'alumno'
add primary key ('no_cuenta')' at line 2

Operation failed with exitcode 1

00:38:42 Import of C:\Users\ALBERTO\Desktop\Base_datos.sql has finished with 1 errors

00:39:09 Restoring C:\Users\ALBERTO\Desktop\Base_datos.sql

Running: mysql.exe --defaults-file="c:\users\alberto\appdata\local\temp\tmpihfliv.cnf" --protocol=tcp --host=127.0.0.1 --user=root --port=3306 --default-character-set=utf8 --comments < "C:\\Users\\ALBERTO\\Desktop\\Base_datos.sql"

00:39:11 Import of C:\Users\ALBERTO\Desktop\Base_datos.sql has finished

Stop

Import Again

t Info

Session



ator:.....

er objects

fes_aragon

Tables

alumno

- Columns
- Indexes
- Foreign Keys
- Triggers

Views

Stored Procedures

Functions

phpmyadmin

test

gement Schemas

nation:.....

ection:

me: Local Instance MySQL

st: 127.0.0.1

t: 3306

ver: mariadb.org binary

tribution

sion: 10.4.18-MariaDB

nector: C++ 1.1.4

in User: root

rent User: root@localhost


: Disabled

alumno

alumno x



1 • SELECT * FROM fes_aragon.alumno;



	nombre_alumno	carrera	no_cuenta	direccion	telefono	email	password	fecha_registro	permisos
	Alberto Lopez	ico	316128742	19	59862220	albertomeia42@aragon.unam.mx	123321	2021-03-15 00:00:00	1
	aaron Velasco	ico	413112576	oloria 15	12354894	aaronvelascovea@outlook.com	13515	2021-03-09 12:49:56	1
	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

alumno 1 x

Apply

Revert

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	15:50:57	Could not connect, server may not be running.	Can't connect to MySQL server on '127.0.0.1' (10061)	
2	15:51:31	SELECT * FROM fes_aragon.alumno LIMIT 0, 1000	2 row(s) returned	0.016 sec / 0.0

SQLAdditions

◀ ▶ ⓘ ⚡ Jump to

Automatic context help is disabled.
the toolbar to manually get help for
the current caret position or to toggle
automatic help.