

TEST REPORT

NUMBER : THJ0028846S2

APPLICANT: Company
BASF CORPORATION
100 Campus Drive
Florham Park, NJ 07932, USA

DATE : 12 15 2013
THIS IS TO SUPERSEDE
REPORT NO. THJ0028846S1
DATED 12 10, 2013

SAMPLE DESCRIPTION:

ONE (1) PACK OF SUBMITTED SAMPLES SAID TO BE :
ITEM NAME : ACRYLONITRILE/BUTADIENE/STYRENE COPOLYMERS
ITEM NO. : TPU EB65A
QUANTITY : 1 PACK
COUNTRY OF ORIGIN : USA

DATE SAMPLE RECEIVED : 12 18, 2013
DATE TEST STARTED : 12 22, 2013



TEST CONDUCTED:

AS REQUESTED BY THE APPLICANT, FOR DETAILS PLEASE REFER TO ATTACHED PAGE.

CONCLUSION :

<u>TESTED SAMPLE</u>	<u>STANDARD</u>	<u>RESULT</u>
SUBMITTED SAMPLES	TEST FOR F.D.A. REGULATION ON ACRYLONITRILE COPOLYMERS	
	— AS PER U.S. 21 CFR F.D.A. REGULATION PART 181.32	PASS

AUTHORIZED BY:
ON BEHALF OF INTERTEK TESTING SERVICES
TAIWAN LIMITED



JACOB LIN
GENERAL MANAGER

THIS REPORT SHALL NOT BE REPRODUCED
EXCEPT IN FULL, WITHOUT THE WRITTEN
APPROVAL OF THE LABORATORY.

TEST CONDUCTED

TEST FOR F.D.A. REGULATION ON ACRYLONITRILE COPOLYMERS

AS PER THE U.S. 21 CFR FOOD AND DRUG ADMINISTRATION PART 181.32.

<u>SOLVENT</u>	<u>ACRYLONITRILE MONOMER (mg/in²)</u>	<u>LIMIT (mg/in²)</u>
	<u>SUBMITTED SAMPLES</u>	
(a) DISTILLED WATER	<0.0003	0.003
(b) 3% ACETIC ACID	<0.0003	0.003
(c) N-HEPTANE	<0.0003	0.003
(d) 8% ETHANOL	<0.0003	0.003

REMARKS : mg/in² = MILLIGRAM PER SQUARE INCH
< = LESS THAN

END OF REPORT