# Продвинутое использование git

Касканте Родригес Альберто<sup>1</sup> 25 декабря, 2024, Москва, Россия

<sup>&</sup>lt;sup>1</sup>Российский Университет Дружбы Народов

# Цели и задачи работы —

# Цель лабораторной работы

Получение навыков правильной работы с репозиториями git.

# Задачи лабораторной работы

- 1 Выполнить работу для тестового репозитория.
- 2 Преобразовать рабочий репозиторий в репозиторий с git-flow и conventional commits.

# Процесс выполнения лабораторной работы

# Node.js

```
Appended new lines to /home/albertokaskante/.bashrc

Next configuration changes were made:

export PNPM HONE="/home/albertokaskante/.local/share/pnpm"

case ":$PATH:" in

*":$PAPHM HOME:"*);

*) export PATH="$PNPM_HOME:$PATH" ;;

esac

To start using pnpm, run:
source /home/albertokaskante/.bashrc
albertokaskante@albertokaskante: $ source ~/.bashrc

albertokaskante@albertokaskante: $
```

**Рис. 1:** Node.js

#### commitizen

```
Update available! 8.12.0 + 9.15.1.
Changelog: https://github.com/pnpm/pnpm/releases/tag/v9.15.1
Run "pnpm add -g pnpm" to update.
Follow @pnpmjs for updates: https://twitter.com/pnpmjs

WARN 2 deprecated subdependencies found: glob@7.2.3, inflight@1.0.6
Packages: +151

Progress: resolved 151, reused 0, downloaded 151, added 151, done
/home/albertokaskante/.local/share/pnpm/global/5:
commitizen 4.3.1

Done in 8.55
albertokaskante@albertokaskante:-$
```

Рис. 2: установка commitizen

# standard-changelog

```
albertokaskante@albertokaskante: $ pnpm add -g standard-changelog

WARN | 2 deprecated subdependencies found: globe7.2.3, inflight@1.0.6

Packages: *30

Progress: resolved 190, reused 151, downloaded 39, added 70, done

/home/albertokaskante/.local/share/pnpm/global/5:

standard-changelog 6.0.0

Done in 6.5s
sibertokaskante@albertokaskante:.$
```

Рис. 3: установка standard-changelog

# package.json

```
OTKRIBITE Package.json

-/git-extended

1 {
2     "name": "git-extended",
3     "version": "1.0.0",
4     "description": "Git repo for educational purposes",
5     "man'n: "index.js",
6     "repository": "gitegithub.com:AlbertoRUDN/git-extended.git",
7     "author": "AlbertoRUDN",
8     "icense": "Cc-BY-4.0",
9     "config": {
10          "commitizen": {
11          "path": "cz-conventional-changelog"
12      }
13     }
14 }
```

Рис. 4: package.json

#### Использование commitizen

```
cz-cli@4.3.1, cz-conventional-changelog@3.3.0
 Select the type of change that you're committing: chore: Other changes that don't modify arc or test files
 What is the scope of this change (e.g. component or file name): (press enter to skip)
 Write a short, imperative tense description of the change (max 93 chars):
 Provide a longer description of the change: (press enter to skip)
 Are there any breaking changes? Yes
 A BREAKING CHANGE commit requires a body. Please enter a longer description of the commit itself:
 Describe the breaking changes:
 Does this change affect any open issues? Yes
 Add issue references (e.g. "fix #123", "re #123".):
[master da@c3ea] chore: test
1 file changed, 15 insertions(+)
create mode 188644 package.ison
Перечисление объектов: 4. готово.
Подсчет объектов: 180% (4/4), готово
При сжатии изменений используется до 8 потоков
Скатие объектов: 100% (3/3), готово.
Запись объектов: 100% (3/3), 498 байтов | 166.00 КиБ/с, готово,
To github.com:AlbertoRUDN/git-extended.git
  4961540..da0c3ea master -> master
   ertokaskante@albertokaskante:~/git-extended$
```

Рис. 5: Отправка

```
lbertokaskante@albertokaskante:~/git-extended$ git flow init
Which branch should be used for bringing forth production releases?
   - master
Branch name for production releases: [master]
Branch name for "next release" development: [develop]
How to name your supporting branch prefixes?
Feature branches? [feature/]
Bugfix branches? [bugfix/]
Release branches? [release/]
Hotfix branches? [hotfix/]
Support branches? [support/]
Version tag prefix? []
Hooks and filters directory? [/home/albertokaskante/git-extended/.git/hooks]
 lbertokaskante@albertokaskante:~/git-extended$ git push --all
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Create a pull request for 'develop' on GitHub by visiting:
            https://github.com/AlbertoRUDN/git-extended/pull/new/develop
To github.com:AlbertoRUDN/git-extended.git
                  develop -> develop
* [new branch]
 lbertokaskante@albertokaskante:~/git-extended$
```

Рис. 6: Инициализация и загрузка изменений

### git-flow

```
Follow-up actions:
  Bump the version number now!
  Start committing last-minute fixes in preparing your release
  When done, run:
     git flow release finish '1.0.0'
  lbertokaskante@albertokaskante:-/git-extended$ standard-changelog --first-release
 / created CHANGELOG.md
  output changes to CHANGELOG.md
  lbertokaskante@albertokaskante:-/git-extended$ git add CHANGELOG.md
 lbertokaskante@albertokaskante:-/git-extended$ git commit -am 'chore(site): add changelog'
 release/1.0.0 1f5e21b] chore(site); add changelog
1 file changed, 4 insertions(+)
create mode 100644 CHANGELOG.md
 lbertokaskante@albertokaskante:~/git-extended$ git flow release finish 1.0.0
Переключились на ветку «master»
Эта ветка соответствует «origin/master».
Merge made by the 'ort' strategy.
CHANGELOG.md | 4 ++++
1 file changed, 4 insertions(+)
create mode 100644 CHANGELOG.md
Vже на «master»
Ваша ветка опережает «origin/master» на 2 коммита.
 (используйте «git push», чтобы опубликовать ваши локальные коммиты)
Переключились на ветку «develop»
Эта ветка coorветствует «origin/develop».
Merge made by the 'ort' strategy.
CHANGELOG.md | 4 ++++
1 file changed, 4 insertions(+)
create mode 100644 CHANGELOG.md
Ветка release/1.0.0 удалена (была 1f5e21b).
Summary of actions:
- Release branch 'release/1.0.0' has been merged into 'master'
  The release was tagged '1.0.0'
  Release tag '1.0.0' has been back-merged into 'develop'
```

Рис. 7: Завершение релиза

# Отправим данные на github

```
Перечисление объектов: 6, готово,
Подсчет объектов: 100% (6/6), готово.
При сжатии изменений используется до 8 потоков
Сжатие объектов: 100% (4/4), готово.
Запись объектов: 100% (5/5), 562 байта | 187.00 КиБ/с, готово
Total 5 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), done.
To github.com:AlbertoRUDN/git-extended.git
  da0c3ea..eb68265 develop -> develop
  da0c3ea..7542e3d master -> master
albertokaskante@albertokaskante:~/git-extended$ git push --tags
Перечисление объектов: 1. готово.
Подсчет объектов: 100% (1/1), готово.
Запись объектов: 100% (1/1), 166 байтов | 166.00 КиБ/с, готово.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:AlbertoRUDN/git-extended.git
* [new tag]
albertokaskante@albertokaskante:-/git-extended$ gh release create v1.0.0 -F CHANGELOG.md
https://github.com/AlbertoRUDN/git-extended/releases/tag/v1.0.0
 lbertokaskante@albertokaskante:~/git-extended$
```

Рис. 8: Отправка

#### Объединение веток

```
bertokaskante@albertokaskante:-/git-extended$ git flow feature start feature_branch
Переключились на новую ветку «feature/feature branch»
Summary of actions:
 A new branch 'feature/feature branch' was created, based on 'develop'
 You are now on branch 'feature/feature_branch'
Now, start committing on your feature. When done, use:
     git flow feature finish feature branch
albertokaskante@albertokaskante:-/git-extended$ touch test2
albertokaskante@albertokaskante:~/git-extended$ git flow feature finish feature branch
Переключились на ветку «develop»
Эта ветка соответствует «origin/develop».
Уже актуально.
Ветка feature/feature_branch удалена (была eb68265).
Summary of actions:
 The feature branch 'feature/feature branch' was merged into 'develop'

    Feature branch 'feature/feature_branch' has been locally deleted

 You are now on branch 'develop'
albertokaskante@albertokaskante:-/git-extended$
```

Рис. 9: Объединение веток

### git-flow

```
albertokaskante@albertokaskante:~/git-extended
 аша ветка опережает «origin/master» на 3 коммита.
 (используйте «git push», чтобы опубликовать ваши локальные коммиты)
Переключились на ветку «develop»
Эта ветка соответствует «origin/develop».
Merge made by the 'ort' strategy.
CHANGELOG.md | 4 ****
 package.ison | 2
 2 files changed, 5 insertions(+), 1 deletion(-)
Ветка release/1.2.3 удалена (была 8e8794f).
 ummary of actions:
  Release branch 'release/1.2.3' has been merged into 'master'
  The release was tagged '1.2.3'
  Release tag '1.2.3' has been back-merged into 'develop'
  Release branch 'release/1.2.3' has been locally deleted
  You are now on branch 'develop'
 Іеречисление объектов: 9, готово
 юдсчет объектов: 100% (9/9), готово.
При сжатии изменений используется до 8 потоков
Сжатие объектов: 180% (6/6), готово.
 laпись объектов: 100% (6/6), 778 байтов | 778,00 КиБ/с, готово.
Total 6 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 1 local object.
To github.com:AlbertoRUDN/git-extended.git
  eb68265..ebce8f0 develop -> develop
  7542e3d..17fb4b4 master -> master
Перечисление объектов: 1. готово.
Подсчет объектов: 100% (1/1), готово.
Запись объектов: 100% (1/1), 168 байтов | 168,00 КиБ/с, готово.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:AlbertoRUDN/git-extended.git
 lbertokaskante@albertokaskante:-/git-extended$ gh release create v1.2.3 -F CHANGELOG.md
https://github.com/AlbertoRUDN/git-extended/releases/tag/v1.2.3
               @albertokaskante:~/git-extendeds
```

Рис. 10: Завершение релиза

## Подготовка рабочего репозитория

```
Albert daskant each her takeskent: /merk 4.5tady/2022-2024/Onepagneeme correso/cs.intros getit package.json
albert daskant each bert daskant: /merk 4.5tady/2022-2024/Onepagneeme correso/cs.intros get ad.
albert daskant each bert daskant: /merk 4.5tady/2022-2024/Onepagneeme correso/cs.intros get ad.

Select the type of change that you're committing: chore: Other changes that don't modify are or test

What is the acops of this change (e.g. component or file name): (press enter to skip)

Write a short, imperative tense description of the change (asx 33 chars):
(d) test
Provide a longer description of the change: (press enter to skip)

Are there any breaking changes? Ves
A BERAING CHANGE Commit requires a body. Please enter a longer description of the commit itself:

Describe the breaking changes:

Does this change affect any open issues? No
Insider 6374072] chore: test
1 file change, 14 insertions(*)
create mode 100064 package_json
```

**Рис. 11:** package.json и коммит

# Подготовка рабочего репозитория

```
bertokaskantegalbertokaskante:~/work/study/2023-2024/Операционные системы/os-intros git push
lеречисление объектов: 4, готово.
Подсчет объектов: 100% (4/4), готово.
Три сжатии изменений используется до 8 потоков
жатие объектов: 100% (3/3), готово.
Запись объектов: 100% (3/3), 489 байтов | 244.00 КиБ/с, готово.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:AlbertoRUDN/os-intro.git
  405aa2d..6374072 master -> master
 lbertokaskante@albertokaskante:-/work/study/2023-2024/Операционные системы/os-intro$ git flow init
Which branch should be used for bringing forth production releases?
Branch name for production releases: [master]
Branch name for "next release" development: [develop]
How to name your supporting branch prefixes?
Feature branches? [feature/]
Bugfix branches? [bugfix/]
Release branches? [release/]
Hotfix branches? [hotfix/]
Support branches? [support/]
Version tag prefix? []
Hooks and filters directory? [/home/albertokaskante/work/study/2023-2024/Операционные системы/os-intro/.git/h
 lbertokaskante@albertokaskante:~/work/studv/2023-2024/Операционные системы/os-intro$ git branch
   ertokaskante@albertokaskante:~/work/study/2023-2024/Операционные системы/os-intro$
```

Рис. 12: Завершение релиза

Выводы по проделанной работе

#### Вывод

Мы приобрели практические навыки взаимодействия с дополнительными функциями гитхаб.