# tldr pages book

Simplified and community-driven man pages
Generated on Fri Oct 27 10:14:05 2023

Website: <a href="https://tldr.sh">https://tldr.sh</a>

 $Git Hub: {\color{blue} \underline{https://github.com/tldr-pages/tldr}}$ 



#### am

Android faoliyat boshqaruvi.

Ko'proq malumot: <a href="https://developer.android.com/studio/command-line/adb#am">https://developer.android.com/studio/command-line/adb#am</a>.

• Anniq bir faoliyatni boshlash:

```
am start -n {{com.android.settings/.Settings}}
```

• Faoliyatni boshlash va unga malumot o'tkazish:

```
am start -a {{android.intent.action.VIEW}} -d {{tel:123}}
```

• Biron harakat va kategoriyaga mos keluvchi faoliyatni boshlash:

```
am start -a {{android.intent.action.MAIN}} -c
{{android.intent.category.HOME}}
```

• Intentni URI ga o'zgartirish:

```
am to-uri -a {{android.intent.action.VIEW}} -d {{tel:123}}
```

## bugreport

Android xatolik xisobotini ko'rsatish.

Bu buyruq faqat adb shell orqali amalga oshiriladi.

Ko'proq malumot: <a href="https://cs.android.com/android/platform/superproject/+/">https://cs.android.com/android/platform/superproject/+/</a> main:frameworks/native/cmds/bugreport.

• Android qurulmasida to'liq xatoliklar xabarini ko'rsatish:

bugreport

#### bugreportz

Arxivlangan Android xatolik xisoboti.

Bu buyruq faqat adb shell orqali amalga oshiriladi.

Ko'proq malumot: <a href="https://cs.android.com/android/platform/superproject/+/main:frameworks/native/cmds/bugreportz">https://cs.android.com/android/platform/superproject/+/main:frameworks/native/cmds/bugreportz</a>.

• Android qurulmasida to'liq arxivlangan xatoliklar xisobotini yaratish:

```
bugreportz
```

• Bajarilayotgan bugreportz jarayonni progresini ko'rsatish:

```
bugreportz -p
```

• bugreportz ni versiyasini ko'rsatish:

```
bugreportz -v
```

• Yordam ko'rsatish:

```
bugreportz -h
```

#### cmd

Android xizmatlar boshqaruvchisi.

Ko'proq malumot: <a href="https://cs.android.com/android/platform/superproject/+/main:frameworks/native/cmds/cmd/">https://cs.android.com/android/platform/superproject/+/main:frameworks/native/cmds/cmd/</a>.

• Barcha bajarilayotgan xizmatlarni ko'rsatish:

```
cmd -l
```

• Biron xizmatni chaqirish:

```
cmd {{alarm}}
```

• Xizmatni argumentlar bilan ishlatish:

```
cmd {{vibrator}} {{vibrate 300}}
```

#### dalvikvm

Android Java virtual mashinasi.

Ko'proq malumot: <a href="https://source.android.com/devices/tech/dalvik">https://source.android.com/devices/tech/dalvik</a>.

• Java dasturini ishga tushirish:

```
dalvikvm -classpath {{fayl/uchun/yo_l.jar}} {{klassnomi}}
```

### dumpsys

Android tizimi xizmatlari to'g'risida malumot berish.

Bu buyruq faqatgina adb shell bilan ishlatiladi.

Ko'proq malumot: <a href="https://developer.android.com/studio/command-line/dumpsys">https://developer.android.com/studio/command-line/dumpsys</a>.

• Tizimning barcha xizmatlari haqida tahliliy malumot:

```
dumpsys
```

• Biron xizmat to'g'risida tahliliy malumot olish:

```
dumpsys {{service}}}
```

• dumpsys buyrug'idagi barcha xizmatlarni chiqaradi:

```
dumpsys -l
```

• Xizmatning argumentlarini chiqaradi:

```
dumpsys {{service}} -h
```

• Tahliliy malumotlar ro'yhatidan biron xizmatni goldirish:

```
dumpsys --skip {{service}}
```

• Time out ni belgilash (sekundlarda):

```
dumpsys -t {{sekund}}}
```