

ARMOIRE

PANEL TAG: X

Panel material: INOX
Panel size: 600X1800X370 + 600X1800X600
Panel brand: IRINOX
Junction boxes material: INOX

EQUIPMENTS USED

Buttons brand: SCHNEIDER
Button language: ITALIEN
Security components: SICK or Phoenix Contact
Panel components: Schneider / Phoenix Contact / Omron / Siemens
Terminals (power and command): Phoenix Contact

WIRING

Icc breaking capacity: 10kA
Shielded cables on Inverters
Wire colors: +24Vdc = Purple
0Vdc = White
External command: Orange

110Vac = Brown
>110Vac = Black
Neutral = Blue
Ground = Yellow/Green

Estimated electrical characteristics

(machine)

Total nominal power (kW): 9
Total nominal current (Amps): 22

Main circuit breaker advisable

(customer)

Breaker grade (Amps): 32
Breaker curve (type): C OR D

Minimum section power supply cable requirement

(customer) :

Wire section (mm²): 6mm²
Cable type (wires number): 5G6² H07 RNF / U1000 R2V

Main breaker and power supply cable can be different
depending of the electrical installation
(cable material, lenght, installation method, ...)

CE DOCUMENT EST LA PROPRIETE DE ECAT-ID. IL EST REMIS A TITRE CONFIDENTIEL.
IL NE DOIT PAS ETRE REPRODUIT OU COMMUNIQUE A DES TIERS SANS NOTRE AUTORISATION ECRITE.
THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL.
IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING FORM.

V10	MAJ ATELIER	12/06/2024	AV	JT	JT
V9	AJOUT SEC02/KA100/DTS5/DTS6+MODIFICATION BORNIER	29/04/2024	JT	JT	JT
V8	CHANGEMENT ALIMENTATION U10 x10 x100 INTERROLL	22/04/2024	JT	JT	JT
V7	MAJ BORNIER X20 + CABLES CODEUR	09/04/2024	JT	JT	JT
V6	AJOUT CAPTEUR D'ENTREE ET CAPTEUR I/O LINK	03/04/2024	DB	JT	JT
V5	MODIF FOLIO 01/02/03/10/23/27/31/53/76/100/104	28/03/2024	DB	JT	JT
V4	MODIF FOLIO 09/23/27/31/35/74/78/79/104	27/03/2024	DB	JT	JT
V3	MODIF FOLIO 21/24/28/32/75/102	19/03/2024	DB	JT	JT
V2	MODIF FOLIO 06/07/19/20/65/90/91/92/93	04/03/2024	DB	JT	JT
V1	CREATION	04/03/2024	DB	JT	JT
INDEX	MODIFICATION	DATE	DESIGNED	VERIFIED	APPROVED

SEXAGE POUSSINS

DESIGNED BY : DB

VERIFIED : JT

DATE OF CREATION : 26/04/2024

CUSTOMER : PELLEGRINA

CONTRACT : C01412

PROCESS : PMXA-C014121

ECAT-ID

ZI de KERIEL
29800 PLOUEDERN
- FRANCE -

FOLIO : 01/156

Tel : (33).2.98.85.31.36
Fax : (33).2.98.85.31.38
E-mail : ecatid.service@ceva.com

ENVIRONNEMENT IGE-XAC-ECAT-ID_V4R3 230918 on 4.49.F - 23/09/2020



Ecat-iD Campus

COUNTRY :

ITALIE

DRAWING NUM:

SMXA-C014121

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.

FOLIO	DESIGNATION	DATE DERNIERE MODIFICATION
01	SEXAGE POUSSINS	12/06/2024
05	LISTE DE FOLIO	03/04/2024
06	SCHEMA PUISSANCE	03/04/2024
07	SCHEMA PUISSANCE	12/06/2024
08	SCHEMA PUISSANCE	12/06/2024
09	SCHEMA PUISSANCE	12/06/2024
10	SCHEMA PUISSANCE	12/06/2024
11	SCHEMA PUISSANCE UAC	12/06/2024
12	SCHEMA PUISSANCE UAC	12/06/2024
13	SCHEMA PUISSANCE UAC	12/06/2024
14	SCHEMA COMMANDE	03/04/2024
15	SCHEMA COMMANDE	03/04/2024
16	SCHEMA COMMANDE	03/04/2024
17	SCHEMA COMMANDE	03/04/2024
18	SCHEMA COMMANDE	03/04/2024
19	SCHEMA COMMANDE	03/04/2024
20	SCHEMA COMMANDE	03/04/2024
21	SCHEMA COMMANDE	03/04/2024
22	SCHEMA COMMANDE	03/04/2024
23	SCHEMA COMMANDE UAC	03/04/2024
24	SCHEMA COMMANDE UAC	03/04/2024
25	IMPLANTATION UAC100	03/04/2024
26	IMPLANTATION CAMERA VOIE 1 & 2	03/04/2024
27	IMPLANTATION ECLAIRAGE VOIE 1	03/04/2024
28	IMPLANTATION ECLAIRAGE VOIE 2	03/04/2024
29	IMPLANTATION UAC200	03/04/2024
30	IMPLANTATION CAMERA VOIE 3 & 4	03/04/2024
31	IMPLANTATION ECLAIRAGE VOIE 3	03/04/2024
32	IMPLANTATION ECLAIRAGE VOIE 4	03/04/2024
33	IMPLANTATION UAC300	03/04/2024
34	IMPLANTATION CAMERA VOIE 5 & 6	03/04/2024
35	IMPLANTATION ECLAIRAGE VOIE 5	03/04/2024
36	IMPLANTATION ECLAIRAGE VOIE 6	03/04/2024
37	SCHEMA COMMANDE UAC	03/04/2024
38	SORTIES MOD2	03/04/2024

FOLIO	DESIGNATION	DATE DERNIERE MODIFICATION
39	SORTIES MOD2	03/04/2024
40	SORTIES MOD3	03/04/2024
41	SORTIES MOD3	03/04/2024
42	SORTIES MOD102	03/04/2024
43	SORTIES MOD103	03/04/2024
44	SORTIES MOD104	03/04/2024
45	SORTIES MOD105	03/04/2024
46	SORTIES MOD105	03/04/2024
47	SORTIES MOD106	03/04/2024
48	SORTIES MOD106	03/04/2024
49	IMPLANTATION AUTOMATE	03/04/2024
50	IMPLANTATION AUTOMATE	03/04/2024
51	IMPLANTATION WAGO B10	03/04/2024
52	IMPLANTATION IHM	03/04/2024
53	IMPLANTATION RESEAU	03/04/2024
54	IMPLANTATION RESEAU B10	03/04/2024
55	ENTREES MOD4	03/04/2024
56	ENTREES MOD4	12/06/2024
57	ENTREES MOD5	03/04/2024
58	ENTREES MOD5	03/04/2024
59	ENTREES MOD6	03/04/2024
60	ENTREES MOD6	03/04/2024
61	ENTREES MOD7	03/04/2024
62	ENTREES MOD7	03/04/2024
63	I/O LINK MOD8	03/04/2024
64	I/O LINK MOD8	12/06/2024
65	I/O LINK MOD9	03/04/2024
66	I/O LINK MOD9	03/04/2024
67	I/O LINK MOD10	03/04/2024
68	I/O LINK MOD10	03/04/2024
69	ENTREES MOD107	03/04/2024
70	ENTREES MOD107	03/04/2024
.01	Connecteur: PRM-M01	03/04/2024
.01	Connecteur: PRM-M07	03/04/2024
.01	Connecteur: PRM-M08	03/04/2024

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 12/06/2024		LISTING				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB										ARTICLE : SMXA-C014121		INDEX : V10			
			E-mail : ecatic.service@ceva.com				ENVIRONNEMENT: Version 4.49.F - 23/09/2020												SMXA-C014121	

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.

FOLIO	DESIGNATION	DATE DERNIERE MODIFICATION
.01	Connecteur: PRM-M09	03/04/2024
002	LISTING	12/06/2024
003	LISTING	12/06/2024
004	LISTING	12/06/2024
071	Bornier : XP0	03/04/2024
072	Bornier : XP1	28/03/2024
073	Bornier : X2	03/04/2024
074	Bornier : X3	28/03/2024
075	Bornier : X4	28/03/2024
076	Bornier : X4	28/03/2024
077	Bornier : X10	28/03/2024
078	Bornier : X20	28/03/2024
079	Bornier : XT10	28/03/2024
080	Bornier : XP100	28/03/2024
081	Bornier : XP101	28/03/2024
082	Bornier : X100	12/06/2024
083	Bornier : X103	03/04/2024
084	Bornier : X104	03/04/2024
085	Bornier : X105	03/04/2024
086	Bornier : X106	03/04/2024
087	Bornier : X110	03/04/2024
088	Bornier : X120	03/04/2024
089	Bornier : X130	03/04/2024
090	Bornier : X140	03/04/2024
091	Bornier : X150	03/04/2024
092	Bornier : X160	03/04/2024
093	Bornier : X200	28/03/2024
094	Bornier : XT100	28/03/2024
095	Connecteur: PRF-M01	03/04/2024
096	Connecteur: PRF-M07	03/04/2024
097	Connecteur: PRF-M08	03/04/2024
098	Connecteur: PRF-M09	03/04/2024
099	Connecteur: PRF-X200	28/03/2024
100	Connecteur: PRM-X200	03/04/2024
100	IMPLANTATION FACADE ARMOIRE	03/04/2024

FOLIO	DESIGNATION	DATE DERNIERE MODIFICATION
101	IMPLANTATION ARRIERE ARMOIRE	03/04/2024
102	IMPLANTATION ARMOIRE	03/04/2024
103	IMPLANTATION COTE BOITIER B10	03/04/2024
104	IMPLANTATION FACADE BOITIER B10	03/04/2024
105	IMPLANTATION ARRIERE BOITIER B10	03/04/2024
106	IMPLANTATION INTERNE BOITIER B10	03/04/2024
107	PLAN DE PERCAGE BOITIER T10	03/04/2024
108	PLAN DE PERCAGE BOITIER T10	03/04/2024
109	IMPLANTATION BOITIER T10	03/04/2024
110	IMPLANTATION BOITIER T20	03/04/2024
111	IMPLANTATION BOITIER T30	03/04/2024
112	PARAMETRE VARIATEUR V1	03/04/2024
113	PARAMETRE VARIATEUR V2	03/04/2024
114	PARAMETRE VARIATEUR V3	03/04/2024
115	PARAMETRE VARIATEUR V4	03/04/2024
116	PARAMETRE VARIATEUR V5	03/04/2024
117	PARAMETRE VARIATEUR V6	03/04/2024
118	PARAMETRE VARIATEUR V7	03/04/2024
119	PARAMETRE VARIATEUR V8	03/04/2024
120	PARAMETRE VARIATEUR V9	03/04/2024
121	Nomenclature Armoire	03/04/2024
122	Nomenclature Armoire	03/04/2024
123	Nomenclature Armoire	03/04/2024
124	Nomenclature Armoire	03/04/2024
125	Nomenclature Armoire	03/04/2024
126	Components List	03/04/2024
127	Components List	03/04/2024
128	Components List	03/04/2024
129	Components List	03/04/2024
130	Components List	03/04/2024
131	Nomenclature FI	03/04/2024
132	Nomenclature FI	03/04/2024
133	Nomenclature FI	03/04/2024
134	Nomenclature FI	03/04/2024
135	Components List	03/04/2024

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20			
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 12/06/2024		LISTING				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE			
			Fax : (33).2.98.85.31.38		Designed by : DB										ARTICLE : SMXA-C014121		INDEX : V10					
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020												FOLIO : 003/156			

[illegible][illegible]

3 |

1

○

11

=

G

11

I

U

1

1

A

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 12/06/2024		LISTING			 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB									ARTICLE : SMXA-C014121				INDEX : V10	
			E-mail : ecatid.service@ceva.com		ENVIRONNEMENT : Version 4.49.F - 23/09/2020									FOLIO : 004/156					

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.


																				A
																				B
																				C
																				D
																				E
																				F
																				G
																				H
																				I
																				J
																				K
																				L
																				M

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 02/04/2024		LISTE DE FOLIO				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		LISTING								ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail : ecaticid.service@ceva.com				ENVIRONNEMENT : Version 4.49.F - 23/09/2020								05/156					



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		SCHEMA PUISSANCE				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		POWER PLAN								ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail : ecatic.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020								06/156					


THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.



ARMOIRE

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN - FRANCE -			Tél : (33).2.98.85.31.36		Date of creation :		SCHEMA PUISSANCE				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		POWER PLAN								ARTICLE : SMXA-C014121				INDEX : V10	
			E-mail : ecaticid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020								FOLIO : 07/156					


THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.



ARMOIRE

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20			
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		SCHEMA PUISSANCE				 Ecat-iD Campus				CONTRACT :		CUSTOMER :		COUNTRY :			
					Designed by : DB		POWER PLAN								C01412		PELLEGRINA		ITALIE			
			Fax : (33).2.98.85.31.38		ENVIRONNEMENT : Version 4.49.F - 23/09/2020				ARTICLE : SMXA-C014121						INDEX :		V10					
															E-mail : ecaticid.service@ceva.com		FOLIO :		08/156			

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.




ARMOIRE

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		SCHEMA PUISSANCE				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		POWER PLAN								ARTICLE :		SMXA-C014121		INDEX : V10	
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020								FOLIO : 09/156					




Ecat-iD Campus


THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.



ARMOIRE

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		SCHEMA PUISSANCE				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		POWER PLAN								ARTICLE : SMXA-C014121		INDEX : V10			
			E-mail : ecaticid.service@ceva.com				ENVIRONNEMENT : Version 4.49.F - 23/09/2020								SMXA-C014121		FOLIO : 10/156			

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.





1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN - FRANCE -			Tél : (33).2.98.85.31.36 Fax : (33).2.98.85.31.38 E-mail : ecatid.service@ceva.com		Date of creation : Designed by : DB		SCHEMA PUISSANCE UAC UAC POWER PLAN ENVIRONNEMENT: Version 4.49.F - 23/09/2020			ceva Ecat-iD Campus			CONTRACT : C01412 ARTICLE : SMXA-C014121		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE INDEX : V10 FOLIO : 11/156		




COUNTRY :	ITALIE
INDEX :	V10
FOLIO :	12/156

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		SCHEMA PUISSANCE UAC				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		UAC POWER PLAN								ARTICLE :		SMXA-C014121		INDEX : V10	
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020												FOLIO : 13/156	


THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.



ARMOIRE

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		SCHEMA COMMANDE				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		CONTROL PLAN								ARTICLE : SMXA-C014121		INDEX : V6			
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020												FOLIO : 14/156	


THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.



ARMOIRE

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		SCHEMA COMMANDE			 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		CONTROL PLAN							ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail :ecatid.service@ceva.com		ENVIRONNEMENT:Version 4.49.F - 23/09/2020			15/156											


THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.



ARMOIRE

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		SCHEMA COMMANDE				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
					Designed by : DB										CONTROL PLAN		INDEX : V6			
			Fax : (33).2.98.85.31.38		E-mail : ecaticid.service@ceva.com		ENVIRONNEMENT : Version 4.49.F - 23/09/2020								ARTICLE : SMXA-C014121				FOLIO : 16/156	

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.



ARMOIRE

RELAIS DE LIGNE
LINE RELAY

VOYANT ARRET
D'URGENCE
EMERGENCY
STOP LIGHT


VOYANT MARCHE
RUN LIGHT

VENTILATION
ARMOIRE
PANEL
VENTILATION

ECLAIRAGE
ARMOIRE
PANEL
LIGHTING


1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		SCHEMA COMMANDE				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		CONTROL PLAN								ARTICLE :		SMXA-C014121		INDEX : V6	
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020								FOLIO : 17/156					

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL - IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.




1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		SCHEMA COMMANDE				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		CONTROL PLAN								ARTICLE : SMXA-C014121		INDEX : V6			
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020								SMXA-C014121		FOLIO : 18/156			


THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL - IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.




1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		SCHEMA COMMANDE				 Ecat-iD Campus			CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		CONTROL PLAN							ARTICLE : SMXA-C014121		INDEX : V6			
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020							SMXA-C014121		FOLIO : 19/156			

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.




1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		SCHEMA COMMANDE				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		CONTROL PLAN								ARTICLE : SMXA-C014121		INDEX : V6			
			E-mail : ecatid.service@ceva.com				ENVIRONNEMENT : Version 4.49.F - 23/09/2020										FOLIO : 20/156			

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.




1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		SCHEMA COMMANDE				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		CONTROL PLAN								ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail : ecatid.service@ceva.com				ENVIRONNEMENT : Version 4.49.F - 23/09/2020								21/156					

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		SCHEMA COMMANDE				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		CONTROL PLAN								ARTICLE : SMXA-C014121		INDEX : V6			
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT :Version 4.49.F - 23/09/2020										FOLIO : 22/156			


THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.



ARMOIRE

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		SCHEMA COMMANDE UAC				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		UAC CONTROL PLAN								ARTICLE : SMXA-C014121		INDEX : V6			
			E-mail :ecatid.service@ceva.com		ENVIRONNEMENT:Version 4.49.F - 23/09/2020				SMXA-C014121						23/156					

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.




1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		SCHEMA COMMANDE UAC				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		CONTROL PLAN								ARTICLE : SMXA-C014121		INDEX : V6			
			E-mail : ecaticid.service@ceva.com				ENVIRONNEMENT : Version 4.49.F - 23/09/2020								SMXA-C014121		FOLIO : 24/156			

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.

BOITIER B10

CAMERA VOIE N°1 WAY 1 CAMERA


CAMERA VOIE N°2 WAY 2 CAMERA



ARMOIRE


1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN - FRANCE -		Tél : (33).2.98.85.31.36 Fax : (33).2.98.85.31.38 E-mail : ecaticid.service@ceva.com		Date of creation : Designed by : DB		IMPLANTATION CAMERA VOIE 1 & 2 WAY 1 & 2 CAMERA LAY OUT ENVIRONNEMENT: Version 4.49.F - 23/09/2020		 Ecat-iD Campus		CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE		INDEX : V6 FOLIO : 26/156		SMXA-C014121	

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.




1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		IMPLANTATION ECLAIRAGE VOIE 1				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		WAY 1 LIGHTING LAY OUT								ARTICLE :		SMXA-C014121		INDEX : V6	
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020												FOLIO : 27/156	

A
B
C
D
E
F
G
H
I
J
K
L
M



ARMOIRE

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		IMPLANTATION ECLAIRAGE VOIE 2				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		WAY 2 LIGHTING LAY OUT								ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail : ecatid.service@ceva.com		ENVIRONNEMENT: Version 4.49.F - 23/09/2020				28/156											




VISION VOIE N°4 WAY 4 VISION

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		IMPLANTATION CAMERA VOIE 3 & 4				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		WAY 3 & 4 CAMERA LAY OUT								ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail : ecatic.service@ceva.com		ENVIRONNEMENT: Version 4.49.F - 23/09/2020				FOLIO : 30/156											

FOLIO : 30/156


ECLAIRAGE VOIE N°3 WAY 3 LIGHTING



BOITIER B10

ARMOIRE

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		IMPLANTATION ECLAIRAGE VOIE 4				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		WAY 4 LIGHTING LAY OUT								ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020								FOLIO : 32/156					


THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.

BOITIER B10

IMPLANTATION UAC300


UAC300 LAY OUT

24300




ARMOIRE

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN - FRANCE -			Tél :(33).2.98.85.31.36		Date of creation :		IMPLANTATION UAC300				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax :(33).2.98.85.31.38		Designed by : DB		UAC300 LAY OUT								ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020								FOLIO : 33/156					




1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		IMPLANTATION CAMERA VOIE 5 & 6				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		WAY 5 & 6 CAMERA LAY OUT								ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail :ecatid.service@ceva.com		ENVIRONNEMENT:Version 4.49.F - 23/09/2020				FOLIO : 34/156											

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.




1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		IMPLANTATION ECLAIRAGE VOIE 5				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		WAY 5 LIGHTING LAY OUT								ARTICLE :		SMXA-C014121		INDEX : V6	
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020												FOLIO : 35/156	

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.




1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél :(33).2.98.85.31.36		Date of creation :		IMPLANTATION ECLAIRAGE VOIE 6				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax :(33).2.98.85.31.38		Designed by : DB		WAY 6 LIGHTING LAY OUT								ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020								FOLIO : 36/156					

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 05/12/2023		SCHEMA COMMANDE UAC				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB										ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020								37/156					

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.




ARMOIRE

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		SORTIES MOD2				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		OUTPUTS MOD2								ARTICLE : SMXA-C014121		INDEX : V6			
			E-mail :ecatid.service@ceva.com		ENVIRONNEMENT:Version 4.49.F - 23/09/2020										FOLIO : 38/156					


THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.

MOD2								OMRON		NX-OD5256								49.10	
ARMOIRE																			
OUT 8		OUT 9		OUT 10		OUT 11		OUT 12		OUT 13		OUT 14		OUT 15					
A5		B5		A6		B6		A7		B7		A8		B8					




1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		SORTIES MOD2				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		OUTPUTS MOD2								ARTICLE : SMXA-C014121		INDEX : V6			
			E-mail : ecatid.service@ceva.com		ENVIRONNEMENT : Version 4.49.F - 23/09/2020															
																		FOLIO : 39/156		

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.



THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.


MOD3		OMRON		NX-OD5256				49.11							
ARMOIRE															
OUT 8		OUT 9		OUT 10		OUT 11		OUT 12		OUT 13		OUT 14		OUT 15	
A5		B5		A6		B6		A7		B7		A8		B8	
															



ARMOIRE


1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		SORTIES MOD3				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		OUTPUTS MOD3								ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail : ecatid.service@ceva.com				ENVIRONNEMENT : Version 4.49.F - 23/09/2020								41/156					

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		SORTIES MOD102				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		OUTPUTS MOD102								ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail : ecatid.service@ceva.com				ENVIRONNEMENT: Version 4.49.F - 23/09/2020								42/156					


THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.



ARMOIRE


1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		SORTIES MOD103				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		OUTPUTS MOD103								ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020								43/156					

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		SORTIES MOD104				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		OUTPUTS MOD104								ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020								44/156					


THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.



ARMOIRE


1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		SORTIES MOD105				 Ecat-iD Campus			CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		OUTPUTS MOD105							ARTICLE : SMXA-C014121		INDEX : V6			
			E-mail : ecaticid.service@ceva.com				ENVIRONNEMENT : Version 4.49.F - 23/09/2020							SMXA-C014121		FOLIO : 45/156			

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.




1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		SORTIES MOD105				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		OUTPUTS MOD105								ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail : ecatid.service@ceva.com				ENVIRONNEMENT: Version 4.49.F - 23/09/2020								46/156					

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		SORTIES MOD106				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		OUTPUTS MOD106								ARTICLE : SMXA-C014121		INDEX : V6			
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020										FOLIO : 47/156			

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.




IMPLANTATION AUTOMATE PLC LAY OUT


ARMOIRE

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		IMPLANTATION AUTOMATE				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		PLC LAY OUT								ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail : ecatic.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020								49/156					

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 05/04/2024		IMPLANTATION AUTOMATE				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		PLC LAY OUT								ARTICLE : SMXA-C014121		INDEX : V6			
			E-mail : ecatid.service@ceva.com				ENVIRONNEMENT : Version 4.49.F - 23/09/2020								FOLIO : 50/156					




ARMOIRE

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		IMPLANTATION WAGO B10				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		WAGO B10 LAY OUT								ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020								51/156					



Ecat-iD Campus

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.




IMPLANTATION IHM

IHM LAY OUT

ARMOIRE

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		IMPLANTATION IHM				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		DISPLAY LAY OUT								ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020								52/156					


THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.



IMPLANTATION RESEAU NETWORK LAY OUT


ARMOIRE

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN - FRANCE -		Tél : (33).2.98.85.31.36 Fax : (33).2.98.85.31.38 E-mail : ecaticid.service@ceva.com		Date of creation : Designed by : DB		IMPLANTATION RESEAU NETWORK LAY OUT ENVIRONNEMENT : Version 4.49.F - 23/09/2020		 Ecat-iD Campus		CONTRACT : C01412		CUSTOMER : PELLEGRINA		ARTICLE : SMXA-C014121		COUNTRY : ITALIE		INDEX : V6 FOLIO : 53/156	





1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		IMPLANTATION RESEAU B10				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		B10 NETWORK LAY OUT								ARTICLE : SMXA-C014121		INDEX : V6			
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020								SMXA-C014121		FOLIO : 54/156			

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.




1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		ENTREES MOD4				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		INPUTS MOD4								ARTICLE : SMXA-C014121		INDEX : V6			
			E-mail : ecaticid.service@ceva.com				ENVIRONNEMENT : Version 4.49.F - 23/09/2020										FOLIO : 55/156			







1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		ENTREES MOD5				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		INPUTS MOD5								ARTICLE : SMXA-C014121		INDEX : V6			
			E-mail : ecatid.service@ceva.com		ENVIRONNEMENT:Version 4.49.F - 23/09/2020				57/156											




THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		ENTREES MOD6				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		INPUTS MOD6								ARTICLE : SMXA-C014121		INDEX : V6			
			E-mail : ecatid.service@ceva.com				ENVIRONNEMENT : Version 4.49.F - 23/09/2020								SMXA-C014121		FOLIO : 59/156			




THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		ENTREES MOD7				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		INPUTS MOD7								ARTICLE :		SMXA-C014121		INDEX : V6	
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020												FOLIO : 61/156	

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.




A5	B5	A6	B6	A7	B7	A8	B8
IN 8	IN 9	IN 10	IN 11	IN 12	IN 13	IN 14	IN 15
ARMOIRE							
MOD7	OMRON		NX-EC0222			49.16	

ARMOIRE


1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		ENTREES MOD7				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		INPUTS MOD7								ARTICLE : SMXA-C014121		INDEX : V6			
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020								62/156					

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.




1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN - FRANCE -			Tél : (33).2.98.85.31.36 Fax : (33).2.98.85.31.38 E-mail : ecaticd.service@ceva.com			Date of creation : 02/04/2024 Designed by : DB		I/O LINK MOD9 I/O LINK MOD9 ENVIRONNEMENT : Version 4.49.F - 23/09/2020			ceva Ecat-iD Campus			CONTRACT : C01412 ARTICLE : SMXA-C014121		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE INDEX : V6 FOLIO : 65/156	

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.




1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 02/04/2024		I/O LINK MOD9				 Ecat-iD Campus			CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		I/O LINK MOD9							ARTICLE : SMXA-C014121		INDEX : V6			
			E-mail :ecatid.service@ceva.com		ENVIRONNEMENT:Version 4.49.F - 23/09/2020				66/156										


THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.




1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20			
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 02/04/2024		I/O LINK MOD10				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA			COUNTRY : ITALIE		
			Fax : (33).2.98.85.31.38		Designed by : DB		I/O LINK MOD10								ARTICLE : SMXA-C014121			INDEX : V6				
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020								FOLIO : 67/156							



THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		ENTREES MOD107				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		INPUTS MOD107								ARTICLE : SMXA-C014121		INDEX : V6			
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020								70/156					



ARMOIRE

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 03/04/2024		Bornier : XP0			 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		Bornier : XP0							ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail : ecatic.service@ceva.com					ENVIRONNEMENT : Version 4.49.F - 23/09/2020										FOLIO : 071/156	

A

B

C

D

E

F

G

H


I

J

K

L

M



ARMOIRE

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 12/06/2024		Bornier : XP1				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		Bornier : XP1								ARTICLE : SMXA-C014121				INDEX : V5	
			E-mail : ecatid.service@ceva.com				ENVIRONNEMENT : Version 4.49.F - 23/09/2020												FOLIO : 072/156	

ARMOIRE

ECAT-ID
ZI de KERIEL
29800 PLOUEDERN
– FRANCE –

Tél : (33).2.98.85.31.36

Fax : (33).2.98.85.31.38

E-mail : ecatid.service@ceva.com

Date of creation :
03/04/2024

Designed by :
DB

Bornier: X2

Bornier : X2

ENVIRONNEMENT:Version 4.49.F - 23/09/2020



Ecat-iD Campus

CONTRACT :

C01412

CUSTOMER :

PELLEGRINA

ARTICLE :

SMXA-C014121

COUNTRY :

ITALIE

INDEX :	V6
---------	----

FOLIO : 073/156

A

B

C

D

E

F

G

H


I

J

K

1

M




ARMOIRE

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 05/04/2024		Bornier : X3			 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		Bornier : X3							ARTICLE : SMXA-C014121				INDEX : V5	
			E-mail : ecatic.service@ceva.com		ENVIRONNEMENT : Version 4.49.F - 23/09/2020			FOLIO : 074/156											

ARMOIRE


1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36			Date of creation : 12/06/2024		Bornier : X4			 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38			Designed by : DB		Bornier : X4							ARTICLE : SMXA-C014121				INDEX : V5	
			E-mail : ecatid.service@ceva.com					ENVIRONNEMENT : Version 4.49.F - 23/09/2020							FOLIO : 076/156					



A
B
C
D
E
F
G
H
I
J
K
L
M


ARMOIRE

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20		
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36			Date of creation : 05/04/2024		Bornier : X10				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38			Designed by : DB		Bornier : X10								ARTICLE : SMXA-C014121				INDEX : V5	
						E-mail : ecatid.service@ceva.com			ENVIRONNEMENT : Version 4.49.F - 23/09/2020										FOLIO : 077/156		



ARMOIRE

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 05/04/2024		Bornier : X20			 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		Bornier : X20							ARTICLE : SMXA-C014121				INDEX : V5	
			E-mail : ecatic.service@ceva.com		ENVIRONNEMENT:Version 4.49.F - 23/09/2020			FOLIO : 078/156											



ARMOIRE

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 05/04/2024		Bornier : XT10			 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		Bornier : XT10							ARTICLE : SMXA-C014121				INDEX : V5	
			E-mail : ecatid.service@ceva.com				ENVIRONNEMENT : Version 4.49.F - 23/09/2020							079/156					

[illegible]

A

B

C

D

F


F

C

11

1

—




BOITIER B10

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 12/06/2024		Bornier : XP100			 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		Bornier : XP100							ARTICLE : SMXA-C014121		INDEX : V5			
			E-mail : ecatic.service@ceva.com				ENVIRONNEMENT : Version 4.49.F - 23/09/2020											FOLIO : 080/156	

A
B
C
D
E
F
G
H
I
J
K
L
M

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.



BOITIER B10

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 03/04/2024		Bornier : XP101			 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		Bornier : XP101							ARTICLE : SMXA-C014121				INDEX : V5	
			E-mail : ecaticid.service@ceva.com		ENVIRONNEMENT : Version 4.49.F - 23/09/2020			081/156											

A

B

C

D

E

F

G

H

I

J


K

L


M

BOITIER B10

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 12/06/2024		Bornier : X100			 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		Bornier : X100							ARTICLE : SMXA-C014121				INDEX : V10	
			E-mail : ecatic.service@ceva.com		ENVIRONNEMENT : Version 4.49.F - 23/09/2020			FOLIO : 082/156											




A
B
C
D
E
F
G
H
I
J
K
L
M



BOITIER B10

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20		
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36			Date of creation : 03/04/2024		Bornier : X103				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38			Designed by : DB		Bornier : X103								ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail : ecatic.service@ceva.com					ENVIRONNEMENT : Version 4.49.F - 23/09/2020								083/156					



BOITIER B10

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 03/04/2024		Bornier : X104			 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		Bornier : X104							ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020							084/156					

A
B
C
D
E
F
G
H
I
J
K
L
M

BOITIER B10

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 03/04/2024		Bornier : X105			 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		Bornier : X105							ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail : ecatid.service@ceva.com		ENVIRONNEMENT : Version 4.49.F - 23/09/2020			085/156											

X105		1	37-3	55	WH
KA14	○	1	37-3	55	WH
KA15/A1	○	2	37-6	56	BN
KA16/A1	○	3	37-8	57	GN
KA17/A1	○	4	37-11	58	YE
KA18/A1	○	5	37-14	59	GY
KA19/A1	○	6	37-17	60	PK
	○	7	RESERVE -		BU
	○	8	RESERVE -		RD
	○	9	RESERVE -		BK
	○	10	RESERVE -		VT
	○	11	RESERVE -		GY/PK
	○	12	RESERVE -		RD/BU
	○	13	RESERVE -		WH/GN
	○	14	RESERVE -		BN/GN
	○	15	RESERVE -		WH/YE
	○	16	RESERVE -		YE/BN
	○	17	RESERVE -		WH/GY
	○	18	RESERVE -		GY/BN
	○	19	RESERVE -		WH/PK
	○	20	37-3	026	PK/BN
	○	21	37-6	026	WH/BU
	○	22	37-8	026	BN/BU
	○	23	37-11	026	WH/RD
	○	24	37-14	026	BN/RD
	○	25	37-17	026	WH/BK
	○	26	RESERVE -		BN/BK
	○	27	RESERVE -		GY/GN
	○	28	RESERVE -		YE/GY
	○	29	RESERVE -		PK/GN
	○	30	RESERVE -		YE/PK
	○	31	RESERVE -		GN/BU
	○	32	RESERVE -		YE/BU
	○	33	RESERVE -		GN/RD
	○	34	RESERVE -		YE/RD
	○	35	RESERVE -		GN/BK
	○	36	RESERVE -		YE/BK
	○	37	RESERVE -		GY/BU
	○	38	RESERVE -		BK
	○	—			

A

B

C

D

F

F

G

4

T

T


K

1


..

BOITIER B10

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20		
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36			Date of creation : 03/04/2024		Bornier : X106				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38			Designed by : DB		Bornier : X106								ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail : ecatic.service@ceva.com					ENVIRONNEMENT : Version 4.49.F - 23/09/2020								FOLIO : 086/156					




A
B
C
D
E
F
G
H
I
J
K
L
M



BOITIER B10


1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 03/04/2024		Bornier : X110			 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		Bornier : X110							ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail : ecatic.service@ceva.com					ENVIRONNEMENT : Version 4.49.F - 23/09/2020						087/156					



BOITIER B10


1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 03/04/2024		Bornier : X120			 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		Bornier : X120							ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail : ecatic.service@ceva.com					ENVIRONNEMENT:Version 4.49.F - 23/09/2020						FOLIO : 088/156					

A
B
C
D
E
F
G
H
I
J
K
L
M




BOITIER B10

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 03/04/2024		Bornier : X130			 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		Bornier : X130							ARTICLE : SMXA-C014121		INDEX : V6			
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020											FOLIO : 089/156	



BOITIER B10

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 03/04/2024		Bornier : X140			 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		Bornier : X140							ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail : ecatic.service@ceva.com					ENVIRONNEMENT:Version 4.49.F - 23/09/2020						FOLIO : 090/156					



BOITIER B10

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 03/04/2024		Bornier : X150				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		Bornier : X150								ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail : ecatic.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020								FOLIO : 091/156					

A

B

C

D

E

F

G

H


I

J

K

L

M



BOITIER B10


1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 03/04/2024		Bornier : X160			 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		Bornier : X160							ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail : ecatic.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020							092/156					

BOITIER B20


1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20			
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 05/04/2024		Bornier : X200				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE			
			Fax : (33).2.98.85.31.38		Designed by : DB		Bornier : X200								ARTICLE : SMXA-C014121						INDEX : V5	
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020								093/156							

BOITIER T10

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20		
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36			Date of creation : 29/04/2024		Bornier : XT100				Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38			Designed by : DB		Bornier : XT100								ARTICLE : SMXA-C014121				INDEX : V5	
			E-mail : ecatid.service@ceva.com					ENVIRONNEMENT : Version 4.49.F - 23/09/2020								FOLIO : 094/156					




THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.



PRM-M01

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 03/04/2024		Connecteur: PRF-M01			 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		PRF-M01 - 1/1							ARTICLE : SMXA-C014121		INDEX : V6			
			E-mail : ecatid.service@ceva.com		ENVIRONNEMENT: Version 4.49.F - 23/09/2020			FOLIO : 095/156											




PRM-M01

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 03/04/2024		Connecteur: PRM-M01				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		PRM-M01 - 1/1								ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail : ecatic.service@ceva.com				ENVIRONNEMENT: Version 4.49.F - 23/09/2020								095.01/156					



PRM-M07


1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 03/04/2024		Connecteur: PRF-M07				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		PRF-M07 - 1/1								ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020								096/156					



PRM-M07


1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 03/04/2024		Connecteur: PRM-M07				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		PRM-M07 - 1/1								ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail : ecatid.service@ceva.com				ENVIRONNEMENT: Version 4.49.F - 23/09/2020								096.01/156					

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.



PRM-M08


1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 03/04/2024		Connecteur: PRF-M08			 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		PRF-M08 - 1/1							ARTICLE : SMXA-C014121		INDEX : V6			
			E-mail : ecatid.service@ceva.com					ENVIRONNEMENT: Version 4.49.F - 23/09/2020						SMXA-C014121		FOLIO : 097/156			



PRM-M08


1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 03/04/2024		Connecteur: PRM-M08				 Ecat-iD Campus			CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		PRM-M08 - 1/1							ARTICLE : SMXA-C014121		INDEX : V6			
			E-mail : ecatic.service@ceva.com				ENVIRONNEMENT: Version 4.49.F - 23/09/2020											FOLIO : 097.01/156	

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.



PRM-M09

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 03/04/2024		Connecteur: PRF-M09				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		PRF-M09 - 1/1								ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail : ecatid.service@ceva.com				ENVIRONNEMENT: Version 4.49.F - 23/09/2020								098/156					



PRM-M09

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 03/04/2024		Connecteur: PRM-M09			 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		PRM-M09 - 1/1							ARTICLE : SMXA-C014121		INDEX : V6			
			E-mail : ecatid.service@ceva.com			ENVIRONNEMENT: Version 4.49.F - 23/09/2020			FOLIO : 098.01/156										

A

B

C

D

E

F

G

H



I

J

K



L

M



PRM-X200

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 05/04/2024		Connecteur: PRF-X200			 Ecat-iD Campus					CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB										PRF-X200 - 1/1			ARTICLE : SMXA-C014121		
			E-mail : ecatid.service@ceva.com		ENVIRONNEMENT: Version 4.49.F - 23/09/2020										099/156					




PRM-X200

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 05/04/2024		Connecteur: PRM-X200			 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		PRM-X200 - 1/1							ARTICLE : SMXA-C014121		INDEX : V6			
			E-mail : ecaticid.service@ceva.com			ENVIRONNEMENT: Version 4.49.F - 23/09/2020			FOLIO : 100/156										

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.

IMPLANTATION FACADE ARMOIRE

CABINET FRONT LAY OUT




ARMOIRE

ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –	Tél : (33).2.98.85.31.36	Date of creation :	IMPLANTATION FACADE ARMOIRE	 Ecat-iD Campus	CONTRACT : C01412	CUSTOMER : PELLEGRINA	COUNTRY : ITALIE
	Fax : (33).2.98.85.31.38	Designed by : DB	CABINET FRONT LAY OUT		ARTICLE : SMXA-C014121		INDEX : V6
	E-mail :ecatid.service@ceva.com	ENVIRONNEMENT:Version 4.49.F - 23/09/2020			FOLIO : 100/156		

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.

IMPLANTATION FACE ARRIERE BOITIER B10

BOX B10 REAR PANEL LAY OUT



BOITIER B10

ECAT-ID
ZI de KERIEL
29800 PLOUEDERN
- FRANCE -

Tél : (33).2.98.85.31.36

Fax : (33).2.98.85.31.38

E-mail : ecatid.service@ceva.com

Date of creation :

Designed by :
DB

IMPLANTATION ARRIERE ARMOIRE

CABINET REAR LAY OUT

ENVIRONNEMENT : Version 4.49.F - 23/09/2020



Ecat-iD Campus

CONTRACT :

C01412

CUSTOMER :

PELLEGRINA

ARTICLE :

SMXA-C014121

COUNTRY :

ITALIE

INDEX :


V6

FOLIO :

101/156

IMPLANTATION INTERIEUR ARMOIRE

CABINET INSIDE LAY OUT




ARMOIRE

ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –	Tél : (33).2.98.85.31.36	Date of creation :	IMPLANTATION ARMOIRE	 Ecat-iD Campus	CONTRACT : C01412	CUSTOMER : PELLEGRINA	COUNTRY : ITALIE
	Fax : (33).2.98.85.31.38	Designed by : DB	LAY OUT		ARTICLE : SMXA-C014121	INDEX : V6 FOLIO : 102/156	
	E-mail :ecatid.service@ceva.com	ENVIRONNEMENT:Version 4.49.F - 23/09/2020					

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.

IMPLANTATION COTE ARMOIRE CABINET SIDE LAY OUT



BOITIER B10

ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –	Tél : (33).2.98.85.31.36	Date of creation : 07/12/2023	IMPLANTATION COTE BOITIER B10	 Ecat-iD Campus	CONTRACT : C01412	CUSTOMER : PELLEGRINA	COUNTRY : ITALIE
	Fax : (33).2.98.85.31.38	Designed by : DB			ARTICLE :		INDEX : V6
	E-mail : ecatid.service@ceva.com		ENVIRONNEMENT : Version 4.49.F - 23/09/2020		SMXA-C014121		FOLIO : 103/156

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING




ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –	Tél : (33).2.98.85.31.36	Date of creation :	IMPLANTATION FACADE BOITIER B10	 Ecat-iD Campus	CONTRACT : C01412	CUSTOMER : PELLEGRINA	COUNTRY : ITALIE
	Fax : (33).2.98.85.31.38	Designed by : DB			ARTICLE : SMXA-C014121	INDEX : V6	
	E-mail : ecatid.service@ceva.com	ENVIRONNEMENT: Version 4.49.F - 23/09/2020			FOLIO : 104/156		

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.

IMPLANTATION FACE ARRIERE BOITIER B10

BOX B10 REAR PANEL LAY OUT



BOITIER B10

ECAT-ID
ZI de KERIEL
29800 PLOUEDERN
– FRANCE –

Tél : (33).2.98.85.31.36

Fax : (33).2.98.85.31.38

E-mail : ecatid.service@ceva.com

Date of creation :

Designed by :
DB

IMPLANTATION ARRIERE BOITIER B10

ENVIRONNEMENT : Version 4.49.F - 23/09/2020



Ecat-iD Campus

CONTRACT :

C01412

CUSTOMER :

PELLEGRINA

COUNTRY :

ITALIE

ARTICLE :


SMXA-C014121

INDEX :

V6

FOLIO :

105/156



BOITIER B10

ECAT-ID
ZI de KERIEL
29800 PLOUEDERN
- FRANCE -

Tél : (33).2.98.85.31.36

Fax : (33).2.98.85.31.38

E-mail : ecatid.service@ceva.com

Date of creation :

Designed by :
DB

IMPLANTATION INTERNE BOITIER B10

ARMOIRE UAC

ENVIRONNEMENT : Version 4.49.F - 23/09/2020



Ecat-iD Campus

CONTRACT :

C01412

CUSTOMER :

PELLEGRINA

ARTICLE :

SMXA-C014121

COUNTRY :

ITALIE


INDEX :

V6

FOLIO :

106/156

PLAN DE PERCAGE PUPITRE
CONTROL PANEL DRILLING




BOITIER T10

ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –	Tél : (33).2.98.85.31.36	Date of creation : 05/10/2023	PLAN DE PERCAGE BOITIER T10	 Ecat-iD Campus	CONTRACT : C01412	CUSTOMER : PELLEGRINA	COUNTRY : ITALIE
	Fax : (33).2.98.85.31.38	Designed by : DB			ARTICLE :		INDEX : V6
	E-mail : ecatid.service@ceva.com		ENVIRONNEMENT : Version 4.49.F - 23/09/2020		SMXA-C014121		FOLIO : 107/156

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.

PLAN DE PERCAGE PUPITRE
CONTROL PANEL DRILLING




PUPITRE 400x400x180 INOX
REFERENCE COFFRET : SEB02903 IRINOX
ROTULE DEJA DECOUPE

BOITIER T10

ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –	Tél : (33).2.98.85.31.36	Date of creation : 05/10/2023	PLAN DE PERCAGE BOITIER T10	 Ecat-iD Campus	CONTRACT : C01412	CUSTOMER : PELLEGRINA	COUNTRY : ITALIE
	Fax : (33).2.98.85.31.38	Designed by : DB			ARTICLE : SMXA-C014121		INDEX : V6
	E-mail :ecatid.service@ceva.com	ENVIRONNEMENT:Version 4.49.F - 23/09/2020			SMXA-C014121		FOLIO : 108/156

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.

IMPLANTATION BOITIER T10 BOX T10 LAYOUT



PUPITRE 400x400x180 INOX

REFERENCE COFFRET : SEB02903 IRINOX

BOUTON DU PUPITRE DEJA DECOUPE



BOITIER T10

ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –	Tél : (33).2.98.85.31.36	Date of creation : 05/10/2023	IMPLANTATION BOITIER T10	 Ecat-iD Campus	CONTRACT : C01412	CUSTOMER : PELLEGRINA	COUNTRY : ITALIE
	Fax : (33).2.98.85.31.38	Designed by : DB			ARTICLE :		INDEX : V6
	E-mail : ecatid.service@ceva.com		ENVIRONNEMENT: Version 4.49.F - 23/09/2020		SMXA-C014121		FOLIO : 109/156

ECAT-ID ZI de KERIEL 29800 PLOUEDERN - FRANCE -			Tél : (33) 2.98.85.31.36 Fax : (33) 2.98.85.31.38 E-mail : ecatid.service@ceva.com		Date of creation : Designed by : DB	IMPLANTATION BOITIER T20 BOX T20 LAY OUT ENVIRONNEMENT : Version 4.49.F - 23/09/2020	 Ecat-ID Campus	CONTRACT : C01412 ARTICLE : SMXA-C014121 FOLIO : 110/156	CUSTOMER : PELLEGRINA INDEX : V6	COUNTRY : ITALIE
---	--	--	--	--	---	---	---	---	--	-----------------------------

BOITIER T20

IMPLANTATION BOITIER T20




PERCAGE POUR PRESSE-ETOUPE

REFERENCE ECAT : BOX02014
REFERENCE : SPN10169
DIMENSION : 100x160x90

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.

IMPLANTATION BOITIER T30



/!\ NE PAS PERCER POUR LE PE /!\

REFERENCE ECAT : BOX02013
REFERENCE : SPN997
DIMENSION : 90x90x70
BOITIER T30

ECAT-ID
ZI de KERIEL
29800 PLOUEDERN
– FRANCE –

Tél : (33).2.98.85.31.36
Fax : (33).2.98.85.31.38
E-mail : ecatid.service@ceva.com

Date of creation :	IMPLANTATION BOITIER T30
Designed by : DB	5
ENVIRONNEMENT : Version 4.49.F - 23/09/2020	



Ecat-iD Campus

CONTRACT :
C01412

CUSTOMER :
PELLEGRINA

COUNTRY :
ITALIE

ARTICLE :
SMXA-C014121

INDEX : V6
FOLIO : 111/156

Repère	V1	07.3	OMRON - Paramètres variateur Sans frein / Sans potentiomètre
Caractéristiques	3G3MX2-AB004-EV2		
Référence fournisseur	3G3MX2-AB004-EV2		
Code interne	VAR00701		

Paramètre	Valeur	Modif.	Paramètre	Valeur	Modif.
B031 - Code pour modification parametres	1		A023 - 4ème vitesse présélectionnée	65	
A001 - Source de Frequence	2		A024 - 5ème vitesse présélectionnée	80	
A002 - Source de commande Run	1		F002 - Accélération	0,2	
A004 - Fréquence maximale	80		F003 - Decélération	0,7	
A005 - Selection potentiometre	2		A092 2ème Accélération	0,8	
B012 - Courant Nominal	1,3		A093 2ème Déccélération	0,3	
C001 - Fonction Borne d'entrée n°1	0		A094 Autorisation 2ème Acc/Decc	1	
C002 - Fonction Borne d'entrée n°2	1		A095 Changement de rampe Accélération	20	
C003 - Fonction Borne d'entrée n°3	77		A096 Changement de rampe Déccélération	20	
C004 - Fonction Borne d'entrée n°4	78		A041 Sélection du boost de couple	1	
C005 - Fonction Borne d'entrée n°5	NC		A046 Gain de tension du boost auto	100	
C006 - Fonction Borne d'entrée n°6	2		A047 Gain de glissement du boost auto	100	
C007 - Fonction Borne d'entrée n°7	3				
C013 - Etat actif de la borne d'entrée n°3	1				
C014 - Etat actif de la borne d'entrée n°4	1				
A020 - Petite vitesse	20				
A021 - 2ème vitesse présélectionnée	60				
A022 - 3ème vitesse présélectionnée	50				

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 04/12/2023		PARAMETRE VARIATEUR V1			 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		INVERTER PARAMETER V1							ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail : ecatic.service@ceva.com				ENVIRONNEMENT: Version 4.49.F - 23/09/2020							112/156					

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.

Repère	V2	07.7	OMRON - Paramètres variateur Sans frein / Sans potentiomètre
Caractéristiques	3G3MX2-AB004-EV2		
Référence fournisseur	3G3MX2-AB004-EV2		
Code interne	VAR00701		

Paramètre	Valeur	Modif.	Paramètre	Valeur	Modif.
B031 - Code pour modification parametres	1		A023 - 4ème vitesse présélectionnée	65	
A001 - Source de Frequence	2		A024 - 5ème vitesse présélectionnée	80	
A002 - Source de commande Run	1		F002 - Accélération	0,2	
A004 - Fréquence maximale	80		F003 - Decélération	0,7	
A005 - Selection potentiometre	2		A092 2ème Accélération	0,8	
B012 - Courant Nominal	1,3		A093 2ème Déccélération	0,3	
C001 - Fonction Borne d'entrée n°1	0		A094 Autorisation 2ème Acc/Decc	1	
C002 - Fonction Borne d'entrée n°2	1		A095 Changement de rampe Accélération	20	
C003 - Fonction Borne d'entrée n°3	77		A096 Changement de rampe Déccélération	20	
C004 - Fonction Borne d'entrée n°4	78		A041 Sélection du boost de couple	1	
C005 - Fonction Borne d'entrée n°5	NC		A046 Gain de tension du boost auto	100	
C006 - Fonction Borne d'entrée n°6	2		A047 Gain de glissement du boost auto	100	
C007 - Fonction Borne d'entrée n°7	3				
C013 - Etat actif de la borne d'entrée n°3	1				
C014 - Etat actif de la borne d'entrée n°4	1				
A020 - Petite vitesse	20				
A021 - 2ème vitesse présélectionnée	60				
A022 - 3ème vitesse présélectionnée	50				

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 04/12/2023		PARAMETRE VARIATEUR V2				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		INVERTER PARAMETER V2								ARTICLE : SMXA-C014121		INDEX : V6			
			E-mail : ecaticid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020								SMXA-C014121		FOLIO : 113/156			

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.

Repère	V3	07.12
Caractéristiques	3G3MX2-AB004-EV2	
Référence fournisseur	3G3MX2-AB004-EV2	
Code interne	VAR00701	

OMRON - Paramètres variateur
Sans frein / Sans potentiomètre

Paramètre	Valeur	Modif.	Paramètre	Valeur	Modif.
B031 - Code pour modification parametres	1		A023 - 4ème vitesse présélectionnée	65	
A001 - Source de Frequence	2		A024 - 5ème vitesse présélectionnée	80	
A002 - Source de commande Run	1		F002 - Accélération	0,2	
A004 - Fréquence maximale	80		F003 - Decélération	0,7	
A005 - Selection potentiometre	2		A092 2ème Accélération	0,8	
B012 - Courant Nominal	1,3		A093 2ème Déccélération	0,3	
C001 - Fonction Borne d'entrée n°1	0		A094 Autorisation 2ème Acc/Decc	1	
C002 - Fonction Borne d'entrée n°2	1		A095 Changement de rampe Accélération	20	
C003 - Fonction Borne d'entrée n°3	77		A096 Changement de rampe Déccélération	20	
C004 - Fonction Borne d'entrée n°4	78		A041 Sélection du boost de couple	1	
C005 - Fonction Borne d'entrée n°5	NC		A046 Gain de tension du boost auto	100	
C006 - Fonction Borne d'entrée n°6	2		A047 Gain de glissement du boost auto	100	
C007 - Fonction Borne d'entrée n°7	3				
C013 - Etat actif de la borne d'entrée n°3	1				
C014 - Etat actif de la borne d'entrée n°4	1				
A020 - Petite vitesse	20				
A021 - 2ème vitesse présélectionnée	60				
A022 - 3ème vitesse présélectionnée	50				

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 04/12/2023		PARAMETRE VARIATEUR V3				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		INVERTER PARAMETER V3								ARTICLE : SMXA-C014121		INDEX : V6			
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020													
																		FOLIO : 114/156		

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.

Repère	V4	07.16	OMRON - Paramètres variateur Sans frein / Sans potentiomètre
Caractéristiques	3G3MX2-AB004-EV2		
Référence fournisseur	3G3MX2-AB004-EV2		
Code interne	VAR00701		

Paramètre	Valeur	Modif.	Paramètre	Valeur	Modif.
B031 - Code pour modification parametres	1		A023 - 4ème vitesse présélectionnée	65	
A001 - Source de Frequence	2		A024 - 5ème vitesse présélectionnée	80	
A002 - Source de commande Run	1		F002 - Accélération	0,2	
A004 - Fréquence maximale	80		F003 - Decélération	0,7	
A005 - Selection potentiometre	2		A092 2ème Accélération	0,8	
B012 - Courant Nominal	1,3		A093 2ème Déccélération	0,3	
C001 - Fonction Borne d'entrée n°1	0		A094 Autorisation 2ème Acc/Decc	1	
C002 - Fonction Borne d'entrée n°2	1		A095 Changement de rampe Accélération	20	
C003 - Fonction Borne d'entrée n°3	77		A096 Changement de rampe Déccélération	20	
C004 - Fonction Borne d'entrée n°4	78		A041 Sélection du boost de couple	1	
C005 - Fonction Borne d'entrée n°5	NC		A046 Gain de tension du boost auto	100	
C006 - Fonction Borne d'entrée n°6	2		A047 Gain de glissement du boost auto	100	
C007 - Fonction Borne d'entrée n°7	3				
C013 - Etat actif de la borne d'entrée n°3	1				
C014 - Etat actif de la borne d'entrée n°4	1				
A020 - Petite vitesse	20				
A021 - 2ème vitesse présélectionnée	60				
A022 - 3ème vitesse présélectionnée	50				

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 04/12/2023		PARAMETRE VARIATEUR V4				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		INVERTER PARAMETER V4								ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail : ecaticid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020								115/156					

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.

Repère	V5	08.3
Caractéristiques	3G3MX2-AB004-EV2	
Référence fournisseur	3G3MX2-AB004-EV2	
Code interne	VAR00701	

OMRON - Paramètres variateur
Sans frein / Sans potentiomètre

Paramètre	Valeur	Modif.	Paramètre	Valeur	Modif.
B031 - Code pour modification parametres	1		A023 - 4ème vitesse présélectionnée	65	
A001 - Source de Frequence	2		A024 - 5ème vitesse présélectionnée	80	
A002 - Source de commande Run	1		F002 - Accélération	0,2	
A004 - Fréquence maximale	80		F003 - Decélération	0,7	
A005 - Selection potentiometre	2		A092 2ème Accélération	0,8	
B012 - Courant Nominal	1,3		A093 2ème Déccélération	0,3	
C001 - Fonction Borne d'entrée n°1	0		A094 Autorisation 2ème Acc/Decc	1	
C002 - Fonction Borne d'entrée n°2	1		A095 Changement de rampe Accélération	20	
C003 - Fonction Borne d'entrée n°3	77		A096 Changement de rampe Déccélération	20	
C004 - Fonction Borne d'entrée n°4	78		A041 Sélection du boost de couple	1	
C005 - Fonction Borne d'entrée n°5	NC		A046 Gain de tension du boost auto	100	
C006 - Fonction Borne d'entrée n°6	2		A047 Gain de glissement du boost auto	100	
C007 - Fonction Borne d'entrée n°7	3				
C013 - Etat actif de la borne d'entrée n°3	1				
C014 - Etat actif de la borne d'entrée n°4	1				
A020 - Petite vitesse	20				
A021 - 2ème vitesse présélectionnée	60				
A022 - 3ème vitesse présélectionnée	50				

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 04/12/2023		PARAMETRE VARIATEUR V5				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		INVERTER PARAMETER V5								ARTICLE : SMXA-C014121		INDEX : V6			
			E-mail : ecatic.service@ceva.com				ENVIRONNEMENT: Version 4.49.F - 23/09/2020													
FOLIO : 116/156																				

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.

Repère	V6	08.7
Caractéristiques	3G3MX2-AB004-EV2	
Référence fournisseur	3G3MX2-AB004-EV2	
Code interne	VAR00701	

OMRON - Paramètres variateur
Sans frein / Sans potentiomètre

Paramètre	Valeur	Modif.	Paramètre	Valeur	Modif.
B031 - Code pour modification parametres	1		A023 - 4ème vitesse présélectionnée	65	
A001 - Source de Frequence	2		A024 - 5ème vitesse présélectionnée	80	
A002 - Source de commande Run	1		F002 - Accélération	0,2	
A004 - Fréquence maximale	80		F003 - Decélération	0,7	
A005 - Selection potentiometre	2		A092 2ème Accélération	0,8	
B012 - Courant Nominal	1,3		A093 2ème Déccélération	0,3	
C001 - Fonction Borne d'entrée n°1	0		A094 Autorisation 2ème Acc/Decc	1	
C002 - Fonction Borne d'entrée n°2	1		A095 Changement de rampe Accélération	20	
C003 - Fonction Borne d'entrée n°3	77		A096 Changement de rampe Déccélération	20	
C004 - Fonction Borne d'entrée n°4	78		A041 Sélection du boost de couple	1	
C005 - Fonction Borne d'entrée n°5	NC		A046 Gain de tension du boost auto	100	
C006 - Fonction Borne d'entrée n°6	2		A047 Gain de glissement du boost auto	100	
C007 - Fonction Borne d'entrée n°7	3				
C013 - Etat actif de la borne d'entrée n°3	1				
C014 - Etat actif de la borne d'entrée n°4	1				
A020 - Petite vitesse	20				
A021 - 2ème vitesse présélectionnée	60				
A022 - 3ème vitesse présélectionnée	50				

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 04/12/2023		PARAMETRE VARIATEUR V6				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		INVERTER PARAMETER V6								ARTICLE : SMXA-C014121		INDEX : V6			
			E-mail : ecaticid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020													
FOLIO : 117/156																				

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.

Repère	V7	08.12
Caractéristiques	3G3MX2-AB004-EV2	
Référence fournisseur	3G3MX2-AB004-EV2	
Code interne	VAR00701	

OMRON - Paramètres variateur
Sans frein / Sans potentiomètre

Paramètre	Valeur	Modif.	Paramètre	Valeur	Modif.
B031 - Code pour modification parametres	1		A023 - 4ème vitesse présélectionnée	65	
A001 - Source de Frequence	2		A024 - 5ème vitesse présélectionnée	80	
A002 - Source de commande Run	1		F002 - Accélération	0,2	
A004 - Fréquence maximale	80		F003 - Decélération	0,7	
A005 - Selection potentiometre	2		A092 2ème Accélération	0,8	
B012 - Courant Nominal	1,3		A093 2ème Déccélération	0,3	
C001 - Fonction Borne d'entrée n°1	0		A094 Autorisation 2ème Acc/Decc	1	
C002 - Fonction Borne d'entrée n°2	1		A095 Changement de rampe Accélération	20	
C003 - Fonction Borne d'entrée n°3	77		A096 Changement de rampe Déccélération	20	
C004 - Fonction Borne d'entrée n°4	78		A041 Sélection du boost de couple	1	
C005 - Fonction Borne d'entrée n°5	NC		A046 Gain de tension du boost auto	100	
C006 - Fonction Borne d'entrée n°6	2		A047 Gain de glissement du boost auto	100	
C007 - Fonction Borne d'entrée n°7	3				
C013 - Etat actif de la borne d'entrée n°3	1				
C014 - Etat actif de la borne d'entrée n°4	1				
A020 - Petite vitesse	20				
A021 - 2ème vitesse présélectionnée	60				
A022 - 3ème vitesse présélectionnée	50				

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 04/12/2023		PARAMETRE VARIATEUR V7				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		INVERTER PARAMETER V7								ARTICLE : SMXA-C014121		INDEX : V6			
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020													
																		FOLIO : 118/156		

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.

Repère	V8	08.16	OMRON - Paramètres variateur Sans frein / Sans potentiomètre
Caractéristiques	3G3MX2-AB004-EV2		
Référence fournisseur	3G3MX2-AB004-EV2		
Code interne	VAR00701		

Paramètre	Valeur	Modif.	Paramètre	Valeur	Modif.
B031 - Code pour modification parametres	1		A023 - 4ème vitesse présélectionnée	65	
A001 - Source de Frequence	2		A024 - 5ème vitesse présélectionnée	80	
A002 - Source de commande Run	1		F002 - Accélération	0,2	
A004 - Fréquence maximale	80		F003 - Decélération	0,7	
A005 - Selection potentiometre	2		A092 2ème Accélération	0,8	
B012 - Courant Nominal	1,3		A093 2ème Déccélération	0,3	
C001 - Fonction Borne d'entrée n°1	0		A094 Autorisation 2ème Acc/Decc	1	
C002 - Fonction Borne d'entrée n°2	1		A095 Changement de rampe Accélération	20	
C003 - Fonction Borne d'entrée n°3	77		A096 Changement de rampe Déccélération	20	
C004 - Fonction Borne d'entrée n°4	78		A041 Sélection du boost de couple	1	
C005 - Fonction Borne d'entrée n°5	NC		A046 Gain de tension du boost auto	100	
C006 - Fonction Borne d'entrée n°6	2		A047 Gain de glissement du boost auto	100	
C007 - Fonction Borne d'entrée n°7	3				
C013 - Etat actif de la borne d'entrée n°3	1				
C014 - Etat actif de la borne d'entrée n°4	1				
A020 - Petite vitesse	20				
A021 - 2ème vitesse présélectionnée	60				
A022 - 3ème vitesse présélectionnée	50				

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 04/03/2024		PARAMETRE VARIATEUR V8			 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		INVERTER PARAMETER V8							ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020							119/156					

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.

Repère	V909.3	OMRON - Paramètres variateur Sans frein / Sans potentiomètre
Caractéristiques	3G3MX2-AB004-EV2	
Référence fournisseur	3G3MX2-AB004-EV2	
Code interne	VAR00701	

Paramètre	Valeur	Modif.	Paramètre	Valeur	Modif.
B031 - Code pour modification parametres	1		A023 - 4ème vitesse présélectionnée	65	
A001 - Source de Frequence	2		A024 - 5ème vitesse présélectionnée	80	
A002 - Source de commande Run	1		F002 - Accélération	0,2	
A004 - Fréquence maximale	80		F003 - Decélération	0,7	
A005 - Selection potentiometre	2		A092 2ème Accélération	0,8	
B012 - Courant Nominal	1,3		A093 2ème Déccélération	0,3	
C001 - Fonction Borne d'entrée n°1	0		A094 Autorisation 2ème Acc/Decc	1	
C002 - Fonction Borne d'entrée n°2	1		A095 Changement de rampe Accélération	20	
C003 - Fonction Borne d'entrée n°3	77		A096 Changement de rampe Déccélération	20	
C004 - Fonction Borne d'entrée n°4	78		A041 Sélection du boost de couple	1	
C005 - Fonction Borne d'entrée n°5	NC		A046 Gain de tension du boost auto	100	
C006 - Fonction Borne d'entrée n°6	2		A047 Gain de glissement du boost auto	100	
C007 - Fonction Borne d'entrée n°7	3				
C013 - Etat actif de la borne d'entrée n°3	1				
C014 - Etat actif de la borne d'entrée n°4	1				
A020 - Petite vitesse	20				
A021 - 2ème vitesse présélectionnée	60				
A022 - 3ème vitesse présélectionnée	50				

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 04/03/2024		PARAMETRE VARIATEUR V9			 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		INVERTER PARAMETER V9							ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020							120/156					

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
MARK	FOLIO	DESCRIPTION								Qty	REFERENCE	CODE ECAT-ID	MANUFACTURER		LISTING				
ARMOIRE	01	STAINLESS STEEL ENCLOSURE 1800x600X600 WITH MOUNTING PLATE								1	MXA03297	MXA03297	IRINOX		ARMOIRE				
	01	STAINLESS STEEL ENCLOSURE 1800x600X370 WITH MOUNTING PLATE								1	MXA03300	MXA03300	IRINOX		ARMOIRE				
	01	STAINLESS STEEL JONCTION BOX 220x150x120 IP69K								1	SDN152212	BOX02019	MP GAMMA		ARMOIRE				
	01	STAINLESS STEEL ENCLOSURE 400x400X180 IP66								1	SEB02903	SEB02903	IRINOX		ARMOIRE				
	01	STAINLESS STEEL JONCTION BOX 100x220x90 IP69K								1	SPN10229	BOX02031	MP GAMMA		ARMOIRE				
FQ1	06	SURGE SUPPRESSORS VAL-SEC-T2-3S-350-FM								1	2905340	DIS00135	PHOENIX CONTACT		ARMOIRE				
Q0	06	YELLOW AND RED EXTERNAL HANDLE OPERATION FOR SIRCO M								1	14741111	SEC00042	SOCOMEK		ARMOIRE				
	06	ADDITIONAL POLE FOR SIRCO M 32A								1	22001003	SEC00032	SOCOMEK		ARMOIRE				
	06	LOAD BREAK SWITCH SIRCO M 3x32A								1	22003003	SEC00030	SOCOMEK		ARMOIRE				
	06	TERMINAL SHROUD FOR SIRCO M 1P 16...40A								1	22941005	SEC00070	SOCOMEK		ARMOIRE				
	06	TERMINAL SHROUD FOR SIRCO M 3P 16...40A								1	22943005	SEC00071	SOCOMEK		ARMOIRE				
	06	DOOR MONTING SIRCO M								1	22993409		SOCOMEK		ARMOIRE				
F1	07	ACTI 9 iC60N - MINITURE CIRCUIT BREAKER - 2P - 6A - D CURVE								1	A9F75206	DIS00163	SCHNEIDER ELECTRIC		ARMOIRE				
F2	07	ACTI 9 iC60N - MINITURE CIRCUIT BREAKER - 2P - 6A - D CURVE								1	A9F75206	DIS00163	SCHNEIDER ELECTRIC		ARMOIRE				
F3	07	ACTI 9 iC60N - MINITURE CIRCUIT BREAKER - 2P - 6A - D CURVE								1	A9F75206	DIS00163	SCHNEIDER ELECTRIC		ARMOIRE				
F4	07	ACTI 9 iC60N - MINITURE CIRCUIT BREAKER - 2P - 6A - D CURVE								1	A9F75206	DIS00163	SCHNEIDER ELECTRIC		ARMOIRE				
V1	07	COMM CARDETCAT								1	3G3AX-MX2-ECT	VAR00351	OMRON		ARMOIRE				
	07	VARIABLE SPEED DRIVE FOR MOTOR 0.40kW, 200-240VAC MONO								1	3G3MX2-AB004-EV2	VAR00701	OMRON		ARMOIRE				
	07	OMRON EMI FILTER								1	AX-FIM1010-RE	VAR00277	OMRON		ARMOIRE				
V2	07	COMM CARDETCAT								1	3G3AX-MX2-ECT	VAR00351	OMRON		ARMOIRE				
	07	VARIABLE SPEED DRIVE FOR MOTOR 0.40kW, 200-240VAC MONO								1	3G3MX2-AB004-EV2	VAR00701	OMRON		ARMOIRE				
	07	OMRON EMI FILTER								1	AX-FIM1010-RE	VAR00277	OMRON		ARMOIRE				
V3	07	COMM CARDETCAT								1	3G3AX-MX2-ECT	VAR00351	OMRON		ARMOIRE				
	07	VARIABLE SPEED DRIVE FOR MOTOR 0.40kW, 200-240VAC MONO								1	3G3MX2-AB004-EV2	VAR00701	OMRON		ARMOIRE				
	07	OMRON EMI FILTER								1	AX-FIM1010-RE	VAR00277	OMRON		ARMOIRE				
V4	07	COMM CARDETCAT								1	3G3AX-MX2-ECT	VAR00351	OMRON		ARMOIRE				
	07	VARIABLE SPEED DRIVE FOR MOTOR 0.40kW, 200-240VAC MONO								1	3G3MX2-AB004-EV2	VAR00701	OMRON		ARMOIRE				
	07	OMRON EMI FILTER								1	AX-FIM1010-RE	VAR00277	OMRON		ARMOIRE				
F5	08	ACTI 9 iC60N - MINITURE CIRCUIT BREAKER - 2P - 6A - D CURVE								1	A9F75206	DIS00163	SCHNEIDER ELECTRIC		ARMOIRE				
F6	08	ACTI 9 iC60N - MINITURE CIRCUIT BREAKER - 2P - 6A - D CURVE								1	A9F75206	DIS00163	SCHNEIDER ELECTRIC		ARMOIRE				
F7	08	ACTI 9 iC60N - MINITURE CIRCUIT BREAKER - 2P - 6A - D CURVE								1	A9F75206	DIS00163	SCHNEIDER ELECTRIC		ARMOIRE				
F8	08	ACTI 9 iC60N - MINITURE CIRCUIT BREAKER - 2P - 6A - D CURVE								1	A9F75206	DIS00163	SCHNEIDER ELECTRIC		ARMOIRE				
V5	08	COMM CARDETCAT								1	3G3AX-MX2-ECT	VAR00351	OMRON		ARMOIRE				
(33).2.98.85.31.36 (33).2.98.85.31.38 ecatid.service@ceva.com				DESSINE : DB						Dossier n° : PELLEGRINA				SMXA-C014121 Components List				FOLIO 126/156	
				VERIFIE : JT															
				DATE DE CREATION : 22/04/2024		V6	03/04/2024	AJOUT CAPTEUR D'ENTREE ET CAPTEUR DE FIN											
						INDICE	DATE	MODIFICATION			DES.	see3000 version 4.80							

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
MARK	FOLIO	DESCRIPTION								Qty	REFERENCE	CODE ECAT-ID	MANUFACTURER			LISTING			
	08	VARIABLE SPEED DRIVE FOR MOTOR 0.40kW, 200-240VAC MONO								1	3G3MX2-AB004-EV2	VAR00701	OMRON			ARMOIRE			
	08	OMRON EMI FILTER								1	AX-FIM1010-RE	VAR00277	OMRON			ARMOIRE			
V6	08	COMM CARDETHERCAT								1	3G3AX-MX2-ECT	VAR00351	OMRON			ARMOIRE			
	08	VARIABLE SPEED DRIVE FOR MOTOR 0.40kW, 200-240VAC MONO								1	3G3MX2-AB004-EV2	VAR00701	OMRON			ARMOIRE			
	08	OMRON EMI FILTER								1	AX-FIM1010-RE	VAR00277	OMRON			ARMOIRE			
V7	08	COMM CARDETHERCAT								1	3G3AX-MX2-ECT	VAR00351	OMRON			ARMOIRE			
	08	VARIABLE SPEED DRIVE FOR MOTOR 0.40kW, 200-240VAC MONO								1	3G3MX2-AB004-EV2	VAR00701	OMRON			ARMOIRE			
	08	OMRON EMI FILTER								1	AX-FIM1010-RE	VAR00277	OMRON			ARMOIRE			
V8	08	COMM CARDETHERCAT								1	3G3AX-MX2-ECT	VAR00351	OMRON			ARMOIRE			
	08	VARIABLE SPEED DRIVE FOR MOTOR 0.40kW, 200-240VAC MONO								1	3G3MX2-AB004-EV2	VAR00701	OMRON			ARMOIRE			
	08	OMRON EMI FILTER								1	AX-FIM1010-RE	VAR00277	OMRON			ARMOIRE			
F9	09	ACTI 9 iC60N - MINITURE CIRCUIT BREAKER - 2P - 6A - D CURVE								1	A9F75206	DIS00163	SCHNEIDER ELECTRIC			ARMOIRE			
Q11	09	DT40 - CIRCUIT BREAKER 3P + N 20 A D CURVE - 6KA								1	A9N21076	DIS00271	SCHNEIDER ELECTRIC			ARMOIRE			
V9	09	COMM CARDETHERCAT								1	3G3AX-MX2-ECT	VAR00351	OMRON			ARMOIRE			
	09	VARIABLE SPEED DRIVE FOR MOTOR 0.40kW, 200-240VAC MONO								1	3G3MX2-AB004-EV2	VAR00701	OMRON			ARMOIRE			
	09	OMRON EMI FILTER								1	AX-FIM1010-RE	VAR00277	OMRON			ARMOIRE			
Q1	10	CIRCUIT BREAKER CBM E8 8x24VDC/0.5-10A								1	2905744	DIS00250	PHOENIX CONTACT			ARMOIRE			
Q10	10	CIRCUIT BREAKER FOR CONTROL CIRCUIT - GB2-DB - 6 A - 2P - 2D								1	GB2DB12	DIS00144	SCHNEIDER ELECTRIC			ARMOIRE			
U10	10	POWER SUPPLY 100-240VAC, OUTPUT 24VDC, 20A								1	S8VK-S48024	ALM00218	OMRON			ARMOIRE			
Q21	11	ACTI 9 iC60N - MINITURE CIRCUIT BREAKER - 2P - 16A - C CURVE								1	A9F77216	DIS00147	SCHNEIDER ELECTRIC			ARMOIRE			
	11	ACTI9 VIGI IC60 - DIFFERENTIAL CIRCUIT BREAKER 2P 6KA 25A 30MA								1	A9Q11225	DIS00342	SCHNEIDER ELECTRIC			ARMOIRE			
U1	11	UPS 3000VA 230VAC								1	EON9SX3000I	ALM00247	EATON			ARMOIRE			
Q100	12	CIRCUIT BREAKER FOR CONTROL CIRCUIT - GB2-DB - 10 A - 2P - 2D								1	GB2DB16	DIS00159	SCHNEIDER ELECTRIC			ARMOIRE			
Q120	12	MINITURE CIRCUIT BREAKER - C60H - 1 POLE - 40 A - C CURVE								1	A9N61517	DIS00346	SCHNEIDER ELECTRIC			ARMOIRE			
Q200	12	CIRCUIT BREAKER FOR CONTROL CIRCUIT - GB2-DB - 10 A - 2P - 2D								1	GB2DB16	DIS00159	SCHNEIDER ELECTRIC			ARMOIRE			
Q220	12	MINITURE CIRCUIT BREAKER - C60H - 1 POLE - 40 A - C CURVE								1	A9N61517	DIS00346	SCHNEIDER ELECTRIC			ARMOIRE			
Q300	12	CIRCUIT BREAKER FOR CONTROL CIRCUIT - GB2-DB - 10 A - 2P - 2D								1	GB2DB16	DIS00159	SCHNEIDER ELECTRIC			ARMOIRE			
Q320	12	MINITURE CIRCUIT BREAKER - C60H - 1 POLE - 40 A - C CURVE								1	A9N61517	DIS00346	SCHNEIDER ELECTRIC			ARMOIRE			
U100	12	POWER SUPPLY 230VAC/24VDC 40A 1000W								1	HRPG-1000-24	ALM00246	MEAN WELL			ARMOIRE			
U200	12	POWER SUPPLY 230VAC/24VDC 40A 1000W								1	HRPG-1000-24	ALM00246	MEAN WELL			ARMOIRE			
U300	12	POWER SUPPLY 230VAC/24VDC 40A 1000W								1	HRPG-1000-24	ALM00246	MEAN WELL			ARMOIRE			
Q101	13	CIRCUIT BREAKER FOR CONTROL CIRCUIT - GB2-DB - 6 A - 2P - 2D								1	GB2DB12	DIS00144	SCHNEIDER ELECTRIC			ARMOIRE			
Q201	13	CIRCUIT BREAKER FOR CONTROL CIRCUIT - GB2-DB - 6 A - 2P - 2D								1	GB2DB12	DIS00144	SCHNEIDER ELECTRIC			ARMOIRE			
(33).2.98.85.31.36 (33).2.98.85.31.38 ecatid.service@ceva.com		DESSINE :		DB										SMXA-C014121 Components List				FOLIO 127/156 see3000 version 4.00	
		VERIFIE :		JT															
		DATE DE CREATION :		22/04/2024		V6	03/04/2024	AJOUT CAPTEUR D'ENTREE ET CAPTEUR I/O BANK											
				INDICE	DATE	MODIFICATION		DES.	Dossier n° : PELLEGRINA										

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
MARK		FOLIO	DESCRIPTION							Qty	REFERENCE	CODE ECAT-ID	MANUFACTURER			LISTING				
Q22		13	ACTI 9 iC60N - MINITURE CIRCUIT BREAKER - 2P - 10A - C CURVE							1	A9F77210	DIS00142	SCHNEIDER ELECTRIC			ARMOIRE				
		13	ACTI9 VIGI IC60 - DIFFERENTIAL CIRCUIT BREAKER 2P 6KA 25A 30MA							1	A9Q11225	DIS00342	SCHNEIDER ELECTRIC			ARMOIRE				
Q301		13	CIRCUIT BREAKER FOR CONTROL CIRCUIT - GB2-DB - 6 A - 2P - 2D							1	GB2DB12	DIS00144	SCHNEIDER ELECTRIC			ARMOIRE				
SX1		13								1	053911	PRI00002	LEGRAND			ARMOIRE				
U101		13	POWER SUPPLY 100-240VAC, OUTPUT 24VDC, 20A							1	S8VK-S48024	ALM00218	OMRON			ARMOIRE				
U201		13	POWER SUPPLY 100-240VAC, OUTPUT 24VDC, 20A							1	S8VK-S48024	ALM00218	OMRON			ARMOIRE				
U301		13	POWER SUPPLY 100-240VAC, OUTPUT 24VDC, 20A							1	S8VK-S48024	ALM00218	OMRON			ARMOIRE				
SEC01		14	SAFETY RELAY							1	2900509	REL00033	PHOENIX			ARMOIRE				
KA100		16	TESYS K CONTROL RELAY 3NO+1NF 24VDC							1	CA3KN31BD	REL00051	SCHNEIDER ELECTRIC			ARMOIRE				
SEC02		16	SAFETY RELAY							1	2900509	REL00033	PHOENIX			ARMOIRE				
FAN1		17	24VDC FAN 178m3/h + OUTLET GRILLE AND FILTER							1	COSD12B05HWBZ0	ELC00961	COSTECH			ARMOIRE				
H50		17	LED STRIP WHITE HOT 24VDC							1	VEL75167	ELC02012	MIIDEX			ARMOIRE				
KA1		17	TESYS K CONTROL RELAY 3NO+1NF 24VDC							1	CA3KN31BD	REL00051	SCHNEIDER ELECTRIC			ARMOIRE				
		17	TESYS D AUXILIARY CONTACT BLOCK 4NO							1	LA1KN40	REL00086	SCHNEIDER ELECTRIC			ARMOIRE				
FAN11		23	24VDC FAN 355m3/h							1	4114N/2H4	ELC02073	EBM-PAPST			ARMOIRE				
		23	120x120 GRILLE FOR FAN							1	COS120	ELC00722	COSTECH			ARMOIRE				
FAN12		23	24VDC FAN 355m3/h							1	4114N/2H4	ELC02073	EBM-PAPST			ARMOIRE				
		23	120x120 GRILLE FOR FAN							1	COS120	ELC00722	COSTECH			ARMOIRE				
FAN13		23	24VDC FAN 355m3/h							1	4114N/2H4	ELC02073	EBM-PAPST			ARMOIRE				
		23	120x120 GRILLE FOR FAN							1	COS120	ELC00722	COSTECH			ARMOIRE				
FAN14		23	24VDC FAN 355m3/h							1	4114N/2H4	ELC02073	EBM-PAPST			ARMOIRE				
		23	120x120 GRILLE FOR FAN							1	COS120	ELC00722	COSTECH			ARMOIRE				
H51		23	LED STRIP WHITE HOT 24VDC							1	VEL75167	ELC02012	MIIDEX			ARMOIRE				
Q121		24	CIRCUIT BREAKER CBM E8 8x24VDC/0.5-10A							1	2905744	DIS00250	PHOENIX CONTACT			ARMOIRE				
Q221		24	CIRCUIT BREAKER CBM E8 8x24VDC/0.5-10A							1	2905744	DIS00250	PHOENIX CONTACT			ARMOIRE				
Q321		24	CIRCUIT BREAKER CBM E8 8x24VDC/0.5-10A							1	2905744	DIS00250	PHOENIX CONTACT			ARMOIRE				
UAC100		25	INDUSTRIEL COMPUTER NEOUSYS NUVO							1	NUVO-10208GC	INF01052	NEOUSYS			ARMOIRE				
USB_UAC100	25	USB 3.0 PORT REMOTE CABLE							1	E2 1USB9AN3	CON00401	PIZZATO			ARMOIRE					
UAC200		29	INDUSTRIEL COMPUTER NEOUSYS NUVO							1	NUVO-10208GC	INF01052	NEOUSYS			ARMOIRE				
USB_UAC200	29	USB 3.0 PORT REMOTE CABLE							1	E2 1USB9AN3	CON00401	PIZZATO			ARMOIRE					
UAC300		33	INDUSTRIEL COMPUTER NEOUSYS NUVO							1	NUVO-10208GC	INF01052	NEOUSYS			ARMOIRE				
USB_UAC300	33	USB 3.0 PORT REMOTE CABLE							1	E2 1USB9AN3	CON00401	PIZZATO			ARMOIRE					
KA14		37	SEMICONDUCTOR RELAI MODULE							1	2900378	REL00088	PHOENIX CONTACT			ARMOIRE				
(33).2.98.85.31.36 (33).2.98.85.31.38 ecatid.service@ceva.com			DESSINE : DB											SMXA-C014121 Components List					FOLIO 128/156	
			VERIFIE : JT																	
			DATE DE CREATION : 22/04/2024		V6	03/04/2024	AJOUT CAPTEUR D'ENTREE ET CAPTEUR I/O BANK			Dossier n° : PELLEGRINA					see3000 version 4.80					
			INDICE	DATE	MODIFICATION			DES.												

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20								
MARK	FOLIO	DESCRIPTION								Qty	REFERENCE	CODE ECAT-ID	MANUFACTURER	LISTING													
KA15	37	SEMICONDUCTOR RELAI MODULE								1	2900378	REL00088	PHOENIX CONTACT	ARMOIRE													
KA16	37	SEMICONDUCTOR RELAI MODULE								1	2900378	REL00088	PHOENIX CONTACT	ARMOIRE													
KA17	37	SEMICONDUCTOR RELAI MODULE								1	2900378	REL00088	PHOENIX CONTACT	ARMOIRE													
KA18	37	SEMICONDUCTOR RELAI MODULE								1	2900378	REL00088	PHOENIX CONTACT	ARMOIRE													
KA19	37	SEMICONDUCTOR RELAI MODULE								1	2900378	REL00088	PHOENIX CONTACT	ARMOIRE													
KA2	38	RELAY MODULE RIF-1-RPT-LDP-24DC/2X21								1	2903334	REL00082	PHOENIX CONTACT	ARMOIRE													
KA3	38	RELAY MODULE RIF-1-RPT-LDP-24DC/2X21								1	2903334	REL00082	PHOENIX CONTACT	ARMOIRE													
KA4	39	RELAY MODULE RIF-0-RPT-24DC/21								1	2903370	REL00085	PHOENIX CONTACT	ARMOIRE													
KA5	39	RELAY MODULE RIF-0-RPT-24DC/21								1	2903370	REL00085	PHOENIX CONTACT	ARMOIRE													
KA10	45	RELAY MODULE RIF-0-RPT-24DC/21								1	2903370	REL00085	PHOENIX CONTACT	ARMOIRE													
KA11	45	RELAY MODULE RIF-0-RPT-24DC/21								1	2903370	REL00085	PHOENIX CONTACT	ARMOIRE													
KA20	45	RELAY MODULE RIF-0-RPT-24DC/21								1	2903370	REL00085	PHOENIX CONTACT	ARMOIRE													
KM100	45	TESYS K AUXILIARY CONTACT BLOCK 2NO+2NC								1	LA1KN22	REL00057	SCHNEIDER ELECTRIC	ARMOIRE													
	45	TESYS K CONTACTOR - 4P - AC-1 <= 440 V 20 A - 24 V DC COIL								1	LP1K09004BD		SCHNEIDER ELECTRIC	ARMOIRE													
KA110	46	RELAY MODULE RIF-1-RPT-LDP-24DC/2X21								1	2903334	REL00082	PHOENIX CONTACT	ARMOIRE													
KA120	46	RELAY MODULE RIF-1-RPT-LDP-24DC/2X21								1	2903334	REL00082	PHOENIX CONTACT	ARMOIRE													
KA230	46	RELAY MODULE RIF-1-RPT-LDP-24DC/2X21								1	2903334	REL00082	PHOENIX CONTACT	ARMOIRE													
KA240	46	RELAY MODULE RIF-1-RPT-LDP-24DC/2X21								1	2903334	REL00082	PHOENIX CONTACT	ARMOIRE													
KA350	46	RELAY MODULE RIF-1-RPT-LDP-24DC/2X21								1	2903334	REL00082	PHOENIX CONTACT	ARMOIRE													
KA360	46	RELAY MODULE RIF-1-RPT-LDP-24DC/2X21								1	2903334	REL00082	PHOENIX CONTACT	ARMOIRE													
KA12	47	RELAY MODULE RIF-2-RPT-LDP-24DC/4X21								1	2903308	REL00084	PHOENIX CONTACT	ARMOIRE													
KA13	47	RELAY MODULE RIF-2-RPT-LDP-24DC/4X21								1	2903308	REL00084	PHOENIX CONTACT	ARMOIRE													
MOD0	49	OMRON CPU 24VCC								1	NX102-1000	PLC01600	OMRON	ARMOIRE													
MOD1	49	POWER SUPPLY MODULE 24VCC								1	NX-PF0630	PLC01601	OMRON	ARMOIRE													
MOD2	49	16 CHANNEL DIGITAL OUTPUT, 24VDC, 0.5A								1	NX-OD5256	PLC01631	OMRON	ARMOIRE													
MOD3	49	16 CHANNEL DIGITAL OUTPUT, 24VDC, 0.5A								1	NX-OD5256	PLC01631	OMRON	ARMOIRE													
MOD4	49	16 CHANNEL DIGITAL INPUT, 24VDC								1	NX-ID5442	PLC01611	OMRON	ARMOIRE													
MOD5	49	16 CHANNEL DIGITAL INPUT, 24VDC								1	NX-ID5442	PLC01611	OMRON	ARMOIRE													
MOD6	49	16 CHANNEL DIGITAL INPUT, 24VDC								1	NX-ID5442	PLC01611	OMRON	ARMOIRE													
MOD7	49	2 INCREMENTAL ENCODERS INPUT UNIT, 24VDC								1	NX-EC0222	PLC01651	OMRON	ARMOIRE													
MOD10	50	4 CHANNEL I/O LINK								1	NX-ILM400	PLC01659	OMRON	ARMOIRE													
MOD11	50	4 CHANNEL I/O LINK								1	NX-ILM400	PLC01659	OMRON	ARMOIRE													
MOD8	50	ADDITIONAL UNIT POWER SUPPLY MODULE 24VCC								1	NX-PD1000	PLC01608	OMRON	ARMOIRE													
(33).2.98.85.31.36 (33).2.98.85.31.38 ecatid.service@ceva.com		DESSINE : DB						Dossier n° : PELLEGRINA				SMXA-C014121 Components List						FOLIO 129/156									
		VERIFIE : JT																									
		DATE D E CREATION : 22/04/2024		V6	03/04/2024	AJOUT CAPTEUR D'ENTREE ET CAPTEUR I/O																					
		INDICE	DATE	MODIFICATION			DES.											see3000 version 4.80									

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.

REPERE	FOLIO	DESIGNATION	Qte	REFERENCE	CODE ECAT-ID	FABRICANT	Nomenclature
ETH_HMI		CONNECTEUR RJ45 METAL A MONTER IP20 DROIT CAT.6A	2	J00026A5001	CON00035	TELEGARTNER	FI
ETH_UAC		CONNECTEUR RJ45 METAL A MONTER IP20 DROIT CAT.6A	2	J00026A5001	CON00035	TELEGARTNER	FI
EV00	14	FR + VANNE + MSP	1	AC30A-QAS111	FPF00057	SMC	FI
DTS1	16	CAPTEUR SECURITE PORTE	1	1059511	SEN00569	SICK	FI
	16	ENTRETOISE POUR CAPTEUR SECURITE PORTE	2	1060291	SEN00570	SICK	FI
DTS2	16	CAPTEUR SECURITE PORTE	1	1059511	SEN00569	SICK	FI
	16	ENTRETOISE POUR CAPTEUR SECURITE PORTE	2	1060291	SEN00570	SICK	FI
DTS3	16	CAPTEUR SECURITE PORTE	1	1059511	SEN00569	SICK	FI
	16	ENTRETOISE POUR CAPTEUR SECURITE PORTE	2	1060291	SEN00570	SICK	FI
DTS4	16	CAPTEUR SECURITE PORTE	1	1059511	SEN00569	SICK	FI
	16	ENTRETOISE POUR CAPTEUR SECURITE PORTE	2	1060291	SEN00570	SICK	FI
SL01	38	VERRINE 7 COULEURS BANNER LED 24VDC 4P	1	DK-K50L2RGB7Q	PRI00166	BANNER	FI
	38	PIED POUR VERRINE BANNER BLANC	1	SA-E12M30C	PRI00169	BANNER	FI
	38	ADAPTATEUR VERRINE BANNER	1	SA-M30TE12C	PRI00167	BANNER	FI
	38	TUBE 300mm SS VERRINE BANNER	1	SOP-E12-300SS	PRI00168	BANNER	FI
DT40	56	CAPTEUR MECANIQUE MINIATURE	1	XCMN2121L1	SEN00118	SCHNEIDER ELECTRIC	FI
DTLED1	56	CAPTEUR MECANIQUE MINIATURE	1	XCMN2121L1	SEN00118	SCHNEIDER ELECTRIC	FI
DTLED2	56	CAPTEUR MECANIQUE MINIATURE	1	XCMN2121L1	SEN00118	SCHNEIDER ELECTRIC	FI
DT20	57	REFLECTEUR ROND Diam 35mm	1	E20954	SEN00591	IFM	FI
	57	CABLE M12 4poles DROIT L=10mPP	1	EVF002	CBL00464	IFM	FI
	57	CAPTEUR REFLEX RECTANGULAIRE	1	O6P301	SEN00603	IFM	FI
DT21	57	REFLECTEUR ROND Diam 35mm	1	E20954	SEN00591	IFM	FI
	57	CABLE M12 4poles DROIT L=10mPP	1	EVF002	CBL00464	IFM	FI
	57	CAPTEUR REFLEX RECTANGULAIRE	1	O6P301	SEN00603	IFM	FI
DT22	57	REFLECTEUR ROND Diam 35mm	1	E20954	SEN00591	IFM	FI
	57	CABLE M12 4poles DROIT L=10mPP	1	EVF002	CBL00464	IFM	FI
	57	CAPTEUR REFLEX RECTANGULAIRE	1	O6P301	SEN00603	IFM	FI
DT23	57	REFLECTEUR ROND Diam 35mm	1	E20954	SEN00591	IFM	FI
	57	CABLE M12 4poles DROIT L=10mPP	1	EVF002	CBL00464	IFM	FI
	57	CAPTEUR REFLEX RECTANGULAIRE	1	O6P301	SEN00603	IFM	FI
DT24	57	REFLECTEUR ROND Diam 35mm	1	E20954	SEN00591	IFM	FI
	57	CABLE M12 4poles DROIT L=10mPP	1	EVF002	CBL00464	IFM	FI
	57	CAPTEUR REFLEX RECTANGULAIRE	1	O6P301	SEN00603	IFM	FI

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN - FRANCE -		Tél : (33).2.98.85.31.36		Date of creation :		Nomenclature FI		 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE			
		Fax : (33).2.98.85.31.38		Designed by : DB		INDEX : V6													
		E-mail : ecatic.service@ceva.com		ENVIRONNEMENT : Version 4.49.F - 23/09/2020		ARTICLE : SMXA-C014121						FOLIO : 131/156							

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.

REPERE	FOLIO	DESIGNATION	Qty	REFERENCE	CODE ECAT-ID	FABRICANT	Nomenclature
DT25	57	REFLECTEUR ROND Diam 35mm	1	E20954	SEN00591	IFM	FI
	57	CABLE M12 4poles DROIT L=10m PP	1	EVF002	CBL00464	IFM	FI
	57	CAPTEUR REFLEX RECTANGULAIRE	1	O6P301	SEN00603	IFM	FI
DT26	57	CABLE M12 4poles COUDE L=10m PP	1	EVF005	CBL00440	IFM	FI
	57	CAPTEUR INDUCTIF Diamètre 18 NO	1	IGT203	SEN00024	IFM	FI
DT27	57	CABLE M12 4poles COUDE L=10m PP	1	EVF005	CBL00440	IFM	FI
	57	CAPTEUR INDUCTIF Diamètre 18 NO	1	IGT203	SEN00024	IFM	FI
DT01	58	REFLECTEUR 50X50mm	1	E20722	SEN00352	IFM	FI
	58	CABLE M8 4poles COUDE L=10m	1	EVF140	CBL00561	IFM	FI
	58	CAPTEUR LASER	1	OJ5136	SEN00350	IFM	FI
DT28	58	CABLE M12 4poles COUDE L=10m PP	1	EVF005	CBL00440	IFM	FI
	58	CAPTEUR INDUCTIF Diamètre 18 NO	1	IGT203	SEN00024	IFM	FI
DT29	58	CABLE M12 4poles COUDE L=10m PP	1	EVF005	CBL00440	IFM	FI
	58	CAPTEUR INDUCTIF Diamètre 18 NO	1	IGT203	SEN00024	IFM	FI
DT30	58	CABLE M12 4poles COUDE L=10m PP	1	EVF005	CBL00440	IFM	FI
	58	CAPTEUR INDUCTIF Diamètre 18 NO	1	IGT203	SEN00024	IFM	FI
DT31	58	CABLE M12 4poles COUDE L=10m PP	1	EVF005	CBL00440	IFM	FI
	58	CAPTEUR INDUCTIF Diamètre 18 NO	1	IGT203	SEN00024	IFM	FI
DT02	59	REFLECTEUR 50X50mm	1	E20722	SEN00352	IFM	FI
	59	CABLE M8 4poles COUDE L=10m	1	EVF140	CBL00561	IFM	FI
	59	CAPTEUR LASER	1	OJ5136	SEN00350	IFM	FI
DT03	59	REFLECTEUR 50X50mm	1	E20722	SEN00352	IFM	FI
	59	CABLE M8 4poles COUDE L=10m	1	EVF140	CBL00561	IFM	FI
	59	CAPTEUR LASER	1	OJ5136	SEN00350	IFM	FI
DT04	59	REFLECTEUR 50X50mm	1	E20722	SEN00352	IFM	FI
	59	CABLE M8 4poles COUDE L=10m	1	EVF140	CBL00561	IFM	FI
	59	CAPTEUR LASER	1	OJ5136	SEN00350	IFM	FI
DT05	59	REFLECTEUR 50X50mm	1	E20722	SEN00352	IFM	FI
	59	CABLE M8 4poles COUDE L=10m	1	EVF140	CBL00561	IFM	FI
	59	CAPTEUR LASER	1	OJ5136	SEN00350	IFM	FI
DT06	59	REFLECTEUR 50X50mm	1	E20722	SEN00352	IFM	FI
	59	CABLE M8 4poles COUDE L=10m	1	EVF140	CBL00561	IFM	FI
	59	CAPTEUR LASER	1	OJ5136	SEN00350	IFM	FI

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN - FRANCE -		Tél : (33).2.98.85.31.36		Date of creation :		Nomenclature FI		 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE			
		Fax : (33).2.98.85.31.38		Designed by : DB		INDEX : V6													
		E-mail : ecatic.service@ceva.com		ENVIRONNEMENT : Version 4.49.F - 23/09/2020		ARTICLE : SMXA-C014121						FOLIO : 132/156							

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.

REPERE	FOLIO	DESIGNATION	Qte	REFERENCE	CODE ECAT-ID	FABRICANT	Nomenclature
DT07	59	REFLECTEUR 50X50mm	1	E20722	SEN00352	IFM	FI
	59	CABLE M8 4poles COUDE L=10m	1	EVF140	CBL00561	IFM	FI
	59	CAPTEUR LASER	1	OJ5136	SEN00350	IFM	FI
DT08	59	REFLECTEUR 50X50mm	1	E20722	SEN00352	IFM	FI
	59	CABLE M8 4poles COUDE L=10m	1	EVF140	CBL00561	IFM	FI
	59	CAPTEUR LASER	1	OJ5136	SEN00350	IFM	FI
DT09	59	REFLECTEUR 50X50mm	1	E20722	SEN00352	IFM	FI
	59	CABLE M8 4poles COUDE L=10m	1	EVF140	CBL00561	IFM	FI
	59	CAPTEUR LASER	1	OJ5136	SEN00350	IFM	FI
DT10	60	REFLECTEUR 50X50mm	1	E20722	SEN00352	IFM	FI
	60	CABLE M8 4poles COUDE L=10m	1	EVF140	CBL00561	IFM	FI
	60	CAPTEUR LASER	1	OJ5136	SEN00350	IFM	FI
DT11	60	REFLECTEUR 50X50mm	1	E20722	SEN00352	IFM	FI
	60	CABLE M8 4poles COUDE L=10m	1	EVF140	CBL00561	IFM	FI
	60	CAPTEUR LASER	1	OJ5136	SEN00350	IFM	FI
DT12	60	REFLECTEUR 50X50mm	1	E20722	SEN00352	IFM	FI
	60	CABLE M8 4poles COUDE L=10m	1	EVF140	CBL00561	IFM	FI
	60	CAPTEUR LASER	1	OJ5136	SEN00350	IFM	FI
DT13	60	CABLE M12 4poles DROIT L=10mPP	1	EVF002	CBL00464	IFM	FI
	60	CAPTEUR INDUCTIF Diamètre 18 NO	1	IGT203	SEN00024	IFM	FI
DT14	60	CABLE M12 4poles DROIT L=10mPP	1	EVF002	CBL00464	IFM	FI
	60	CAPTEUR INDUCTIF Diamètre 18 NO	1	IGT203	SEN00024	IFM	FI
DT15	60	CABLE M12 4poles DROIT L=10mPP	1	EVF002	CBL00464	IFM	FI
	60	CAPTEUR INDUCTIF Diamètre 18 NO	1	IGT203	SEN00024	IFM	FI
DT16	60	CABLE M12 4poles DROIT L=10mPP	1	EVF002	CBL00464	IFM	FI
	60	CAPTEUR MECANIQUE A TIGE RONDE Ø6 AVEC CONNECTEUR M12	1	XCKJ10559D	SEN00690	SCHNEIDER ELECTRIC	FI
DT100	63	SUPPORT SONDE TEMPERATURE IFM	1	E10076	SEN00677	IFM	FI
	63	CABLE M12 4poles DROIT L=10mPP	1	EVF002	CBL00464	IFM	FI
	63	CAPTEURS: Sonde de température INOX I/O LINK Pt1000	1	TA2115	SEN00554	IFM	FI
PS01	63	CABLE M12 4poles COUDE L=10mPP	1	EVF005	CBL00440	IFM	FI
	63	CAPTEUR DE PRESSION IOLINK -1-10b	1	PV7004	SEN00674	IFM	FI
DT110	64	SUPPORT SONDE TEMPERATURE IFM	1	E10076	SEN00677	IFM	FI
	64	CABLE M12 4poles DROIT L=10mPP	1	EVF002	CBL00464	IFM	FI

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		Nomenclature FI				 Ecat-iD Campus			CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB									ARTICLE :		INDEX : V6			
			E-mail : ecatic.service@ceva.com				ENVIRONNEMENT : Version 4.49.F - 23/09/2020							SMXA-C014121				FOLIO : 133/156	

[illegible]

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		Nomenclature FI				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB										ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail : ecatic.service@ceva.com		ENVIRONNEMENT:Version 4.49.F - 23/09/2020										FOLIO : 134/156					

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.

MARK	FOLIO	DESCRIPTION	Qty	REFERENCE	CODE ECAT-ID	MANUFACTURER	LISTING
ETH_HMI		METALIC RJ45 CONNECTOR	2	J00026A5001	CON00035	TELEGARTNER	FI
ETH_UAC		METALIC RJ45 CONNECTOR	2	J00026A5001	CON00035	TELEGARTNER	FI
EV00	14	PRESSURE ELECTROVALVE + FILTER	1	AC30A-QAS111	FPF00057	SMC	FI
DTS1	16	RE2 / MAGNETIC SAFETY SWITCH	1	1059511	SEN00569	SICK	FI
	16	RE2 / MAGNETIC SAFETY SWITCH MOUNTING	2	1060291	SEN00570	SICK	FI
DTS2	16	RE2 / MAGNETIC SAFETY SWITCH	1	1059511	SEN00569	SICK	FI
	16	RE2 / MAGNETIC SAFETY SWITCH MOUNTING	2	1060291	SEN00570	SICK	FI
DTS3	16	RE2 / MAGNETIC SAFETY SWITCH	1	1059511	SEN00569	SICK	FI
	16	RE2 / MAGNETIC SAFETY SWITCH MOUNTING	2	1060291	SEN00570	SICK	FI
DTS4	16	RE2 / MAGNETIC SAFETY SWITCH	1	1059511	SEN00569	SICK	FI
	16	RE2 / MAGNETIC SAFETY SWITCH MOUNTING	2	1060291	SEN00570	SICK	FI
SL01	38	7-COLORS RGB General Purpose Indicator	1	DK-K50L2RGB7Q	PRI00166	BANNER	FI
	38	MOUNTING BASE FOR 7-COLORS INDICATOR	1	SA-E12M30C	PRI00169	BANNER	FI
	38	ADAPTER FOR 7-COLORS INDICATOR	1	SA-M30TE12C	PRI00167	BANNER	FI
	38	SS PIPE 300mm FOR 7-COLORS INDICATOR	1	SOP-E12-300SS	PRI00168	BANNER	FI
DT40	56	LIMIT SWITCH XCMN - TH.PLASTIC ROLLER LEVER PLUNG. HOR - 1NC+1NO - SNAP - 1 M	1	XCMN2121L1	SEN00118	SCHNEIDER ELECTRIC	FI
DTLED1	56	LIMIT SWITCH XCMN - TH.PLASTIC ROLLER LEVER PLUNG. HOR - 1NC+1NO - SNAP - 1 M	1	XCMN2121L1	SEN00118	SCHNEIDER ELECTRIC	FI
DTLED2	56	LIMIT SWITCH XCMN - TH.PLASTIC ROLLER LEVER PLUNG. HOR - 1NC+1NO - SNAP - 1 M	1	XCMN2121L1	SEN00118	SCHNEIDER ELECTRIC	FI
DT20	57	PRISMATIC REFLECTOR; Ø 35 mm	1	E20954	SEN00591	IFM	FI
	57	CABLE M12 4poles STRAIGHT L=10m	1	EVF002	CBL00464	IFM	FI
	57	RETRO-REFLECTIVE SENSOR; PNP; CABLE WITH CONNECTOR	1	O6P301	SEN00603	IFM	FI
DT21	57	PRISMATIC REFLECTOR; Ø 35 mm	1	E20954	SEN00591	IFM	FI
	57	CABLE M12 4poles STRAIGHT L=10m	1	EVF002	CBL00464	IFM	FI
	57	RETRO-REFLECTIVE SENSOR; PNP; CABLE WITH CONNECTOR	1	O6P301	SEN00603	IFM	FI
DT22	57	PRISMATIC REFLECTOR; Ø 35 mm	1	E20954	SEN00591	IFM	FI
	57	CABLE M12 4poles STRAIGHT L=10m	1	EVF002	CBL00464	IFM	FI
	57	RETRO-REFLECTIVE SENSOR; PNP; CABLE WITH CONNECTOR	1	O6P301	SEN00603	IFM	FI
DT23	57	PRISMATIC REFLECTOR; Ø 35 mm	1	E20954	SEN00591	IFM	FI
	57	CABLE M12 4poles STRAIGHT L=10m	1	EVF002	CBL00464	IFM	FI
	57	RETRO-REFLECTIVE SENSOR; PNP; CABLE WITH CONNECTOR	1	O6P301	SEN00603	IFM	FI
DT24	57	PRISMATIC REFLECTOR; Ø 35 mm	1	E20954	SEN00591	IFM	FI
	57	CABLE M12 4poles STRAIGHT L=10m	1	EVF002	CBL00464	IFM	FI
	57	RETRO-REFLECTIVE SENSOR; PNP; CABLE WITH CONNECTOR	1	O6P301	SEN00603	IFM	FI

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN - FRANCE -		Tél : (33).2.98.85.31.36		Date of creation :		Components List		 Ecat-iD Campus						CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
		Fax : (33).2.98.85.31.38		Designed by : DB		INDEX : V6													
		E-mail : ecatic.service@ceva.com		ENVIRONNEMENT : Version 4.49.F - 23/09/2020		ARTICLE : SMXA-C014121								FOLIO : 135/156					

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.

MARK	FOLIO	DESCRIPTION	Qty	REFERENCE	CODE ECAT-ID	MANUFACTURER	LISTING
DT25	57	PRISMATIC REFLECTOR; Ø 35 mm	1	E20954	SEN00591	IFM	FI
	57	CABLE M12 4poles STRAIGHT L=10m	1	EVF002	CBL00464	IFM	FI
	57	RETRO-REFLECTIVE SENSOR; PNP; CABLE WITH CONNECTOR	1	O6P301	SEN00603	IFM	FI
DT26	57	CABLE M12 4poles ELBOW L=10m PP	1	EVF005	CBL00440	IFM	FI
	57	INDUCTIVE SENSOR Ø18 NO	1	IGT203	SEN00024	IFM	FI
DT27	57	CABLE M12 4poles ELBOW L=10m PP	1	EVF005	CBL00440	IFM	FI
	57	INDUCTIVE SENSOR Ø18 NO	1	IGT203	SEN00024	IFM	FI
DT01	58	PRISMATIC REFLECTOR; 50X50mm	1	E20722	SEN00352	IFM	FI
	58	CABLE M8 4poles ELBOW L=10m	1	EVF140	CBL00561	IFM	FI
	58	RETRO-REFLECTIVE LASER SENSOR	1	OJ5136	SEN00350	IFM	FI
DT28	58	CABLE M12 4poles ELBOW L=10m PP	1	EVF005	CBL00440	IFM	FI
	58	INDUCTIVE SENSOR Ø18 NO	1	IGT203	SEN00024	IFM	FI
DT29	58	CABLE M12 4poles ELBOW L=10m PP	1	EVF005	CBL00440	IFM	FI
	58	INDUCTIVE SENSOR Ø18 NO	1	IGT203	SEN00024	IFM	FI
DT30	58	CABLE M12 4poles ELBOW L=10m PP	1	EVF005	CBL00440	IFM	FI
	58	INDUCTIVE SENSOR Ø18 NO	1	IGT203	SEN00024	IFM	FI
DT31	58	CABLE M12 4poles ELBOW L=10m PP	1	EVF005	CBL00440	IFM	FI
	58	INDUCTIVE SENSOR Ø18 NO	1	IGT203	SEN00024	IFM	FI
DT02	59	PRISMATIC REFLECTOR; 50X50mm	1	E20722	SEN00352	IFM	FI
	59	CABLE M8 4poles ELBOW L=10m	1	EVF140	CBL00561	IFM	FI
	59	RETRO-REFLECTIVE LASER SENSOR	1	OJ5136	SEN00350	IFM	FI
DT03	59	PRISMATIC REFLECTOR; 50X50mm	1	E20722	SEN00352	IFM	FI
	59	CABLE M8 4poles ELBOW L=10m	1	EVF140	CBL00561	IFM	FI
	59	RETRO-REFLECTIVE LASER SENSOR	1	OJ5136	SEN00350	IFM	FI
DT04	59	PRISMATIC REFLECTOR; 50X50mm	1	E20722	SEN00352	IFM	FI
	59	CABLE M8 4poles ELBOW L=10m	1	EVF140	CBL00561	IFM	FI
	59	RETRO-REFLECTIVE LASER SENSOR	1	OJ5136	SEN00350	IFM	FI
DT05	59	PRISMATIC REFLECTOR; 50X50mm	1	E20722	SEN00352	IFM	FI
	59	CABLE M8 4poles ELBOW L=10m	1	EVF140	CBL00561	IFM	FI
	59	RETRO-REFLECTIVE LASER SENSOR	1	OJ5136	SEN00350	IFM	FI
DT06	59	PRISMATIC REFLECTOR; 50X50mm	1	E20722	SEN00352	IFM	FI
	59	CABLE M8 4poles ELBOW L=10m	1	EVF140	CBL00561	IFM	FI
	59	RETRO-REFLECTIVE LASER SENSOR	1	OJ5136	SEN00350	IFM	FI

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation :		Components List				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB										ARTICLE : SMXA-C014121				INDEX : V6	
			E-mail : ecatic.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020												FOLIO : 136/156	

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.

MARK	FOLIO	DESCRIPTION	Qty	REFERENCE	CODE ECAT-ID	MANUFACTURER	LISTING
DT07	59	PRISMATIC REFLECTOR; 50X50mm	1	E20722	SEN00352	IFM	FI
	59	CABLE M8 4poles ELBOW L=10m	1	EVF140	CBL00561	IFM	FI
	59	RETRO-REFLECTIVE LASER SENSOR	1	OJ5136	SEN00350	IFM	FI
DT08	59	PRISMATIC REFLECTOR; 50X50mm	1	E20722	SEN00352	IFM	FI
	59	CABLE M8 4poles ELBOW L=10m	1	EVF140	CBL00561	IFM	FI
	59	RETRO-REFLECTIVE LASER SENSOR	1	OJ5136	SEN00350	IFM	FI
DT09	59	PRISMATIC REFLECTOR; 50X50mm	1	E20722	SEN00352	IFM	FI
	59	CABLE M8 4poles ELBOW L=10m	1	EVF140	CBL00561	IFM	FI
	59	RETRO-REFLECTIVE LASER SENSOR	1	OJ5136	SEN00350	IFM	FI
DT10	60	PRISMATIC REFLECTOR; 50X50mm	1	E20722	SEN00352	IFM	FI
	60	CABLE M8 4poles ELBOW L=10m	1	EVF140	CBL00561	IFM	FI
	60	RETRO-REFLECTIVE LASER SENSOR	1	OJ5136	SEN00350	IFM	FI
DT11	60	PRISMATIC REFLECTOR; 50X50mm	1	E20722	SEN00352	IFM	FI
	60	CABLE M8 4poles ELBOW L=10m	1	EVF140	CBL00561	IFM	FI
	60	RETRO-REFLECTIVE LASER SENSOR	1	OJ5136	SEN00350	IFM	FI
DT12	60	PRISMATIC REFLECTOR; 50X50mm	1	E20722	SEN00352	IFM	FI
	60	CABLE M8 4poles ELBOW L=10m	1	EVF140	CBL00561	IFM	FI
	60	RETRO-REFLECTIVE LASER SENSOR	1	OJ5136	SEN00350	IFM	FI
DT13	60	CABLE M12 4poles STRAIGHT L=10m	1	EVF002	CBL00464	IFM	FI
	60	INDUCTIVE SENSOR Ø18 NO	1	IGT203	SEN00024	IFM	FI
DT14	60	CABLE M12 4poles STRAIGHT L=10m	1	EVF002	CBL00464	IFM	FI
	60	INDUCTIVE SENSOR Ø18 NO	1	IGT203	SEN00024	IFM	FI
DT15	60	CABLE M12 4poles STRAIGHT L=10m	1	EVF002	CBL00464	IFM	FI
	60	INDUCTIVE SENSOR Ø18 NO	1	IGT203	SEN00024	IFM	FI
DT16	60	CABLE M12 4poles STRAIGHT L=10m	1	EVF002	CBL00464	IFM	FI
	60	LIMIT SWITCH XCKJ - THERMOPLASTIC ROUND ROD LEVER 6 MM - 1NC+1NO - SNAP - M12	1	XCKJ10559D	SEN00690	SCHNEIDER ELECTRIC	FI
DT100	63	TEMPERATURE SENSOR SUPPORT	1	E10076	SEN00677	IFM	FI
	63	CABLE M12 4poles STRAIGHT L=10m	1	EVF002	CBL00464	IFM	FI
	63	TEMPERATURE SENSOR I/O LINK Pt1000	1	TA2115	SEN00554	IFM	FI
PS01	63	CABLE M12 4poles ELBOW L=10m PP	1	EVF005	CBL00440	IFM	FI
	63	ELECTRONIC PRESSURE MONITOR IOLINK -1-10BAR	1	PV7004	SEN00674	IFM	FI
DT110	64	TEMPERATURE SENSOR SUPPORT	1	E10076	SEN00677	IFM	FI
	64	CABLE M12 4poles STRAIGHT L=10m	1	EVF002	CBL00464	IFM	FI


1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN - FRANCE -		Tél : (33).2.98.85.31.36		Date of creation :		Components List				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
		Fax : (33).2.98.85.31.38		Designed by : DB				ARTICLE : SMXA-C014121						INDEX : V6					
		E-mail : ecatic.service@ceva.com				ENVIRONNEMENT : Version 4.49.F - 23/09/2020		137/156											

[illegible]


1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél :(33).2.98.85.31.36		Date of creation :		Components List				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax :(33).2.98.85.31.38		Designed by : DB										ARTICLE :				INDEX : V6	
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020								SMXA-C014121				FOLIO : 138/156	

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20

THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.




THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.




1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 17/06/2024		Synoptique câblage UVA/UAC				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		INDEX : V10													
			E-mail : ecatid.service@ceva.com				ENVIRONNEMENT : Version 4.49.F - 23/09/2020								ARTICLE : SMXA-C014121				FOLIO : 147/156	


THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.




1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20			
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 17/06/2024		Synoptique câblage UVA/UAC				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE			
			Fax : (33).2.98.85.31.38		Designed by : DB										ARTICLE : SMXA-C014121		INDEX : V10					
			E-mail :ecatid.service@ceva.com		ENVIRONNEMENT:Version 4.49.F - 23/09/2020				FOLIO : 148/156													



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 17/06/2024		Synoptique câblage réseau BOITIER B10				 Ecat-iD Campus			CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		ARTICLE : SMXA-C014121								INDEX : V10				
			E-mail :ecatid.service@ceva.com		ENVIRONNEMENT:Version 4.49.F - 23/09/2020				FOLIO : 149/156										



THIS DOCUMENT IS THE PROPERTY OF ECAT-ID & REMAIN CONFIDENTIAL IT CANNOT BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT OUR APPROVAL IN WRITING.



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ECAT-ID ZI de KERIEL 29800 PLOUEDERN – FRANCE –			Tél : (33).2.98.85.31.36		Date of creation : 17/06/2024		Synoptique câblage réseau ETHERCAT				 Ecat-iD Campus				CONTRACT : C01412		CUSTOMER : PELLEGRINA		COUNTRY : ITALIE	
			Fax : (33).2.98.85.31.38		Designed by : DB		INDEX : V10													
			E-mail :ecatid.service@ceva.com				ENVIRONNEMENT:Version 4.49.F - 23/09/2020								ARTICLE : SMXA-C014121				FOLIO : 151/156	