

Dajngo Views

1. Create a list API with limit offset pagination.
2. Add search, filters(minimum two) and sort (asc&desc).

View.py


```
class UserDataListview(generics.ListAPIView):
    serializer_class = UserDataSerializer

    def get_queryset(self):
        q = self.request.GET.get('q')
        queryset = UserData.objects.all()
        if q :
            queryset = UserData.objects.filter(address__icontains=q)

        p = self.request.GET.get('p')
        if p:
            queryset = queryset.filter(phone=p)

        ordering = self.request.GET.get('ordering')
        if ordering:
            if ordering == 'asc':
                queryset = queryset.order_by('id')
            elif ordering == 'desc':
                queryset = queryset.order_by('-id')
        return queryset
```

Pagenations




```
GET http://127.0.0.1:8000/userdatalistview?limit=3&offset=3&

Status: 200 OK Time: 13 ms Size: 628 B

{
  "count": 10,
  "next": "http://127.0.0.1:8000/userdatalistview/?limit=3&offset=6",
  "previous": "http://127.0.0.1:8000/userdatalistview/?limit=3",
  "results": [
    {
      "id": 13,
      "address": "MNNBV",
      "phone": "5566",
      "user": 6
    },
    {
      "id": 14,
      "address": "BFKKK",
      "phone": "5665",
      "user": 11
    },
    {
      "id": 15,
      "address": "NDJFLJL",
      "phone": "5555",
      "user": 12
    }
  ]
}
```

Search



```
GET http://127.0.0.1:8000/userdatalistview?limit=3&offset=0&q=M

Status: 200 OK Time: 12 ms Size: 467 B

{
  "count": 2,
  "next": null,
  "previous": null,
  "results": [
    {
      "id": 2,
      "address": "RAM",
      "phone": "906",
      "user": 1
    },
    {
      "id": 13,
      "address": "MNNBV",
      "phone": "5566",
      "user": 6
    }
  ]
}
```

Filter

GET http://127.0.0.1:8000/userdata/view?limit=3&offset=0&q=MN&P=5566

Params Authorization Headers (10) **Body** Pre-request Script Tests Settings Cookies Beautify

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL ☐ JSON

```
1 {
2   "username": "newadmin",
3   "password": "Albin@123"
4 }
```

Body Cookies Headers (10) Test Results Status: 200 OK Time: 13 ms Size: 419 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "count": 1,
3   "next": null,
4   "previous": null,
5   "results": [
6     {
7       "id": 13,
8       "address": "MNNBV",
9       "phone": "5566",
10      "user": 6
11    }
12  ]
13 }
```

Sort Ascending

GET http://127.0.0.1:8000/userdata/view?ordering=asc


Params Authorization Headers (10) **Body** Pre-request Script Tests Settings Cookies

Body Cookies Headers (10) Test Results Status: 200 OK Time: 10 ms Size: 878 B Save as example

Pretty Raw Preview Visualize JSON

```
1 [
2   {
3     "id": 1,
4     "address": "Abcdf",
5     "phone": "987456123",
6     "user": 1
7   },
8   {
9     "id": 2,
10    "address": "RAM",
11    "phone": "986",
12    "user": 1
13  },
14  {
15    "id": 12,
16    "address": "ABCD",
17    "phone": "1234567890",
18    "user": 1
19  },
20  {
21    "id": 13,
22    "address": "MNNBV",
23    "phone": "5566",
24    "user": 6
25  }
26 ]
```

Sort Descending



```
GET http://127.0.0.1:8000/userdata1stview/?ordering=desc
Status: 200 OK Time: 28 ms Size: 878 B
Save as example

Body
Pretty Raw Preview Visualize JSON
[{"id": 19, "address": "jllldjglldjl", "phone": "8888855", "user": 5}, {"id": 18, "address": "nbfnjhfgkk", "phone": "555554465", "user": 10}, {"id": 17, "address": "dkfnkjhfkjhdkjj", "phone": "4555", "user": 5}, {"id": 16, "address": "ljjskhk", "phone": "5555", "user": 12}]
```

https://github.com/Albin-Kuriachan/python_beniex/tree/main/17.04.2024