



HABITACION

**PATCH** liberar**GET** buscarHabitacion**DELETE** DELETE**PUT** UPDATE**GET** READ**POST** CREATE

RESERVACION

**PATCH** CANCELAR**POST** reservar**DELETE** DELETE**PUT** UPDATE**GET** READ**POST** CREATE

CLIENTE

**DELETE** DELETE**POST** CREATE**GET** READ**PUT** UPDATE

ADMIN

**DELETE** DELETE**POST** CREATE**GET** READ**PUT** UPDATE

RECEPCIONISTA

AUTH

# Proyecto

curl

▼

## PATCH liberar

localhost:9000/api/habitaci

◀ ▶

Example  
request:

Copy to  
clipboard

```
curl
"localhost:9000/api/habitaci"
\ 
-H 'Content-Type: application/json' \
-H 'User-Agent: insomnia/9.3.2' \
-H 'Authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGci
\ 
-X PATCH
```

## Headers

Content-Type application/json

User-Agent insomnia/9.3.2

Authorization Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MjAwNjU2NDQsInJvbCI6NCwibm9tIjoiam9sYSJ9.esqnM13A7iQhqC27LVbN405yKvCnVi55UqesorLQqtE

## GET

### buscarHabitacion

localhost:9000/api/habitaci

◀ ▶

## Headers

User-Agent insomnia/9.3.2

Example  
request:

Copy to  
clipboard

```
curl
"localhost:9000/api/habitaci"
\ 
-H 'User-Agent: insomnia/9.3.2' \
-H 'Authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGci
\ 
-X GET
```



📁 HABITACION

**PATCH** liberar

**GET** buscarHabitacion

**DELETE** DELETE

**PUT** UPDATE

**GET** READ

**POST** CREATE

📁 RESERVACION

**PATCH** CANCELAR

**POST** reservar

**DELETE** DELETE

**PUT** UPDATE

**GET** READ

**POST** CREATE

📁 CLIENTE

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

📁 ADMIN

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

📁 RECEPCIONISTA

📁 AUTH

```
eyJpc3MiOiJ3ZWItZ
GF0b3MiLCJpYXQiOjE
3MjAwNjU2NDQsInJvb
CI6NCwibm9tIjoiam9
sYSJ9.esqnM13A7iQh
qc27LVbN405yKvCnVi
s5UqesorLQqtE
```

**DELETE**    **DELETE**

localhost:9000/api/habitaci  
 ↶    ▶

### Headers

User-Agent insomnia/9.3.2

Authorization Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MjAwNjU2NDQsInJvbCI6NCwibm9tIjoiam9sYSJ9.esqnM13A7iQhqc27LVbN405yKvCnVi s5UqesorLQqtE

Example request:

Copy to clipboard

```
curl "localhost:9000/api/habitaci
\ -H 'User-Agent: insomnia/9.3.2' \
-H 'Authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MjAwNjU2NDQsInJvbCI6NCwibm9tIjoiam9sYSJ9.esqnM13A7iQhqc27LVbN405yKvCnVi s5UqesorLQqtE
-X DELETE
< >
```

**PUT**    **UPDATE**

localhost:9000/api/habitaci  
 ↶    ▶

### Headers

Content-Type application/json

User-Agent insomnia/9.3.2

Example request:

Copy to clipboard

```
curl "localhost:9000/api/habitaci
\ -H 'Content-Type: application/json' \
-H 'User-Agent: insomnia/9.3.2' \
-H 'Authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MjAwNjU2NDQsInJvbCI6NCwibm9tIjoiam9sYSJ9.esqnM13A7iQhqc27LVbN405yKvCnVi s5UqesorLQqtE
-X PUT \
-d '{
  "id": 1,
  "tipo": "Doble
(2)",
  "descripcion": "
```



## Proyecto

Run in Insomnia

Environment:

&lt;/&gt;

HABITACION

PATCH liberar

GET buscarHabitacion

DELETE DELETE

PUT UPDATE

GET READ

POST CREATE

RESERVACION

PATCH CANCELAR

POST reservar

DELETE DELETE

PUT UPDATE

GET READ

POST CREATE

CLIENTE

DELETE DELETE

POST CREATE

GET READ

PUT UPDATE

ADMIN

DELETE DELETE

POST CREATE

GET READ

PUT UPDATE

RECEPCIONISTA

AUTH

```
eyJpc3MiOiJ3ZWItZ
GF0b3MiLCJpYXQiOjE
3MjAwNjU2NDQsInJvb
CI6NCwibm9tIjoiam9
sYSJ9.esqnM13A7iQh
qc27LVbN405yKvCnVi
s5UqesorLQqtE
```

```
"cantidadHuesped": 2,
  "tarifa": "120.50",
  "imagen": "https://ejemplo.com/disponibilidad": 1
}'
```

## Body json

```
{
  "id": 1,
  "tipo": "Doble (2)",
  "descripcion": "Habitación con dos camas individuales, baño privado y vista al mar.",
  "cantidadHuesped": 2,
  "tarifa": "120.50",
  "imagen": "https://ejemplo.com/imagenes/habitacion_doble.jpg",
  "disponibilidad": 1
}
```

## GET READ

localhost:9000/api/habitaci

Example  
request:Copy to  
clipboard

```
curl
"localhost:9000/api/habitaci
\"
-H 'User-Agent: insomnia/9.3.2' \
-H 'Authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGci
\"
-X GET
```

## Headers

User-Agent insomnia/9.3.2

Authorization Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MjAwNjU2NDQsInJvbCI6NCwibm9tIjoiam9sYSJ9.esqnM13A7iQhqc27LVbN405yKvCnVi s5UqesorLQqtE



**HABITACION**

**PATCH** liberar

**GET** buscarHabitacion

**DELETE** DELETE

**PUT** UPDATE

**GET** READ

**POST** CREATE

**RESERVACION**

**PATCH** CANCELAR

**POST** reservar

**DELETE** DELETE

**PUT** UPDATE

**GET** READ

**POST** CREATE

**CLIENTE**

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

**ADMIN**

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

**RECEPCIONISTA**

**AUTH**

localhost:9000/api/habitaci  
n

## Headers

Content-Type: application/json

User-Agent: insomnia/9.3.2

Authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eJpc3Mi0iJ3ZWItZGF0b3MiLCJpYXQiOjE3MjAwNjU2NDQsInJvbCI6NCwibm9tIjoiam9sYSJ9.esqnM13A7iQhqC27LVbN405yKvCnVis5UqesorLQqtE

```
curl "localhost:9000/api/habitacion" \
-H 'Content-Type: application/json' \
-H 'User-Agent: insomnia/9.3.2' \
-H 'Authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eJpc3Mi0iJ3ZWItZGF0b3MiLCJpYXQiOjE3MjAwNjU2NDQsInJvbCI6NCwibm9tIjoiam9sYSJ9.esqnM13A7iQhqC27LVbN405yKvCnVis5UqesorLQqtE" \
-X POST \
-d '{
  "id": 0,
  "tipo": "Doble",
  "descripcion": "Habitación con dos camas individuales, baño privado y vista al mar.",
  "cantidadHuesped": 2,
  "tarifa": 120.50,
  "imagen": "https://ejemplo.com/imagenes/habitacion_doble.jpg",
  "disponibilidad": true
}'
```

## Body json

```
{
  "id": 0,
  "tipo": "Doble",
  "descripcion": "Habitación con dos camas individuales, baño privado y vista al mar.",
  "cantidadHuesped": 2,
  "tarifa": 120.5,
  "imagen": "https://ejemplo.com/imagenes/habitacion_doble.jpg",
  "disponibilidad": true
}
```

## RESERVACION

**PATCH** CANCELAR

Example request:

Copy to clipboard



## HABITACION

**PATCH** liberar

**GET** buscarHabitacion

**DELETE** DELETE

**PUT** UPDATE

**GET** READ

**POST** CREATE

## RESERVACION

**PATCH** CANCELAR

**POST** reservar

**DELETE** DELETE

**PUT** UPDATE

**GET** READ

**POST** CREATE

## CLIENTE

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

## ADMIN

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

## RECEPCIONISTA

## AUTH

## Headers

User-Agent insomnia/9.3.2

Authorization Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MjAwNjU2NDQsInJvbCI6NCwibm9tIjoiam9sYSJ9.esqnM13A7iQhqc27LVbN405yKvCnVi s5UqesorLQqtE

```
-H 'User-Agent: insomnia/9.3.2' \
-H 'Authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MjAwNjU2NDQsInJvbCI6NCwibm9tIjoiam9sYSJ9.esqnM13A7iQhqc27LVbN405yKvCnVi s5UqesorLQqtE
```

## POST reservar

localhost:9000/api/reservac

## Headers

Content-Type application/json

User-Agent insomnia/9.3.2

Authorization Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MjAwNjU2NDQsInJvbCI6NCwibm9tIjoiam9sYSJ9.esqnM13A7iQhqc27LVbN405yKvCnVi s5UqesorLQqtE

Example request:

Copy to clipboard

```
curl "localhost:9000/api/reservac" \
-H 'Content-Type: application/json' \
-H 'User-Agent: insomnia/9.3.2' \
-H 'Authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MjAwNjU2NDQsInJvbCI6NCwibm9tIjoiam9sYSJ9.esqnM13A7iQhqc27LVbN405yKvCnVi s5UqesorLQqtE" -X POST -d '{ "idCliente": "888", "idRepcionista": "888", "idHabitacion": 5, "fechaEntrada": "2024-07-15 15:22", "cantidadNoches": 3 }
```

## Body json

```
{
  "idCliente": "888",
  "idRepcionista": "888",
```



📁 HABITACION

**PATCH** liberar

**GET** buscarHabitacion

**DELETE** **DELETE**

Example  
request:

Copy to  
clipboard

```
curl
"localhost:9000/api/reserva"
\ -X DELETE
-H 'User-Agent: insomnia/9.3.2'
-H 'Authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGci
\ -X DELETE
```

Headers

User-Agent insomnia/9.3.2

Authorization Bearer  
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9  
eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MjAwNjU2NDQsInJvbCI6NCwibm9tIjoiam9sYSJ9.esqnM13A7iQhqc27LVbN405yKvCnVi  
s5UqesorLQqtE

📁 RESERVACION

**PATCH** CANCELAR

**POST** reservar

**DELETE** DELETE

**PUT** UPDATE

**GET** READ

**POST** CREATE

📁 CLIENTE

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

📁 ADMIN

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

📁 RECEPCIONISTA

📁 AUTH

**PUT** **UPDATE**

Example  
request:

Copy to  
clipboard

```
curl
"localhost:9000/api/reserva"
\ -H 'Content-Type: application/json'
-H 'User-Agent: insomnia/9.3.2'
-H 'Authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGci
\ -X PUT \
-d '{
  "id": 1,
  "idCliente": "888",
  "idRepcionista": "888",
  "idHabitacion": 1,
  "fechaEntrada": "2024-07-10 00:00:00",
  "cantidadNoches": 3,
  "fechaFinalizacion": "
```

Headers

Content-Type application/json

User-Agent insomnia/9.3.2

Authorization Bearer  
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9  
eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MjAwNjU2NDQsInJvbCI6NCwibm9tIjoiam9sYSJ9.esqnM13A7iQh



HABITACION

**PATCH** liberar

**GET** buscarHabitacion

**DELETE** DELETE

**PUT** UPDATE

**GET** READ

**POST** CREATE

RESERVACION

**PATCH** CANCELAR

**POST** reservar

**DELETE** DELETE

Body json

```
{
    "id": 1,
    "idCliente": "888",
    "idRepcionista": "888",
    "idHabitacion": 1,
    "fechaEntrada": "2024-07-10 00:00:00",
    "cantidadNoches": 3,
    "fechaFinalizacion": "2024-07-01 00:00:00",
    "montoFinal": "35.00"
}
```

CLIENTE

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

ADMIN

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

RECEPCIONISTA

AUTH

GET READ

localhost:9000/api/reservacion

Headers

User-Agent insomnia/9.3.2

Authorization Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MjAwNjU2NDQsInJvbCI6NCwibm9tIjoiam9sYSJ9.esqnM13A7iQhqc27LVbN4O5yKvCnViS5UqesorLQqtE

Example request:

Copy to clipboard

```
curl "localhost:9000/api/reservacion" \
-H 'User-Agent: insomnia/9.3.2' \
-H 'Authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MjAwNjU2NDQsInJvbCI6NCwibm9tIjoiam9sYSJ9.esqnM13A7iQhqc27LVbN4O5yKvCnViS5UqesorLQqtE"
```

POST CREATE

localhost:9000/api/reservacion

Headers

Example request:

Copy to clipboard

```
curl "localhost:9000/api/reservacion" \
-H 'Content-Type: application/json' \
-H 'User-Agent: insomnia/9.3.2'
```



## HABITACION

**PATCH** liberar

**GET** buscarHabitacion

**DELETE** DELETE

**PUT** UPDATE

**GET** READ

**POST** CREATE

## RESERVACION

**PATCH** CANCELAR

**POST** reservar

**DELETE** DELETE

**PUT** UPDATE

**GET** READ

**POST** CREATE

## CLIENTE

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

## ADMIN

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

## RECEPCIONISTA

## AUTH

User-Agent insomnia/9.3.2

Authorization Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MjAwNjU2NDQsInJvbCI6NCwibm9tIjoiam9sYSJ9.esqnM13A7iQhqc27LVbN405yKvCnVi55UqesorLQqtE

```
\-X POST \
-d '{
  "idCliente": "888",
  "idRepcionista": "888",
  "idHabitacion": 6,
  "fechaEntrada": "2024-07-10 00:00:00",
  "cantidadNoches": 3,
  "fechaFinalizacion": "2024-07-01 00:00:00",
  "montoFinal": "350.00",
  "estado": null
}'
```

**Body** json

```
{
  "idCliente": "888",
  "idRepcionista": "888",
  "idHabitacion": 6,
  "fechaEntrada": "2024-07-10 00:00:00",
  "cantidadNoches": 3,
  "fechaFinalizacion": "2024-07-01 00:00:00",
  "montoFinal": "350.00",
  "estado": null
}
```

## CLIENTE

**DELETE** **DELETE**

localhost:9000/api/cliente/

## Headers

Content-Type application/json

User-Agent insomnia/8.6.1

Example request:

Copy to clipboard

```
curl "localhost:9000/api/cliente/" \
-H 'Content-Type: application/json' \
-H 'User-Agent: insomnia/8.6.1' \
-H 'Authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MjAwNjU2NDQsInJvbCI6NCwibm9tIjoiam9sYSJ9.esqnM13A7iQhqc27LVbN405yKvCnVi55UqesorLQqtE" \
-X DELETE \
-d '{
  "usuario": "100",
  "passw": "100"
}'
```



📁 HABITACION

**PATCH** liberar

**GET** buscarHabitacion

**DELETE** DELETE

**PUT** UPDATE

**GET** READ

**POST** CREATE

📁 RESERVACION

**PATCH** CANCELAR

**POST** reservar

**DELETE** DELETE

**PUT** UPDATE

**GET** READ

**POST** CREATE

📁 CLIENTE

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

📁 ADMIN

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

📁 RECEPCIONISTA

📁 AUTH

```
eyJpc3MiOiJZWIzZGJhGci0iJIUzI1NiJ9
.GF0b3MiLCJpYXQiOjE
3MTk5MDAzNzUsInJvb
CI6NCwibm9tIjoisij
9.r1zg1jE1ES_cKc80
pDsV6_ZnzPdypcwhVc
w6UwgFrLo
```

**Body** json

```
{
  "usuario": "100",
  "passw": "100"
}
```

**POST** CREATE

localhost:9000/api/cliente  
◀ ▶

**Parameters**

direccion CIENEGUITA  
n

**Headers**

Content-Type application/json

User-Agent insomnia/8.6.1

Authorization Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9
eyJpc3MiOiJZWIzZGJhGci0iJIUzI1NiJ9
.GF0b3MiLCJpYXQiOjE
3MjAwNjU2NDQsInJvb
CI6NCwibm9tIjoiam9
sYSJ9.esqnM13A7iQh
qc27LVbN405yKvCnVi
s5UqesorLQqtE

Example request:

Copy to clipboard

```
curl
"localhost:9000/api/cliente"
direccion=CIENEGUITA" \
-H 'Content-Type: application/json' \
-H 'User-Agent: insomnia/8.6.1' \
-H 'Authorization: Bearer
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9
-X POST \
-d '{
  "idUsuario": "66",
  "nombre": "Jola",
  "apellido1": "Martínez",
  "apellido2": "Sánchez",
  "telefono": "987654321",
  "celular": "123456789",
  "direccion": "Avenida Central 456",
  "correo": "a@email.com",
  "fechaIngreso": "2024-04-17 17:39:56"
}'
```



HABITACION

**PATCH** liberar

**GET** buscarHabitacion

**DELETE** DELETE

**PUT** UPDATE

**GET** READ

**POST** CREATE

RESERVACION

**PATCH** CANCELAR

**POST** reservar

**DELETE** DELETE

**PUT** UPDATE

**GET** READ

**POST** CREATE

CLIENTE

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

ADMIN

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

RECEPCIONISTA

AUTH

```
{
  "idUsuario": "66",
  "nombre": "Jola",
  "apellido1":
  "Martínez",
  "apellido2": "Sánchez",
  "telefono":
  "987654321",
  "celular": "123456789",
  "direccion": "Avenida
Central 456",
  "correo":
  "a@email.com",
  "fechaIngreso": "2024-
04-17 17:39:56"
}
```

## GET READ

localhost:9000/api/cliente/

### Parameters

serie playa

### Headers

Content-Type application/json

Type

User-Agent insomnia/8.6.1

Authorization Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9 .eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MTk5MDAzNzUsInJvbCI6NCwibm9tIjoiSiJ9.r1zg1jE1ES\_cKc80pDsV6\_ZnzPdypcwhVcw6UwgFrLo

### Body json

Example request:

Copy to clipboard

```
curl
"localhost:9000/api/cliente/
serie=playa" \
-H 'Content-Type:
application/json' \
-H 'User-Agent:
insomnia/8.6.1' \
-H 'Authorization:
Bearer
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9 .eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MTk5MDAzNzUsInJvbCI6NCwibm9tIjoiSiJ9.r1zg1jE1ES_cKc80pDsV6_ZnzPdypcwhVcw6UwgFrLo
-X GET \
-d '{
  "idCliente": 4,
  "serie": "De la
playa",
  "marca":
  "Sardimar",
  "modelo": "Atun",
  "categoria":
  "Comida",
  "descripcion": "Ta
muy rico"
}'
```

**HABITACION****PATCH** liberar**GET** buscarHabitacion**DELETE** DELETE**PUT** UPDATE**GET** READ**POST** CREATE**RESERVACION****PATCH** CANCELAR**POST** reservar**DELETE** DELETE**PUT** UPDATE**GET** READ**POST** CREATE**CLIENTE****DELETE** DELETE**POST** CREATE**GET** READ**PUT** UPDATE**ADMIN****DELETE** DELETE**POST** CREATE**GET** READ**PUT** UPDATE**RECEPCIONISTA****AUTH**

```

    "marca": "Sardimar",
    "modelo": "Atun",
    "categoria": "Comida",
    "descripcion": "Ta muy
    rico"
}
```

**PUT UPDATE**

localhost:9000/api/cliente/

**Headers**

Content-Type application/json

User-Agent insomnia/8.6.1

Authorization Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9 .eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MTk5MDAzNzUsInJvbCI6NCwibm9tIjoiSiJ9.r1zg1jE1ES\_cKc80pDsV6\_ZnzPdypcwhVcw6UwgFrLo

**Body json**

```
{
    "id": 0,
    "idUsuario": "",
    "nombre": "mkllkjlkj",
    "apellido1": "kjlljk",
    "apellido2": "jkjk",
    "telefono": "4645",
    "celular": "95566565",
    "direccion": null,
    "correo": "",
    "fechaIngreso": "2024-07-07 06:59:05"
}
```

Example  
request:

Copy to  
clipboard

```

curl
"localhost:9000/api/cliente/"
\ -H 'Content-Type: application/json' \
-H 'User-Agent: insomnia/8.6.1' \
-H 'Authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9 .eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MTk5MDAzNzUsInJvbCI6NCwibm9tIjoiSiJ9.r1zg1jE1ES_cKc80pDsV6_ZnzPdypcwhVcw6UwgFrLo"
-X PUT \
-d '{
    "id": 0,
    "idUsuario": "",
    "nombre": "mkllkjlkj",
    "apellido1": "kjlljk",
    "apellido2": "jkjk",
    "telefono": "4645",
    "celular": "95566565",
    "direccion": null,
    "correo": "",
    "fechaIngreso": "2024-07-07 06:59:05"
}'
```



## HABITACION

**PATCH** liberar

**GET** buscarHabitacion

**DELETE** DELETE

**PUT** UPDATE

**GET** READ

**POST** CREATE

## RESERVACION

**PATCH** CANCELAR

**POST** reservar

**DELETE** DELETE

**PUT** UPDATE

**GET** READ

**POST** CREATE

## CLIENTE

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

## ADMIN

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

## RECEPCIONISTA

## AUTH

**DELETE**

**DELETE**

localhost:9000/api/administ

## Headers

Content-Type application/json

User-Agent insomnia/8.6.1

Authorization Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MTk5MDAzNzUsInJvbCI6NCwibm9tIjoiSiJ9.r1zg1jE1ES\_cKc80pDsV6\_ZnzPdypcwhVcw6UwgFrLo

## Body json

```
{
  "usuario": "100",
  "passw": "100"
}
```

**POST**

**CREATE**

localhost:9000/api/administ

## Parameters

direccion CIENEGUITA

Example

request:

Copy to clipboard

```
curl "localhost:9000/api/administ" \
-H 'Content-Type: application/json' \
-H 'User-Agent: insomnia/8.6.1' \
-H 'Authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MTk5MDAzNzUsInJvbCI6NCwibm9tIjoiSiJ9.r1zg1jE1ES_cKc80pDsV6_ZnzPdypcwhVcw6UwgFrLo" \
-X DELETE \
-d '{ "usuario": "100", "passw": "100" }'
```

Example

request:

Copy to clipboard

```
curl "localhost:9000/api/administ?direccion=CIENEGUITA" \
-H 'Content-Type: application/json' \
-H 'User-Agent: insomnia/8.6.1' \
-H 'Authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MTk5MDAzNzUsInJvbCI6NCwibm9tIjoiSiJ9.r1zg1jE1ES_cKc80pDsV6_ZnzPdypcwhVcw6UwgFrLo" \
-X POST \
```



## Proyecto

Run in Insomnia

Environment:

&lt;/&gt;

## HABITACION

**PATCH** liberar**GET** buscarHabitacion**DELETE** DELETE**PUT** UPDATE**GET** READ**POST** CREATE

## RESERVACION

**PATCH** CANCELAR**POST** reservar**DELETE** DELETE**PUT** UPDATE**GET** READ**POST** CREATE

## CLIENTE

**DELETE** DELETE**POST** CREATE**GET** READ**PUT** UPDATE

## ADMIN

**DELETE** DELETE**POST** CREATE**GET** READ**PUT** UPDATE

## RECEPCIONISTA

## AUTH

Content-Type: application/json

User-Agent: insomnia/8.6.1

Authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9 .eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MjAwNjU2NDQsInJvbCI6NCwibm9tIjoiam9sYSJ9.esqnM13A7iQhs27LVbN405yKvCnVi s5UqesorLQqtE

```
"Martínez",
  "apellido2": "Sánchez",
  "telefono": "987654321",
  "celular": "123456789",
  "direccion": "Avenida Central 456",
  "correo": "a@email.com",
  "fechaIngreso": "2024-04-17 17:39:56"
}'
```

## Body json

```
{
  "idUsuario": "66",
  "nombre": "Jola",
  "apellido1": "Martínez",
  "apellido2": "Sánchez",
  "telefono": "987654321",
  "celular": "123456789",
  "direccion": "Avenida Central 456",
  "correo": "a@email.com",
  "fechaIngreso": "2024-04-17 17:39:56"
}
```

## GET READ

localhost:9000/api/cliente/

&lt; | [ ] | &gt;

## Parameters

serie playa

## Headers

Example request:

Copy to clipboard

```
curl
"localhost:9000/api/cliente/" \
  -H 'Content-Type: application/json' \
  -H 'User-Agent: insomnia/8.6.1' \
  -H 'Authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9 .eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MjAwNjU2NDQsInJvbCI6NCwibm9tIjoiam9sYSJ9.esqnM13A7iQhs27LVbN405yKvCnVi s5UqesorLQqtE" \
  -X GET \
  -d '{
    "idCliente": 4,
    "serie": "De la'
```



## Proyecto

Run in Insomnia

Environment:

&lt;/&gt;

## HABITACION

**PATCH** liberar**GET** buscarHabitacion**DELETE** DELETE**PUT** UPDATE**GET** READ**POST** CREATE

## RESERVACION

**PATCH** CANCELAR**POST** reservar**DELETE** DELETE**PUT** UPDATE**GET** READ**POST** CREATE

## CLIENTE

**DELETE** DELETE**POST** CREATE**GET** READ**PUT** UPDATE

## ADMIN

**DELETE** DELETE**POST** CREATE**GET** READ**PUT** UPDATE

## RECEPCIONISTA

## AUTH

User-Agent	insomnia/8.6.1	"categoria": "Comida", "descripcion": "Ta muy rico" }'
Authorization	Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MTk5MDAzNzUsInJvbCI6NCwibm9tIjoiSiJ9.r1zg1jE1ES_cKc80pDsV6_ZnzPdypcwhVcw6UwgFrLo	

## Body json

```
{
  "idCliente": 4,
  "serie": "De la playa",
  "marca": "Sardimar",
  "modelo": "Atun",
  "categoria": "Comida",
  "descripcion": "Ta muy rico"
}
```

## PUT UPDATE

localhost:9000/api/administ

## Headers

Content-Type application/json

User-Agent insomnia/8.6.1

Authorization Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MTk5MDAzNzUsInJvbCI6NCwibm9tIjoiSiJ9.r1zg1jE1ES\_cKc80

Example request:

Copy to clipboard

```
curl "localhost:9000/api/administ" \
-H 'Content-Type: application/json' \
-H 'User-Agent: insomnia/8.6.1' \
-H 'Authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MTk5MDAzNzUsInJvbCI6NCwibm9tIjoiSiJ9.r1zg1jE1ES_cKc80" \
-X PUT \
-d '{
  "id": 0,
  "idUsuario": "",
  "nombre": "mkllkjlkj",
  "apellido1": "kjlljk",
  "apellido2": "jkjk",
  "telefono": "4645",
  "celular": "95566565",
  "direccion": null,
  "correo": ""}'
```



📁 HABITACION

**PATCH** liberar

**GET** buscarHabitacion

**DELETE** DELETE

**PUT** UPDATE

**GET** READ

**POST** CREATE

📁 RESERVACION

**PATCH** CANCELAR

**POST** reservar

**DELETE** DELETE

**PUT** UPDATE

**GET** READ

**POST** CREATE

📁 CLIENTE

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

📁 ADMIN

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

📁 RECEPCIONISTA

📁 AUTH

Body json

```
{
  "id": 0,
  "idUsuario": "",
  "nombre": "mkllkj1lkj",
  "apellido1": "kjlljk",
  "apellido2": "jkjk",
  "telefono": "4645",
  "celular": "95566565",
  "direccion": null,
  "correo": "",
  "fechaIngreso": "2024-07-07 06:59:05"
}
```

## RECEPCIONISTA

**DELETE** DELETE

### Headers

Content-Type application/json

User-Agent insomnia/8.6.1

Authorization Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MTk5MDAzNzUsInJvbCI6NCwibm9tIjoiSiJ9.r1zg1jE1ES\_cKc80pDsV6\_ZnzPdypcwhVcw6UwgFrLo

Example request:

Copy to clipboard

```
curl "localhost:9000/api/recepcio
\ -H 'Content-Type: application/json' \
-H 'User-Agent: insomnia/8.6.1' \
-H 'Authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MTk5MDAzNzUsInJvbCI6NCwibm9tIjoiSiJ9.r1zg1jE1ES_cKc80pDsV6_ZnzPdypcwhVcw6UwgFrLo
-X DELETE \
-d '{
  "usuario": "100",
  "passw": "100"
}'
```

Body json



## HABITACION

**PATCH** liberar

**GET** buscarHabitacion

**DELETE** DELETE

**PUT** UPDATE

**GET** READ

**POST** CREATE

## RESERVACION

**PATCH** CANCELAR

**POST** reservar

**DELETE** DELETE

**PUT** UPDATE

**GET** READ

**POST** CREATE

## CLIENTE

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

## ADMIN

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

## RECEPCIONISTA

## AUTH

## POST CREATE

localhost:9000/api/recepcionista

### Parameters

direccion CIENEGUITA  
n

### Headers

Content-Type application/json

Type

User-Agent insomnia/8.6.1

Authorization Bearer  
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9  
.eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE  
3MjAwNjU2NDQsInJvbCI6NCwibm9tIjoiam9sYSJ9.esqnM13A7iQhqc27LVbN405yKvCnVi  
s5UqesorLQqtE

### Body json

```
{
  "idUsuario": "66",
  "nombre": "Jola",
  "apellido1": "Martínez",
  "apellido2": "Sánchez",
  "telefono": "987654321",
  "celular": "123456789",
  "direccion": "Avenida Central 456",
  "correo": "a@email.com",
  "fechaIngreso": "2024-04-17 17:39:56"
}
```

Example request:

Copy to clipboard

```
curl
"localhost:9000/api/recepcionista"
-d "direccion=CIENEGUITA" \
-H 'Content-Type: application/json' \
-H 'User-Agent: insomnia/8.6.1' \
-H 'Authorization: Bearer
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9
.XeyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE
3MjAwNjU2NDQsInJvbCI6NCwibm9tIjoiam9sYSJ9.esqnM13A7iQhqc27LVbN405yKvCnVi
s5UqesorLQqtE
-X POST \
-d '{
  "idUsuario": "66",
  "nombre": "Jola",
  "apellido1": "Martínez",
  "apellido2": "Sánchez",
  "telefono": "987654321",
  "celular": "123456789",
  "direccion": "Avenida Central 456",
  "correo": "a@email.com",
  "fechaIngreso": "2024-04-17 17:39:56"
}'
```



## HABITACION

**PATCH** liberar

**GET** buscarHabitacion

**DELETE** DELETE

**PUT** UPDATE

**GET** READ

**POST** CREATE

## RESERVACION

**PATCH** CANCELAR

**POST** reservar

**DELETE** DELETE

**PUT** UPDATE

**GET** READ

**POST** CREATE

## CLIENTE

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

## ADMIN

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

## RECEPCIONISTA

## AUTH

**GET** READ

localhost:9000/api/cliente/

### Parameters

serie playa

### Headers

Content-Type application/json

Type

User-Agent insomnia/8.6.1

Authorization Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9 .eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MTk5MDAzNzUsInJvbCI6NCwibm9tIjoiSiJ9.r1zg1jE1ES\_cKc80pDsv6\_ZnzPdypcwhVcw6UwgFrLo

### Body json

```
{
  "idCliente": 4,
  "serie": "De la playa",
  "marca": "Sardimar",
  "modelo": "Atun",
  "categoria": "Comida",
  "descripcion": "Ta muy rico"
}
```

**PUT** UPDATE

Example request:

Copy to clipboard

```
curl "localhost:9000/api/cliente/serie=playa" \
-H 'Content-Type: application/json' \
-H 'User-Agent: insomnia/8.6.1' \
-H 'Authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9 .eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MTk5MDAzNzUsInJvbCI6NCwibm9tIjoiSiJ9.r1zg1jE1ES_cKc80pDsv6_ZnzPdypcwhVcw6UwgFrLo" \
-X GET \
-d '{
  "idCliente": 4,
  "serie": "De la playa",
  "marca": "Sardimar",
  "modelo": "Atun",
  "categoria": "Comida",
  "descripcion": "Ta muy rico"
}'
```



## HABITACION

**PATCH** liberar

**GET** buscarHabitacion

**DELETE** DELETE

**PUT** UPDATE

**GET** READ

**POST** CREATE

## RESERVACION

**PATCH** CANCELAR

**POST** reservar

**DELETE** DELETE

**PUT** UPDATE

**GET** READ

**POST** CREATE

## CLIENTE

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

## ADMIN

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

## RECEPCIONISTA

## AUTH

### Headers

Content-Type application/json

User-Agent insomnia/8.6.1

Authorization Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MTk5MDAzNzUsInJvbCI6NCwibm9tIjoiSiJ9.r1zg1jE1ES\_cKc80pDsV6\_ZnzPdypcwhVcw6UwgFrLo

### Body json

```
{
  "id": 0,
  "idUsuario": "",
  "nombre": "mkllkjlkj",
  "apellido1": "kjlljk",
  "apellido2": "jkjk",
  "telefono": "4645",
  "celular": "95566565",
  "direccion": null,
  "correo": "",
  "fechaIngreso": "2024-07-07 06:59:05"
}
```

```
-H 'Content-Type: application/json' \
-H 'User-Agent: insomnia/8.6.1' \
-H 'Authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MTk5MDAzNzUsInJvbCI6NCwibm9tIjoiSiJ9.r1zg1jE1ES_cKc80pDsV6_ZnzPdypcwhVcw6UwgFrLo
-X PUT \
-d '{
  "id": 0,
  "idUsuario": "",
  "nombre": "mkllkjlkj",
  "apellido1": "kjlljk",
  "apellido2": "jkjk",
  "telefono": "4645",
  "celular": "95566565",
  "direccion": null,
  "correo": "",
  "fechaIngreso": "2024-07-07 06:59:05"
}'
```

### AUTH

#### POST iniciar

localhost:9000/api/auth/init

Example request:

Copy to clipboard

```
curl "localhost:9000/api/auth/init" \
-H 'Content-Type: application/json' \
-H 'User-Agent: insomnia/9.3.2' \
-X POST \
```

### Headers



HABITACION

**PATCH** liberar

**GET** buscarHabitacion

**DELETE** DELETE

**PUT** UPDATE

**GET** READ

**POST** CREATE

RESERVACION

**PATCH** CANCELAR

**POST** reservar

**DELETE** DELETE

**PUT** UPDATE

**GET** READ

**POST** CREATE

CLIENTE

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

ADMIN

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

RECEPCIONISTA

AUTH

User-Agent insomnia/9.3.2

**Body** json

```
{
  "usuario": "999",
  "passw": "999"
}
```

**PUT** cambiarRol

localhost:8000/usr/cambiar/

**Headers**

Content-Type application/json

User-Agent insomnia/9.2.0

**Body** json

```
{
  "rol": 3
}
```

**GET** cambiarPassw

localhost:3000/cliente/busca

**Headers**

Content-Type application/json

Example request:

Copy to clipboard

```
curl
"localhost:8000/usr/cambiar/" \
-H 'Content-Type: application/json' \
-H 'User-Agent: insomnia/9.2.0' \
-X PUT \
-d '{
  "rol": 3
}'
```

Example request:

Copy to clipboard

```
curl
"localhost:3000/cliente/buscar/" \
-H 'Content-Type: application/json' \
-H 'User-Agent: insomnia/9.2.0' \
-X GET \
-d '{
  "origen": "
```



📁 HABITACION

**PATCH** liberar

**GET** buscarHabitacion

**DELETE** DELETE

**PUT** UPDATE

**GET** READ

**POST** CREATE

📁 RESERVACION

**PATCH** CANCELAR

**POST** reservar

**DELETE** DELETE

**PUT** UPDATE

**GET** READ

**POST** CREATE

📁 CLIENTE

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

📁 ADMIN

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

📁 RECEPCIONISTA

📁 AUTH

**Body** json

```
{
  "origen": "123456789",
  "destino": "25",
  "monto": 0.25
}
```

**PATCH** reset

localhost:9000/api/usr/rese

**Headers**

Content-Type application/json

Type

User-Agent insomnia/9.2.0

Authorization Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9 .eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MjAwNzU5NjgsInJvbCI6NCwibm9tIjoiam9sYSJ9.89BMAP9Bgp6ELnsYegEuIJEGbe6jpTkNPZTJX\_eyJNE

**Body** json

```
{
  "passw": "88755521Liang@"
}
```

**PATCH** cerrar

Example request:

Copy to clipboard

```
curl
"localhost:9000/api/usr/
\ -H 'Content-Type: application/json' \
-H 'User-Agent: insomnia/9.2.0' \
-H 'Authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9 .eyJpc3MiOiJ3ZWItZGF0b3MiLCJpYXQiOjE3MjAwNzU5NjgsInJvbCI6NCwibm9tIjoiam9sYSJ9.89BMAP9Bgp6ELnsYegEuIJEGbe6jpTkNPZTJX_eyJNE"
-X PATCH \
-d '{"
  "passw" :
    "88755521Liang@"
}'
```



📁 HABITACION

**PATCH** liberar

**GET** buscarHabitacion

**DELETE** DELETE

**PUT** UPDATE

**GET** READ

**POST** CREATE

📁 RESERVACION

**PATCH** CANCELAR

**POST** reservar

**DELETE** DELETE

**PUT** UPDATE

**GET** READ

**POST** CREATE

📁 CLIENTE

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

📁 ADMIN

**DELETE** DELETE

**POST** CREATE

**GET** READ

**PUT** UPDATE

📁 RECEPCIONISTA

📁 AUTH

## Headers

User-Agent insomnia/9.2.0

```
-H 'User-Agent: insomnia/9.2.0' \
-X PATCH
```

## PATCH refreshar

localhost:9000/api/auth/ref

Example  
request:

Copy to  
clipboard

```
curl
"localhost:9000/api/auth/
\
-H 'Content-Type: application/json' \
-H 'User-Agent: insomnia/8.6.1' \
-X PATCH \
-d '{
  "idUsuario": "888",
  "tkRef":
"eyJ0eXAiOiJKV1QiLCJhbGci
OjIzIzI1NiJ9.eyJpc3Mi0iJ3
ZWItZGF0b3MiLCJpYXQiOjE3M
Tk5NjgyNTESInJvbCI6NCwibm
9tIjoiam9sYSJ9.aTztQU3_bp
4Jf-
onQ3ivAzyBq6mlcUq1ao6B_go
D84A"
}
```

## Headers

Content-Type application/json

User-Agent insomnia/8.6.1

## Body json

```
{
  "idUsuario": "888",
  "tkRef":
"eyJ0eXAiOiJKV1QiLCJhbGci
OjIzIzI1NiJ9.eyJpc3Mi0iJ3
ZWItZGF0b3MiLCJpYXQiOjE3M
Tk5NjgyNTESInJvbCI6NCwibm
9tIjoiam9sYSJ9.aTztQU3_bp
4Jf-
onQ3ivAzyBq6mlcUq1ao6B_go
D84A"
```