



Ordering Food System

Beast Bite

Database Management Systems
Dr. Tran Cong An

Nguyễn Thị Hoài Thương - B2111959

◆ Chức năng

1. Đăng ký
2. Đăng nhập
3. Thêm món vào giỏ hàng
4. Xóa món khỏi giỏ hàng
5. Xem chi tiết món
6. Tìm kiếm món
7. Xem lịch sử chi tiết đơn hàng
8. Xem thực đơn
9. Xem chi tiết giỏ hàng
10. Đặt đơn

2. Procedure/Function – Đăng ký #1

```
-- 1. Registration
DELIMITER $$
CREATE PROCEDURE register(
    IN p_username VARCHAR(255),
    IN p_useremail VARCHAR(255),
    IN p_userpwd VARCHAR(255),
    IN p_userphone VARCHAR(10),
    IN p_userbirthday DATE,
    IN p_useraddress VARCHAR(255),
    OUT p_message VARCHAR(255))
BEGIN
    DECLARE existing INT DEFAULT 0;
    SELECT COUNT(*) INTO existing
    FROM users
    WHERE useremail = p_useremail OR userphone = p_userphone;
    IF existing > 0 THEN
        SET p_message = 'Email or phone number already exists!';
    ELSE
        INSERT INTO users (username, useremail, userpwd, userphone, userbirthday, useraddress, userrole)
        VALUES (p_username, p_useremail, p_userpwd, p_userphone, p_userbirthday, p_useraddress, 1);
        SET p_message = 'Registered successfully!';
    END IF;
END $$
DELIMITER ;
```

```
run:
|----- Hi, I am Beast Bite -----|
|                                     |
|                                     1. REGISTER |
|                                     2. LOGIN   |
|                                     0. EXIT    |
|-----|
If you don't have an account, please choose 1 to create a new account!

Your choice:
1
Enter username: Nguyễn Thị Hoài Thương
Enter email: t@gmail.com
Enter password: 1
Enter phone: 0999999999
Enter birthday (YYYY-MM-DD): 2003-01-01
Enter address: Can Tho
Registered successfully!
|----- Hi, I am Beast Bite -----|
|                                     |
|                                     1. REGISTER |
|                                     2. LOGIN   |
|                                     0. EXIT    |
|-----|
If you don't have an account, please choose 1 to create a new account!

Your choice:
```

2. Procedure/Function – Đăng nhập #2

```
-- 2. Login
DELIMITER $$
CREATE PROCEDURE login(
    IN p_useremail VARCHAR(255),
    IN p_userpwd VARCHAR(255),
    OUT p_userid INT,
    OUT p_userrole INT,
    OUT p_message VARCHAR(255)
)
BEGIN
    DECLARE existing INT DEFAULT 0;
    SELECT COUNT(*), userid, userrole INTO existing, p_userid, p_userrole
    FROM users
    WHERE useremail = p_useremail AND userpwd = p_userpwd;

    IF existing = 0 THEN
        SET p_message = 'Email does not exist or password is incorrect';
        SET p_userid = NULL;
        SET p_userrole = NULL;
    ELSE
        SET p_message = 'Login successful';
    END IF;
END $$
DELIMITER ;
```

Your choice:

2

Email: t@gmail.com

Password: 1

Login successful

```
|----- Hi, Welcome to Beast Bite -----|
|                                     |
|                               Welcome, Customer! |
|                                     |
|                               1. VIEW MENU |
|                               2. ADD TO CART |
|                               3. VIEW CART |
|                               4. REMOVE FROM CART |
|                               5. GET DETAIL ITEM |
|                               6. SEARCH ITEM BY NAME |
|                               7. VIEW HISTORY ACTIVITY |
|                               0. LOGOUT |
|-----|
```

Your choice: "

2. Procedure/Function – Thêm món vào giỏ hàng #3

```
144 -- 3. Add Item to Cart
145 DELIMITER $$
146 ● CREATE PROCEDURE add_item_toCart(
147     IN p_userid INT,
148     IN p_item_id INT,
149     IN p_quantity INT,
150     OUT p_message VARCHAR(255)
151 )
152 ○ BEGIN
153     DECLARE v_order_id INT;
154     DECLARE v_item_price DECIMAL(10, 2);
155     DECLARE v_total_price DECIMAL(10, 2);
156     DECLARE v_order_exists INT DEFAULT 0;
157
158     START TRANSACTION;
159     SELECT order_id INTO v_order_id
160     FROM orders
161     WHERE userid = p_userid
162           AND status = 'Pending'
163     LIMIT 1;
164
165     IF v_order_id IS NOT NULL THEN
166         SET v_order_exists = 1;
167     END IF;
168
169     IF v_order_exists = 0 THEN
170         INSERT INTO orders (userid, total_price, status)
171         VALUES (p_userid, 0, 'Pending');
172         -- Lấy order_id mới tạo
173         SET v_order_id = LAST_INSERT_ID();
174     END IF;
175
176     SELECT item_price INTO v_item_price
177     FROM menu_items
178     WHERE item_id = p_item_id;
179
180     SET v_total_price = v_item_price * p_quantity;
181
182     IF EXISTS (SELECT * FROM Order_Item WHERE order_id = v_order_id AND item_id = p_item_id) THEN
183         UPDATE Order_Item
184         SET quantity = quantity + p_quantity,
185             price = price + v_total_price
186         WHERE order_id = v_order_id AND item_id = p_item_id;
187     ELSE
188         INSERT INTO Order_Item (order_id, item_id, quantity, price)
```

2. Procedure/Function – Thêm món vào giỏ hàng #3

```
187     ELSE
188         INSERT INTO Order_Item (order_id, item_id, quantity, price)
189         VALUES (v_order_id, p_item_id, p_quantity, v_total_price);
190     END IF;
191
192     UPDATE orders
193     SET total_price = total_price + v_total_price
194     WHERE order_id = v_order_id;
195     COMMIT;
196     SET p_message = CONCAT('Item ', p_item_id, ' has been added to order ', v_order_id, ' successfully.');
```

197 END \$\$

198 DELIMITER ;

Your choice: 2

Enter the item ID to add to cart: 1

Enter the quantity: 1

Item 1 has been added to order 3 successfully.

2. Procedure/Function – Xóa món khỏi giỏ hàng #4

```
202  -- 4. Remove Item from Cart
203  DELIMITER $$
204  CREATE PROCEDURE remove_item_fromCart(
205      IN p_userid INT,
206      IN p_item_id INT,
207      IN p_remove_quantity INT,
208      OUT p_message VARCHAR(255)
209  )
210  BEGIN
211      DECLARE v_order_id INT;
212      DECLARE v_item_price DECIMAL(10, 2);
213      DECLARE v_quantity INT;
214      DECLARE v_total_price DECIMAL(10, 2);
215      DECLARE v_remove_price DECIMAL(10, 2);
216
217      DECLARE exit_procedure BOOL DEFAULT FALSE;
218
219      START TRANSACTION;
220      SELECT order_id INTO v_order_id
221      FROM orders
222      WHERE userid = p_userid
223      AND status = 'Pending'
224      LIMIT 1;
```

```
226  IF v_order_id IS NULL THEN
227      SET p_message = 'You do not have any cart';
228      ROLLBACK;
229      SET exit_procedure = TRUE;
230  END IF;
231
232  IF NOT exit_procedure THEN
233      SELECT quantity, price INTO v_quantity, v_total_price
234      FROM Order_Item
235      WHERE order_id = v_order_id AND item_id = p_item_id;
236
237      IF v_quantity IS NULL THEN
238          SET p_message = CONCAT('Item ', p_item_id, ' not found in the cart.');
```

ĐẠI

```
239          ROLLBACK;
240          SET exit_procedure = TRUE;
241      END IF;
242  END IF;
243
244  IF NOT exit_procedure AND p_remove_quantity > v_quantity THEN
245      SET p_message = 'The quantity you need to remove is not valid.';
246      ROLLBACK;
247      SET exit_procedure = TRUE;
248  END IF;
```

2. Procedure/Function – Xóa món khỏi giỏ hàng #4

```
250 IF NOT exit_procedure THEN
251     SET v_item_price = v_total_price / v_quantity;
252     SET v_remove_price = v_item_price * p_remove_quantity;
253
254 IF p_remove_quantity = v_quantity THEN
255     DELETE FROM Order_Item
256     WHERE order_id = v_order_id AND item_id = p_item_id;
257 ELSE
258     UPDATE Order_Item
259     SET quantity = quantity - p_remove_quantity,
260         price = price - v_remove_price
261     WHERE order_id = v_order_id AND item_id = p_item_id;
262 END IF;
263
264 UPDATE orders
265 SET total_price = total_price - v_remove_price
266 WHERE order_id = v_order_id;
267
268 IF (SELECT COUNT(*) FROM Order_Item WHERE order_id = v_order_id) = 0 THEN
269     SET p_message = 'The cart has no items.';
270 ELSE
271     SET p_message = CONCAT('Successfully removed ', p_remove_quantity, ' item(s) ',
272                             p_item_id, ' from the cart ', v_order_id);
```

2. Procedure/Function – Xóa món khỏi giỏ hàng #4

```
272      p_item_id, ' from the cart ', v_order_id);
273      END IF;
274      COMMIT;
275      END IF;
276      IF exit_procedure THEN
277          ROLLBACK;
278      END IF;
279      END $$
280      DELIMITER ;
```

Your choice: 4

Enter the item ID to remove from cart: 1

Enter the quantity: 1

Successfully removed 1 item(s) 1 from the cart 3

Your choice:

2. Procedure/Function – Xem chi tiết món (ID) #5

-- 5. View Detail Item

DELIMITER \$\$

CREATE PROCEDURE get_item_byID(

IN p_item_id INT,

OUT p_item_name VARCHAR(255),

OUT p_item_description VARCHAR(255),

OUT p_item_price DECIMAL(10, 2),

OUT p_item_status TINYINT(1)

)

BEGIN

SELECT item_name, item_description, item_price, item_status

INTO p_item_name, p_item_description, p_item_price, p_item_status

FROM menu_items

WHERE item_id = p_item_id;

IF p_item_name IS NULL THEN

SET p_item_name = 'Item not found';

SET p_item_description = 'N/A';

SET p_item_price = 0.00;

SET p_item_status = 0;

END IF;

END \$\$

DELIMITER ;

Your choice: 5

Enter item ID: 1

Item Name: Salmon Donburi

Description: Japanese rice bowl topped with fresh salmon.

Price: 10.99

Status: Available

2. Procedure/Function – Tìm kiếm món #6

```
-- 6. Search Item
DELIMITER $$
CREATE PROCEDURE get_menu_items_by_name(
    IN p_item_name VARCHAR(255)
)
BEGIN
    SELECT item_id, item_name, item_description, item_price, item_status
    FROM menu_items
    WHERE item_name LIKE CONCAT('%', p_item_name, '%');
END $$
```

Your choice: 6
Enter item name to search: ud
Item ID: 6
Item Name: Katsudon
Description: Japanese rice bowl with crispy pork cutlet and egg.
Price: 9.99
Status: Available
|-----|
Item ID: 12
Item Name: Udon
Description: Thick wheat noodles served in a savory broth.
Price: 6.99
Status: Available
|-----|

2. Procedure/Function – Xem lịch sử chi tiết đơn #7

```
-- 7. View Activity
DELIMITER $$
> CREATE PROCEDURE get_transaction_history(
    IN p_userid INT,
    OUT p_message VARCHAR(255)
)
> BEGIN
    DECLARE v_order_exists INT DEFAULT 0;
    SELECT COUNT(*) INTO v_order_exists
    FROM orders
    WHERE userid = p_userid;

    IF v_order_exists = 0 THEN
        SET p_message = 'No orders found for the user.';
    ELSE
        -- Truy vấn lấy thông tin tất cả các hóa đơn của người dùng
        SELECT o.order_id, o.order_date, o.total_price, o.paymentmethod, o.status AS order_status,
            oi.item_id, m.item_name, oi.quantity, oi.price AS item_price
        FROM orders o
        LEFT JOIN Order_Item oi ON o.order_id = oi.order_id
        LEFT JOIN menu_items m ON oi.item_id = m.item_id
        WHERE o.userid = p_userid
        ORDER BY o.order_date DESC;
        SET p_message = 'Transaction history retrieved successfully.';
    END IF;
END $$
DELIMITER ;
```

Your choice: 7
Transaction history retrieved successfully.

=====
Order ID: 5
Order Date: 2024-11-14
Total Price: 9.99 \$
Payment Method: null
Order Status: Pending

Item ID	Item Name	Quantity	Item Price
3	Bibimbap Shrimp	1	9.99 \$

=====
Order ID: 3
Order Date: 2024-11-14
Total Price: 84.92 \$
Payment Method: null
Order Status: Completed

Item ID	Item Name	Quantity	Item Price
1	Salmon Donburi	5	54.95 \$
6	Katsudon	3	29.97 \$

Your choice: "

2. Procedure/Function – Xem thực đơn #8

```
354  -- 8. View Menu
355  DELIMITER $$
356  ● CREATE PROCEDURE get_menu()
357  ○ BEGIN
358      SELECT item_id, item_name, item_description, item_price, item_status
359      FROM menu_items;
360  END $$
```

```
Your choice: 1
Item ID: 1
Item Name: Salmon Donburi
Description: Japanese rice bowl topped with fresh salmon.
Price: 10.99
Status: 1
-----
Item ID: 2
Item Name: Bibimbap Origin
Description: Traditional Korean mixed rice with vegetables.
Price: 8.99
Status: 1
-----
Item ID: 3
Item Name: Bibimbap Shrimp
Description: Korean mixed rice with shrimp and vegetables.
Price: 9.99
Status: 1
-----
Item ID: 4
Item Name: Bibimbap Vegetables
Description: Vegetarian Bibimbap with a variety of fresh vegetables.
Price: 7.99
Status: 1
-----
Item ID: 5
Item Name: Cheese Takoyaki
Description: Takoyaki balls with melted cheese topping.
Price: 6.99
Status: 1
-----
Item ID: 6
Item Name: Katsudon
```

2. Procedure/Function – Xem giỏ hàng #9

```
-- 9. Detail Cart
DELIMITER $$
CREATE PROCEDURE getcart(IN p_userid INT)
) BEGIN
    SELECT
        o.order_id,
        mi.item_name,
        oi.quantity,
        oi.price,
        (oi.quantity * oi.price) AS total_item_price,
        o.total_price AS total_order_price,
        o.status
    FROM orders o
    JOIN order_item oi ON o.order_id = oi.order_id
    JOIN menu_items mi ON oi.item_id = mi.item_id
    WHERE o.userid = p_userid AND o.status = 'Pending';
- END $$
DELIMITER ;
```

```
Your choice: 3
|----- MY CART -----|
User ID: 6

Order ID: 5
Status: Pending
-----
Item Name: Bibimbap Shrimp
Quantity: 1
Price: 9.99
-----
Item Name: Cheese Takoyaki
Quantity: 3
Price: 20.97
-----
Total: 30.96
|-----|

Your choice: ||
```

2. Procedure/Function – Đặt đơn #10

```
389 -- 10. Verify Ordering
390 DELIMITER $$
391 CREATE PROCEDURE verify(
392     IN p_userid INT,
393     IN p_paymentmethod ENUM('Cash', 'Credit Card'),
394     OUT p_message VARCHAR(255)
395 )
396 BEGIN
397     DECLARE v_order_id INT;
398     DECLARE v_total_price DECIMAL(10, 2);
399     DECLARE v_item_count INT;
400     START TRANSACTION;
401
402     SELECT order_id, total_price INTO v_order_id, v_total_price
403     FROM orders
404     WHERE userid = p_userid AND status = 'Pending'
405     LIMIT 1;
```

```
406 IF v_order_id IS NULL THEN
407     SET p_message = 'You do not have any pending orders to place.';
408     ROLLBACK;
409 END IF;
410 SELECT COUNT(*) INTO v_item_count
411 FROM Order_Item
412 WHERE order_id = v_order_id;
413
414 IF v_item_count = 0 THEN
415     SET p_message = 'Your cart is empty. Please add items before placing the order.';
416     ROLLBACK;
417 END IF;
418
419 UPDATE orders
420 SET status = 'Ordered',
421     paymentmethod = p_paymentmethod,
422     order_date = NOW()
423 WHERE order_id = v_order_id;
424 COMMIT;
425 SET p_message = CONCAT('Order ', v_order_id, ' has been successfully placed.');
```


```
426 END $$
427 DELIMITER ;
```

Your choice: 8

Enter payment method (Cash/Credit Card): Cash

Order 10 has been successfully placed.

3. Diagram





Cám ơn thầy đã xem

Thank you